

2861-3

1. Considered 9-29, 1976
2. Name of Applicant LARRY WEBER
3. Post Office Address GARY
4. Amount of water claimed ~~8.15~~ 3.2
5. Source of water supply 90' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 223
7. Water to be diverted and used in DEUEL County
about 25, 1/4 miles of GARY
8. Proof of Publication Received 8-27-76
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2861-3
 Map No. 2196-3 Water Division No. 3 MINNESOTA RIVER Dis.
 (Blanks to be Filled by the Engineer for the W. H. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Larry Weber
 Postoffice address Gary, S. Dak. State _____
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Weber #1
4. Amount of water claimed (cubic feet per second) 3.2
5. Source of water supply well
6. Location of point of diversion Center NE 1/4 16 115-47
- County Deuel
7. Annual period or periods during which water is to be used April Nov.
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, _____ Total number of acres to be irrigated 22.8

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE 1/4 NE 1/4 Sec 16 115-47	40	SE 1/4 SE 1/4 Sec 9 115-47	2.5
NW 1/4 NE 1/4 " " " "	40	SW 1/4 SE 1/4 " " " "	38
SW 1/4 NE 1/4 " " " "	40		
SE 1/4 NE 1/4 " " " "	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 3 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Gary Inter State
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Estimated Total Cost \$50,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Deuel

I, Larry Weber the applicant, certify that I have read the foregoing application and have examined the attached map, and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Larry WeberSubscribed and sworn to before me this 11 day of June 1976

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2861-3

LARRY WEBER
(Applicant)

GARY

(Post Office Address)

SOUTH DAKOTA 57237
(State)

With the following modifications:

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

See 4765-3

Date of first receipt of application JUNE 18, 19 76

Date of return to applicant for correction, amendments or changes required _____, 19 ____

Date of receipt of corrected application JULY 6, 19 76

Approved SEPTEMBER 30, 19 76, Recorded in Book 15 Page 314

WATER RIGHT PERMIT NO. 2861-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2861-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JUNE 18, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 30, 19 78
3. The whole of said work is to be completed on or before SEPTEMBER 30, 19 79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 30, 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before SEPTEMBER 30, 19 81; said water to be used during the following described annual period: APRIL - NOVEMBER

Witness my hand this 12TH day of NOVEMBER, 19 76

WATER RIGHTS COMMISSION

By:

John H. H. H.
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 ____

Water License Issued _____, 19 ____

QTY.	PART NO.	MATERIAL	PRICE	AMOUNT
	0-5	Yellow Clay		
	5-9	Yellow Clay		
	9-15	Gray Clay		
	15-19	Gray Clay		
	19-25	Gravel		
	25-30	Gravel		
	30-35	Gravel		
	35-40	Gravel		
	40-45	Gravel		
	45-47	Gravel		
	47-50	Dirty gravel		
	50-55	"Dirty Gravel"		
	55-60	Clay + Gravel mixed		
	60-65	Clay + Gravel		
	65-70	Blue Clay + Coal Strip		
	70-75	Gravel		
	75-80	Gravel		
	80-85	White Rock + Gravel		
	85-92	GRAVEL		
	92-95	Boulders		
	95-100	GRAY CLAY	100-110	GRAY CLAY
	Used	12 BAGS of Bentonite		

GETTING INDUSTRIAL, INC.
4701 N. CHIEF
SIOUX FALLS, S. DAK. 57104

SERVICE ORDER

JOB PHONE
JOB NAME / JOB
ADDRESS
LOCATION

MODEL	SERIAL NO.	
☐ WARRANTY	☐ ESTIMATE	☐ REPAIR
WORK PERFORMED BY		TIME ORDER
SERVICES PERFORMED		PARTS ORDER

DATE		HOURS		DATE		HOURS		DATE		HOURS	
STD. TIME	OVER-TIME			STD. TIME	OVER-TIME			STD. TIME	OVER-TIME		

TAX
TOTAL PARTS

TERMS: 1% SERVICE CHARGE MONTHLY ON ALL ACCOUNTS OVER 30 DAYS

☐ 13.1 SYSTEM INSTALLATION	☐ 13.3 CHARGEABLE REPAIRS & TROUBLESHOOTING	TOTAL MILEAGE
☐ 13.2 WARRANTY REPAIRS & TROUBLESHOOTING	☐ X.O. CHARGES (EXPERIMENTAL PARTS)	HRS. RATE TO
☐ 13.4 OTHER		STD. TIME
I have hereby authorized the above repair work to be done along with the necessary material and hereby grant you and/or your employees permission to operate the irrigation system and related pumping equipment herein described for the purpose of testing and/or inspection. An express lien is hereby acknowledged on said irrigation system to secure the amount of repairs thereto. You will not be held responsible for loss or damage to the irrigation system, related pumping equipment or crops grown under the system due to causes beyond your control, and in no event shall your liability exceed the amount of this repair order.		OVER TIME
X		LABOR CHARGE

1 - SERVICE MGR. 2 - SERVICEMAN 3 - FILE COPY 4 - CUSTOMER COPY

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 18", Depth 90
- (2) Casing, Type Steel (wood, concrete, steel, etc) Diameter 14" Thickness 0.25
- (3) Perforated Screen.
Type Johnson, Diameter 14", Length 15'
- (4) Gravel Pack, Thickness 4", Length of gravel pack 90'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 70-80-Gravel
19-47 Gravel 80-85 Rock Gravel
85-90 Boulders Gravel

Depth to top of water bearing material 19'

Depth to bottom of water bearing material 90'

Thickness of water bearing material 19-47 - 70-90

Depth to water (ground surface to water level) 20'


- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 100 rds. On property owned by others 240 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Larry M. et al
 Signature of Applicant



June 30, 1976

Mr. Larry Weber
Gary, SD 57237

Dear Mr. Weber:

We have enclosed herewith the report of the analysis on your water sample (876-695) submitted about a week ago. I have also enclosed a copy of the AES publication which we use to describe the effects of waters on soils. In the diagram on the outside back cover of this, there is a bulletin with a red cross signifying the approximate quality of your water for irrigation purposes. As you will see, it is in the high salinity, low sodium category.

For the climatic area of Deuel County, this water should present no particular hazard to the soils on which it is used. The irrigation should be as much as possible in substantial quantities and as infrequently as possible. Your soils appear to have good internal drainage so there should not be any salinity build-up as a result of the use of the water.

I am sending a copy of the application materials and the water analysis, along with a copy of this letter to the State Conservation Commission for their action. You will be hearing from them.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Bale Witala, County Extension Agent

Conservation
Classification
Water Use

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: *[Signature]*

Disapproved: _____

NAME: _____

Larry Weber

COUNTY: _____

Gary S. Dak.

CITY: _____

Duel

LEGAL DESCRIPTION

1. WELL LOCATION: _____

Center NE $\frac{1}{4}$ Sec 16 115 47

2. AREA TO BE IRRIGATED: _____

N E $\frac{1}{4}$ Sec 16; S $\frac{1}{2}$ S E $\frac{1}{4}$ Sec 9 115 47

TYPE OF IRRIGATION

3. GRAVITY _____

SPRINKLER (Efficient Type): _____

Sprinkler

4. CROPS TO BE IRRIGATED: _____

Corn, Alfalfa

X LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF AG. L. _____

4-8

6. PHYSICAL SOIL CLASSIFICATION (See Table): _____

3547Z, 2s M4 Cal, & 15 M

Loamy soils having gravelly & sandy substrata (literal interpretation from D. Carl C. Reeson Soil Map. (E55-12) Weslin, Barnister, Miller, Thayer)

X WATER ANALYSIS (See Table) (See Table)

7. pH: _____

7.6-6.95

8. SALINITY: _____

EC = 855 μ mhos/cm (medium-high)

9. SODIUM: _____

SAR = 0.11 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Garry Weber

Subscribed and sworn before me this

23 day of May 1976.

John L. Brown

(Title)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Larry Lober
 Address: GARY, SD 57237

Date Rec'd: June 23, 1976
 Sample No. 76-695
 Identification cell-92
NE1, Sec. 16, T 115N, R 47W

WATER ANALYSIS

Calcium (Ca)	190	ppm*	9.50	me/l**
Magnesium (Mg)	41	ppm	3.36	me/l
Sodium (Na)	6	ppm	0.27	me/l
Potassium (K)	4	ppm	0.10	me/l
Sulfate (SO ₄)	170	ppm	3.54	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	3	ppm	0.09	me/l
Bicarbonate (HCO ₃)	425	ppm	6.96	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	348	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	855	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.11			
Sodium	2.04%	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.17			
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 13.23 me/l
 Total anions 10.59 me/l

By: Shirley Littan

Service Performed

Amount Due

Irrigation analysis

8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-695

Amount Enclosed \$

Signed

Publish first publication, on or before September 16, 1976NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 11, 1976Notice is hereby given that Larry Weberwhose post office address is Gary, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use3.17 cubic feet of water per second of time from the ground water through theWeber #1, the point of diversion of which is to be located in the _____Center of the NE $\frac{1}{4}$ of Section 16, Twp. T115N, Range 47W. Said water to be used for the purpose

of providing irrigation on the following described land:

NE $\frac{1}{4}$, Section 16; S $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9, T115N, R47W

This application No. 2861-3 will be considered by the Water Rights Commission at their office at Pierre upon the 29th day of September, 1976, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc Larry Weber, Gary, S.D. 57237

No _____

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County of Deuel) ss.

I, R. R. Miotte hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Gary Interstates

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Gary, S.D.

County of Deuel and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Thursday, August 19, 1976

Thursday, August 26, 1976

R. R. Miotte
(Signature)

Publisher - Owner
(Title)

August 19, 1976
(Date Signed)

August 26, 1976

LEGAL NOTICE

NOTICE INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501
August 11, 1976

Notice is hereby given that
Larry Weber whose post office
is Gary, South Dakota, has
made an application in accor-
dance with the provisions of
the water laws of South Dak-
ota for a permit to appropri-
ate for beneficial use 3.17
cubic feet of water per second
of time from ground water
through the Weber #1, the
point of diversion of which is
to be located in the Center
of the NE 1/4 of Section 16,
Twp. 115N, Range 37W. Said
water to be used for the pur-
pose of providing irrigation
on portions of the following
described land:

NE 1/4, Section 16; S1/2
SE 1/4, Section 9, T115N,
R47W.

This application No. 2861-
3 will be considered by the
Water Rights Commission at
their office at Pierre upon
the 29th day of September,
1976, at 10:00 A.M. All in-
terested persons may appear
and be heard.

WATER RIGHTS COMMISSION
By Burton F. Jones
Water Rights Specialist



 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 2, 1986

John Wein
RR 1, Box 212
Marietta, MN 56257

NOTICE

Re: Violation of Water Permit No(s). 4765-3 and 2861-3 and 1985 Irrigation Questionnaire Requirements.

Our records indicate that the 1985 Irrigation Questionnaire has not been submitted for Water Permit No(s). 4765-3 and 2861-3. The request for the questionnaire was dated November 15, 1985. The Water Management Board has directed that owners of water permits who have not submitted 1985 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board of violation of Water Permit No(s). 4765-3 and 2861-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s). 4765-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 2:00 p.m., May 14, 1986, in Room 216, Joe Foss Building, Pierre, South Dakota.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:


1. Suspend Permit No(s). 4765-3 and 2861-3 until either the 1985 Questionnaire is submitted or for the period of up to one year;
2. Amend Permits No(s). 4765-3 also held by John Wein to require the Irrigation Water Use Questionnaire to be submitted each year;

John Wein
April 2, 1986
Page 2

3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,



John Hatch, Chief Engineer
Water Rights Division
(605) 773-3352

Note: If the questionnaire(s) are received in this office before the May 14th hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

D32403KS.WR

 **Department of
Water & Natural Resources**


Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 20, 1986

NOTICE OF AMENDMENT TO WATER PERMIT(s)

To: John Wein
RR 1 Box 212
Marietta MN 53257

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352



SUBJECT: Amendment to Water Permit No(s). 2861-3

Pursuant to the provisions of the notice dated April 2, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No(s). 2861-3 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.

Equal Opportunity Employer



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Attachment to Water Permit No. 2361-3

Pursuant to the provisions of the notice dated May 20, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No. 2861-3 to add the following qualification:

"This Permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

Equal Opportunity Employer

Water Rights Division - DWR
Conversation or File Documentation

File No. 4765-3

2861-3

NAME OF PERSON OR FILE: Larry Weber

ADDRESS: Cary, SD COUNTY: Deuel

DATE: 7/11/86 TELEPHONE:

RE: Suspended irrigation permit

COMMENTS:

On July 10, 1986, I spoke to Don Schulte, current Farm manager for Larry Weber, about the Board's decision to suspend water Permit 4765-3 due to non - returned irrigation questionnaire. He indicated that John Weir was no longer the Farm Manager and he was the person that the irrigation questionnaire was sent to. Due to improper notification I told Don Schulte that they could irrigate this summer. Send irrigation questionnaire to:

Larry Weber Farm
c/o Don Schulte

PO Box 157

Cary, SD 57237

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

4/82

NAME: Tim Telford
Natural Resource Engineer



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 11, 1989

Donald Schulte
PO Box 157
Gary, SD 57237

Dear Mr. Schulte:


Enclosed, as we discussed, are the 1988 irrigation questionnaires for Water Permit Nos. 4765-3 and 2861-3. These permits are listed in the name of Larry Weber.

Please complete the questionnaires and return them to our office as soon as possible. A postage paid envelope is enclosed for your convenience in returning the questionnaires.

I do not have a current address for Larry Weber. If you would happen to have an address for him other than the Dixon, California address shown on the questionnaires, please make a notation beside his name.

I have made a notation on the files to send the 1989 irrigation questionnaires to John Heaton, RR #1, Gary, SD. If you have any questions, or need assistance in completing the enclosed forms, please contact me.

Sincerely,


GENNY MCMATH
Natural Resource Analyst
(605) 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1990

JOHN HEATON, FARMER
RR 1 BOX 490
GARY, SD 57237

NOTICE

RE: Violation of Water Permit No(s). (2361-3, 4765-3

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). 2861-3, 4765-3. The request for the Questionnaire was dated October 13, 1989. The Water Management Board had directed that owners of water permits who have not submitted the 1989 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 2861-3, 4765-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Roosevelt-Jefferson Room, I-90 at LaCrosse, Rapid City SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-3, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 2361-3, 4765-3 until the 1989 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 7th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

cc: Larry Weber, PO Box 1191, Dixon CA 95620



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 16, 1990

2861-3
4765-3

John Heaton, Mgr.
RR 1, Box 490
Gary SD 57237

Dear Mr. Heaton:

I am writing to acknowledge receipt of your 1989 irrigation questionnaire for Water Permit Nos. 2861-3 and 4765-3. You may disregard the February 9, 1990 Notice of failure to submit the 1989 irrigation questionnaire. Your questionnaires were received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall /ks

RON DUVALL
Natural Resources Engineer
Water Rights Division

cc: Larry Weber, PO Box 1191, Dixon CA 95620

Water Rights Division - DWNR
Conversation or File Documentation

File No. (2861-3)
4765-3

NAME OF PERSON OR FILE: LARRY WEBER

ADDRESS: _____ COUNTY DEUEL

DATE: 4/23/90 TELEPHONE _____

RE: CHANGE OF ADDRESS FOR PERMITS 2861-3 & 4765-3

COMMENTS:

LARRY WEBER MOVED TO CALIFORNIA HIS NEW ADDRESS
IS

LARRY WEBER

RI Box 26

KETTLEMAN CITY, CA 93239

PHONE 209-945-2244

CURRENT RENTOR OF THE LAND IS JOHN HEATON

RI Box 490

GARY SD 57237

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

4/82

NAME: M. J. D. 284



2861-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

SEP 6 1995

4765-3

Larry Weber
12700 Somerton Avenue
Yuma, AZ 85364

Dear Mr. Weber:

Enclosed is Water License No. 4765-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412377 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4765-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

gm
enclosures

NOTE: The applicable portions of Water Permit No. 2861-3 have been incorporated into this Water License No. 4765-3.