

2900-3

1. Considered 9.29, 1976
2. Name of Applicant RONALD ~~SPENCER~~ HALSEY
3. Post Office Address SPRINGFIELD
4. Amount of water claimed 4.3
5. Source of water supply MISSOURI RIVER
6. Water to be used for IRRIGATION
Acres to be irrigated 300
7. Water to be diverted and used in BON HAMME County
about 3E 2N miles of SPRINGFIELD.
8. Proof of Publication Received 9-16-76
Not Received
9. Application Approved
Subject to
Not Approved
Action deferred
10. Remarks:

No. 2900-3Map No. 2232-3 Water Division No. 3 MISSOURI RIVER District _____
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Ronald E. Halsey
 Postoffice address Springfield, State South Dakota
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Employment by Labor.3. Name of diversion work Ronald E. Halsey Irrigation Project No. 14. Amount of water claimed (cubic feet per second) 55. Source of water supply Missouri River

6. Location of point of diversion 4700' South - 200' East of Northwest Corner of North-
east Quarter of Section 18, Township 93 North, Range 59 West of the 5th
P.M., Bon Homme County South Dakota

7. Annual period or periods during which water is to be used May 1 to October 1.8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation.9. For irrigation use, Total number of acres to be irrigated 300.

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 7-93-59	38	NE $\frac{1}{4}$ NE $\frac{1}{4}$ 18-93-59	40
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 7-93-59	40	NW $\frac{1}{4}$ NE $\frac{1}{4}$ 18-93-59	22
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 7-93-59	35	SW $\frac{1}{4}$ NE $\frac{1}{4}$ 18-93-59	40
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 7-93-59	25	SE $\frac{1}{4}$ NE $\frac{1}{4}$ 18-93-59	40
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 18-93-59	10	NW $\frac{1}{4}$ SE $\frac{1}{4}$ 18-93-59	10

10. Time required to complete construction of water supply system one (1) years. Additional time required to com-
 plete application of water to the proposed beneficial use five (5) years.

11. Choice of newspaper for Notice of Intent to Appropriately Water publication Springfield Times

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump with Suction Line and Strainer.

B. Works proposed to transport water to place of use.

Underground Pipe.

C. Works proposed to apply water to beneficial use.

Sprinkler System.

Estimated Total Cost \$ 120,000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Bon Homme)

I Ronald E. Halsey the applicant, certify that I have read the foregoing application and have examined the
 attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction

Signed Ronald E. Halsey
 Subscribed and sworn to before me this 23 day of August, 19 76.

Edward W. Bulah
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2900-3
RONALD E. HALSEY SPRINGFIELD
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57062 with the following modifications:
 (State)

Date of first receipt of application AUGUST 30, 1976
 Date of return to applicant for correction, amendments or changes required — 19 —
 Date of receipt of corrected application — 19 —
 Approved SEPTEMBER 30, 1976, Recorded in Book 15 Page 317

WATER RIGHT PERMIT NO. 2900-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2900-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is AUGUST 30, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 30, 1977
3. The whole of said work is to be completed on or before SEPTEMBER 30, 1981 11-27-79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 30, 1983
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 4.3 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial use served, and it for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 30, 1981; said water to be used during the following described annual period: MAY 1 TO OCTOBER 1

Witness my hand this 19TH day of NOVEMBER 19 76

WATER RIGHTS COMMISSION

By:

John Halsey
 Chief Engineer, Executive Officer

Certificate of Construction Issued — 19 —

Water License Issued — 19 —

Publish first publication, on or before September 18, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 31, 1976

Notice is hereby given that Ronald L. Halsey

whose post office address is Springfield, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

4.3 cubic feet of water per second of time from the Missouri River through the Halsey Project #1, the point of diversion of which is to be located in the _____

SW1 SE1

of Section 18, Twp. 93N, Range 59W. Said water to be used for the purpose of providing irrigation on ^{portions of} the following described land:

SE1, Section 7; NE1, N1 SE1, Section 18, T93N, R59W

This application No. 2900-3 will be considered by the Water Rights Commission at their office at Pierre upon the 29th day of September, 1976, at 10:00 A. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Ronald L. Halsey, Springfield, S.D. 57062

No. 2900-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County San Homme) ss.

I, Wayne L. Bertland hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Springfield Times

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Springfield of _____
County of San Homme and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Sept. 9, 1976

" 16, "

Wayne L. Bertland
(Signature)

Publisher
(Title)

9-16-76

(Date Signed)

NOTICE INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
August 31, 1976

Notice is hereby given that
Ronald E. Halsey whose post
office address is Springfield,
South Dakota, has made an
application in accordance with
the provisions of the water laws
of South Dakota for a permit to
appropriate for beneficial use 4.3
cubic feet of water per second of
time from the Missouri River
through the Halsey Project No. 1,
the point of diversion of which is
to be located in the SW $\frac{1}{4}$, SE $\frac{1}{4}$ of
Section 18, Twp. 93N, Range 59W.
Said water to be used for the
purpose of providing irrigation on
portions of the following described
land:

SE $\frac{1}{4}$, Section 7, NE $\frac{1}{4}$, N $\frac{1}{4}$,
SE $\frac{1}{4}$, Section 18, T93N, R59W.

This application No. 2900-3 will
be considered by the Water
Rights Commission at their office
at Pierre upon the 29th day of
September, 1976, at 10:00 a.m. All
interested persons may appear
and be heard.

WATER RESOURCES
COMMISSION

By: Burton F. Jones
Water Rights Specialist
(Sept. 9 and 16)



RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7080

PIERRE, October 15, 1979

RECEIVED OF Benjamin F. Brown, et al. Field No. 2900-3
the following amount in fees for services rendered as provided for by law:


Fee for Application for Permit to appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. _____		
Fee for Inspecting Beneficial Use, and Issuing Water License No. _____		
Fee for Issuing Location Certificate-Dry Draw, No. _____		
Fee for filing <u>extension of time for water right No. 2900-3</u>	2	50
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	2	50

WATER RIGHTS COMMISSION

By (Signature)
Chief Engineer, Executive Officer

JOHN HATCH

99



APPLICATION FOR EXTENSION OF TIME

TO: Water Rights
Foss Building
Pierre, South Dakota 57501

Date Oct 10, 1979

Dear Sirs:

In Water Right Permit No. 2900-3 it is specified that the water diversion system is to be completed by September 30, 1977 and that the water is to be put to the limit of beneficial use by September 30, 1981.

I hereby request that the date for completing the diversion system be extended to September 30, 1981 and that the date for putting the water to the limit of beneficial use be extended to September 30, 1983.

The extension of time for the completion of these works is requested for the following reasons: a center pivot has been constructed in the NE 1/4 of Section 18. I would like to irrigate the area in the SE 1/4 of Section 7, also.

Enclosed herewith is a fee of Two Dollars and Fifty Cents (\$2.50) to pay the cost of filing this request for extension of time.

Ronald E. Halverson
(Signed)

2900-3
Permit Number

APPROVED: 11/27/79

Board of Water Management

BY:



Department of Water & Natural Resources

Joe Foss Building Water Rights, Water Management Division
Pierre, South Dakota 57501 (605) 773-3352

November 30, 1979

Ronald E. Halsey
Springfield SD 57069

Dear Mr. Halsey:

This is to inform you that your request for extension of time dated
October 10, 1979 for Water Right No. 2900-3 has been
approved by the Board of Water Management as follows:

The date for completing construction of the water system has
been extended to September 30, 1981 and the date for
putting the water to the limit of beneficial use has been
extended to September 30, 1983.

Enclosed herewith is Receipt No. 4 7080 for \$2.50 fee for filing
of this Extension of Time.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW:kw

enclosure

Equal Opportunity Employer

Form 10.

No. 2900-3

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Springfield S. Dak.
Date July 14 1962

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:


This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2900-3.

Water Right Permit No. 2900-3 states that the diversion system is to be constructed by August 1, 1941 and that the water is to be put to beneficial use by September 30, 1941.

The diversion system was completed on August 1, 1941. Applying the water to beneficial use was completed on September 30, 1941.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Donald S. Mac
(Signature)





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 7, 1989

2900-3

Gary Dvoracek
RR #1 Box 229
Springfield, SD 57062

Dear Mr. Dvoracek:

I am contacting you in response to the 1988 irrigation questionnaire submitted for Water Permit No. 2900-3 (currently listed under Ronald Halsey). Enclosed is a partially completed "Notice of Transfer" for use in filing an ownership change. Please check over the form and sign in the presence of a notary public. Upon completion of the form, return it to our office with a required filing fee of \$2.50. The water permit will then be transferred to your name.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a Water Permit or Water Right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact us.

Sincerely,


GENNY MCMATH
Natural Resources Analyst
605 773-3352

enclosure



NO. 2900-3

NOTICE OF TRANSFER OF WATER PERMIT



TO: Water Rights
Foss Building
Pierre, SD 57501

Date: 3-5-89

This is to notify you that the title to the lands described as follows:

300 acres - SE $\frac{1}{4}$ Section 7, NE $\frac{1}{4}$ Section 18, NE $\frac{1}{4}$ Section 18, T93N, R59W

formerly owned by Ronald Halsey

has been transferred to Gerald L. Overmire R.R. 1 Box 227
Springfield SD 57062
(please include complete mailing address)
together with any rights to the beneficial use of water thereon as evidenced by

Water Right Permit No. 2900-3 as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this "Notice of Transfer of Water Permit" in its appropriate file at the Div. of Water Rights, Water Management Board as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of Bent) ss.

I, Gerald L. Overmire being first duly sworn on my oath depose and say:
That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

Gerald L. Overmire
(Signed)

Subscribed and sworn to before me this 15th Day of Feb., 1989.

[Signature]
(Notary Public)

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411669

Pierre, March 10, 19 89

RECEIVED OF Gerald L. Dvoracek, RR 1, Box 229 Springfield, SD 57022

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right Permit No. 2900-3</u>	2	50
Fee for Filing Extension Request: _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____ (Any Other Work Provided by Law)	Total	2 50

By John Hatch / mra.
Chief Engineer

2900-3

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 16, 1989

Gerald L. Dvoracek
RR #1, Box 229
Springfield, SD 57062

Dear Mr Dvoracek:

Enclosed is Receipt No. 411669 in the amount of \$2.50 which you paid for transfer of Water Right No.2900-3.

Our records now reflect you as the owner of this Water Right.

Sincerely,

Marie R. Arthur

Marie R. Arthur
Secretary
Water Rights Division



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 15, 1990

2900-3

Gerald L Dvoracek
RR #1 Box 229
Springfield, SD 57062

Dear Mr. Dvoracek:

The inspection of your water use system and the inspection of the extent of the application of water to beneficial use, as developed under your Water Permit No. 2900-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

GENNY MCMATH
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

LICENSE FOR PERMIT NUMBER 2900-3

1. Legal location of wells: Location of Diversion Point: 2450 feet N 75° W from the
SE corner of Sec. 18, T93N-R59W, (NW 1/4 SW 1/4 SW 1/4 SE 1/4 Sec 18, T93N-R59W)

dams & structures: _____

2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth _____

Casing a) diameter _____ Screen a) type _____
 b) length _____ b) length _____
 c) type _____ Static Water Level _____

Pump a) make Berkley Centrifugal Motor a) make Marathon Electric
 b) model B5EPH, Serial # 7736501 b) model no. 365TDS7304CCWE1, Frame #
 c) size c 5/16-inch Dia. impeller c) horsepower rating 100 HP 365T
 d) capacity 1200 GPM d) motor efficiency rating _____
 e) turbine pump _____ not available, _____
 no. of stages _____ 3560 rpm

3. Distribution lines:

a) size of lines 10-inch and 8-inch Dia.
 b) type steel and pvc
 c) length 250' 10" Steel, 2750' 10" PVC, 3460' 8" PVC

4. Dam information:

a) height to crest _____ i) Outlet tubes:
 b) height to spillway _____ 1) diameter _____
 c) crest width _____ 2) type _____
 d) crest length _____ 3) valued (Y/N) _____
 e) spillway length _____ 4) valve type _____
 f) spillway width _____ 5) location on structure _____
 g) approx. storage _____
 h) Distribution lines or canals:
 1) size _____
 2) type _____
 3) length _____

5. System Type: a) sideo'll:

1) length _____ feet
 2) diameter of pipe _____
 3) make, model & number of sprinklers _____
 4) spacing of sprinklers _____
 5) nozzle size _____

- b) towline:

1) length _____ feet
 2) make, model & number of sprinklers _____
 3) spacing of sprinklers _____
 4) nozzle size _____

5. System Type: c) center pivot_A

- 1) make Valley Corner System
- 2) number of towers 9 plus corner catcher
- 3) distance between towers _____
- 4) overall length 1200 feet
- 5) End gun: (Y/N) Nelson 100
- 6) high or low pressure Low
- 7) make & size of nozzles _____
- 8) PSI reading while system is running 35 psi
- 9) GPM 700 gpm
Serial # 23966
Model # 5071

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

g) Gun TRAVELING GUN

- 1) make United Farm Tools Inc., Nelson Gun
- 2) serial number Nelson P200, SN CC12510
- 3) nozzle size unknown
- 4) capacity (GPM) 500
- 5) PSI 75psi
- 6) hose size 4-inch
- 7) hose length 990 feet

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES NO Check Items

- | | | |
|-----|-----|---|
| ___ | ___ | 1. Soil and water permit lands agree with lands being irrigated and lands listed on permit. |
| ___ | ___ | 2. Special Qualifications to permit being abided by. |
| ___ | ___ | 3. All Structures, wells and lands on map. |

REMARKS: Traveling gun is used from any of three risers as located on maps.

Pivot B information and information about the booster pump which is situated at Pivot A can be found on page 2/2

LICENSE FOR PERMIT NUMBER 2900-3 (continued) information on Booster Pump and Pivot₈

1. Legal location of wells: Location of Booster Pump: 2250 feet S 52⁰W from the NE Corner
of Sec. 18, T93N-R59W

dams & structures: _____

2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth _____

Casing a) diameter _____ Screen a) type _____
b) length _____ b) length _____
c) type _____ Static Water Level _____

Booster Pump a) make Berkley Centrifugal Motor a) make General Electric
b) model R3TPM Serial # 8060685 b) model no. 5K213JL1372
c) size 5 3/4 - inch c) horsepower rating 15 HP
d) capacity 500 GPM d) motor efficiency rating _____
e) turbine pump no. of stages unknown

3. Distribution lines:
a) size of lines _____
b) type _____
c) length _____

4. Dam Information:
a) height to crest _____ i) Outlet tubes:
b) height to spillway _____ 1) diameter _____
c) crest width _____ 2) type _____
d) crest length _____ 3) valued (Y/N) _____
e) spillway length _____ 4) valve type _____
f) spillway width _____ 5) location on structure _____
g) approx. storage _____
h) Distribution lines or canals:
1) size _____
2) type _____
3) length _____

5. System Type: a) sideroll: b) lowline:
1) length _____ feet 1) length _____ feet
2) diameter of pipe _____ 2) make, model & number of sprinklers _____
3) make, model & number of sprinklers _____
4) spacing of sprinklers _____ 3) spacing of sprinklers _____
5) nozzle size _____ 4) nozzle size _____

5. System Type: c) center pivot_g

1) make Valley MN 4865 SU 35127

2) number of towers 7

3) distance between towers _____

4) overall length _____

5) End gun (Y/N) Nelson 100

6) high or low pressure low

7) make & size of nozzles _____

8) PSI reading while system is running 20 psi

9) GPM 500 gpm

Pivot covers a total of 85 acres

d) Gate Pipe

1) length _____

2) diameter _____

3) spacing of gates _____

e) Siphons

1) number _____

2) size _____

f) Portable boom

1) make _____

2) serial number _____

3) nozzle size _____

4) capacity (GPM) _____

5) PSI _____

g) Gun

1) make _____

2) serial number: _____

3) nozzle size _____

4) capacity (GPM) _____

5) PSI _____

6) hose size _____

7) hose length _____

h) Hydromatic

1) make _____

2) model _____

3) serial number _____

4) length _____

5) nozzle size _____

6) spacing _____

7) PSI _____

8) capacity (GPM) _____

YES

NO

Check Items

____ 1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.

____ 2. Special Qualifications to permit being abided by.

____ 3. All Structures, wells and lands on map.

REMARKS:

Transferred 3/10/89:

Form 12

Gerald Dveracek

RR#1 Box 229

Springfield 57062

Permit No. 2900-3

Missouri River Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Ronald E. Halsey
_____ of Springfield, SD holder of
Permit No. 2900-3, bearing the priority of August 30 19 76 authorizing
the diversion of 4.3 cu. ft. per second of the waters of the Missouri River
for irrigation purposes, in Bon Homme County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water: The works to divert water consist of a Berkley Centrifugal 9 5/16 inch pump, powered by a 100 HP, Marathon Electric Motor. The works are capable of diverting 1200 gpm.

B. Works used to transport water to place of use: The works used to transport water consist of 250 feet of 10-inch Dia. Steel pipeline placed above ground, 2750 feet of 10-inch diameter buried PVC pipeline, and 3460 feet of buried 8-inch diameter PVC pipeline.

C. Works used to apply water to beneficial use: Water is applied to beneficial use through two center pivot systems and a traveling gun. The center pivot located in the NE 1/4 of Sec. 18, is Valley Corner System with 9 towers plus a corner catcher, the system has an overall length of 1200 feet, operates at 35psi with 700gpm. The pivot in the SE 1/4 of Sec. 7 is a Valley System with 7 towers. The system operates at 20psi with 500gpm. The traveling gun (BACK)

The system is in the following condition _____

The point of diversion is located 2450 feet N75°W from the SE corner of Sec. 18, T93N-R59W
(NW 1/4 SW 1/4 SW 1/4 SE 1/4 Sec. 18, T93N-R59W)

The works are capable of diverting and conveying to the place of use 2.67

cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: NE 1/4 SE 1/4 - 24 acres, NW 1/4 SE 1/4 - 36 acres, SW 1/4 SE 1/4 - 25 acres, SE 1/4 SE 1/4 - 12 acres; all of Sec. 7, T93N-R59W
NE 1/4 NE 1/4 - 38 acres, NW 1/4 NE 1/4 - 7 acres, SW 1/4 NE 1/4 - 29 acres, SE 1/4 NE 1/4 - 39 acres, NE 1/4 SE 1/4 - 15 acres, NW 1/4 SE 1/4 - 28 acres; all of Sec. 18, T93N-R59W

comprising a total of 253 acres of land and the license should be issued for 2.67 cfs

Applicable permit qualifications have been complied with ☒ Yes ☐ No

Inspected Oct 6, 1987

Exceptions to compliance are: _____

Date Dec 15, 1989

[Signature]
(signature)

is a United Farm Tools Inc. with a Nelson P200 gun. The traveling gun has 4-inch diameter hose 990 feet long. The traveling gun operates at approximately 75 psi with 500 gpm. The traveling gun can be operated from any of three risers. This irrigation system includes a Berkley Booster Pump located 2250 feet S52°W from the NE corner of Sec. 18, T93N-R59W, (at pivot A). The pump has a 5 3/4 - inch diameter impeller and is capable of 500 gpm.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412068

Pierre, January 31, 1990

RECEIVED OF Gary Dvoracek, RR #1 Box 229, Springfield, SD 57062

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>Water Permit No. 2900-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By *John H. H. H. H.*
Chief Engineer

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 2900-3

(1) Ronald E Halsey of Springfield SD 57062 made Application No. 2900-3 , August 30, 1976 for a water permit to appropriate 4.3 cubic feet of water per second from the Missouri River, Bon Homme County, South Dakota for irrigation purposes. Permit No. 2900-3 with a priority date of August 30, 1976 was approved September 30, 1976 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before September 30, 1981 and for the application to beneficial use of said water on or before September 30, 1983.

Water Permit No. 2900-3 was transferred on March 10, 1989 to Gerald L. Dvoracek.


(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.67 cubic feet of water per second for beneficial use. The location of the diversion point is: 2450 feet N75°W from the SE corner of Section 18, T93N, R59W (SW 1/4 SE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T93N, R59W Section 7	NE 1/4 SE 1/4	24	acres
	NW 1/4 SE 1/4	36	"
	SW 1/4 SE 1/4	25	"
	SE 1/4 SE 1/4	12	"
Section 18	NE 1/4 NE 1/4	38	"
	NW 1/4 NE 1/4	7	"
	SW 1/4 NE 1/4	29	"
	SE 1/4 NE 1/4	39	"
	NE 1/4 SE 1/4	15	"
	NW 1/4 SE 1/4	28	"

TOTAL 253 acres

(4) Pursuant to Section 46-5-30.1 Gerald L. Dvoracek of RR 1, Box 229, Springfield SD 57062 the holder(s) and/or owner(s) of Water Permit No. 2900-3 is issued a license to appropriate water, the right to use 2.67 cubic feet of water per second from the Missouri River with a priority date of August 30, 1976 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 2900-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

APR 6 1990

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

APR 6 1990

2900-3


Gerald L. Dvoracek
RR 1, Box 229
Springfield SD 57062

Dear Mr. Dvoracek:

Enclosed is Water License No. 2900-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Law provides that you have a continuing right to use the water.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

2900-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 9, 1998

NOTICE

TO: GERALD L DVORACEK, RR 1 BOX 229, SPRINGFIELD, SD 57062 9647

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaire(s)

Our records indicate that the 1997 Irrigation Questionnaire has not been submitted for Permit No(s) 2900-3. The request for the Questionnaire was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 9:45 am, February 25, 1998, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2900-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 20, 1998, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

to your RETURN ADDRESS

ed on the reverse side?

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to: 2900-3

GERALD L DVORACEK
RR 1 BOX 229
SPRINGFIELD SD 57062 9647

4a. Article Number

2179 157 192

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

1-10-98

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X Gerald Dvoracek

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.

2900-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 23, 1998

2900-3

Gerard Dvoracek
31077 417th Ave
Springfield, SD 57062-6402

Dear Mr. Dvoracek:

I am writing to acknowledge receipt of your 1997 irrigation questionnaire. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 2900-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2900-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: GERALD L DVORACEK, 31077 417TH AVE, SPRINGFIELD, SD 57062 6402

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaire

Our records indicate that the 2004 Irrigation Questionnaire has not been submitted for Permit No. 2900-3. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 2, 2005, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No. 2900-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office on/or before February 25, 2005, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire, please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2900-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8516 1336

Your item was delivered at 2:38 pm on January 21, 2005 in
SPRINGFIELD, SD 57062. The item was signed for by G DVORACEK.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8516 1336

GERALD L DVORACEK
31077 417TH AVE
SPRINGFIELD SD 57062 6402

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail®
☐ Package Services

PS Form 158, July 2001

(See Reverse)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2005

2900-3

Gerald L Dvoracek
31077 417th Ave
Springfield SD 57062 6402

Dear Mr. Dvoracek:

I am writing to acknowledge receipt of your 2004 irrigation questionnaire. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right No. 2900-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.


If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE


SEC 18, T23N-R59W



KENT A. BUHLER
 Natural Resources Engineer
 SD Dept of Water & Natural Resources
 Division of Water Rights

Water
 Right 2900-3
 (1 of 2)

NOT TO SCALE




KENT A. BUHLER
 Natural Resources Engineer
 SD Dept of Water & Natural Resources
 Division of Water Rights

Water Right
 No. 2900-3
 (2 of 2)

BURIED
 8-INCH PVC

RONALD HALSEY
OWNER

MAP NO 2232-3 APPL NO 2900-3



LEWIS & CLARK LAKE

NOT TO SCALE

93-59

3-90

RONALD HARSEY, OWNER

LAND TO BE
IRRIGATED OUTLINED

IN RED

Floyd D Watson
District Commissioner
SCS

93-59

BURIED

PIPELINE

2111



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: GERALD L DVORACEK, 31077 417TH AVE, SPRINGFIELD, SD 57062 6402

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire has not been submitted for Permit No(s) 2900-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 10, 2010**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2900-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2900-3
[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7866

Service(s): Signature Confirmation™

Status: Delivered

Your item was delivered at 2:05 PM on January 23, 2010 in
SPRINGFIELD, SD 57062. The item was signed for by G DVORACEK.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 23, 2010, 2:05 pm, SPRINGFIELD, SD 57062
- Sorting Complete, January 23, 2010, 9:11 am, SPRINGFIELD, SD 57062
- Arrival at Post Office, January 23, 2010, 8:28 am, SPRINGFIELD, SD 57062

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

[USPS Approved
Businesses, Retailers](#)[Helpful Links
Insurance, Tracking](#)SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 7866

GERALD L DVORACEK
31077 417TH AVE
SPRINGFIELD SD 57062 6402

ing.

Waiver of Signature ☐ YES ☐ NOPostmark
Here**POSTAL CUSTOMER:**

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

- ☐ Priority Mail™ Service
- ☐ First-Class Mail® parcel
- ☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2010

2900-3

Gerald L Dvoracek
31077 417th Ave
Springfield SD 57062-6402

Dear Mr. Dvoracek:

I am writing to acknowledge receipt of your 2009 irrigation questionnaire. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right No. 2900-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

May 29, 2024

2900-3

Gerald Dvoracek
31077 417th Ave
Springfield SD 57062

Dear Mr. Dvoracek:

I am writing you today in regard to Water Right No. 2900-3. Water Right No. 2900-3 authorizes the appropriation of 2.67 cubic feet of water per second (approx. 1200 GPM) from the Missouri River for the irrigation of 253 acres located within the SE $\frac{1}{4}$ Section 7 and NE $\frac{1}{4}$ & N $\frac{1}{2}$ SE $\frac{1}{4}$ Section 18; all in T93N-R59W, Bon Homme County, South Dakota.

Reviews of recently updated aerial imaging suggested unpermitted acres are being irrigated in the W $\frac{1}{2}$ NW $\frac{1}{4}$ Section 17, T93N-R59W (print out enclosed). Is the diversion authorized under Water Right No. 2900-3 being used for these acres?

Any increase in irrigated acres requires additional permitting. For your convenience I have enclosed a permit application and map for you to complete and return to our office with the associated fees. On the map, please outline the area that is irrigated and mark an "X" at the location of the diversion site.

The aerial imagery suggests approximately 70 acres, for which the required fees would be \$950.00. Checks can be made payable to "SD Water Rights Program". You may also submit the necessary fees over the phone by calling our Fiscal Office (605)773-5559.

Obtaining a water permit is in the interest of the permit holder, as it provides protections against loss of water availability due to junior water users.

If you have any questions concerning these acres, application process, or need help completing the application, please don't hesitate to call. My direct line is (605) 910-5187.

Sincerely,

Amanda Dewell
Water Rights Program, Permitting Administrator
605 773-3352
Amanda.Dewell@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

October 3, 2024

2900-3

Gerald Dvoracek
31077 417th Ave
Springfield SD 57062

Dear Mr. Dvoracek:

Aerial imaging suggest a windshield wiper irrigation pivot assembled in the W ½ NW ¼ Section 17, T93N, R59W, immediately east of the acres authorized for irrigation under Water Right No. 2900-3.

In a pervious letter to you, dated May 29, 2024, (copy enclosed) concerns were raised of these acres developed for irrigation that were not authorized by a Water Permit or Water Right.

Currently, we have not yet received an application from you for irrigation of these additional acres. Pursuant to SDCL 46-1, any irrigation greater than 1 acre, requires a water right permit.

I have also enclosed a new permit application; in case you no longer have the one sent previously.

Please contact me via email or by calling (605) 910-5187 so that we may bring these acres into compliance.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: GERALD L DVORACEK, 31077 417TH AVE, SPRINGFIELD, SD 57062 6402

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire has not been submitted for Permit No(s) 2900-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2900-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: LUPCOI**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

2900-3

Gerald L Dvoracek
31077 417th Ave
Springfield SD 57062

Dear Mr. Dvoracek:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2900-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us