


Water Right Number 2948-3

1. Considered 9-29, 1976
2. Name of Applicant HUBERT STULKEN
3. Post Office Address SELBY
4. Amount of water claimed 1.9
5. Source of water supply 95' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 136
7. Water to be diverted and used in WALWORTH County
about 4N, 6W Miles of SELBY
8. Proof of Publication
Received 1ST 9-24-76
Not received
9. Application
Approved
Subject to
Not approved
Action deferred
10. Remarks:

No. 294B-3Map No. 2200-3 Water Division No. 3 MISSOURI RIVER District
(Blanks to be Filled by the Engineer for the W. H. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Hubert Stulken
Postoffice address Selby, State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
3. Name of diversion work Hubert Stulken - Unit #1
4. Amount of water claimed (cubic feet per second) 1.9
5. Source of water supply Ground Water
6. Location of point of diversion CENTER OF THE NE¹ SECTION 15, T124N, R71W
- County Walworth
7. Annual period or periods during which water is to be used March - November
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 320

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE $\frac{1}{4}$ of 15-124-77	160		
NW $\frac{1}{4}$ of 15-124-77	160		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Selby Record, Selby, South Dakota
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ _____

Attachment: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Walworth) ss.I, Hubert Stulken the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Hubert StulkenSubscribed and sworn to before me this 17 day of August, 1976Notary Public (or other qualified officer)Commission Expires 11-6-76

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2948-3
HUBERT STULKEN SELBY
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57472 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

See Permit #4544-3

Date of first receipt of application AUGUST 24, 1976
 Date of return to applicant for correction, amendments or changes required _____, 19____
 Date of receipt of corrected application SEPTEMBER 3, 1976
 Approved SEPTEMBER 30, 1976, Recorded in Book 15 Page 311

WATER RIGHT PERMIT NO. 2948-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2948-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is AUGUST 24, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before FEBRUARY 28, 1979
3. The whole of said work is to be completed on or before SEPTEMBER 30, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 30, 83
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.9 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 30, 1983; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 2ND day of NOVEMBER, 1976

WATER RIGHTS COMMISSION

By: John H. H. H.
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

Hubert Stulken
JOB NAME

NE 1/4 of 15-124-77-
LOCATION Salworth

8/11/76
DATE

15
RIG NO.

Everett Lodmell
FOREMAN

[illegible]

12. Principal Features of the Proposed Water Supply System, (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter _____, Depth _____

(2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)

(3) Perforated Screen.

Type _____, Diameter _____, Length _____

(4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. *Log will be furnished by driller

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____


Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 90 rds. On property owned by others 120 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.



Signature of Applicant

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Hubert Stulken

ADDRESS Selby, South Dakota 57472

COUNTY Walworth



LEGAL DESCRIPTION

1. WELL LOCATION Center of the NE $\frac{1}{4}$ of 15-124-77
2. LOCATION OF AREA TO BE IRRIGATED North $\frac{1}{2}$ of 15-124-77

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn, Alfalfa, Small Grain

WATER QUALITY

5. SAMPLE NUMBER 76-1054
6. SALINITY (EC X 10⁶) 8.56 (med)
7. SODIUM (SAR) 2.09 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 1.42

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and; the soils information has been acquired from Walworth Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Hubert Stulken
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
17 DAY OF October 19 76.

James A. Osterg
(TITLE OR SEAL)

Commissioner 11-6-1976

(SOILS INFORMATION ON REVERSE SIDE)

Albert J. Hoff
APPROVED/DISAPPROVED

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Hubert Stulken
 Address: Selby, SD 57572
co: Huron Drilling, Inc.
P.O. Box 1422
Huron, SD 57350

Date Rec'd: August 17, 1976
 Sample No. 76-1054
 Identification #1 Well

WATER ANALYSIS

Calcium (Ca)	86	ppm*	4.30	me/l**
Magnesium (Mg)	18	ppm	1.48	me/l
Sodium (Na)	79	ppm	3.44	me/l
Potassium (K)	12	ppm	0.31	me/l
Sulfate (SO ₄)	110	ppm	2.29	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	9	ppm	0.24	me/l
Bicarbonate (HCO ₃)	439	ppm	7.20	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	360	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	856	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	2.02			
Sodium	36.09	% of cations		
Residual sodium carbonate	1.42	me/l		
pH	7.78			

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 9.53 me/l
 Total anions 9.74 me/l



By: Shirley Litten

Service Performed

Amount Due

Irrigation analysis

\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1054

Amount Enclosed \$

Signed

August 26, 1976



Mr. Hubert Stulken
Salby, SD 57472

Dear Mr. Stulken:

The analysis of your water sample from your #1 well (876-1054) was sent to you a few days ago. I have now received the soil map and the WI-1 pertaining to this application. The water is satisfactory for irrigation and should cause no chemical changes in itself on lands which are normally well drained. Since the legend did not accompany the soil map I cannot tell which soil areas are well drained and which are poorly drained. I suspect that soil areas 18 are Tetonka or Tetonka-Hoven and there are other areas, too, which are in depressions. Those areas should be avoided in your irrigation and you should not endeavor to raise crops on them and irrigate them unless drainage is provided. Ponding will usually result in these depressions and drown out the crops in short time. Also, salt rise may occur and cause further difficulties.

I am sending this material to the State Conservation Commission for their action even though no legend for the soils map is attached because there is not time to send the material back to you for further information. If they have questions, they may telephone you from Pierre to get the information.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOFickb

Enclosures

cc: State Conservation Commission

D. Pahl

John Skogberg

Form 6 • Notice of Intent to Appropriate Water

10. ~~2940-3~~

Publish first publication, on or before ~~September 14~~, 19 ~~76~~

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

~~September 9~~, 19 ~~76~~

Notice is hereby given that ~~Hubert Stulken~~
whose post office address is ~~7115~~, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

~~2.5~~ cubic feet of water per second of time from the ~~ground water~~ through the

~~Stulken 1, 1~~, the point of diversion of which is to be located in the

~~Center of the NW 1/4~~

of Section ~~15~~, Twp. ~~124N~~, Range ~~77W~~. Said water to be used for the purpose
of providing irrigation on ^{portions of} the following described land:

~~N 1/4, Section 15, T124N, R77W~~

This application No. ~~2940-3~~ will be considered by the Water Rights Commission at their office at
Pierre upon the ~~29th~~ day of ~~September~~, 19 ~~76~~, at ~~10:00~~ A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc:

Hubert Stulken, Selby, S. D. 57472

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County of de la Platte) ss.

I, Ida K. Clement, Editor, Selby Record, hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Selby Record

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City Selby

County of de la Platte and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Thursday, September 16, 1976

Thursday, September 23, 1976

Ida K. Clement

(Signature)

Editor, Selby Record

(Title)

September 23, 1976

(Date Signed)

NOTICE INTENT TO
APPROPRIATE WATER


Pierre, South Dakota 57501
September 9, 1976

Notice is hereby given that
Hubert Stulken whose post office
address is Selby, South Dakota,
has made an application in ac-
cordance with the provisions of
the water laws of South Dakota
for a permit to appropriate for
beneficial use 7.0 cubic feet of
water per second of time from
ground water through the Stulken
No. 17, the point of diversion of
which is located in the
Center of the NE 1/4 of Section 15
Twp. 214N, R. 77W, S. 24N. Said
water to be used for the purpose
of providing irrigation on por-
tions of the following described
land: N 1/2, Section 15, Twp.
24N, R. 77W, S. 24N.

This application No. 2948-3 will
be considered by the Water
Rights Commission at their office
at Pierre, upon the 29th day of
September, 1976, at 10:00 a. m.
All interested persons may ap-
pear and be heard.

Water Rights Commission
By: Burton F. Jones
Water Rights Specialist

910-923



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

HUBERT STULKEN
RR #1 BOX 80B
SELBY, SD 57472

NOTICE

**Re: Violation of Water Permit(s). 4544-3 and 1986 Irrigation
Questionnaire Requirements.**

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 4544-3. The request for the questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4544-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s). 2983-3 and 2948-3 should be amended with the qualification to require the Questionnaire to be submitted each year.


The hearing(s) will be at 2:00 pm, May 6, 1987, in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearings(s), the Water Management Board can:

1. Suspend Permit No(s). 4544-3 until either the 1986 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s). 2983-3 and 2948-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) are received in this office before the hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

South Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
May 4, 1987

2948-3
2983-3
4544-3

Hubert Stulken
RR #1 Box 808
Selby, SD 57472


Dear Mr. Stulken:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 2983-3, 2948-3 and 4544-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



2048-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

HUBERT STULKEN
RR #1 BOX 80B
SELBY SD 57472

NOTICE

RE: Violation of Water Permit Nos 2948-3 & 2983-3, 4544-3 and 1991 Irrigation
Questionnaire Requirements

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit Nos 2948-3 & 2983-3, 4544-3. The request for the Questionnaires was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2948-3 & 2983-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4544-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4544-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2948-3 & 2983-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 13, 1992

2948-3
2983-3
4544-3

Hubert Stulken
RR #1 Box 80B
Selby, SD 57472

Dear Mr. Stulken:

I am writing to acknowledge receipt of your 1991 irrigation questionnaires for Water Permit Nos. 2948-3, 2983-3 and 4544-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaires were received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

HUBERT STULKEN
RR #1 BOX 80B
SELBY, SD 57472

4a. Article Number

P906 557-607

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☐ Insured |
| ☒ Certified | ☐ COD |
| ☐ Express Mail | ☐ Return Receipt for Merchandise |

7. Date of Delivery

1-29-92

5. Signature (Addressee):**6. Addressee's Address (Only if requested and fee is paid)****6. Signature (Agent)**

Hubert Stulken



2948-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: HUBERT STULKEN
RR #1 BOX 80B
SELBY SD 57472

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Requirement to Submit 1992 Irrigation Questionnaire

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 2948-3 & 2983-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2948-3 & 2983-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, your name will be deleted from the Board agenda.



2948-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 5, 1993

2948-3
2983-3
4544-3

Hubert Stulken
RR #1 Box 80B
Selby, SD 57472

Dear Mr. Stulken:

I am writing to acknowledge receipt of your 1992 irrigation questionnaires. You may disregard the January 29, 1993, Notices for Violation of Water Permit No. 4544-3 and Violation of the Requirement to Submit 1992 Irrigation Questionnaires.

The questionnaires were received in our office prior to the Water Management Board Meeting and your name has been deleted from the agenda. If you have any questions, please contact us.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



2948-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

SEP 17 1993

4544-3

Hubert Stulken
RR 1, Box 80B
Selby, SD 57472

Dear Mr. Stulken:

Enclosed is Water License No. 4544-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413752 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4544-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

rd
enclosures

The applicable portions of Water Permit No. 2948-3
have been incorporated into this Water License
No. 4544-3.

HURON DRILLING INC.
WELL LOCATION MAP

Hubert Stulken

DATE August 17

19 76

O. #1

NE

QUARTER, SECTION

15

124

RANGE 77

IN

Walworth

COUNTY



X — PROPOSED LOCATION

Prepared By

Dick Fadgen

Dick Fadgen

Beadle County Extension Agent

MAP NO. 2948-3

HURON TRADING CO.
WELL LOCATION MAP

DATE: _____
QUARTER: _____
RANGE: _____
COUNTY: _____

