

Water Right Number 3131-3

1. Considered 11-17, 1976
2. Name of Applicant KEITH & SONIE - JENSEN
3. Post Office Address TORONTO
4. Amount of water claimed 2.00
5. Source of water supply 60' DEEP WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 1.17
7. Water to be diverted and used in KINGSBURY County
about 2 1/2 W 5 N Miles of DESMET
8. Proof of Publication
Received 11-15-76
Not received
9. Application
Approved
Subject to
Not approved
Action deferred
10. Remarks:

Map No. 2473-3 Water Division No. 3 VERMILION RIVER District 1
(Blanks to be Filled) / the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Karl and Sonja Jensen
Postoffice address RR Box 17, State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract Direct Labor
3. Name of diversion work Karl and Sonja Jensen Irrigation Project #1
4. Amount of water claimed (cubic feet per second) 2.0
5. Source of water supply well
6. Location of point of diversion 1860' N 45° E of SW corner of Sec 31-112-56

- County King
7. Annual period or periods during which water is to be used April through October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 147

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>NW 1/4 Sec 31-112-56</u>	<u>3.9</u>		
<u>NE 1/4 " " " "</u>	<u>3.5</u>		
<u>SW 1/4 " " " "</u>	<u>3.8</u>		
<u>SE 1/4 " " " "</u>	<u>3.5</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use three years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Brookings Register
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source. well with electrically driven deep well turbine
- B. Works proposed to transport water to place of use. closed conduit
- C. Works proposed to apply water to beneficial use. center pivot irrigation machine

Estimated Total Cost \$ 45,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Brookings)

I, Sonja Jensen, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Sonja B. JensenSubscribed and sworn to before me this 13 day of Sept, 1976

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3131-3

KEITH E. SONJA JENSEN
(Applicant)

RT 2, Box 17, TORONTO
(Post Office Address)

SOUTH DAKOTA 57268
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application OCTOBER 5, 1976

Date of return to applicant for correction, amendments or changes required _____, 19____

Date of receipt of corrected application OCTOBER 21, 1976

Approved NOVEMBER 17, 1976, Recorded in Book 16 Page 218

WATER RIGHT PERMIT NO. 3131-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3131-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 5, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 17, 1979
3. The whole of said work is to be completed on or before NOVEMBER 17, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 17, 1984
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 1/70 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before NOVEMBER 17, 1984; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 21ST day of DECEMBER, 1976

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

31-112-56 Southwest 1/4

Elev. 1745

Test results:

0-13 Topsoil, sandy, black

13-14 Gravel, coarse

14-34 Sand, medium to coarse

34-60 Clay, gravel stringers

60-89 Gravel, coarse, and sand, medium to coarse

89-100 Till, clayey, silty sand

Form 2A Wells, Dugouts or Water Storage Dams (Supplement to form 1)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 24", Depth 90'
 (2) Casing, Type Steel (wood, concrete, steel, etc) Diameter 14" Thickness 1/4"
 (3) Perforated Screen.
 Type Conc. Steel, Diameter 14", Length 15'
 (4) Gravel Pack, Thickness 4", Length of gravel pack 30'

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials (Please attach a copy to test well log if available.)

Character of Water bearing materials 0' to 13' Sandy top soil; 13' to 14' coarse gravel; 14' to 34' medium to coarse sand; 34' to 60' gravel lenses through clay; 60' to 90' coarse gravel & medium to coarse sand

Depth to top of water bearing material 13'

Depth to bottom of water bearing material 90'

Thickness of water bearing material 50'

Depth to water (ground surface to water level) 14'


(2) Distance to nearest existing household or livestock watering wells.

On same owner's property No Supply rds. On property owned by others over 240 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Sonya C. Jensen
 Signature of Applicant



October 5, 1976

Keith and Sonja Jensen
R.R. #1, Box 17
Toronto, SD 57268

Dear Mr. & Mrs. Jensen:

Enclosed you will find the report of analysis on your water sample #76-1308. It is a satisfactory water for irrigation on any normal soil. However, the SW quarter of Section 31-112-56 in Kingsbury County is mostly composed of soils which are quite unsuited to irrigation. There is a long delineation of poorly drained bottomlands that just would not perform satisfactorily under irrigation and those to the east and west sides of this drainage way are some class 7 land which are steep and have very shallow soil on them and are underlain by gravelly material, here and there. These will not respond satisfactorily to irrigation and you will be bitterly disappointed by the return of both these soils and the bottom soils in most years. I suggest that you consider an irrigation system which will irrigate only the Upland which are suited for irrigation and leave the other lands as they are.

If you are granted a water use permit, I suggest you get in touch with conservation district office in Kingsbury County or seek help from other qualified people in setting up an irrigation program and a cropping plan which has a chance of giving you some financial success.

A copy of this letter is accompanying the application materials and a copy of the water analysis to the State Conservation Commission for their action.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb
Enclosures
cc: State Conservation Commission

CONSERVATION

MISSION

M W L #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Keith and/or Sonja Jensen
ADDRESS Rt 1 Box 17, Toronto, SD
COUNTY Kingsbury

LEGAL DESCRIPTION

1. WELL LOCATION Center of SW 1/4 of SEC 31-112-56
2. LOCATION OF AREA TO BE IRRIGATED SW 1/4 of SEC 31-112-56

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED _____

WATER QUALITY

5. SAMPLE NUMBER 76-1308
6. SALINITY (EC X 10⁶) 8.88 (mod - hi)
7. SODIUM (SAR) 0.49 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from _____ Conservation District, County Extension office or Soil Conservation Service.
and: that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
7 DAY OF Sept 19 76.

[Signature]
(TITLE OR SEAL)

[Signature]
APPLICANT'S SIGNATURE. The project can be carried out successfully in all circumstances. Individual management will, to a large degree, determine the relative success of this venture.

[Signature]
APPROVED/DISAPPROVED ✓

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Keith Jensen
 Address: Toronto, SD 57268

Date Rec'd: September 8, 1976
 Sample No.: 76-1308
 Identification: 111-
STL, Sec. 31, T 112N, R 56E

WATER ANALYSIS

Calcium (Ca)	82	ppm*	4.20	me/l**
Magnesium (Mg)	43	ppm	3.13	me/l
Sodium (Na)	22	ppm	0.98	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	270	ppm	5.62	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	15	ppm	0.42	me/l
Bicarbonate (HCO ₃)	342	ppm	5.60	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	280	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	888	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.49			
Sodium	10.84	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.78			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 8.85 me/l
 Total anions 11.64 me/l

By: Shirley Mitten

Service Performed	Amount Due
Irrigation analysis	\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1308

Amount Enclosed \$

Signed

Form 6. - Notice of Intent to Appropriate Water

No. 3131-3

Publish first publication, on or before

November 1, 1976

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

October 23, 1976

Notice is hereby given that

Keith & Sonja Jensen

whose post office address is Toronto, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.0 cubic feet of water per

second of time from the ~~XXX~~ ground water through the

Jensen # 1, the point of diversion of which is to be located in the center of the SW 1/4

of Section 31, Twp. 112N, Range 56W. Said water to be used for the purpose of providing irrigation on the following described land:

SW 1/4, Section 31, T112N, R56W portions of

This application No. 3131-3 will be considered by the Water Rights

Commission at the Marvin Huggitt Hotel in Huron, South Dakota

upon the 17th day of November, 1976 at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/bw

cc: AKeith & Sonja Jensen; Rt. 2, Box 17, Toronto, SD 57268

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 3131-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brookings) ss.

I, James M. McLellan Jr. hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Brookings Daily Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Brookings

County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Nov. 4, 1976

Nov. 11, 1976

James M. McLellan Jr.
(Signature)

Editor-General Manager
(Title)

11-11-76

(Date Signed)

Legal No. 836 - Nov. 4 & 11, 1976
NOTICE OF INTENT TO
APPROPRIATE WATER

Brookings, Pierre, South Dakota 57601
October 25, 1976
Notice is hereby given that Keith &
Sonje Jensen whose post office address
is Toronto, South Dakota; has made an
application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate for
beneficial use 2.0 cubic feet of water per
second of time from ground water
through the Jensen No. 1 the point of
diversion of which is to be located in the
center of the SW 1/4 of Section 31, Twp.
112N, Range 66W. Said water to be used
for the purpose of providing irrigation on
portions of the following described land:
SW 1/4, Section 31, T112N, R51W
This application No. 3131-3 will be
considered by the Water Rights
Commission at the Marvin Huggitt Hotel
in Huron, South Dakota upon the 17th
day of November, 1976 at 10:00 A.M. All
interested persons may appear and be
heard.


WATER RIGHTS COMMISSION

By:
BURTON JONES,
Water Rights Specialist



Form 10.

No. 3131-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Toronto, SD

Date Dec 17, 1979

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 3131-3.

Water Right Permit No. 3131-3 states that the diversion system is to be constructed by Nov. 17, 1981 and that the water is to be put to beneficial use by Nov. 17, 1984.

The diversion system was completed on May 15, 1977.
Applying the water to beneficial use was completed on June 20, 1977.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Keith M. Jensen
(Signature)

Rt. 1 Box 17

Toronto, SD 57268

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3191

November 28, 1990

3131-3

Marcine Smith
Wilkinson & Wilkinson
PO Box 29
DeSmet, SD 57231

Dear Ms. Smith:


Enclosed is a partially completed "Notice of Transfer" form for use in filing an ownership change on Water Permit No. 3131-3. The water permit is currently listed in the name of Keith & Sonja Jensen.

The transfer form should be checked over for accuracy and signed by the new owner in the presence of a notary public. Upon completion, return the form to our office with a required filing fee of \$2.50.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a water permit or water right to appropriate water to be filed with this office within ninety days.

I have enclosed a copy of Water Permit No. 3131-3 for your records. If you have any questions, please contact me.

Sincerely,



Genny McMath
Natural Resources Analyst
(605) 773-3352

• enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JCE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

September 24, 1991

3131-3

Robert & Scott Lee
RR #1 Box 124
DeSmet, SD 57231

Dear Sirs:

Enclosed is a partially completed "Notice of Transfer" form for use in filing an ownership change on Water Permit No. 3131-3. The water permit is currently listed in the name of Sonja Jensen.

The transfer form should be checked over for accuracy and signed by the new owner in the presence of a notary public. Upon completion, return the form to our office with a required filing fee of \$2.50.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a water permit or water right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

enclosure

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 3131-3

Date: 11/19/91

I\We request that Water Permit No. 3131-3

formerly owned by: Sonja Jensen

be transferred to: (name & address) Robert B Lee and Scott A Lee

RR 1 Box 124

De Smet, South Dakota 57231 (Telephone No.) 854-3165

Title to the following described land(s)/property has been transferred as described above:

SW 1/4 Section 31, T112N, R56W

I\We understand that the validity of Water Permit No. 3131-3 has not been determined by this transfer action. If I\We have any questions on validity, I\We understand that only the Water Management Board has the authority to determine if a water permit/ right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing required under SDCL 46-2-13.

STATE OF ~~SOUTH DAKOTA~~

S DAKOTA

County of Robert Lee

Scott A Lee

I\We Robert Lee being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.



Robert Lee (Signed)

Scott Lee (Signed)

Subscribed and sworn to before me this 19th day of Nov, 19 91

Terry L Schroeder
(Notary Public)

Barbara Blasen
(Notary Public)

TERRY L. SCHROEDER
NOTARY PUBLIC - MINNESOTA

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

Sworn and Subscribed before me, in my presence, this 27th day of Nov, 19 91, a Married Notary Public, in and for the State of Minnesota,
for Terry L Schroeder
Notary Public
My Commission expires 10/1 19 94

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, _____, December 6, 1921

RECEIVED OF Robert B Lee, 162 E Box 124, Casper, SD 57231

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____ Water Permit No. 3131-3	2	50
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	2 50

By John Hatch
Chief Engineer



February 24, 1992

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

No. 3131-3

Robert B. and Scott A. Lee
RR 1, Box 124
DeSmet, SD 57231

Dear Sirs:

Enclosed is a receipt in the amount of \$2.50 which you paid for the transfer of Water Permit No. 3131-3.

Our records now show you as the owner of Water Permit No. 3131-3.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
605 773-3352

enclosure

Permit No. 3131-3Vanilla River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Senja Jensen
1121 W. Park of Water town SD holder ofPermit No. 3131-3, bearing the priority of October 21 1976 authorizingthe diversion of 2.6 cu. ft. per second of the waters of groundwater
for irrigation purposes, in Kingsbury County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

75HP-6" Byron Jackson SN 171H7314 powered by a
GE motor Model No. SKG255AN5014 Capable of 1200 gpm.

B. Works used to transport water to place of use:

100' of 8" Aluminum piping

C. Works used to apply water to beneficial use:

7121er Kunkle Electricator center pivot 1120' long
with a Nelson 100 end-gear capable of 1200 gpmThe system is in the following condition GoodThe point of diversion is located 1320' East and 1450' North of the
SW corner Section 31-T112N-R56WThe works are capable of diverting and conveying to the place of use 2.66cu. ft. per second of water which is to be used for irrigationWater has been put to beneficial use to the maximum extent as follows: Section 31-T112N-R56WNW 1/4 SW 1/4 - 24 AcresNE 1/4 SW 1/4 - 27 AcresSE 1/4 SW 1/4 - 34 AcresSW 1/4 SW 1/4 - 32 Acrescomprising a total of 117 acres of land and the license should be issued for 1.67 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ NoExceptions to compliance are: _____ Date 9/18/1991Norma C. Job
(Signature)

LICENSE FOR PERMIT NUMBER 3131-3

1. Legal location of wells. NE 1/4 SW 1/4 Section 31-T112N-R56W

dams & structures: _____

2. Well Information: Well Drilling Firm Huron Drilling

Completion Report Yes X No _____ No. of Wells _____ Depth 82

Casing a) diameter 15" Screen a) type PVC
b) length 32' b) length 50'
c) type PVC Static Water Level _____

Pump a) make Byron Jackson Motor a) make GE
b) model SN 77JH7214 b) model No. SKG255XMS01A
c) size 6" c) horsepower rating 75
d) capacity 1200 gpm
e) turbine pump - no. of stages _____
f) operating PSI 85

3. Distribution lines or canals

a) size 8"
b) type Alum
c) length 100

4. Dam Information:

a) height to crest _____ m) Outlet tubes:
b) height to primary spillway _____ 1) diameter _____
c) height to secondary spillway _____ 2) type _____
d) crest width _____ 3) valved (Y/N) _____
e) crest length _____ 4) valve type _____
f) spillway length _____ 5) location on structure _____
g) spillway width _____
h) approx. storage _____ n) Category of Dam _____
i) approx. storage to crest _____
j) date constructed _____
k) inspection sheet completed (Y/N) _____
l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of
sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of
sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make Parker Electro-gator
- 2) number of towers 7
- 3) distance between towers _____
- 4) overall length 1120
- 5) end gun (Y/N) Y
- 6) high or low pressure high
- 7) make & size of nozzles
Nelson 100
- 8) capacity (GPM) 1200

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
<u>X</u>	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	---	2. Special qualifications to permit being abided by?
<u>X</u>	---	3. All structures, wells and lands on map?
<u>X</u>	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	<u>X</u>	5. Is chemigation used?
---	---	6. If yes, does equipment comply with chemigation rules?


REMARKS:


REPORT ON WATER PERMIT NO. 3131-3
ROBERT & SCOTT LEE
JULY 23, 1992

Water Permit No. 3131-3 appropriates 2.0 cubic feet of water per second (cfs) from one well 90 feet deep located in the center of the SW 1/4 Section 31 to irrigate 147 acres located in the SW 1/4 Section 31-T112N-R56W. This permit was originally issued to Keith and Sonja Jensen and was transferred to Robert and Scott Lee on December 6, 1991. Readvertisement of the notice of hearing published on November 4 and 11, 1976 in the Brookings Daily Register is needed to correct the location of the irrigated acreage. The location of the irrigated acreage was incorrectly advertised as being located in the SW 1/4 Section 31-T112N-R51W. The correct location of the irrigated acreage is the SW 1/4 Section 31-T112N-R56W. This readvertisement serves only to identify the correct location of the irrigated acreage. No increase in the number of acres to be irrigated or increase in the diversion rate is authorized by this application.

Conclusions

1. This is a readvertisement of the Notice of Hearing for Water Permit No. 3131-3.
2. This readvertisement is necessary to correct the legal description of the irrigated acreage prior to issuance of a water license. The correct location of the irrigated acreage was identified on the map and permit application.
3. The correct legal description of the irrigated acreage is the center of the SW 1/4 Section 31-T112N-R56W.


Eric Gronlund
Natural Resources Engineer


Ron Duvali
Natural Resources Engineer IV

3131-3

RECOMMENDATION OF CHIEF ENGINEER FOR READVERTISED WATER PERMIT
APPLICATION NO. 3131-3, Robert and Scott Lee

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning readvertised Water Permit Application No. 3131-3, Robert and Scott Lee, RR 1 Box 124, DeSmet, SD 57231.

The Chief Engineer is recommending APPROVAL of readvertised Application No. 3131-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) it is in the public interest with the following qualification:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

See report on application for additional information.



JOHN HATCH, Chief Engineer
September 4, 1992



3131-3

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

September 9, 1992

Robert & Scott Lee
RR 1 Box 124
DeSmet, SD 57231

Dear Sirs:

The original notice of hearing for Water Permit No. 3131-3 was published with an error. Therefore, the notice of hearing needs to be readvertised to correct the error. A notice of hearing has been sent to the Publisher of the DeSmet News printed at DeSmet, SD (Ph # 854-3331). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the readvertisement are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

The cost of publication of this notice will be paid by the Division of Water Rights. Please contact us if you have any questions.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



GREAT FACES. GREAT PLACES.

3131-3

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

September 9, 1992

DeSmet News
Box 69
DeSmet, SD 57231

Attn: Legal Department

Enclosed is a Readvertisement of Notice of Hearing on Permit No. 3131-3 to be published twice. Please publish the first notice on September 16, 1992, with the second publication 7 days later.

Please bill the Water Rights Division for the cost of the advertisement.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Readvertisement of Notice of Hearing to Appropriate Water by Permit No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on September 16, 1992, with the second publication 7 days later.

Readvertisement of NOTICE OF HEARING on Application No. 3131-3 to Appropriate Water

Notice is given that Robert & Scott Lee, RR 1 Box 124, DeSmet, SD 57231 filed an application for a water permit on October 5, 1976. Water Permit No. 3131-3 appropriates 2.0 cubic feet of water per second (cfs) from one well, 90 feet deep, located in the center of the SW 1/4 Section 31 to irrigate 147 acres located in the SW 1/4 Section 31-T112N-R56W. Readvertisement of the notice of hearing published on November 4 and 11, 1976 in the Brookings Daily Register is needed to correct the irrigated acreage. The location of the irrigated acreage was incorrectly advertised as being located in the SW 1/4 Section 31-T112N-R51W. The correct location of the acreage developed for irrigation is the SW 1/4 Section 31-T112N-R56W. This readvertisement serves only to identify the correct location of the acreage irrigated. No increase in the number of acres to be irrigated or increase in the diversion rate is authorized by this application.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of readvertised Application No. 3131-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with both the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by October 5, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on readvertised Application No. 3131-3 and 2) the chief engineer's recommendation, a meeting at the Division of Water Rights office to hear this application is scheduled for October 13, 1992, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the October 13, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The October 13, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by October 5, 1992.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Cronlund by October 5, 1992, at the above Water Rights Division address to request copies of information pertaining to this application, to assure access to the hearing by the handicapped or to obtain an interpreter for the hearing impaired.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15, 46-2A-20, 46-2A-21; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15. Robert E. Roberts, Secretary, Department of Environment and Natural Resources.

3131-3



Affidavit of Publication

STATE OF SOUTH DAKOTA,
County of Kingsbury.

Dale Rieger

of said county being first duly sworn, on oath says that

he is the publisher of

of THE DE SMET NEWS, a weekly newspaper printed and published in De Smet in said County of Kingsbury and has full and personal knowledge of all the facts herein stated; that said newspaper is a legal newspaper and has a bona-fide circulation of at least two hundred copies weekly, and has been published within said County for fifty-two successive weeks next prior to the publication of the notice herein mentioned, and was and is printed wholly or in part in an office maintained at

said place of publication; that the notice of

Hearing Appl. # 3131-3

, a printed copy of which, taken from the paper in which the same was published, is attached to this sheet, and is made a part of this Affidavit, was published in said newspaper at least once in each

week for two successive weeks, on the day of each week on which said newspaper was regularly published, to-wit:

September 16 1992

September 23 1992

1992

1992

that the full amount of the fee charged for the publication of said notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the diversion thereof has been made with any other person; and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees

charged for the publication thereof are \$ 67.77.

Subscribed and sworn to before me this 25

day of September A. D., 1992

Notary Public
County of Kingsbury, South Dakota.

My COMMISSION EXPIRES
APRIL 7, 1993

Readvertisement of
NOTICE OF HEARING
on Application No. 3131-3
to Appropriate Water

Notice is given that Robert & Scott Lee, RR 1 Box 124, De Smet, SD 57231 filed an application for a water permit on October 5, 1976. Water Permit No. 3131-3 appropriates 2.0 cubic feet of water per second (cfs) from one well, 90 feet deep, located in the center of the SW 1/4 Section 31 to irrigate 147 acres located in the SW 1/4 Section 31-T112N-R56W. Readvertisement of the notice of hearing published on November 4 and 11, 1976 in the Brookings Daily Register is needed to correct the irrigated acreage. The location of the irrigated acreage was incorrectly advertised as being located in the SW 1/4 Section 31-T112N-R51W. The correct location of the acreage developed for irrigation is the SW 1/4 Section 31-T112N-R56W. This readvertisement serves only to identify the correct location of the acreage irrigated. No increase in the number of acres to be irrigated or increase in the diversion rate is authorized by this application.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of readvertised Application No. 3131-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E. Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by October 5, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

OVER →

For purposes of publishing 1) the notice of hearing on readvertized Application No. 3131-3 and 2) the chief engineer's recommendation, a meeting at the Division of Water Rights office to hear this application is scheduled for October 13, 1992, at 9:00 a.m. in room 413, Joe Foss Building, 52nd E. Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the October 13, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The October 13, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by October 5, 1992.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualification, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Gronlund by October 5, 1992, at the above Water Rights Division address to request copies of information pertaining to this application, to assure access to the hearing by the handicapped or to obtain an interpreter for the hearing impaired.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15, 46-2A-20, 46-2A-21; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15. Robert E. Roberts, Secretary, Department of Environment and Natural Resources.
9-16-2wc-9-23



3131-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 23, 1992

3131-3

Robert and Scott Lee
RR 1, Box 124
DeSmet, SD 57231

Dear Sirs:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 3131-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

File No. 3131-3

Water Rights Division -DENR
Conversation or File Documentation

NAME OF PERSON OR FILE: Robert & Scott Lee

ADDRESS: RR #1 Box 124, DeSmet, SD 57231 COUNTY: Kingsbury

DATE: July 21, 1992

TELEPHONE:

RE: Advertisement Notice/Licensing of Permit

COMMENTS:

In writing up the water license for Water Permit No. 3131-3, it was found that the original advertisement notice did not correctly describe the land to be irrigated.


The land was described as follows:

SW 1/4 Section 31, T112N, R51W

The legal description should have been described as follows:

SW 1/4 Section 31, T112N, R56W.

The permit will need to be readvertised prior to licensing to correct the error.



Genny McMath
Natural Resources Analyst

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, _____ July 20, 1992

RECEIVED OF Robert B Lee, RR 1 Box 124, De Smet, SD 57131

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5131-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By *John Hotchkiss*
Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3131-3

(1) Keith and Sonja Jensen of 1121 W. Park St., Watertown, SD 57201 made Application No. 3131-3, October 5, 1976 for a water permit to appropriate 2.00 cubic feet of water per second from groundwater (one well), Kingsbury County, South Dakota for irrigation purposes. Permit No. 3131-3 with a priority date of October 21, 1976 was approved November 17, 1976 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before November 17, 1981 and for the application to beneficial use of said water on or before November 17, 1984.

Water Permit No. 3131-3 was transferred December 6, 1991, to Robert B. Lee and Scott A. Lee.

The permit was readvertised September 16 and 23, 1992 to correct an error on the original notice of hearing in the legal description of the irrigated acres. The land was described as being in "R51W" and should have been "R56W". The readvertisement of the original notice of hearing did not authorize an increase in the acreage or developed diversion rate.


(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.67 cubic feet of water per second for beneficial use. The location of the diversion point is: 1320'E and 1450'N of the SW corner Section 31, T112N, R56W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T112N, R56W Section 31	NW 1/4 SW 1/4	24 Acres
	NE 1/4 SW 1/4	27 Acres
	SE 1/4 SW 1/4	34 Acres
	SW 1/4 SW 1/4	32 Acres
	Total-----	117 Acres

(4) Pursuant to Section 46-5-30.1 Robert B. Lee and Scott A. Lee of RR 1, Box 124, DeSmet, SD 57231 the holder(s) and/or owner(s) of Water Permit No. 3131-3 is issued a license to appropriate water, the right to use 1.67 cubic feet of water per second from groundwater (one well) with a priority date of October 21, 1976

from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 3131-3 and subject to South Dakota State Law.

 NOV 30 1992

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



3131-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181
3131-3

NOV 30 1992

Robert B. and Scott A. Lee
RR 1, Box 124
DeSmet, SD 57231

Dear Sirs:

Enclosed is Water License No. 3131-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413315 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 3131-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

3131-3

HURON DRILLING INC. DRILLERS LOG

PAGE NO. 1

Keith Jensen

JOB NAME

SW- 11-112-56 Kingsbury

LOCATION

10.2/7/77

DATE

11

RIG NO.

Stanley LeGrand

FOREMAN

DEPTH	TIME	REMARKS
0-3		topsoil
3-8		yellow clay
8-12		yellow sand and clay
12-22		fine yellow sand some coarse
22-32		yellow sand some fine
32-42		yellow sand coarse gravel
42-52		42-72 gravel and sand
52-62		72-82 gravel and sand, some blue clay
62-72		82-86 blue clay
72-82		
82-86		
		50 ft. slotted plastic 15"
		32ft. solid plastic
		82 ft. cased up

151

Keith Jensen

OWNER

WELL REPORT

Kingsbury County

SW-31-112-56

DESCRIPTION

HURON
DRILLING CO.
Huron, S. D.

February 7, 1977

DATE

CASING LOG

Depth	82	ft.	32	ft.	15" Plastic	pipe to	3.	ft.
Flows		gpm						
Pumps		gpm	50	ft.	15" Plastic	pipe to	82	ft.
Head		ft.			100 Slot			
						pipe to		ft.
						pipe to		ft.
50 Ft. 15" Plastic	100 Slot							

Pressure

Drilling Time

Rig No. 14

Stan LeGrand

Foreman

REMARKS

50 Ft. PVC Plastic 100 Slot

KEITH & CONN JENSEN

YORONTO, SOUTH DAKOTA

KINGSBURY COUNTY

PHONE: 794-4371 (Yaro)

1987

38160



January 30, 1996

NOTICE

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

TO: ROBERT & SCOTT LEE, RR 1 BOX 124, DESMET, SD 57231

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Requirement to Submit 1995 Irrigation Questionnaire

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 3131-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:45 am, March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3131-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996 your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this form to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following service/s (for an extra fee):

1. ☐ Addressee's Address
 2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

ROBERT & SCOTT LEE
RR 1 BOX 124
DESMET SD 57231

4a. Article Number

Z 348 318 870

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

2/9/96

5. Received By: (Print Name)**6. Signature: (Addressee or Agent)**

X

OH

8. Addressee's Address (Only if requested and fee is paid)

From ROBERT AND SCOTT LEE
Box 124 RR 1
De Smet, South Dakota
57231



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL


FIRST CLASS PERMIT NO 1 PIERRE, S.D. 57501

Postage Will Be Paid By Addressee



WATER RIGHTS PROGRAM

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SD 57501-9935



MAILED 2
PIERRE, S.D.
10/28/95

From: ~~Robert~~ B. AND SENT LEE
Box 124 RR-1
De Smet, South Dakota
57231



To: WATER LIGHTS PROGRAM
JOE FOSS BUILDING
523 EAST CAPITOL

PIERRE South Dakota

575N-9935



ATTN: JOHN HATCH
PO BOX
MAILED 02/24/96
TWIN CITIES
AIRPORT

08-23-96

TO: JOHN HATCH OF RON DUVAL
DEPT OF ENVIRONMENT AND NATURAL RESOURCES
JOE TOOS BUILDING
523 EAST CAPITOL
PERRIE, SOUTH DAKOTA 57501-3181

FROM: ROBERT AND SCOTT LEE
BOX 124, RR-1
DESNET, SOUTH DAKOTA 57231



RE: PERMIT * 3131-3 - 1995 WATER MANAGEMENT BOARD IRRIGATION QUESTIONNAIRE

ENCLOSED FIND A COPY OF THE ORIGINAL QUESTIONNAIRE.
THE ORIGINAL QUESTIONNAIRE WAS COMPLETED AND MAILED 10/28/95.
IT WAS MAILED AT SPOONSH, SODAK, WHERE I WAS ATTENDING
A SHEEP GROWER'S CONVENTION.
WHEN THIS LETTER ARRIVES, PLEASE SEND A NOTE TO THE ABOVE
ADDRESS CONFIRMING THE FACT THAT YOUR OFFICE HAS RECEIVED
A SATISFACTORY COPY OF THE ORIGINAL QUESTIONNAIRE.

YOURS TRULY

ROBERT AND SCOTT LEE

ORIGINAL AND 3 COPIES

3131-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 26, 1996

3131-3

Robert & Scott Lee
RR 1 Box 124
DeSmet SD 57231

Dear Sirs:

I am writing to acknowledge receipt of your 1995 irrigation questionnaire. You may disregard the January 30, 1996, Notice of Violation of the Requirement to Submit the 1995 Irrigation Questionnaire. The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

Thank you for your letter of February 23, 1996, concerning prior submission of the 1995 irrigation questionnaire. You indicated in your letter that you had mailed the original questionnaire to our office on October 28, 1995. When an irrigator submits his questionnaire, a notation is made on a list of names that the form was returned, the data from the form is then entered on the computer and the form is filed. In this particular instance, I rechecked all three of those areas to see if I had overlooked your questionnaire. I was still unable to locate the original form, however the copy we received from you today is more than sufficient.

Thank you for writing and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



3131-3 Page 1 of 2

12-10-96


To: Dept Of Environment And Natural Resources
Joe Tess Building
523 East Capitol
Pierre, South Dakota 57501-3181

From: Robert And Scott Lee
Box 124 RR 1
De Smet, South Dakota 57231

Ref: Permit 3131-3 1996 Irrigation Water Use

Subj: The 1996 Water Management Bureau Irrigation
Questionnaire Has Not Been Received As Of This
Date.

Enclosed Find A Summary Of Water Use
For 1996.

Yours Truly

ROBERT AND SCOTT LEE

Original And Copies



3131-3

ROBERT & SCOTT LEE

RR-1 Box 124

DeSmet, South Dakota 57231

- 115 Acres Were IRRIGATED IN 1996-
- WELL (GROUND) WATER WAS THE SOURCE -
- THERE WAS NO CHEM-GATE DURING 1996-
- IT IS A CENTER PIVOT SYSTEM -

THIS YEAR (1996) THE CROP CONSISTED OF
54 ACRES OF WHEAT AND 57 ACRES OF CORN

DURING THE MONTH OF JUNE

WHEAT AND CORN 115 ACRES 1200 GALS PER MIN 6 DAY 24 HRS

DURING THE MONTH OF JULY

WHEAT & CORN 115 ACRES 1200 GPM 8 DAY 24 HRS/DAY

DURING THE MONTH OF AUGUST

WHEAT & CORN 115 ACRES 1200 GPM 7 DAY 24 HRS/DAY

DURING THE MONTH OF SEPTEMBER

WHEAT & CORN 115 ACRES 1200 GPM FOR 4 DAY 24 HRS/DAY



3131-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: ROBERT & SCOTT LEE, RR 1 BOX 124, DESMET, SD 57231

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire has not been submitted for Permit No(s) 3131-3. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:00 am, March 13, 2002, in the Visitor Center (west bank of Capitol Lake), 650 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3131-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3131-3

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

ROBERT & SCOTT LEE
RR 1 BOX 124
DESMET SD 57231

COMPLETE THIS SECTION ON DELIVERYA. Received by (Please Print Clearly) DN B. Date of Delivery 1/30/02C. Signature [Signature]

- ☐ Agent
☐ Addressee

D. Is delivery address different from item 1? ☒ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

- ☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

2.

7001 2510 0004 4797

PS Form 3811, July 1999

Domestic Return Receipt

102595-00-M-0952



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 13, 2002

3131-3

Robert Lee
RR 1 Box 124
DeSmet, SD 57231

Dear Mr. Lee:

I am writing to acknowledge receipt of your 2001 irrigation questionnaire. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Permit No. 3131-3.

I completed a questionnaire for you based on our February 13th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

3131-3

11-29-2003

DEPT OF ENVIRONMENT
AND
NATURAL RESOURCES

Joe Foss Bldg
523 East Capitol
Pierre, South Dakota

57501-3182

RECEIVED

DEC 15 2003

WATER RIGHTS
PROGRAM


REF: Irrigation Permit 3131-3
Have Not Received the 2003 Irrigation Questionnaire

HAVE MADE A SUMMARY OF WATER USAGE DURING THE
2003 Irrigation Season.

The Original System Was Broken Down With A
Collapsed Tower

Took Delivery of A New System During the Week of
07-14-2003.

It Became Operational Late in July

Yours Truly

ROBERT B. LEE

2003 IRRIGATION QUESTIONNAIRE

HAVE A CONSTRUCTED CENTER PIVOT SYSTEM USING A GROUND WATER SOURCE

NO CHEMICALS WERE APPLIED THROUGH THE SYSTEM DURING THE 2003 IRRIGATING SEASON.

Total Acres Irrigated 115-117

JUNE	ALFALFA 57 Acres	(0) USEAGE 1200 GAL/MIN	0 USEAGE
	CORN 60 Acres	(0) USEAGE 1200 GAL/MIN	0 USEAGE
JULY	ALFALFA 57 Acres	1200 GAL/MIN	5 DAY 24 HR
	CORN 60 Acres	1200 GAL/MIN	5 DAY 24 HRS
AUG	ALFALFA 57 Acres	1200 GAL/MIN	15 DAY 24 HRS
	CORN 60 Acres	1200 gal/MIN	20 DAY 24 HRS
SEPTEMBER	ALFALFA 57 Acres	1200 GAL/MIN	6 DAY 24 HRS
	CORN 60 Acres	1200 GAL/MIN	9 DAY 24 HRS

3131-3

11-29-2004

Dept OF ENVIRONMENT
AND
NATURAL RES


JOE FOSS BUILDING

523 EAST Capitol

PIERRE SOUTH DAKOTA 57501-3182

REF PERMIT 3131-3

HAVE MADE A SUMMARY OF WATER USAGE DURING
2004 IRRIGATION SEASON.

Yours Truly

ROBERT B. LEE

RECEIVED

DEC - 6 2004

WATER RIGHTS
PROGRAM

2004 IRRIGATION QUESTIONNAIRE

HAVE A CONSTRUCTED CENTER PIVOT SYSTEM USING A GROUND WATER SOURCE.

NO CHEMICALS WERE APPLIED THROUGH THE SYSTEM DURING THE 2004 IRRIGATING SEASON.

CORN WAS PLANTED FOR THE SECOND YEAR

TOTAL ACRES IRRIGATED 115-117

JUNE	ALFALFA	57 ACRES	1200 GAL/MIN	6 DAY 24 Hrs
	CORN	60 ACRES	1200 GAL/MIN	8 DAY 24 Hours
July	ALFALFA	57 ACRES	1200 GAL/MIN	5 DAY 24 Hr
	CORN	60 ACRES	1200 GAL/MIN	6 DAY 24 Hr
AUG	ALFALFA	57 ACRES	1200 GAL/MIN	10 DAY 24 Hr
	CORN	60 ACRES	1200 GAL/MIN	10 DAY 24 Hr
SEPT	ALFALFA	57 ACRES	1200 GAL/MIN	6 DAY 24 Hr
	CORN	60 ACRES	1200 GAL/MIN	8 DAY 24 Hr

112-51

82.3

59.7

70.3

2-211
Keith & Sonja Jensen

RR Box 17

Toronto

South Dakota

Land in Kingsbury County

Acres Irrigated 147

Water claimish - 2.0 cfs

9-18-76

31

81.3

28.2

118 ac.

250' Weir?

3

MAP 1524733 APPL NO 31313



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: ROBERT & SCOTT LEE, RR 1 BOX 124, DESMET, SD 57231

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire has not been submitted for Permit No(s) 3131-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 11, 2008**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3131-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3131-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 4193

Detailed Results:

- Delivered, February 27, 2008, 4:59 pm, DE SMET, SD 57231
- Notice Left, January 19, 2008, 8:35 am, DE SMET, SD 57231
- Acceptance, January 18, 2008, 9:31 am, PIERRE, SD 57501

[< Back](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER:
E411 2090 0000 0912 E0E2

ROBERT & SCOTT LEE
RR 1 BOX 124
DESMET SD 57231

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2008

3131-3

Robert and Scott Lee
RR 1 Box 124
DeSmet SD 57231

Dear Sirs:

I am writing to acknowledge receipt of your 2007 irrigation questionnaire. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right No. 3131-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



3131-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: ROBERT B & SCOTT LEE, RR 1 BOX 124, DESMET, SD 57231

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaire(s)

Our records indicate that the 2011 Irrigation Questionnaire has not been submitted for Permit No(s) 3131-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 7, 2012**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3131-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 26, 2012

3131-3

Robert B & Scott Lee
RR 1 Box 124
DeSmet SD 57231

Dear Sirs:

I am writing to acknowledge receipt of your 2011 irrigation questionnaire.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for Water Right No. 3131-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

Water Rights Program File Documentation

Permit/Right No. and Owner:

Permit No.	Owner	Status	Uses
1212-3	Page Brothers	License	Irrigation
3131-3	Robert B/ Scott A Lee	License	Irrigation
3132-3	Geib Family Trust	License	Irrigation
4282-3	Marvin Ogren	License	Irrigation
6480-3	Keith Larson	License	Irrigation

Date: June 18, 2024 County: Kingsbury

RE: aquifer designation

COMMENTS:

Jensen (2024) as part of a review of the Spirit Lake management unit of the Vermillion East Fork aquifer (VEF:SL) determined that Water Right Nos. 1212-3, 3131-3, 3132-3, 4282-3, & 6480-3, previously assigned an aquifer designation of Vermillion East Fork (VEF) aquifer should be reassigned. In reviewing the best information currently available for aquifer and management unit naming conventions, the best aquifer designation for Water Right Nos. 1212-3, 3131-3, 3132-3, 4282-3, & 6480-3 is the Spirit Lake management unit of the Vermillion East Fork (VEF: SL) aquifer as shown in Figure 1.

In reviewing the files for Water Right Nos. 1212-3, 3131-3, 3132-3, 4282-3, & 6480-3, the public notice and permit listed the water source as the Vermillion East Fork aquifer but the license for Water Right Nos. 1212-3, 3131-3, 3132-3, 4282-3, & 6480-3 list the water source only as groundwater. This change of aquifer designation, to the Spirit Lake management unit of the Vermillion East Fork aquifer, does not represent a physical change in the water source. It is an update to the name of the aquifer materials to reflect the currently best available information for aquifer extents. This update to the aquifer name does not authorize any increase in the amount of water appropriated by Water Right Nos. 1212-3, 3131-3, 3132-3, 4282-3, & 6480-3, relocation of existing wells, or completion of additional wells into the aquifer. Going forward, issuance of any pertinent documents will reflect the updated aquifer designation.




Figure 1. Map of the approximate Vermillion East Fork: Spirit Lake aquifer boundary (modified from Hedges et al, 1982), Water Rights/Permits for Vermillion East Fork: Spirit Lake aquifer, and Water Rights/Permits for Vermillion East Fork: Spirit Lake aquifer previously assigned Vermillion East Fork aquifer.

Tyler Jensen
 Tyler Jensen
 Natural Resources Engineer I

Eric Gronlund
 Eric Gronlund
 Chief Engineer

Jensen, T. 2024. Report to the Chief Engineer on Water Permit Application No. 8848-3. SD DANR-Water Rights Program. Joe Foss Building, Pierre, South Dakota.

Hedges, L.S., Burch, S.L., Iles, D.L., Barari, R.A., and Schoon, R.A. 1982. Evaluation of Ground-Water Resources Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, Task 1: Bedrock Topography and Distribution, Task 2: Extent of Aquifers, Task 3 Ground-Water Storage, Task 4: Computerized Data Base. United States Army Corps of Engineers Contract DACW 45-80-C-0185.