


Water Right Number 3182.3

1. Considered 11-17, 19 76
2. Name of Applicant WESLEY DECKER
3. Post Office Address FRANKFORT
4. Amount of water claimed 2.22
5. Source of water supply 70' DEEP
6. Water to be used for IRRIGATION
- Acres to be irrigated 160
7. Water to be diverted and used in SPINK County
about 5 1/2 E, 35 Miles of FRANKFORT
8. Proof of Publication Received ISI 11-17-76
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 3182-3
 Map No. 2523-3 Water Division No. 3 JAMES RIVER District
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

well No. 3 sec 10-29

1. Name of Applicant Wesley Decker
 Postoffice address Frankfort S.D.
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) direct labor
3. Name of diversion work well
4. Amount of water claimed (cubic feet per second) 1000 GPM
5. Source of water supply aquifer
6. Location of point of diversion in 0600 on south side of east of Sec 20 T116N R61W
 _____ County Spear
7. Annual period or periods during which water is to be used April - November
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 160A

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4	40		
NE 1/4 of SW 1/4 Sec 20	40		
SE 1/4	40		
SW 1/4 T116N R61W	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 years. Additional time required to complete application of water to the proposed beneficial use 1 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Reedfield Press
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

well

B. Works proposed to transport water to place of use.

pipe

C. Works proposed to apply water to beneficial use.

center pivot or sprinkler irrigation \$15,000

Estimated Total Cost \$

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Spear

Wesley Decker the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Wesley DeckerSubscribed and sworn to before me this 19 day of October, 1976Thaddeus K. Kiesel
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3182-3
WESLEY DECKER FRANKFORT
 (Applicant) (Post Office Address)

SOUTH DAKOTA 57440 With the following modifications:
 (State)

THE LANDS COVERED UNDER THIS PERMIT ARE ALSO COVERED UNDER PERMIT NO 177B-3. COMBINATIONS OF DIVERSION UNDER THE TWO PERMITS SHALL NOT EXCEED THE STATUTORY LIMIT OF ONE CUBIC FOOT PER SECOND FOR EACH 70 ACRES IRRIGATED.

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application OCTOBER 20, 19 76
 Date of return to applicant for correction, amendments or changes required _____, 19 ____
 Date of receipt of corrected application OCTOBER 29, 19 76
 Approved NOVEMBER 18, 19 76, Recorded in Book 16 Page 251

WATER RIGHT PERMIT NO. 3182-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3182-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 20, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 18, 19 77
3. The whole of said work is to be completed on or before NOVEMBER 18, 19 77
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 18, 19 78
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.22 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 18, 19 78; said water to be used during the following described annual period: APRIL - NOVEMBER

Witness my hand this 23RD day of DECEMBER, 19 76

WATER RIGHTS COMMISSION

By:

John H. Hark
 Chief Engineer, Executive Officer

Certificate of Construction Issued April 4, 19 79

Water License Issued April 4, 19 79

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole. Diameter 18", Depth 70'
- (2) Casing, Type fiberglass (wood, concrete, steel, etc), Diameter Thickness
- (3) Perforated Screen. Type fiberglass, Diameter Length
- (4) Gravel Pack. Thickness Length of gravel pack

E. Dugout Information or Estimates

- (1) Surface dimensions Depth

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0-2' top soil 41-42' clay

2-33' clay 42-62' med coarse sand

33-41' med sand 62-65' clay

65-70' shale

Depth to top of water bearing material 33'

Depth to bottom of water bearing material 65'

Thickness of water bearing material 32'

Depth to water (ground surface to water level) 30'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 30 rds. On property owned by others 1 mi + rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

x Wesley Oechel
Signature of Applicant

CONSERVATION
COMMISSION
FORM WI #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 45-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Wesley Decker
ADDRESS Frankfort, S.D.
COUNTY Spink

LEGAL DESCRIPTION


1. WELL LOCATION middle of south side of SW 1/4 of Sec 20 T116N R61W
2. LOCATION OF AREA TO BE IRRIGATED SW 1/4 of Sec 20 T116N R61W

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED small grain corn + alfalfa

WATER QUALITY

5. SAMPLE NUMBER 76-1635
6. SALINITY (EC X 10⁶) 1699 (high)
7. SODIUM (SAR) 3.99 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0



I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
The soils information has been acquired from _____ Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Wesley Decker
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
19 DAY OF October 1976.

Wesley Decker
(TITLE OR SEAL)

Approval does not mean that this project can be carried out successfully in all circumstances. Individual management will be required to determine the relative success of the project.

Wesley Decker
APPROVED/DISAPPROVED

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Lesley Doker
 Address: Frankfort, SD 57440


Date Rec'd: October 20, 1976
 Sample No.: 76-1635
 Identification: 33 Well
SW 1/4, Sec. 20, T 116N, R 51W

WATER ANALYSIS

Calcium (Ca)	163	ppm*	8.15	me/l**
Magnesium (Mg)	66	ppm	5.42	me/l
Sodium (Na)	191	ppm	8.51	me/l
Potassium (K)	14	ppm	0.36	me/l
Sulfate (SO ₄)	670	ppm	13.94	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	37	ppm	1.04	me/l
Bicarbonate (HCO ₃)	425	ppm	6.96	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	348	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1699	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	3.19			
Sodium	37.38	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.88			
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter
 ***g.p.g.=grains per gallon


COMMENTS: Total cations 22.23 me/l
 Total anions 21.94 me/l



By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID
Make checks payable to: Water Quality Laboratory	
Cut along dotted line and return the lower portion with payment	
Sample No. <u>76-1635</u>	Amount Enclosed \$
	Signed

October 27, 1976



Mr. Wesley Decker
Frankfort, SD 57440

Dear Mr. Decker:

Your water sample (Lab. No. 76-1635) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Pine

L. O. Pine
Water Quality Lab

LOP:ckb
Enclosures
cc: State Conservation Commission

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3182-3

(1) WHEREAS, On the 20th day of October A. D. 19 76
Wesley Decker

made Water Right Application No. 3282-3 for a permit to use 2.22 cubic feet per second of the waters of groundwater

County of Spink, State of South Dakota, for Irrigation

purposes, and
 (2) WHEREAS, On the 23rd day of December A. D. 19 76
 Permit No. 3182-3, with a date of priority of October 20, 1976

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 18th day of November A. D. 19 77 and for the application to beneficial use of said water on or before the 18th day of November A. D. 19 78

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.98 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

for irrigating the following lands in Section 20, T116N, R61W

NW $\frac{1}{4}$ SW $\frac{1}{4}$	40 acres
NE $\frac{1}{4}$ SW $\frac{1}{4}$	40
SW $\frac{1}{4}$ SW $\frac{1}{4}$	19
SE $\frac{1}{4}$ SW $\frac{1}{4}$	40
Total	139 acres

(5) NOW, HERETOFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Wesley Decker

_____ of Frankfort October 1, 1970 for 1cfs*
the holder _____ and owner _____ of said permit No. 3182-3 a water right, dating from October 20, 1976 for .98cfs
_____ to use of 1.98* cubic feet per second of the waters
of groundwater

in the County of Spink and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinafter mentioned, to be diverted at a point 1150' E and 20' N of the SW corner,
Section 20, T116N, R61W; and a point 1320' N and 60' E of the SW corner, Section
20, T116N, R61W

and conduct to and upon portions of Section 20, T116N, R61W

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. _____ and subject to the laws of the State of South Dakota.

**The diversion point and priority
established under Water License
No. 1778-3 are hereby incorporated
into this Water License, and Water
License No. 1778-3 has been
cancelled**

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 4th day of April A. D.
Nineteen Hundred and Seventy-nine

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer JOHN HATCH

Permit No. 3182-3

Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Wesley Decker

_____ the holder _____ of
Permit No. 3182-3, issued upon Application No. 3182-3, bearing date of priority of October 20,
1976 authorizing the diversion of 2.22 cu. ft. per second of the waters of _____
groundwater County of Spink, State of South Dakota at _____
* a point 1150' E and 80' N of the SW corner, Section 20, T116N, R61W;
and a point 1320' N and 60' E of the SW corner, Section 20, T116N, R61W
_____, for Irrigation

purpose, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.01* cu. ft. per second of water.

Date April 4, 1979

*This is the total diversion from
the well approved under this Permit
and Permit No. 1778-3. The applicable
portions of Water License No. 1778-3
will be incorporated into Water
License No. 3182-3, and Water License
No. 1778-3 will be cancelled.

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Commission

No. 3182-3

Publish first publication, on or before

November 9, 1976

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

November 2, 1976

Notice is hereby given that Wesley Decker

whose post office address is Frankfort, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for

a permit to appropriate for beneficial use 2.22 cubic feet of water per

second of time from the ~~XXX~~ ground water through the

~~Decker # 3~~, the point of diversion of which is to

be located in the SW $\frac{1}{4}$ SW $\frac{1}{4}$

of Section 20, Twp. 116N, Range 61W. Said water to be used for the purpose of providing irrigation on the following described land:

portions of

SW $\frac{1}{4}$, Section 20, T116N, R61W

This application No. 3182-3 will be considered by the Water Rights

Commission at the Marvin Hightt Hotel in Huron, South Dakota

upon the 17th day of November, 1976 at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/bw

cc: Wesley Decker, Frankfort, SD 57440

No. 3182-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Corotny Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Huron Daily Plainman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

November 8, 1976

November 15, 1976

Corotny Murphy
(Signature)
J. Bookkeeper
(Title)

November 15, 1976

(Date Signed)

F.P. 11 676 L.P. 11 1576
**NOTICE OF INTENT
TO APPROPRIATE WATER**
Pierre, South Dakota 57501
November 2, 1976
Notice is hereby giving that Wesley
Decker whose post office address is
Frankfort, South Dakota, has made
an application in accordance with
the provisions of the water laws of
South Dakota for a permit to ap-
propriate for beneficial use 2.22
cubic feet of water per second of
flow from ground water through the
Decker No. 3, the point of diversion
of which is to be located in the SW 1/4
SW 1/4 of Section 20, Twp. 116N,
Range 61W. Said water to be used for
the purpose of providing irrigation
on portions of the following
described land: SW 1/4, Section
20, T116N, R61W.
This application No. 3182-3 will be
considered by the Water Rights
Commission at the Marvin Hughitt
Hotel in Huron, South Dakota upon
the 17th day of November, 1976 at
10:00 A.M. All interested persons
may appear and be heard.
WATER RIGHTS COMMISSION
By: Burton F. Jones
Water Rights Specialist
No. 661 (adv.)



3182-3 Mackay Decker, 2000 only
10-19-78 Well depth 60 ft, 70 ft to water
Pumping 400 gpm. (approx.)

Pumping old system also used
well N of house.
See other permit for 3182-30

Motor H.E. 25 HP.

Model 5K6234 XM503B

Ser # FNT627701.

Pump Water and Holder

Ser # C78223, Model 6M

4-100-M

6" PVC to old system

Permit No. 3182-3Water Division 3 James River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Wesley Decker of Frankfort, South Dakota holder of Permit No. 3182-3, bearing date of priority of Well #1 - October 1, 1970 Well #2 - October 20, 1976, authorizing the diversion of 2.22 cu. ft. per second of the waters of Two Wells for Irrigation purposes, in Spink County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

- A. Works used to divert the water: Well #1 = Motor - WSElec., 10" R-1750-01-170 40 HP, 1750 RPM. Pump - Western Land Roller, Ser # 959161, Head # 6A1 4-100-A. Pumping 500 gpm
Well #2 = Motor, GE Model 5K 6234XM 503B, Ser. # FAJ6234C Pump - Western Land Roller, Ser # C78223, Head # 6A1-H-100-A. Pumping 400 gpm

- B. Works used to transport water to place of use,

1320 ft 8" dia and 1320 ft 6" dia. Aluminum Pipe

- C. Works used to apply water to beneficial use.

3 - 1200 ft - 4" T-20 Lines with nozzles spaced 40' apart

The system is in the following condition: Good Condition

The point of diversion is located Well #1 1320' N and 60' E of the SW cor Sec 20, Well #2 = 1150' E and 80' N of the SW cor Sec 20, all in T16N R61W

The works are capable of diverting and conveying to the place of use 2.01cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows:

All in Section 20 T16N R61W NW 1/4 SW 1/4 - 40 Ac.
NE 1/4 SW 1/4 - 40 Ac, SE 1/4 SW 1/4 - 19 Ac, SE 1/4 SW 1/4 - 40 Ac.

comprising a total of 139 acres of land.

Well #1 depth - 54 ft
Static - 20 ft
Pumping 500 gpm
Tested to 200 gpm

Well #2 - depth - 60 ft
Static - 20 ft
Pumping 400 gpm
capacity 400 gpm

Note: This examination of works included all of the pertinent information of Permits #1775-3 and #3182-3.

Permit #1775-3 should be cancelled

Date January 23, 1979
Leroy J. McNamee
 (Signature)

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 6799

PIERRE, February 29, 1917

RECEIVED OF Wesley Decker, Frankfort, SD 57440
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No. 3182-2	50	00
Fee for inspecting Beneficial Use, and issuing Water License No. 3182-2		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH

172

#2236-3
3181-3
3183-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Wesley Decker
RR 1, Box 50
Frankfort, SD 57440

Dear Mr. Decker:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.


The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



for JOHN HATCH, Chief Engineer
Water Rights Division

MAP NO 2523-3 APRIL NO 3182-3



David Stout
Co. Sgt.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

November 28, 2012

3182-3

Steve Decker
40106 176th St
Frankfort SD 57440

Dear Mr. Decker:

Thank you for returning my call concerning Water Right No. 3182-3, currently listed in the name of Wesley Decker (copy enclosed).

Enclosed is a partially completed Notice of Transfer of Ownership form for filing an ownership change. Please review the form and make any necessary corrections. Upon completion, please sign the form and return it to our office with a required filing fee of \$50.00. The check or money order for the fee can be made payable to the Water Rights Program.

I have also included the annual irrigation questionnaire pertaining to this water right along with forms submitted in 2008, 2009 and 2010. The past years' forms will give you an idea of how to fill out the questionnaire. These forms are sent out to irrigators in the state every October and are typically due back the first week in December.

You can return the transfer form, filing fee and yellow irrigation questionnaire to us in the enclosed postage paid envelope. If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

RECEIVED

DEC 12 2012

WATER RIGHTS
PROGRAM

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 3182-3

Date: 12-10-2012

I/We request that Water Right No. 3182-3

formerly owned by: Wesley Decker

be transferred to: (name & address) Steve Decker

40106 176 Street

Frankfort SD 57440

Telephone No. 605 472-1116

Title to the following described land(s)/property has been transferred as described above:

139 acres - SW 1/4 Section 20, T116N, R61W

I/We understand that the validity of Water Right No. 3182-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Steve Decker, the new owner, certify that the above information is true and correct.

Steve Decker

(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 12/12, 20 12


RECEIVED OF Steven (Lefty) Decker 40106 176th St Frankfort SD 57440

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>3182-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **05759**


By


Chief Engineer

2012

100

7973



United States Department of Agriculture
Farm Service Agency

December 01, 2011

PLSS: 20_116N_61W
Farm: 7973

Spink County, SD
1:8,603



Legend

GIS_SD.SDE.Wet_P_sd115

Wetland Determination Identifiers

☒ Limited Restrictions

☐ Exempt from Conservation Compliance Provisions

RECEIVED
DEC 12 2012

WATER RIGHTS
PROGRAM

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

2010 Ortho-Photography - Not to Scale



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

December 12, 2012

3182-3

Steve Decker
40106 176th St
Frankfort SD 57440

Dear Mr. Decker:

I am writing to acknowledge receipt of the 2012 irrigation questionnaire, transfer of ownership form and filing fee for Water Right No. 3182-3.

The ownership change has been completed. Water Right No. 3182-3 formerly held by Wesley Decker is now listed in your name.

Enclosed for your records is Receipt No. 05759 in the amount of \$50.00. If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is fluid and cursive, with the first name "Genny" being more prominent.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure