


3206-3

1. Considered 5-26, 19 77
2. Name of Applicant LAWRENCE DE GROOT
3. Post Office Address AURORA
4. Amount of water claimed 2.2
5. Source of water supply 60' DEEP WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 150
7. Water to be diverted and used in BROOKINGS county
about IN 1/2 E miles of AURORA
8. Proof of Publication Received 4-19-77
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 3206-3
Map No. 2468-3 Water Division No. 3 BIG SIOUX RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

- Name of Applicant Lawrence De Groot
Postoffice address Sioux State South Dakota
If a corporation show date and place of incorporation _____
- Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor
- Name of diversion work Lawrence De Groot Irrigation Project #1
- Amount of water claimed (cubic feet per second) 2.2
- Source of water supply Well
- Location of point of diversion 1860' N 45° E at SW corner of Sec 26-110-49

- County Brookings
- Annual period or periods during which water is to be used April through October
- Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
- For irrigation use Total number of acres to be irrigated 150

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each:

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 Sec 26-110-49	40		
NE 1/4 " " " "	40		
SW 1/4 " " " "	40		
SE 1/4 " " " "	40		

if more space is needed

- Time required to complete construction of system Five years. Additional time required to complete application of water to the proposed three years.
- Choice of newspaper for Notice of Intent to Appropriate Water publication Brookings Register
- Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source. well with electrically driven deep well turbine

B. Works proposed to transport water to place of use. closed conduit

C. Works proposed to apply water to beneficial use. center pivot

Estimated Total Cost \$ 40,700

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Brookings

I, Lawrence De Groot the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Lawrence De Groot

Subscribed and sworn to before me this 2 day of Sept 1976

John S. Sweeney
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3206-3

LAWRENCE DE GROOT

AURORA

(Applicant)

(Post Office Address)

SOUTH DAKOTA 57002

(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application SEPTEMBER 9, 19 76

Date of return to applicant for correction, amendments or changes required , 19

Date of receipt of corrected application OCTOBER 4, 19 76

Approved JANUARY 25, 19 78, Recorded in Book 19 Page 224

WATER RIGHT PERMIT NO. 3206-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3206-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is SEPTEMBER 9, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 25, 19 80
3. The whole of said work is to be completed on or before JANUARY 25, 19 83
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 25, 19 86
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 25, 19 86; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 31ST day of JANUARY, 19 78

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued , 19

Water License Issued , 19

12. Principal Features of the Proposed Water Supply System: (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 2 1/2", Depth 600'
 (2) Casing, Type 8 Cu 1 Diameter 1 1/2" Thickness 5/16"
 (wood, concrete, steel, etc.)
 (3) Perforated Screen
 Type Cont Slot, Diameter 1 1/2", Length 15'
 (4) Gravel Pack, Thickness 5", Length of gravel pack 30'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials: 0' to 3' Top Soil, 3' to 17'
yellow sandy clay, 17' to 60' sand
+ gravel

Depth to top of water bearing material 17'
 Depth to bottom of water bearing material 60'
 Thickness of water bearing material 43'
 Depth to water (ground surface to water level) 17'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 90 rds. On property owned by others 300 rds.

G. Water Storage Dams.


If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Lawrence B. Groot
 Signature of Applicant

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Lawrence De Groot
ADDRESS Puyuma, S. Dakota
COUNTY Brookings



LEGAL DESCRIPTION

1. WELL LOCATION Center of Sec 26 110 - 119
2. LOCATION OF AREA TO BE IRRIGATED Sec 26 110 - 119

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED _____

WATER QUALITY

5. SAMPLE NUMBER 76-1262
6. SALINITY (EC X 10⁶) 10.52
7. SODIUM (SAR) 4.77 (low-med)
8. RESIDUAL SODIUM CARBOXYLATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soil information has been acquired from Brookings County Conservation District,
County Extension office or Soil Conservation Service.

and:

that the legal description for the location of the well and land to be irrigated is true
and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
2 DAY OF Sept 19 76.

[Signature]
(TITLE OR SEAL)

[Signature]
APPLICANT'S SIGNATURE

Approval does not imply that this project can be carried
out successfully in all circumstances; individual man-
agement will, to a large degree, determine the relative
success of this venture.

[Signature]
APPROVED/NOT APPROVED

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Lawrence DeGroot
 Address: Aurora, SD 57002

Date Rec'd September 2, 1976
 Sample No. 76-1262
 Identification Well 660
SW 1, Sec. 26, T 110N, R 49W

WATER ANALYSIS

Calcium (Ca)	123	ppm	6.15	me/l**
Magnesium (Mg)	46	ppm	3.77	me/l
Sodium (Na)	15	ppm	0.65	me/l
Potassium (K)	2	ppm	0.05	me/l
Sulfate (SO ₄)	104	ppm	2.16	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	18	ppm	0.52	me/l
Bicarbonate (HCO ₃)	483	ppm	7.92	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.**
Alkalinity (Methyl Orange)	396	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1052	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	4.77			
Sodium	6.12	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.05			
Others:				

*ppm==parts per million
 **me/l==millequivalents per liter

***g.p.g.=grains per gallon



COMMENTS: Total cations 10.62 me/l
 Total anions 10.60 me/l

By: Shirley Pittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID
Make checks payable to: Water Quality Laboratory	
Cut along dotted line and return the lower portion with payment	

Sample No. 76-1262

Amount Enclosed \$.....
 Signed.....

September 22, 1976

Mr. Lawrence DeGroot
Aurora, SD 57002

Dear Mr. DeGroot:

Your water sample (Lab. No. 76-1262) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

- (1) It will be used no more than 3 times (preferably less) in any growing season.
- (2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.
- (3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.
- (4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb
Enclosures
cc: State Conservation Commission

Form 6 - Notice of Intent to Appropriate Water

No. ~~XXXXXX~~ 3206-3

Publish first publication, on or before May 12, 1977

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 26, 1977

Notice is hereby given that Lawrence DeGroot
whose post office address is Aurora, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.2 cubic feet of water per second of time from the ground water through the
Lawrence DeGroot Irr. Proj. the point of diversion of which is to be located in the
center of the SW 1/4

of Section 26, Twp. 110N, Range 45W. Said water to be used for the purpose
of providing irrigation on the following described land:

SW 1/4, Section 26, T110N, R45W

This application No. 3206-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 26th day of May, 1977, at 11:00 A.M. All interested
persons may appear and be heard

WATER RIGHTS COMMISSION

By:

JAMES WINTERTON
Water Rights Specialist

BEJ/bw

cc: Lawrence DeGroot, Aurora, SD 57002

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No 3206-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brookings) ss.

I, James M. McLellan Jr. hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Brookings Daily Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____
City Brookings of _____

County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

April 8, 1977

April 15, 1977

James M. McLellan Jr.
(Signature)

Editor - General Manager

(Title)

4-15-77

(Date Signed)

Legal No. 8-April 8 and 15

NOTICE

INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501
March 29, 1977

Notice is hereby given that Lawrence DeGroot whose post office address is Aurora, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.2 cubic feet of water per second of time from ground water through the Lawrence DeGroot Irr. Proj. No. 1, the point of diversion of which is to be located in the center of the SW $\frac{1}{4}$ of Section 26, Twp. 110N, Range 49W. Said water to be used for the purpose of providing irrigation on portions of the following described land: SW $\frac{1}{4}$, Section 26, T110N, R49W.

This application No. 3206-3 will be considered by the Water Rights Commission at their office at Pierre upon the 26th day of May, 1977, at 11:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By: James Winterton

JAMES WINTERTON

Water Rights Specialist



Form 10.

No. 22



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Aurora, South Dakota

Date Oct 5, 1978

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 3206-3.

Water Right Permit No. 3206-3 states that the diversion system is to be constructed by Jan 25, 1983 and that the water is to be put to beneficial use by Jan 25, 1984.

The diversion system was completed on June 22, 1978.
Applying the water to beneficial use was completed on June 22, 1978.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Lawrence De Bort
(Signature)



No. 3296-3

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501
Phone 605/224-3151

June 6, 1977

Lawrence De Groot
Aurora, S.D. 57002

Dear Mr. De Groot:

The Water Rights Commission deferred action on your Application

No. 3296-3 at the May 25-26, 1977 Commission meeting, pending investigation by the Commission Staff.

Although your Application has been deferred, it does retain the original priority date established when the Application was received. You will be notified when the Application will be reconsidered by the Commission.

If you have any questions, feel free to contact this Office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/bw



BROOKINGS COUNTY DEFERRED

3201-3

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

January 16, 1978

TO: Holders of Deferred Applications in Brookings County

FROM: John Hatch, Chief Engineer, Water Rights Commission

SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred Brookings County Water Right Applications at 2:00 P.M., January 25, 1978 at the South Dakota Education Association Building, 411 S. Capitol, Pierre, South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSP 52:01:01:01 thru 52:01:01:13.

These Applications were deferred by the Water Rights Commission during 1977, pending Staff investigation.

After reconsideration of the deferred Applications the Commission can approve, defer, or deny all or part of any of these Applications.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 3, 1990

3206-3

Lawrence DeGroot
RR #1 Box 83
Aurora, SD 57002


Dear Mr. DeGroot:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 3206-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,



Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

Permit No. 3206-3Big Sioux River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by LAWRENCE
DE GROOT of RR#1 Box 83
AURORA, SOUTH DAKOTA holder of
 Permit No. 3206-3, bearing the priority of SEPTEMBER 9 19 76 authorizing
 the diversion of 2.2 cu. ft. per second of the waters of GROUND WATER
 for IRRIGATION purposes, in BROOKINGS County.

I have to report on the conditions of the same as follows:

- A. Works used to divert the water: A 10 INCH 6 STAGE WESTERN LAND ROLLER PUMP
WITH AN 800 GALLON PER MINUTE CAPACITY POWERED BY A 60 HORSE
POWER ELECTRIC MOTOR.
- B. Works used to transport water to place of use: 10 FEET OF 8 INCH STEEL PIPE.
- C. Works used to apply water to beneficial use: A 1284 FOOT REINFORCED CENTER PIVOT WITH
END GUN.

The system is in the following condition GOODThe point of diversion is located 1320 FEET NORTH AND 1320 FEET EAST FROM
THE SW CORNER OF SECTION 26-T110N-R49W.The works are capable of diverting and conveying to the place of use: 1.78
 cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows: ALL LANDS LOCATED IN
SECTION 26-T110N-R49W NW 1/4 SW 1/4 - 33.2 ac
NE 1/4 SW 1/4 - 33.2 ac
SE 1/4 SW 1/4 - 33.2 ac
SW 1/4 SW 1/4 - 32.8 ac

comprising a total of 132.4 acres of land and the license should be issued for 1.78 cfsApplicable permit qualifications have been complied with X Yes NoExceptions to compliance are: NONE Date 4/20/90

W. L. P. RICH
 (Signature)

LICENSE FOR PERMIT NUMBER 3206-3

1. Legal location of wells: 1330 ft North And 1320 ft East From The
SW CORNER of SECTION 26 - T110N - R49W
dams & structures: _____

2. Well Information: Well Drilling Firm GRIMSHAW

Completion Report Yes X No _____ No. of Wells 1 Depth 645 ft
Casing a) diameter 14 inch Screen a) type STAINLESS STEEL
b) length 54 ft b) length 10'
c) type PLASTIC Static Water Level 27'
Pump a) make WESTERN LARD ROLLER Motor a) make U.S. ELECTRICAL
b) model C73160 b) model No. 564TP RU
c) size 10 in c) horsepower rating 60
d) capacity 800 gpm
e) turbine pump - no. of stages 6
f) operating PSI 30

3. Distribution lines or canals

a) size 8 in
b) type STEEL
c) length 10 ft

4. Dam Information:

a) height to crest _____ m) Outlet tubes:
b) height to primary spillway _____ 1) diameter _____
c) height to secondary spillway _____ 2) type _____
d) crest width _____ 3) valved (Y/N) _____
e) crest length _____ 4) valve type _____
f) spillway length _____ 5) location on structure _____
g) spillway width _____
h) approx. storage _____ n) Category of Dam _____
i) approx. storage to crest _____
j) date constructed _____
k) inspection sheet completed (Y/N) _____
l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of
sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of
sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make REINKE
- 2) number of towers 8
- 3) distance between towers 150'
- 4) overall length 1284'
- 5) end gun (Y/N) Yes
- 6) high or low pressure Low
- 7) make & size of nozzles
RAHWBIRD - NELSON
- 8) capacity (GPM) 800

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check items
<u>X</u>	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	---	2. Special qualifications to permit being abided by?
<u>X</u>	---	3. All structures, wells and lands on map?
<u>X</u>	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	<u>X</u>	5. Is chemigation used?
---	<u>NP</u>	6. If yes, does equipment comply with chemigation rules?

REMARKS:

GRIMSHAW DRILLING CO.

DRILLING LOG

974 South Helrose
Sioux Falls S.D. 57106
Phone (605) 576-6979

Lawrence De Groot

Date 3-14-78

Address: 176021-310


County Billings Sec 26 Twp 110 Range 49

NO.	DAY	RATE	CASING	TOTAL

BALANCE DUE

[illegible]

STATIC WATER LEVEL 27 ft

W. F. FARRIS

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 3206-3


(1) Lawrence DeGroot of RR 1, Box 83, Aurora SD 57002 made Application No. 3206-3, September 9, 1976 for a water permit to appropriate 2.20 cubic feet of water per second from groundwater (one well), Brookings County, South Dakota for irrigation purposes. Permit No. 3206-3 with a priority date of September 9, 1976 was approved January 25, 1978 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before January 25, 1983 and for the application to beneficial use of said water on or before January 25, 1986.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet of water per second for beneficial use. The location of the diversion point is: 1320'N and 1320'E of the SW corner of Section 26, T110N, R49W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T110N, R49W Section 26	NW 1/4 SW 1/4	33.2 acres
	NE 1/4 SW 1/4	33.2 "
	SE 1/4 SW 1/4	33.2 "
	SW 1/4 SW 1/4	32.8 "
TOTAL		132.4 acres

(4) Pursuant to Section 46-5-30.1 Lawrence DeGroot of RR 1, Box 83, Aurora SD 57002 the holder(s) and/or owner(s) of Water Permit No. 3206-3 is issued a license to appropriate water, the right to use 1.78 cubic feet of water per second from groundwater (one well) with a priority date of September 9, 1976 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 3206-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

JUN 21 1990

RECEIPT

412223

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, May 9, 1990

RECEIVED OF Lawrence DeGroot, RR #1 Box 83, Aurora, SD 57002

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>3206-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____ (Any Other Work Provided by Law)		
Total	50	00

By

John H. Hetch
Chief Engineer



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

JUN 21 1990

Lawrence DeGroot
RR 1, Box 83
Aurora SD 57902

Dear Mr. DeGroot:

Enclosed is Water License No. 3206-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412228 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 3206-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOT TO SCALE

3206-3



1974

3-121

1145

33.0

Acres Irrigated - 150
Water claimed - 2.2 cfs
SW⁴ sec 26 - 110 - 49
9-2-76

Lawrence DeGroot
Aurora S. Dak
Brook mgs Co.

26

124.3

1548

1860'
N 45° E
wall

20.0

Certified Correct
John L. DeGroot
P. E. # 1916
Brookings

20.1

21.1

21.7

21.7

21.1

22.4

74.3

3-121

155

Map No 2468-3 Appa No 3205-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: LAWRENCE DEGROOT, 47604 213TH ST, AURORA, SD 57002 6532

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaire(s)

Our records indicate your 2018 Irrigation Questionnaire has not been submitted for Permit No(s) 3206-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3206-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3206-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 29, 2019

3206-3

Lawrence DeGroot
47604 213th St
Aurora SD 57002 6532

Dear Mr. DeGroot:

I am writing to acknowledge receipt of the information for your 2018 irrigation questionnaire.

You may **disregard** the January 25, 2019, "Notice" concerning reporting requirements for Water Right No. 3206-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Next year's irrigation questionnaire will be sent to Chuck and Linda Friedrich for completion since they farm the property for you. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Chuck & Linda Friedrich, 47807 US Hwy 14, Aurora SD 57002