

Water Right Number 3750-3

1. Considered 1-26, 1977
2. Name of Applicant DELTON L. STRASSER
3. Post Office Address WILMOT
4. Amount of water claimed 2.2
5. Source of water supply 35 211' WELL
6. Water to be used for IRRIGATION
- Acres to be irrigated 160
7. Water to be diverted and used in ROBERTS County
about 35 Miles of WILMOT
8. Proof of Publication Received 1st 1-31-77
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 3250-3ORIGINALLY RECD
10 25 76 @ 2:30pm.Map No. 2537-3 Water Division No. 3 WHEATSTONE CREEK District
(Blank to be filled by the Engineer for the V.I. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Delton L. Strasser
Postoffice address R.R. #2, Wilmet, State South Dakota 57279
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Delton L. Strasser, Unit #1
4. Amount of water claimed (cubic feet per second) 2.2
5. Source of water supply Ground Water
6. Location of point of diversion 150' N. W. of Center of SW 1/4 of 18-122-49

- County Roberts
7. Annual period or periods during which water is to be used March - November
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>N.E. 1/4 of SW 1/4</u>			
<u>S.E. 1/4 of SW 1/4</u>			
<u>S.W. 1/4 of SW 1/4</u>			
<u>N.W. 1/4 of S.W. 1/4</u>			

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 3 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Wilmet Enterprise, Wilmet, S. Dak.
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

MAIN Line - P.V.C. Pipe

C. Works proposed to apply water to beneficial use.

Center Pivot or Tow LineEstimated Total Cost \$ 55,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of RobertsI, Delton L. Strasser the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed

Delton L. StrasserSubscribed and sworn to before me this 3

day of

Dec1976

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3250-3

DELTON L. STRASSER
(Applicant)

R.R. #2, WILLAMOT
(Post Office Address)

SOUTH DAKOTA 57279 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application OCTOBER 25 DECEMBER 27 1976
Date of return to applicant for correction, amendments or changes required _____ 19____
Date of receipt of corrected application DECEMBER 1 1976
Approved JANUARY 26 1977, Recorded in Book 16 Page 292

WATER RIGHT PERMIT NO. 3250-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3250-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 25 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 26 1979
3. The whole of said work is to be completed on or before JANUARY 26 1982
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 26 1985
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 26 1985; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 8TH day of MARCH 1977

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued APRIL 4 1979

Water License Issued APRIL 4 1979

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 14", Depth 211 Feet
- (2) Casing, Type Steel (wood, concrete, steel, etc), Diameter 12", Thickness 3/8"
- (3) Perforated Screen.
Type Johnson Stainless Wire, Diameter 12", Length 20'
- (4) Gravel Pack. Thickness Naturally developed well, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0' to 3' top soil, 3' to 18' yellow clay,
18 to 72 Blue Clay, 72 to 73 Sand, 73 to 173 Blue clay,
173 to 177 Sand, 177 to 185 Blue Clay, 185 to 211
Sand & Gravel

Depth to top of water bearing material 72 first layer - 173 2nd layer, 185 3rd

Depth to bottom of water bearing material more than 211 Feet

Thickness of water bearing material more than 26'

Depth to water (ground surface to water level) 50'


- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 95 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Detton E. Starnes
Signature of Applicant



COUNTY Roberts

1975
 RECEIVED
 STATE WATER
 Pierre, S.D.

1. WELL LOCATION Center of SW $\frac{1}{4}$ of 18-122-49
2. LOCATION OF AREA TO BE IRRIGATED SW $\frac{1}{4}$ of 18-122-49

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____

4. CROPS TO BE IRRIGATED Corn, Alfalfa, Small Grain

5. SAMPLE NUMBER 16-1677

6. SALINITY (EC x 10⁶) 3054 (2nd. high)

7. SODIUM (SAR) 3.18 (low-medium salinity)

8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Roberts Conservation District, County Extension office or Soil Conservation Service.

and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
25 DAY OF June 1946.

Karl Ludwig Culberg
(TITLE OR SEAL)

COPIES OF ENTRIES
MARCH 4, 1964

(CSOILS INFORMATION ON REVERSE SIDE)

APPLICANT'S SIGNATURE _____

APPROVED/DISAPPROVED \ \

November 9, 1976



Mr. Delton L. Strasser
R.R. #2
Wilmot, SD 57279

Dear Mr. Strasser:

Your water sample (Lab. No. 76-1699) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

P.S. Only the Fordville-Renshaw type of soil will last any length of time with this type of water. The Peever soils will be partially salted out and produce little or nothing in 6-8 years. If you get a water permit and develop this proposal, I suggest a tow-line system and irrigation only of the Fordville soils and the Renshaw.

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Delton L. Strasser Date Rec'd October 26, 1976
 Address: Rt. 2 Sample No. 76-1699
Wilmot, SD 57279 Identification Well-
cc: Huron Drilling, Inc. Box, Sec. 18, T. 122N, R. 49E
Huron, SD 57350

WATER ANALYSIS

Calcium (Ca)	271	ppm*	13.55	me/l**
Magnesium (Mg)	81	ppm	6.64	me/l
Sodium (Na)	419	ppm	18.23	me/l
Potassium (K)	13	ppm	0.34	me/l
Sulfate (SO ₄)	1060	ppm	22.05	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	88	ppm	2.46	me/l
Bicarbonate (HCO ₃)	551	ppm	9.04	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	452	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	3054	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	3.18			
Sodium	47.03	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	6.80			

Others:

*ppm=parts per million
 **me/l=millequivalents per liter

***g.p.g.=grains per gallon



COMMENTS: Total cations 38.76 me/l
 Total anions 33.55 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1699 Amount Enclosed \$

Signed

PAGE NO. 1

Everett L Edmel
FOREMAN

Jl No.	DEPTH	TIME	REMARKS	DESCRIPTION
1	0-15		Yellow Clay	
2	15-30		Blue Clay	
3	30-45		Blue Clay	
4	45-60		Blue Clay	
5	60-75		Blue Clay	
6	75-90		Blue Clay	
7	90-105		Blue Clay	
8	105-120		Blue Clay	
9	120-135		Blue Clay	
10	135-150		Blue Clay	
11	150-165		Blue Clay	
12	165-180		165-170 Blue Clay, 170-174 Coarse Gravel 174-180 Blue Clay	
13	180-195		180-184 Blue Clay, 184-195 Coarse Gravel	
14	195-211		195-211 Coarse Gravel	
			Total Depth - 211	

WATER LICENSE NO. 3250-3

(1) WHEREAS, On the 25th day of October A. D. 1976

Delton Strasser

made Water Right Application No. 3250-3 for a permit to use 2.2 cubic feet per second of the waters of ground water

County of Roberts State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 9th day of March A. D. 1977

Permit No. 3250-3, with a date of priority of October 25, 1976

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water

supply system therein described on or before the 26th day of January A. D. 1982 and for the

application to beneficial use of said water on or before the 26th day of January A. D. 1985

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.80 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

for irrigating a 132 acre circle in the SW¹/₄, Section 18, T122N, R49W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to, Delton Strasser

_____ of Wilmot

the holder _____ and owner _____ of Sud permit No. 3250-3 a water right, dating from October 25, 1976

_____ to use of 1.89 cubic feet per second of the waters of ground water

in the County of Roberts and State of South Dakota, or so much thereof as may be necessary for the purposes hereinafter mentioned, to be diverted at, a point 1290'N and 1290'E of the SW Corner, Section 18, T122N, R49W

and conduct to and upon a 132 acre circle in the SW 1/4, Section 18, T122N, R49W

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 3250-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 4th day of April A. D.
Nineteen Hundred and Seventy-nine

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

JOHN HATCH

Form 15.

Permit No. 3250-3

Water Diversion No. 3 Whetstone Creek Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Deiron Strasser

the holder _____ of

Permit No. 3250-3, issued upon Application No. 3250-3, bearing date of priority of _____

October 25, 1976 authorizing the diversion of 2.2 cu. ft. per second of the waters of _____

ground water County of Roberts, State of South Dakota at _____

a point 1290'N and 1290'E of the SW Corner, Section 19, T122N,

R49W

for irrigation

purpose, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use 1.39 cu. ft. per second of water.

Date April 4, 1979

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Commission

Form 6 - Notice of Intent to Appropriate Water

No. 3250-3

Publish first publication, on or before January 13, 1977

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 7, 1977

Notice is hereby given that Delton L. Strasser

whose post office address is W2 Wilmot, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.2

 cubic feet of water per second of time from the ground water through the Strasser #1, the point of diversion of which is to be located in the

NW $\frac{1}{4}$ SW $\frac{1}{4}$

of Section 13, Twp. 122N, Range 49W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW $\frac{1}{4}$, Section 18, T122N, R49W

This application No. 3250-3 will be considered by the Water Rights Commission at their office at Pierre on the 26th day of January, 1977, at 10:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cc:

Delton L. Strasser, R.R. #2, Wilmot, S.D. 57279

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 3250-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Roberts) ss.
County Roberts)

I, Bernice J. Smith hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Wilmot Enterprise

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

_____ City _____ of Wilmot

County of Roberts and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

January 13, 1977

January 20, 1977

Bernice J. Smith
(Signature)

Publisher

(Title)

January 30, 1977

(Date Signed)

PUBLIC NOTICES
GREAT SOUTHERN PAPER CO.

No. 3250-3

NOTICE INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501

January 7, 1977


Notice is hereby given that
Delton L. Strasser whose post
office address is Wilmot, South
Dakota, has made an application
in accordance with the provisions
of the water laws of South Da-
kota for a permit to appropriate
for beneficial use 2.2 cubic feet
of water per second of time from
ground water through the Stras-
ser No. 1, the point of diversion
of which is to be located in the
NW1/4SW1/4 of Section 18, Twp.
122N, Range 49W. Said water to
be used for the purpose of pro-
viding irrigation on portions of
the following described land:

SW1/4, Section 18, T122N, R49W

This application No. 3250-3 will
be considered by the Water
Rights Commission at their office
at Pierre upon the 26th day of
January, 1977, at 10:00 a.m. All
interested persons may appear
and be heard.

WATER RIGHTS
COMMISSION

By: BURTON F. JONES
Water Rights Specialist
(Jan. 13 & 20)



3750-3 DeLong, J. Stair

7-26-11 Well, 202 ft - 42 ft above bed

Pumping 850 gpm. Delong 11/17/11

Well 50' SW of B.P.

Motor 45 ckw 75 H.P.

ID# 1-6329-02-130. S. 2102/11

Pump. Byron Jackson

Ln # 716 H. 74

C.P. Olson Model 103. P

ser # 4205

Covers 132 Ac.

Permit No. 3250-3Water Division 3 Whetstone Creek Water District

REPORT OF EXAMINATION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Dillon L Strasser of RR #2, Wilmet, South Dakota 57278 holder of Permit No. 3250-3, bearing date of priority of October 25, 1976 authorizing the diversion of 2.2 cu. ft. per second of the waters of one Well for Irrigation purposes, in Roberts County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor W-S-Elec., ID # R-6324-02-130 R210 4525
75 H.P.
Pump Byron Jackson Ser # 771474
Pumping 850 gpm

B. Works used to transport water to place of use,

50' 8" dia. Aluminum Pipe

C. Works used to apply water to beneficial use.

Olson Center Pivot, Model 103-P, Ser # 4206.

The system is in the following condition: GoodThe point of diversion is located 1290 ft North and 1290 ft East of the SW corner of Section 18, T122N R49WThe works are capable of diverting and conveying to the place of use 1.89cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows:

All in Section 18, T122N R49W, NW 1/4 SW 1/4 - 33 Ac
NE 1/4 SW 1/4 - 33 Ac, SW 1/4 SW 1/4 - 33 Ac, SE 1/4 SW 1/4 - 33 Ac.

comprising a total of 132 acres of land.

Well depth - 202 ft
Static - 42 ft
Pumping - 850 gpm
Capacity - 1000+ gpm

Date January 24, 1979

L Roy J. Wernauk
(Signature)

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

NO 4 6742

PIERRE, January 30, 1979

RECEIVED OF Delton Strasser, Route #2, Willmot, SD 57279
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No. 3250-2	50	10
Fee for inspecting Beneficial Use, and issuing Water License No. 3250-3		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	50	10

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH 97

Is your RETURN ADDRESS completed on this form?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

DELTON STRASSER
RR 2 BOX 152
WILMOT SD 57279

3250-3

4a. Article Number

P 378 081 400

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2-10-97

5. Received By: (Print Name)

Veronette Strasser

6. Signature: (Addressee or Agent)

X Veronette Strasser

8. Addressee's Address (Only if requested and fee is paid)



3250-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: DELTON STRASSER, RR 2 BOX 152, WILMOT, SD 57279

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Requirement to Submit 1996 Irrigation Questionnaire

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 3250-3. The request for the Questionnaire was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 2:30 pm, March 5, 1997, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3250-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 1997, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 19, 1997

3250-3

Delton Strasser
RR 2 Box 152
Wilmot, SD 57279

Dear Mr. Strasser:

I am writing to acknowledge receipt of your 1996 irrigation questionnaire. You may disregard the February 4, 1997, Notice of Violation of the Requirement to Submit the 1996 Irrigation Questionnaire.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

27.2

68.3

79.1

Roger Reade

Alfred
Albert Vreim

79.1

Delton L. Strasser
Irrigation Project #1
Rt. 5 Wilmar
S. Dakota

Delton Strasser

Flax 14 A

126.7

127.9

Acre Irrigated - SW 1/4 Sec 18 - 122-49
Acre Irrigated - 16.6
Point of diversion
2045 - N 43° E of SW
Corner
Dec 3, 1970

1.2 NW 1/4 SW 1/4
33 AC

NE 1/4 SW 1/4
33 AC

John Strasser

W 1/2 N 1/4

Wheat 14 A

Corn 14 A

SE 1/4 SW 1/4
33 AC

SW 1/4 SW 1/4
33 AC

1290

14.3

Rt. 4

Walter Phillips

36
143.3

5.4

89.8

1945
Certificate of Survey
John Strasser

MINNESOTA 2537-3 (MM 125250-3)