


1. Considered 5-26, 1977
2. Name of Applicant ARLAND B. WALTER
3. Post Office Address CAVOUR
4. Amount of water claimed 1.42
5. Source of water supply 112' DEEP WELL
6. Water to be used for IRRIGATION
- Acres to be irrigated 100
7. Water to be diverted and used in BEMBLE county
about 6 1/2 E, 4 S miles of HURON
8. Proof of Publication Received 4-19-77
Not received _____
9. Application Approved 3-28-79
Subject to WI
Not Approved _____
Action deferred _____
10. Remarks:

Map No. 2539-3 Water Division No. 3 JAMES RIVER District
(Blank to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Arland B. Walter
Post-office address Cavour State South Dakota 57324
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) _____
3. Name of diversion work ARLAND B. WALTER #1
4. Amount of water claimed (cubic feet per second) 1.42
5. Source of water supply Ground water
6. Location of point of diversion 10 rods east of the center of NE 1/4 Sec. 29, 110N-60W
County Beadle
7. Annual period or periods during which water is to be used April - November 1
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 100

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 of NE 1/4 Sec 29, 110N-60W	23		
SW 1/4 of NE 1/4 Sec 29, 110N-60W	20		
NE 1/4 of NE 1/4 Sec 29, 110N-60W	17		
SE 1/4 of NE 1/4 Sec 29, 110N-60W	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriately Water publication Huron Daily Plainsman
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Bowl pump

B. Works proposed to transport water to place of use.

Mainline

C. Works proposed to apply water to beneficial use.

Towline

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)STATE OF SOUTH DAKOTA)
) ss.
County of Beadle)I, Arland B. Walter the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Arland WalterSubscribed and sworn to before me this 11 day of April 1955

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3252-3

ARLAND B. WALTER
(Applicant)

CAVOUR
(Post Office Address)

SOUTH DAKOTA 57324
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

See also # 4583-3

Date of first receipt of application AUGUST 9 19 76

Date of return to applicant for correction, amendments or changes required _____ 19 _____

Date of receipt of corrected application WQ OCTOBER 21 19 76

Approved MARCH 28 19 79, Recorded in Book 20 Page 210

WATER RIGHT PERMIT NO. 3252-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3252-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 21 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 28 19 81
3. The whole of said work is to be completed on or before MARCH 28 19 84
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 28 19 86
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 1.42 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 28 19 86; said water to be used during the following described annual period: APRIL - NOVEMBER 1st

Witness my hand this 4th day of APRIL 19 79

WATER RIGHTS COMMISSION

By: C. L. Walter
Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 _____

Water License Issued _____ 19 _____

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 130 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Glenn Walter
Signature of Applicant

October 1, 1976

Mr. Arland Walter
Cavour, SD 57324

Dear Mr. Walter:

This first letter pertains to your intent to irrigate in the NE quarter of section 29 and the water sample which you have submitted, the original copy of which was returned to you at an earlier date.

The water (#76-1230) is kind of a low quality marginal water. However, in itself, it should not concentrate any serious obstacle in the climatic situations that normally prevail in Deadle County. However, the soils which you intend to irrigate are quite unsuited for irrigation under general circumstances. The biggest problem with these soils is the intense scattering of the Tetonka-Dudley and the Tetonka soils within the main mass of the Prosper-Houdek soils. The Tetonka and the Tetonka-Dudley soils exist in depressions. Unfortunately, you have an associated claypan soil with the Tetonka. In most of the depressions this claypan soil is called the Hoven and it is an extremely strongly developed sodium rich soil. I would recommend that you do not consider any further irrigation of this area unless you provide drainage for every one of the Tetonka-Hoven depressions that exist in the entire area. The salinity which there is in this water would not pass on down through and into the substratum in any of these areas, and the scattering of Tetonka-Hoven soils is great enough so it's a considerable percentage of the entire area which you intend to irrigate. This would cause all of the crops to be lost in these depressions and the whole venture would be marginal at best, and in most years be a loss instead of a profit.

My recommendation, therefore, is that you not consider this any further unless you are able to provide complete drainage for all of the depressions marked as #18 in the soil map.

A copy of this letter is going to the State Conservation Commission for their formal decision. They also are receiving a copy of the water analysis and, of course, your WI-1 form.

Sincerely yours,

L. J. Fine
L. J. Fine
Water Quality Lab

LOF:ckb
Enclosure
cc: State Conservation Commission

CONSERVATION

CONSERVATION
COMMISSION
FORM W1-1

Second set of 8/11

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Arland Walter
ADDRESS Cavour, South Dakota 57324
COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION NE 1/4 29, 110N-60W
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 29, 110N-60W

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE X CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED Alfalfa & corn

WATER QUALITY

5. SAMPLE NUMBER 76-1280
6. SALINITY (EC x 10⁶) 1613 (high)
7. SODIUM (SAR) 0.66 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and; the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
24 DAY OF September 19 76.

Rich Kiger - Beadle Co. Conservation
(TITLE OR SEAL) Rich Kiger

Arland Walter
APPLICANT'S SIGNATURE
that this project can be carried out successfully in all circumstances. Individual management will to a large degree determine the relative success of this venture.

APPROVED/DISAPPROVED

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Arline Miller
 Address: Cavour, SD 57324

Date Rec'd: 7, 1973
 Sample No.: 76-1280
 Identification: 11

WATER ANALYSIS

Calcium (Ca)	223	ppm*	11.15	me/l**
Magnesium (Mg)	59	ppm	4.24	me/l
Sodium (Na)	43	ppm	1.87	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	434	ppm	9.03	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.29	me/l
Bicarbonate (HCO ₃)	503	ppm	8.21	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	12	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1613	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.66			
Sodium	10.32	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.06			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 10.12 me/l
 Total anions 17.56 me/l

By Shirley Mitten

Service Performed

Amount Due

Irrigation analysis

\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment


Sample No. 76-1280

Amount Enclosed \$


Signed

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Arland B. Walter
ADDRESS Cavour, South Dakota 57324
COUNTY Beadle



LEGAL DESCRIPTION

1. WELL LOCATION 13 rods east of the center of the NE 1/4 Sec. 29, 110N-60W
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 Section 29, 110N-60W

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE X CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED Corn and alfalfa

WATER QUALITY

5. SAMPLE NUMBER 76-1280
6. SALINITY (EC x 10⁶) 1.613 (1/2)
7. SODIUM (SAR) 0.66 (1/2)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
1 DAY OF August 19 76.

Dick Hedger - Sec. Beadle Co.
(TITLE OR SEAL) Conservation Dist.

(SOILS INFORMATION ON REVERSE SIDE)


Arland B. Walter
APPLICANT'S SIGNATURE

project can be carried out by the individual manager to a large degree, determining the relative success of the venture.

Richard A. Hedger
APPROVED/DISAPPROVED

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 (AS AMENDED)
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Arland B. Walter

ADDRESS Cavour, South Dakota 57324

COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION 10 rods east of the center of the NE 1/4 Sec. 29, 110N-60
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 Section 29, 110N-60W

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE X CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED Corn and alfalfa

WATER QUALITY

5. SAMPLE NUMBER _____
6. SALINITY (EC X 10⁶) _____
7. SODIUM (SAR) _____
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Arland B. Walter
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
17 DAY OF August 19 76.

Dick Wilson - Sec. Beadle Co.
(TITLE OR SEAL) Conservation Dist.

Approved does not imply that this project can be carried out without the necessary permits and man-
power of the relative

APPROVED/DISAPPROVED

(SEE INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Arthur J. Miller
 Address: Caveau, SD 57324


Date Rec'd: September 7, 1976
 Sample No. 76-1220
 Identification 1211-

WATER ANALYSIS

Calcium (Ca)	223	ppm*	11.15	me/l**
Magnesium (Mg)	59	ppm	4.84	me/l
Sodium (Na)	43	ppm	1.87	me/l
Potassium (K)	10	ppm	0.36	me/l
Sulfate (SO ₄)	434	ppm	2.03	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.49	me/l
Bicarbonate (HCO ₃)	503	ppm	8.24	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		me/l
Alkalinity (Methyl Orange)	412	ppm (as CaCO ₃)		g.p.g.***
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1613	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.66			
Sodium	10.32%	of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.06			
Others:				

*ppm=parts per million
 **me/l=milliequivalents per liter
 ***g.p.g.=grains per gallon

COMMENTS: Total cations 18.12 me/l
 Total anions 17.56 me/l



By: Barley Eitzen

Service Performed

Amount Due

Irrigation analysis

\$8.00

Make checks payable to: Water Quality Laboratory


Cut along dotted line and return the lower portion with payment

Sample No. 76-1220

Amount Enclosed \$

Signed

November 9, 1976



Arland B. Walter
Cavour, SD 57324

Dear Mr. Walter:

Your water sample (Lab. No. 76-1280) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

P.S. This land is not satisfactory for general irrigation. All the depressions (soil areas #18 (Tetonka-Moven) are soils with claypan or salts or both. They must be: (1) not irrigated or (2) drained or (3) filled with soil from adjacent areas. You earlier received a copy of AES #13 so one is not included herewith.

Publish first publication, on or before May 22, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

March 30, 1977

Notice is hereby given that Arland B. Walter,
whose post office address is Cavour, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for permit to appropriate for beneficial use

1.42 cubic feet of water per second of time from the gravity return through the

Arland B. Walter, the point of diversion of which is to be located in the

near the center of NE 1/4

of Section 29, Twp. 110N, Range 60W. Said water to be used for the purpose
of providing irrigation on the following described land:

NE 1/4, Section 29, T110N, R60W

This application No. 3252-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 26th day of May, 1977, at 1:00 P.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

**JAMES WINTERSTON
Water Rights Specialist**

BFJ/bw

cc: Arland B. Walter, Cavour, SD 57324

No. _____

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
County _____)

I, Brenda Haskett hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

city of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

4-7-77

4-11-77

Brenda Haskett
(Signature)

Bookkeeper

(Title)

4-11-77


(Date Signed)

P.P. 47-77 L.P. 41477

NOTICE INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
March 30, 1977

Notice is hereby given that
Arland B. Walter whose post office
address is Cavour, South Dakota,
has made an application in ac-
cordance with the provisions of the
water laws of South Dakota for a
permit to appropriate for
beneficial use 1.42 cubic feet of
water per second of time from
ground water through the Arland
B. Walter No. 1, the point of
diversion of which is to be located
near the center of NE 1/4 of Section
29, Twp. 110N, Range 60W. Said
water to be used for the purpose of
providing irrigation on portions of
the following described land:
NE 1/4, Section 29, T110N, R60W.

This application No. 32523 will
be considered by the Water Rights
Commission at their office at
Pierre upon the 26th day of May,
1977, at 9:00 A.M. All interested
persons may appear and be heard.
WATER RIGHTS COMMISSION
JAMES WINTERSON
Water Rights Specialist
No. 256 (adv.)





3222-5
BEADLE COUNTY DEFERRED

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

January 16, 1978

TO: Holders of Deferred Applications in Beadle County
FROM: John Hatch, Chief Engineer, Water Rights Commission
SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred Beadle County Water Right Applications at 4:00 P.M., January 25, 1978 at the South Dakota Education Association Building, 411 E. Capitol, Pierre, South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

These Applications were deferred by the Water Rights Commission during 1977, pending Staff investigation.


After reconsideration of the deferred Applications the Commission can approve, defer, or deny all or part of any of these Applications.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/BFJ/bw

3292-3



Department of Natural Resource Development

WATER RIGHTS COMMISSION
Joe Foss Building, Pierre, South Dakota 57501
Phone 605/773-3151

March 14, 1979

TO: Holder of Deferred Applications in Beadle County
FROM: John Hatch, Chief Engineer, Water Rights Commission
SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred water right applications in Beadle County at 4:15 p.m., March 28, 1979, at the Community Room, Pierre City Hall, 222 East Dakota, Pierre South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-14; 46-2-9 thru 46-2-11; 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22; 46-5-41; 46-6-3; 46-6-5; 46-6-6.1; 46-6-10; 46-6-3.1; 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

These applications were previously deferred by the Water Rights Commission, pending Staff investigation.

After reconsideration of the deferred applications the Commission can approve, conditionally approve, defer, or deny all or part of the Application.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Commission may be appealed to the Courts as provided by law.

Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch", is written over the typed name.

JOHN HATCH, Chief Engineer
Water Rights Commission

JH:kjw



Department of Water & Natural Resources

Joe Foss Building Water Rights Division
Pierre, South Dakota 57501

(605) 773-3352

July 6, 1982

Arland Walter
RR #1, Box 142
Cavour SD 57542

Dear Mr. Walter:

Enclosed herewith are, Water License No. 4583-3 and Certificate of Construction.

Water License No. 4583-3 is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks

enclosures

NOTE: The applicable portions of Permit No. 3252-3 have been incorporated into this Water License No. 4583-3

4, August, 1976 The Arland B. Walter Irrigation prepared by Don E. Anderson

Don E. Anderson
Beadle Co. Agent

Section 29 110 N - 60 W

X ← --- Approximate point
of Division
{ NE $\frac{1}{4}$ Sec. 29. }
110 N - 60 W

LAND TO BE
IRRIGATED UNDER
NEW PERMIT

MAR 25 1976 3801-3 APPL N° 3252-3
3801-3 APPL N° 4583-3

NOT TO SCALE

250.9

Goldie Meyer

4

9.4

61.5

8.6

WELL

15.5

Arland
Walter

4

29

378-58R

154.7

110.60

4

Willard

74.0

Kleinmiller

26.4

155.6

Narelle Jones