

Water Right Number 3268-3

1. Considered 1-26, 1971
2. Name of Applicant HURON COLONY
3. Post Office Address HURON
4. Amount of water claimed 2.0
5. Source of water supply 58' WELL
6. Water to be used for IRRIGATION

Acres to be irrigated 140

7. Water to be diverted and used in BEADLE County
about 14 MI Miles of HURON

8. Proof of Publication Received 1-5-77
Not received _____


9. Application Approved _____

Subject to _____

Not approved _____

Action deferred _____

10. Remarks:

No. 3268-3Map No. 2555-3 Water Division No. 3 JAMES RIVER District
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Huron Colony
 Postoffice address Rt. 2, Huron State South Dakota 57350
 If a corporation show date and place of incorporation 1944 Huron, South Dakota
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract and direct labor
3. Name of diversion work Huron Colony #2
4. Amount of water claimed (cubic feet per second) _____
5. Source of water supply Ground water
6. Location of point of diversion NW $\frac{1}{4}$ Sec 19, 113N-61W Lake Byron

County Beadle

7. Annual period or periods during which water is to be used April through October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 140

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec 24, 113N-63W	35		
SW $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec 24, 113N-63W	35		
SE $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec 24, 113N-63W	35		
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec 24, 113N-63W	35		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Daily Plainsman
12. Principal Features of the Proposed Water Supply System

A. Works proposed to divert water from its natural source.

Bowl pump

B. Works proposed to transport water to place of use.

Main line

C. Works proposed to apply water to beneficial use.

Pivot system

Estimated Total Cost \$ _____

Attachment: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Beadle)I, Huron Colony the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Huron Colony by Joseph WilliamsSubscribed and sworn to before me this 10 day of June, 1944

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3268-3
HURON COLONY R.R. #2 HURON
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57350 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application OCTOBER 29 19 76
 Date of return to applicant for correction, amendments or changes required _____ 19 ____
 Date of receipt of corrected application DECEMBER 1 19 76
 Approved JANUARY 26 19 77 Recorded in Book 17 Page 70

WATER RIGHT PERMIT NO. 3268-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3268-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 29 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 21 19 79
3. The whole of said work is to be completed on or before JANUARY 26 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 26 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 26 19 84; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 7TH day of APRIL 19 77

WATER RIGHTS COMMISSION

By:


John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued May 13 19 80

Water License Issued May 13 19 80

PH. 377-4287

58



12. Principal Features of the Proposed Water Supply System (continued)

D. Well Information or Estimates

(1) Drill Hole, Diameter 32", Depth 58'
 (2) Casing, Type Stainless Steel Diameter 15" Thickness 1/4"
 (wood, concrete, steel, etc.)
 (3) Perforated Screen
 Type Stainless Steel, Diameter 15", Length 28'
 (4) Gravel Pack, Thickness , Length of gravel pack 58'

E. Dugout Information or Estimates

(1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Coal + Sand

Depth to top of water bearing material 76'

Depth to bottom of water bearing material

Thickness of water bearing material

Depth to water (ground surface to water level)

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 80 rds. On property owned by others 640+ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Heon G. G. G. G. G.
 Signature of Applicant

CONSERVATION
COMMISSION
FORM 11-1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Huron Colony
ADDRESS Rt. 2, Huron, South Dakota 57350
COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION NW 1/4 Sec 19, 113N-61W Lake Byron
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 Sec 24, 113N-62W Pleasant View

TYPE OF IRRIGATION

3. GRAVITY TOWLINE CENTER PIVOT x GUN
4. CROPS TO BE IRRIGATED Corn

WATER QUALITY

5. SAMPLE NUMBER 76-1716
6. SALINITY (EC x 10⁶) 1416 (high)
7. SODIUM (SAR) 2.84 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
22 DAY OF December 1976.

Dick Anderson, Beadle Conservation District
(TITLE OR SEAL)

Flora Lee to John J. McLean
APPLICANT'S SIGNATURE


APPROVED/DISAPPROVED
I do hereby certify that the project can be carried out successfully in all other respects. Individual man's agreement will be a large factor in determining the relative success of the project.

APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

CONSERVATION
COMMISSION
FORM W1- #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Huron Colony
ADDRESS Rt. 2, Huron, South Dakota 57350
COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION NW 1/4 Sec 19, 113N-61W Lake Byron
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 Sec 24, 113N-62W Pleasant View

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn

WATER QUALITY

5. SAMPLE NUMBER _____
6. SALINITY (EC X 10⁶) _____
7. SODIUM (SAR) _____
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service. and: that the legal description for the location of the well and land to be irrigated is true and correct.

X Huron Colony of Lake Byron
APPLICANT'S SIGNATURE
Approved for use of water for irrigation

SUBSCRIBED AND SWORN BEFORE ME THIS
22 DAY OF October 19 76


Rich Pedersen, Beadle County Extension
(TITLE OR SEAL)

APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

CONSERVATION
COMMISSION
FORM W1, #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Huron Colony
ADDRESS Rt 2 Huron S.D. 57357
COUNTY Burdette

LEGAL DESCRIPTION

1. WELL LOCATION 113N-61W 1W 19 T. 2 S. 12 E.
2. LOCATION OF AREA TO BE IRRIGATED 113N 62W 1W 24 T. 2 S. 12 E.

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED Corn

WATER QUALITY

5. SAMPLE NUMBER _____
6. SALINITY (EC X 10⁶) _____
7. SODIUM (SAR) _____
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from 12-5-12 Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true
and correct.

APPLICANT'S SIGNATURE _____

SUBSCRIBED AND SWORN BEFORE ME THIS
DAY OF _____ 19 ____.

(TITLE OR SEAL)

Approval does not imply that this project can be carried
out successfully in all circumstances. Individual man-
agement will be a factor in determining the relative
turbidity of the water.

APPROVED/DISAPPROVED ☒

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Huron Colony
 Address: Rt. 2
Huron, SD 57350

Date Rec'd: October 23, 1976
 Sample No.: 26-1716
 Identification: 129
HL, sec. 19, T 113N, R 61E

WATER ANALYSIS


Calcium (Ca)	134	ppm*	6.70	me/l**
Magnesium (Mg)	42	ppm	3.44	me/l
Sodium (Na)	147	ppm	6.39	me/l
Potassium (K)	17	ppm	0.44	me/l
Sulfate (SO ₄)	445	ppm	9.26	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	44	ppm	1.23	me/l
Bicarbonate (HCO ₃)	366	ppm	6.00	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	200	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1416	microhmhos per cm at 25° C.		
Sodium Adsorption Ratio	2.84			
Sodium	37.65	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.81			
Others:				

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 16.97 me/l
 Total anions 16.49 me/l



By: Shirley Witten

Service Performed	Amount Due
Irrigation analysis	\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 26-1716

Amount Enclosed \$

Signed

November 10, 1976



Huron Colony
R.R. #2
Huron, SD 57350

Dear Sir:

Your water sample (Lab. No. 75-1716) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Pine

L. O. Pine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

P.S. Soil area 26A is a real problem for this proposed development. Salts and slow permeability will give you real grief in getting stuck and unsatisfactory growth of crops. I suggest: (1) keep water off it, (2) plant to permanent salt-tolerant grasses, (3) use another device besides center pivot whereby you can control water better, (4) drain the area.

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3268-3

(1) WHEREAS, On the 29th day of October A.D. 1976
Huron Colony

made Water Right Application No. 3268-3 for a permit to use 2.6 cubic feet per second of the waters
of ground water (one well)

County of Beadle State of South Dakota, for irrigation
purposes; and
26th day of January A.D. 1977

(2) WHEREAS, On the 26th day of October 29, 1976
Permit No. 3268-3, with a date of priority of
was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 26th day of January A.D. 1982 and for the
application to beneficial use of said water on or before the 26th day of January A.D. 1984

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.56 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,
to irrigate the following lands all in Section 24, T113N, R62W

NW 1/4 NE 1/4 28 acres

NE 1/4 NE 1/4 23 "

SW 1/4 NE 1/4 23 "

SE 1/4 NE 1/4 28 "

TOTAL 113 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Huron Colony

of Huron, SD

the holder S and owner S of said permit No. 3268-3 a water right, dating from October 29, 1976

to use of 1.56 cubic feet per second of the waters of ground water (one well)

in the County of Beadle and State of South Dakota, or so much thereof as may be necessary for the purposes hereinafter mentioned, to be diverted at a point 900'S and 750'E of the NW corner, Section 19, T113N, R61W

and conducted and upon portions of land all in Section 24, T113N, R62W more fully described on the face of this license

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 3268-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota this 12th day of May A. D.

Nineteen Hundred and Eighty

Board of Water Management

By:



Chief Engineer

JOHN HATCH

Permit No. 3268-3

Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify That Huron Colony

the holder s _____ of
Permit No. 3268-3, issued upon Application No. 3268-3, bearing date of priority of October 29, 1976 authorizing the diversion of 2.0 cu. ft. per second of the waters of ground water (one well) County of Beadle, State of South Dakota at a point 900 feet S and 750 feet E of the NW corner Section 19, T113N, R61W

for Irrigation

purposes have complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use 1.56 cu. ft. per second of water.

Date May 12, 1980


JOHN HATCH, Chief Engineer
Water Rights, WRD

Form 6 - Notice of Intent to Appropriate Water

No. 3268-3

Publish first publication, on or before January 13, 1977

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 13, 1976

Notice is hereby given that Huron Colony
whose post office address is Huron, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.0 cubic feet of water per second of time from the ground water through the
Huron Colony Well, the point of diversion of which is to be located in the

NE 1/4 NW 1/4

of Section 24, Twp. 113N, Range 62W. Said water to be used for the purpose
of providing irrigation on the following described land:

NW 1/4, Section 24-T113N-R62W

This application No. 3268-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 26th day of January, 1977, at 10:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cc:

Huron Colony, R.R. # 2, Huron, South Dakota 57501

No. _____

STATE OF SOUTH DAKOTA)
) ss.
County _____)

F.P. 12-78-76-10-11-12-13-14-15-16-17
NOTICE INTENT TO APPROPRIATE WATER
 Pierre, South Dakota 57501
 December 21, 1977
 Notice is hereby given that Huron Colony, whose post office address is Huron, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.0 cubic feet of water per second of time from ground water through the Huron Colony Well, the point of diversion of which is to be located in the NE 1/4 of Section 24, Twp. 11N, Range 62W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NW 1/4, Section 24, T11N, R62W. This application No. 3268-3 will be considered by the Water Rights Commission at their office at Pierre upon the 26th day of January, 1977 at 10:00 A.M. All interested persons may appear and be heard.
WATER RIGHTS COMMISSION
BURTO J. F. JONES
 Water Rights Specialist
 No. 758 (adv.)



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7434

PIERRE, April 3, 1980

RECEIVED OF Heron Colony, RR #2, Huron, SD

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. 3268-3		
Fee for Inspecting Beneficial Use, and Issuing Water License No. 3268-3		50.00
Fee for Issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL		5.00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH (S)

3268-3 Heron Colony

no. 1 14 Engine Model - 6 cyl Diesel

HP 130 H.P. No. 326819

N.R. 553060

Pump Model - No. 301-107

Model N260-8

C.F. Lockwood Case 113-10

Well 5 1/2 ft. Water

Pumping 700 gpm. Capacity 150

Permit No. 3268-3Water Division 3 James Allen Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by Huron Colonyof Rt #2, Huron South Dakota 57350 holderof Permit No. 3268-3, bearing date of priority of October 24, 1976authorizing the diversion of 2.0 cu. ft. per second of the waters of One Wellfor Irrigation purposes, in Beadle County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Engine Deutz 6 cyl. Diesel, 130 H.P.
No. BE64917, N.R. 5530180
Pump National, Ser# 317-148, Model N26208
Pumping 700 gpm.

B. Works used to transport water to place of use,

2000 ft 8" PVC Pipe.

C. Works used to apply water to beneficial use.

Lockwood Center Pivot covers 113 Ac.The system is in the following condition: GoodThe point of diversion is located 900 ft S and 750 ft E of the NW
Cor Sec. 19, T113N R61W.The works are capable of diverting and conveying to the place of use 1.56
cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: All in Sec. 24, T113N R62WNW 1/4 NE 1/4 - 28 Ac. NE 1/4 NE 1/4 - 33 Ac. SW 1/4 NE 1/4 - 24 Ac.
SE 1/4 NE 1/4 - 28 Ac.comprising a total of 113 acres of land.

Well Data.

Depth 58 ft.Pumping 700 gpmCapacity 750 gpmDate August 7, 1979LeRoy J. Marnough
(Signature)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

HURON COLONY, Jake Wollman
RR #2 BOX 185
HURON, SD 57350

NOTICE

Re: Violation of Water Permit(s). 4400A-3 and 1986 Irrigation Questionnaire Requirements.

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 4400A-3. The request for the questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4400A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s). 343-3, 343-3A, 3268-3, and 2390-3 should be amended with the qualification to require the Questionnaire to be submitted each year.


The hearing(s) will be at 2:00 pm, May 6, 1987, in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearings(s), the Water Management Board can:

1. Suspend Permit No(s). 4400A-3 until either the 1986 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s). 243-3, 343-3A, 3268-3, and 2390-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

A handwritten signature in cursive script, appearing to read "John Hatch", is written over the typed name.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) are received in this office before the hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 15, 1987

343-3
343-3A
2390-3
3268-3
4400A-3

Jake J Wollman
Huron Colony
RR #2 Box 185
Huron, SD 57350


Dear Mr. Wollman:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 343-3, 343-3A, 2390-3, 3268-3, and 4400A-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

if you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 8, 1989

JAKE WOLLMAN- HURON COLONY
RR #2 BOX 185
HURON, SD 57350

NOTICE

RE: Violation of Water Permit No(s). 4400A-3 and 1988 Irrigation Questionnaire Requirements

Our records indicate that the 1988 Irrigation Questionnaire has not been submitted for Permit No(s). 4400A-3. The request for the Questionnaire was dated October 26, 1988. The Water Management Board has directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4400A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No. 343-3, 343-3A, 2390-3, 3268-3 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 9:45 am, March 1, 1989 at the How Wilson's, Roosevelt Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 16-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 4400A-3 until the 1988 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s). 343-3, 343-3A, 2390-3, (3268-3) also held by JAKE WOLLMAN- HURON COLONY to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 1st hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 6, 1989

343-3
343-3A
2390-3
3268-3
4400A-3

Jake Wollman
Huron Colony
RR #2 Box 185
Huron, SD 57350

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1988 irrigation questionnaires for Water Permit Nos. 343-3, 343-3A, 2390-3, 3268-3, and 4400A-3. You may disregard the February 8, 1989, Notice of failure to submit the 1988 irrigation questionnaire. Your questionnaires were received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division

32683

South Dakota

GREAT FACES. GREAT PLACES.
February 1, 1991

JAKE WOLLMAN - HURON COLONY
RR #2 BOX 18E
HURON SD 57350

DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

NOTICE

RE: Violation of Water Permit No(s) 343-3, 343-3A, 2390-3, 3268-3, 4400A-3 and 1990 Irrigation Questionnaire Requirements

Our records indicate that the 1990 Irrigation Questionnaire has not been submitted for Permit No(s) 343-3, 343-3A, 2390-3, 3268-3, 4400A-3. The request for the Questionnaire was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s) 4400A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 343-3, 343-3A, 2390-3, 3268-3 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 9:15 am, February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-25. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s) 4400A-3 until the 1990 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s) 343-3, 343-3A, 2390-3, 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the February 27th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,


Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

3-268-3

February 13, 1991

343-3
343-3A
2390-3
(3268-3)
4400A-3

Jake Wollman
Huron Colony
RR #2 Box 185
Huron, SD 57350

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1990 irrigation questionnaires for Water Permit Nos. 343-3, 343-3A, 2390-3, 3268-3, and 4400A-3. You may disregard the February 1, 1991, Notice of failure to submit the 1990 irrigation questionnaire. With receipt of the questionnaires, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division

3268-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 30, 1996

NOTICE

TO: HURON COLONY, JAKE WOLLMAN, RR #2 BOX 185, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year,
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. There and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3268-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1996

Ron Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

RE: Water Permit Nos. 2390-3, 3268-3, 4400A-3 and 5651-3

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notice of Violation of Water Permits and Violation of the Requirements to Submit the 1995 Irrigation Questionnaire.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



February 4, 1997

NOTICE

3268-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

TO: HURON COLONY, JAKE WOLLMAN, RR 2 BOX 185, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3 and 1996 Irrigation Questionnaire Requirements

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3268-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 18, 1997

2390-3

3268-3

4400A-3

5651-3

Jake Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1996 irrigation questionnaires. You may disregard the February 4, 1997, Notice of Violation.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 9, 1998

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3181
NOTICE

TO: HURON COLONY, JAKE WOLLMAN, RR 2 BOX 185, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1998

2390-3
3268-3
4404A-3
5651-3

Huron Colony
Jim J Waldner
RR 2 Box 185
Huron SD 57350

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 2390-3, 3268-3, 4404A-3 and 5651-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 16, 2002

NOTICE

3268-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/danr

TO: HURON COLONY, JIM J WALDNER, 40968 HURON COLONY LANE, HURON, SD 57350
FROM: Ron Duval, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaires

Our records indicate that the 2001 Irrigation Questionnaires have not been submitted for Permit Nos. 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



March 5, 2002

Jim J Waldner
Huron Colony
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

Enclosed is a set of irrigation questionnaires for 2001. It is my understanding that you do not have the original forms mailed out in October.

The legal descriptions for each water permit or right are now shown on the irrigation questionnaires. Please review them and complete the forms with any irrigation information you may have from last crop season.

The forms need to be returned to our office prior to March 13th. On March 13th the Water Management Board will meet to discuss what type of action should be taken for questionnaires not received in a timely manner.

If you have any questions and need assistance in completing the forms, please give me a call.

Thank you,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

3268-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr



3268-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 11, 2002

2390-3
3268-3
4400A-3
5651-3

Jim Waldner
Huron Colony
40068 Huron Colony lane
Huron, SD 57350


Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2001 irrigation questionnaires. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right Nos. 2390-3, 3268-3, 4400A-3 and 5651-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE, SOUTH DAKOTA 57501-3182

www.state.sd.us/denr

January 14, 2004

NOTICE

TO: HURON COLONY, JIM J WALDNER, 40068 HURON COLONY LANE, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaires

Our records indicate that the 2003 Irrigation Questionnaires have not been submitted for Permit Nos. 2390A-3, 4400A-3 & 5651-3, 3268-3. The request for the Questionnaires was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2390A-3, 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2390A-3, 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3268-3



Track & Confirm

Current Status

You entered 2301 3460 0000 8515 7919

Your item was delivered at 11:06 am on January 15, 2004 in HURON, SD 57350. The item was signed for by A WALDNER.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 7919

HURON COLONY
JIM J WALDNER
40068 HURON COLONY LANE
HURON SD 57350

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

calling.

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services

I'm very sorry for the delay in sending the report. Jim Waldner retired for health reasons. So I'm ~~not~~ taking over & I'm new at it. So please forgive me we'll try to do better in the future

Sam Waldner

home	605 352 5647
cell	605 350 9501

If you got any questions call

RECEIVED

JAN 26 2004

WATER RIGHTS
PROGRAM

3268-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2004

2390A-3
4400A-3
3268-3
5651-3

Sam Waldner
Huron Colony
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Permit or Right Nos. 2390A-3, 4400A-3, 3268-3 and 5651-3.


The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

As you requested, future correspondence will be directed to your attention. Thank you for sending in the questionnaires and the update information for the water right files. If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Sec. 24, Pleasant View Twp. R. 62, T. 113, Beadle Co.



113.62

211.7

3.82A

NE 1/4 NE 1/4

56.8

BEADLE COUNTY A.S.C.S.

Box 1297

33A.

NW 1/4 NE 1/4

28 Ac.

Huron, S. D. 57350

B. Davis

123.9

113.62

SW 1/4 SE 1/4

24 Ac.

SE 1/4 NE 1/4

28 Ac.

To lot also in
for that also in
sec 25
37.4

24

Dakota

Permit # 3268-3
in NE 1/4 of Sec. 24

65.3

31.8

71.4

113.62

53.8

MAR 11 1968

APPL. 343-34

Huron Colony

Rt 2 Huron, S.D. 57350

Section 24 113N-62W

NW cor Sec 19,
T113N R61W

Prepared by
Duck Fodgen
Beadle Co.
Extension
Agent
22 Oct '76

NW 1/4 NE 1/4
28 AC.

NE 1/4 NE 1/4
33 AC.

SW 1/4 NE 1/4
24 AC.

SE 1/4 NE 1/4
28 AC.

Center Pivot
8" PVC Pipe

Well

X proposed well
location