


Water Right Number 32913

1. Considered C 1-26, 19 77
2. Name of Applicant PHIL I. GUAM
3. Post Office Address ELI POINT
4. Amount of water claimed 212
5. Source of water supply 200' WELL
6. Water to be used for IRRIGATION
- Acres to be irrigated 160
7. Water to be diverted and used in CLINTON County
about 12 N, 24 W Miles 1.11 of ELI POINT
8. Proof of Publication Received 1-17-77
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____
10. Remarks:

No. 3291-3
 Map No. 2578-3 Water Division No. 3 Big Sioux River District
 (Blanks to be filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Mr. Paul T. Quam
 Postoffice address Elk Point State S.D.
 If a corporation show date and place of incorporation None
2. Method of accomplishing work (contract, employment of others, or by direct labor) employment of others
3. Name of diversion work Quam project #1
4. Amount of water claimed (cubic feet per second) 2.5 - 2.2
5. Source of water supply deep well
6. Location of point of diversion Center of farm located on S.W. 1/4, section 15, T 93 N, R 50, Bonville Township
 County Union
7. Annual period or periods during which water is to be used each spring & summer fall
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 1/4 section 160 acres

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SW 1/4 sec 15 T 93 N R 50 W	160		
SE 1/4 "			

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 7-10 years. Additional time required to complete application of water to the proposed beneficial use 4 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Elk Point Leader Courier
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

CENTER PIVOT

C. Works proposed to apply water to beneficial use.

SPRINKLERSEstimated Total Cost \$ 60,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Union

I, Paul T. Quam the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Paul T. Quam

Subscribed and sworn to before me this 1st day of Nov 1976
J. E. Van Buren
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Rocky Water Rights Commission hereby approves Water Right Application No. 3291-3

PAUL H. QUAM
(Applicant)

ELK POINT
(Post Office Address)

SOUTH DAKOTA 57075 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application NOVEMBER 15 19 76
Date of return to applicant for correction, amendments or changes required NOVEMBER 15 19 76
Date of receipt of corrected application DECEMBER 10 19 76
Approved JANUARY 27 19 77, Recorded in Book 17 Page 85

WATER RIGHT PERMIT NO. 3291-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3291-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 15 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 27 19 78
3. The whole of said work is to be completed on or before JANUARY 27 19 79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 27 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 27 19 83; said water to be used during the following described annual period: SPRING - SUMMER - FALL

Witness my hand this 7TH day of NOVEMBER 19 77

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued September 18 19 79

Water License Issued September 18 19 79

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 4 3/4 30, Depth 200
- (2) Casing, Type A/C Diameter 1 1/2 Thickness 1/2
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Steel, Diameter 1 1/2, Length 20
- (4) Gravel Pack, Thickness 15', Length of gravel pack 140

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials (Please attach a copy to test well log if available.)

Character of Water bearing materials copy will be sent
later

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 60 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

x Paul T. Zuercher
Signature of Applicant

October 19, 1976



Mr. Paul I. Quam
Fik Point, SD 57025

Dear Mr. Quam:

Your water sample (Lab. No. 76-1549) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,


L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb
Enclosures
cc: State Conservation Commission

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-5-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

#1
NAME Paul J. Lauer
ADDRESS 211 E. 7th St.
COUNTY Butte



LEGAL DESCRIPTION

1. WELL LOCATION 1/2 Sec 15, T22N, R10E, S4
2. LOCATION OF AREA TO BE IRRIGATED Sec 15, T22N, R10E, S4

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED Corn & Soybeans

WATER QUALITY

5. SAMPLE NUMBER 76-1549
6. SALINITY (EC X 10⁶) 2085 (high)
7. SODIUM (SAR) 1.42 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from _____ Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
10 DAY OF Sept 1976.

L. E. Van Wagoner
(TITLE OR SEAL)

X Paul J. Lauer
APPLICANT'S SIGNATURE
This project can be carried out successfully in all circumstances. Individual management will, to a large degree, determine the relative success of this venture.

Approved
APPROVED/DENIED

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Paul J. Jern
 Address: Box 101, Box 57025

Date Rec'd: Oct 17, 1976
 Sample No.: 76-1549
 Identification: 111
Box 101, Box 57025, Brookings, S.D.

WATER ANALYSIS

Calcium (Ca)	289	ppm*	14.45	me/l**
Magnesium (Mg)	75	ppm	6.15	me/l
Sodium (Na)	105	ppm	6.17	me/l
Potassium (K)	15	ppm	0.59	me/l
Sulfate (SO ₄)	985	ppm	20.54	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	73	ppm	2.18	me/l
Bicarbonate (HCO ₃)	259	ppm	4.24	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)		ppm		
Alkalinity (Methyl Orange)	212	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	2085	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.42			
Sodium	17.87	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.57			

Others:
 *ppm=parts per million
 **me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 25.56 me/l
 Total anions 26.96 me/l

By: Shirley Kitten

Service Performed

Amount Due

Irrigation analysis

\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1549

Amount Enclosed \$

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3291-3

(1) WHEREAS, On the 15th day of November A. D. 19 76
Paul I. Quam

made Water Right Application No. 3291-3 for a permit to use 2.2 cubic feet per second of the waters of groundwater (one well)

County of Union, State of South Dakota, for

purposes; and

(2) WHEREAS, On the 27th day of January A. D. 19 77

Permit No. 3291-3 with a date of priority of November 15, 1976

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 27th day of January A. D. 19 79 and for the application to beneficial use of said water on or before the 27th day of January A. D. 19 83

Whereas on 22nd day of January, 1979 this permit was transferred to Rocky Quam, Elk Point, SD. Permit No. 3290-3 upon inspection August 23, 1979, under the name of Norma Quam, was incorporated into Permit No. 3291-3. The well authorized under Permit No. 3291-3 is also used to irrigate the land under Permit No. 3290-3. Permit No. 3290-3 is to be licensed under 3291-3 and Permit No. 3290-3 will be cancelled.

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 3.88 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate lands as follows all in Section 15-T92N-R50W

SE $\frac{1}{4}$ 136 acres

SW $\frac{1}{4}$ 136 acres

TOTAL 272 acres

(5) NOW/THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Rocky Quam

_____ of Elk Point, SD

the holder _____ and owner _____ of Sud permit No. 3291-3 a water right, dating from November 15, 1976

_____ to use of 3.88 cubic feet per second of the water

of groundwater (one well)

in the County of _____ Union and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted in the center of the SW1, Section 15-

T92N - R50W

and conduct to and upon _____ lands in SE1, SW1, Section 15 - T92N - R50W

more fully described on the face of this License.

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 3291-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 18th day of September A. D.

Nineteen Hundred and Seventy-nine

Board of Water Management

By:

John Hatch

Chief Engineer

JOHN HATCH

Permit No. 3291-3 *Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Rocky Quan

_____ the holder _____ of
 Permit No. 3291-3, issued upon Application No. 3291-3, bearing date of priority of November 15,
1976, authorizing the diversion of 4.4 cu. ft. per second of the waters of _____
 _____ County of Union, State of South Dakota in
the center of the SW1, Section 15-T92N-R50W

_____, for irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
 completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
 condition for diverting and conveying to the place of intended use 2.0 cu. ft. per second of water.

Date September 18, 1979

* The well authorized under
 Permit No. 3291-3 is also
 used to irrigate the land
 under Permit No. 3290-3.
 Permit No. 3290-3 is to be
 Licensed under 3291-3, and
 Permit No. 3290-3 will be
 cancelled.

John Hatch
 JOHN HATCH, Chief Engineer
 Water Rights, WMD

No. 3291-3

Publish first publication, on or before January 13, 1977

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

December 16, 1976

Notice is hereby given that Paul I. Quam

whose post office address is Elk Point, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.2 cubic feet of water per second of time from the ground water through the

Quam # 1, the point of diversion of which is to be located in the

center of the SW 1/4

of Section 15, Twp. 43N, Range 50W. Said water to be used for the purpose of providing irrigation on the following described land:

SW 1/4, Section 15, T43N, R50W

This application No. 3291-3 will be considered by the Water Rights Commission at their office at Pierre upon the 26th day of January, 1977, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Paul I. Quam, Elk Point, SD 57025

No. 3291-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Lester E. Emerson hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Leader - Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

January 6, 1977

January 13, 1977

Lester E. Emerson
(Signature)

Publisher
(Title)

January 13, 1977
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
December 16, 1976

Notice is hereby given that Paul
L. Quam whose post office address
is Elk Point, South Dakota, has
made an application in accordance
with the provisions of the water
laws of South Dakota for a permit
to appropriate for beneficial use
2.2 cubic feet of water per second
time from ground water through
the Quam #1, the point of diver-
sion of which is to be located in
the center of the SW 1/4 of Section
15, Twp. 92 N, Range 50W. Said
water to be used for the purpose
of providing irrigation on portions
of the following described land:

SW 1/4, Section 15, T92N, R50W


This application No. 3291-3 will
be considered by the Water Rights
Commission at their office at
Pierre upon the 26th day of Janu-
ary, 1977, at 10:00 A.M. All
interested persons may appear
and be heard.

WATER RIGHTS COMMISSION

By: Burton F. Jones

Water Rights Specialist

Publish: January 6, 13.



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6728

PIERRE, January 23, 1979


RECEIVED OF Rocklin Guam, Elk Point, SD 57025
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and Issuing Cert. of Construction No.		
Fee for Inspecting Beneficial Use, and Issuing Water License No.		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filing <u>transfer of water right No. 3291-3</u>	2	50
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	2	50

WATER RIGHTS COMMISSION

By John Hatcher
Chief Engineer, Executive Officer
JOHN HATCHER HATCH 97

NOTICE OF TRANSFER OF WATER



TO: Water Rights Commission
Foss Building
Pierre, SD 57501

Date: 1-15-79

This is to notify you that title to the lands described as follows:
the SW $\frac{1}{4}$ of Section 15, T93N, R50W (160 acres)

formerly owned by Paul T. Quam

has been transferred to Rocky Quam, Elk Point, SD

together with any rights to the beneficial use of water thereon as evidenced by
Water Right Permit No. 3291-3 as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this "Notice of Transfer of Water Permit" in its appropriate file at the Office of Water Rights Commission as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of Union) ss.

I, Harold M. Emerson being first duly sworn on my oath depose and say: That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

Andrew Rocky Quam
(Signed)

Subscribed and sworn to before me this 13 Day of January 19 79

Harold M. Emerson
(Notary Public)

My Comm Exp 7-21-83

Permit No. 3291-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by ROCKY QUINN
 of ELK POINT holder
 of Permit No. 3291-3, bearing date of priority of NOVEMBER 15, 1976
 authorizing the diversion of 2.2 cu. ft. per second of the waters of GROUNDPWATER
 for IRRIGATION purposes, in UNION County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

200' DEEP WELL WITH 16" ASBESTOS CONCRETE CASING
 FAIRBANKS MORSE 8" PUMP - SIZE 11M #N3B2609Q 12K
 6 STAGE WITH 12" BOWLS -- JOHNSON GEAR DRIVE SERIAL #5226
 POWERED BY #3208 CATERPILLAR DIESEL MOTOR - 1760 RPM

B. Works used to transport water to place of use,

2640' OF 8" BURIED TRANSITE PIPE TO PLOT ON THE
 SE⁴, AND COVERED UNDER PERMIT NO 3290-3

C. Works used to apply water to beneficial use.

LOCKWOOD TOWER - 188' BETWEEN TOWERS - 136'
 CENTER PLOT SYSTEM WITH END GUN

The system is in the following condition: GOOD

The point of diversion is located IN AT THE CENTER OF THE SW⁴ CORNER
SECTION 15, T92N, R50W

The works are capable of diverting and conveying to the place of use 2.0
 cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows: ALL IN SECTION 15, T92N, R50W

SE⁴ 136 ACRES *
SW⁴ 136 ACRES

comprising a total of 272 acres of land.

* THE WELL AUTHORIZED UNDER PERMIT NO 3291-3 IS ALSO
 USED TO IRRIGATE THE LAND UNDER PERMIT NO 3290-3
 PERMIT NO 3290-3 IS TO BE LICENSED UNDER 3291-3,
 AND PERMIT NO 32903 WILL BE CANCELLED.

Date AUGUST 23, 1979

Dustin Jones
 (Signature)

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7046

PIERRE, September 13, 1979

Rocky Quinn, Elk Point SD 57025

RECEIVED OF

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. 3291-3	50	00
Fee for Inspecting Beneficial Use, and Issuing Water License No. 3291-3		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filling		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH kw



3291-3

DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 1, 1991

ROCKY QUAM
RR #2 BOX 108
ELK POINT SD 57025

NOTICE

RE: Violation of Requirement to Submit 1990 Irrigation Questionnaire

Our records indicate that the 1990 Irrigation Questionnaire has not been submitted for Permit No(s) 3291-3. The request for the Questionnaire was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 Irrigation Questionnaire be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 9:15 am, February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s) 3291-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is received in this office before the February 27th hearing date, your name will be deleted from the agenda for the hearing.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: ROCKY QUAM RR #2 BOX 108 ELK POINT SD 57025	4. Article Number P 694 057 3/2 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise
5. Signature - Addressee X <i>Chris Robinson</i>	Always obtain signature of addressee or agent and DATE DELIVERED.
6. Signature -- Agent X	3. Addressee's Address (ONLY if requested and fee paid)
7. Date of Delivery FEB - 8 1991	

South Dakota



GREAT PLACES. GREAT PLACES.

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 19, 1991

3291-3

Rocky Quam
PO Box 130
Elk Point, SD 57025

Dear Mr. Quam:

I am writing to acknowledge receipt of your 1990 irrigation questionnaire for Water Right No. 3291-3. You may disregard the February 1, 1991, Notice of failure to submit the 1990 irrigation questionnaire. With receipt of the questionnaire, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ron Duvall".

Ron Duvall, Natural Resources Engineer IV
Water Rights Division



3291-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: ROCKY QUAM, BOX 936, ELK POINT, SD 57025 0130

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire

Our records indicate that the 2002 Irrigation Questionnaire has not been submitted for Permit No(s) 3291-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 5, 2003, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3291-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



3291-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7540 6246

Your item was delivered at 9:52 am on January 21, 2003 in ELK POINT, SD 57025. The item was signed for by B LEE.

[Shipment History >](#)

[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt		
SIGNATURE CONFIRMATION NUMBER: 2301 0370 0000 7540 6246	Postmark Here	ROCKY QUAM BOX 936 ELK POINT SD 57025 0130
		POSTAL CUSTOMER: Keep this receipt. For inquiries: Access Internet web site at www.usps.com or call: 1-800-222-1811
		CHECK ONE (POSTAL USE ONLY) ☐ Priority Mail ☐ Package Services
		PS Form 153, February 2001 (See Reverse)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2003

3291-3

Rocky Quam
Box 936
Elk Point SD 57025

Dear Mr. Quam:

I am writing to acknowledge receipt of your 2002 irrigation questionnaire. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right No. 3291-3.

I completed a questionnaire for you based on our January 22nd telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

144.7

(4M317)

SW $\frac{1}{4}$
sec 15

⊗ well

148.7

29.6

(4-214)

34.1

Prepared by
J. E. Dedmit
Simon & Co. apt.
11/19/76

40.7

2.5

2.0

39.8

sec 15

92-50
MAP NO 2578-3

APPL NO 3291-3



3291-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: ROCKY QUAM, BOX 936, ELK POINT, SD 57025 0130

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire has not been submitted for Permit No(s) 3291-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:30 am, March 2, 2006, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3291-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 24, 2006**, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 14, 2006

3291-3

Rocky Quam
Box 936
Elk Point SD 57025

Dear Mr. Quam:

I am writing to acknowledge receipt of your 2005 irrigation questionnaire. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Right No. 3291-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352