

Water Right Number 5597

1. Considered 1-26, 19 77
2. Name of Applicant GEORGE WELLS
3. Post Office Address ANDOVER
4. Amount of water claimed 378
5. Source of water supply 66' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 400
7. Water to be diverted and used in DAY County
about 35 1/4 Miles of ANDOVER
8. Proof of Publication
Received 1-26-77
Not received _____
approved _____
Subject to _____
Not approved _____
Action deferred _____
9. Application
Acc. 1-26-77

10. Remarks:

No. 3279-3
 Map No. 2586-3 Water Division No. 3 JAMES RIVER District _____
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant George J. Dylla
 Postoffice address RR, Andover, State South Dakota 57422
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
 3. Name of diversion work George J. Dylla - Unit #1
 4. Amount of water claimed (cubic feet per second) 2.28
 5. Source of water supply Ground Water
 6. Location of point of diversion SW 1/4 SE 1/4 15-122-59

 _____ County Day

7. Annual period or periods during which water is to be used March - November
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
 9. For irrigation use, _____ Total number of acres to be irrigated 400

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SE 1/4 of 15-122-59	80		
SW 1/4 of 9-122-59	160		
NW 1/4 of 16-122-59	160		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Reporter & Farmer, Webster, So. Dak.
GRATON INDEPENDENT
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
) ss.
 County of Day
 I, George J. Dylla

the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed

Subscribed and sworn to before me this

26

day of

March1984

(Notary Public for other qualified officers)

COMMISSION EXPIRES
 MARCH 4, 1984.

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3299-3

GEORGE DYLLA
(Applicant)

R.R. ANDOVER
(Post Office Address)

SOUTH DAKOTA 57122 With the following modifications:
(State)

The irrigation wells approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

SEE ALSO
#4459-3
ADDED ACREAGE

THIS PERMIT IS APPROVED FOR TWO WELLS WHICH SHALL BE SPACED SO THAT THERE IS AT LEAST 660' BETWEEN WELLS, AND 1/8 MILE SPACING BETWEEN THESE WELLS AND THE EXISTING WELL UNDER PERMIT NO 2862.

Date of first receipt of application OCTOBER 29 19 76
Date of return to applicant for correction, amendments or changes required _____ 19 ____
Date of receipt of corrected application _____ 19 ____
Approved JANUARY 27 19 77 Recorded in Book 17 Page 89

WATER RIGHT PERMIT NO 3299-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3299-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 29 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 27 19 79
3. The whole of said work is to be completed on or before JANUARY 27 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 27 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 27 19 84; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 7th day of APRIL 19 77

WATER RIGHTS COMMISSION

By:

John Halch
Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 ____

Water License Issued _____ 19 ____

HURON DRILLING INC. DRILLERS LOG

PAGE NO. 1

George J. Dylla

SE² of 15-122-59

10/14/76

1.5

Everett Lodge

JOB NAME:

LOCATION

DATE:

REC. NO.

FOREMAN

Ji

DEATH

THE

REMARKS

DESCRIPTION

1

0-20

0-3 Sandy Topsoil, 3-6 Yellow Clay, 6-10 Blue Clay, 10-12 Sand, 12-20 Blue Clay

2

20-35

20-30 Blue Clay, 30-35 Fine Sand

35-50

Medium & Coarse Sand, Water Loss

1

50-55

50-57 Medium Coarse Sand, Water Loss (Small
Slate Streak, 57-65 Coarse Sand & BB Size
Gravel, Water Loss.

12

65-71

TD

65-66 Coarse Sand & BB Gravel, 66-71 Slate

• 21

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter _____, Depth _____

(2) Casing, Type _____ Diameter _____ Thickness _____
(wood, concrete, steel, etc)

(3) Perforated Screen.

Type _____, Diameter _____, Length _____

(4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. Log will be furnished by driller

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 560 rds. On property owned by others 110 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

George J. Dylla
Signature of Applicant

October 26, 1976



Mr. George Dylla
Andover, SD 57422

Dear Mr. Dylla:

Your water sample (Lab. No. 76-1606) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water application will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckh
Enclosures

cc: State Conservation Commission

P.S. The land classified as soil type 40A, land class VI W₃ in the east half of SE 1/4 sec. 15 must not be irrigated under any circumstances.

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME George D. Hill
ADDRESS 1111 S. 11th St.
COUNTY Dakota

LEGAL DESCRIPTION

1. WELL LOCATION S.E. 1/4 15-102-59
2. LOCATION OF AREA TO BE IRRIGATED N.W. 1/4, S.W. 1/4, S.E. 1/4 15-102-59

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE X CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED alfalfa, wheat, corn

WATER QUALITY

5. SAMPLE NUMBER 76-1606
6. SALINITY (EC X 10⁶) 1604 (high)
7. SODIUM (SAR) 3.64 (high)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Say County Conservation District, County Extension office or Soil Conservation Service.

and that the legal description for the location of the well and land to be irrigated is true and correct.

George D. Hill
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
____ DAY OF _____ 19 ____

Magnus R. Helstrom, Cons. Tech.
(TITLE OR SEAL)

Approval does not imply that this project can be carried out under all circumstances. Individual management with a large degree determines the relative success of the project.

[Signature]
APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: George Dylla

Date Rec'd October 18, 1976

Address Amador, SD 57422

Sample No. 76-1606

Identification Well

SE 1/4, Sec. 15, T. 122N, R. 59E

WATER ANALYSIS

Calcium (Ca)	143	ppm	7.15	me/l**
Magnesium (Mg)	83	ppm	6.81	me/l
Sodium (Na)	155	ppm	6.24	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	624	ppm	12.98	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	20	ppm	0.56	me/l
Bicarbonate (HCO ₃)	386	ppm	6.32	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	316	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1604	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	2.64			
Sodium	32.15	% of cations		
Residual sodium carbonate	0.70	me/l		
pH	7.84			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 20.96 me/l
 Total anions 19.86 me/l

By: Shirley Mitten

Service Performed	Amount Due
-------------------	------------

Irrigation analysis	\$3.00
---------------------	--------

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1606

Amount Enclosed \$

Signed

No. 3299-3

Publish first publication, on or before

January 12, 1977

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 4, 1977

Notice is hereby given that George Dylla

whose post office address is Andover, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for

a permit to appropriate for beneficial use 2.28 cubic feet of water per

second of time from the ground water through the

Dylla # 1, the point of diversion of which is to be located in the

SW $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 15, Twp. 122N, Range 59W. Said water to be used for the purpose of providing irrigation on the following described land:

SE $\frac{1}{4}$, Section 15; NW $\frac{1}{4}$, Section 16; SW $\frac{1}{4}$, Section 9-T122N-R59W

This application No. 3299-3 will be considered by the Water Rights Commission at their office at Pierre, South Dakota

upon the 26th day of January, 1977 at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFG/bw

cc: George Dylla, R.R., Andover, South Dakota 57422

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 3299-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brown) ss.

I, Morris E. Spencer hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Groton Independent

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Groton

County of Brown and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:


January 12, 1977

January 19, 1977

Morris E. Spencer
(Signature)

Publisher
(Title)

25 Jan. 1977
(Date Signed)




No. 3299-3
NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
January 4, 1977

Notice is hereby given that George
Dylla whose post office address is
Andover, South Dakota, has made
an application in accordance with
the provisions of the water laws of
South Dakota for a permit to ap-
propriate for beneficial use 2.28
cubic feet of water per second of
time from ground water through
the Dylla # 1, the points of diver-
sion of which is to be located in the
SW 1/4 SE 1/4 of Section 15, Twp.
122N, Range 59W. Said water to be
used for the purpose of providing
irrigation on the following des-
cribed land: SE 1/4, Section 15;
NW 1/4, Section 16, SW 1/4 Sec-
tion 9-T122N-R50W.

This application No. 3299-3 will
be considered by the Water Rights
Commission at their office at
Pierre, South Dakota upon the 26th
day of January, 1977, at 10:00 A.M.
All interested persons may appear
and be heard.

WATER RIGHTS COMMISSION
By: /s/ Burton F. Jones
BURTON F. JONES, Water



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501
Phone 605/224-3151

January 20, 1977

Randy Zimmerman
Andover, SD 57422

George Dylla
R.R.
Andover, SD 57422

Ivan Morehouse
R.R.
Andover, SD 57422

Re: 2965-3
3299-3
3300-3
2. 1. 1. 3

Gentlemen:

Deferred Water Right Application No. 2965-3 will be reconsidered by the Water Rights Commission during their January 25-27, 1977 meeting, at 10:30 A.M., January 27. A copy of the "Report" is enclosed for your information. Any comments concerning this application can be presented at this hearing.

The Commission will be meeting in the South Dakota Education Association Auditorium, 411 East Capitol, Pierre, SD. Applications No. 3299-3 George Dylla and No. 3300-3, Ivan Morehouse will also be considered at 10:30 A.M., January 27, rather than the advertised 10:00 A.M., January 26th time. Please advise, if you have any questions concerning the hearings.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/bw

cc: Jerald Peterson, Bristol, SD
Richard Voss, Andover, SD
James Dylla, Andover, SD
Francis and Ida Bingen, Bristol, SD
Richard Marske, Andover, SD

Report on
Water Right Applications
No. 2965-3, No. 3281-3, No. 3299-3 & No. 3300-3
January 17, 1977

The Water Rights Commission deferred action at the September 29-30, 1976, meeting on the Randy Zimmerman Application No. 2965-3 pending an investigation by the Commission Staff. The George Dylla Application No. 3299-3 and the Ivan Morehouse Application No. 3300-3 were advertised for the January 25-27, 1977, meeting. The Richard Voss application No. 3281-3 is not complete and has not been advertised. An investigation was conducted in the Andover area December 14, 1976.

Applications and Permits

The following table lists the area Water Right Applications and Permits with wells into the shallow ground water aquifer in the Andover area. The project locations are shown on the attachment.

<u>Number</u>	<u>Name</u>	<u>Priority</u> <u>Date</u>	<u>CFS</u>	<u>Acres</u>	<u>Well</u> <u>Depth</u> <u>2 wells</u>	<u>Status</u> <u>Vested</u> <u>Right</u>
1651-3	Town of Andover	.05 cfs 1929 .06 cfs 1950			28'	
2456-3	Jerald Peterson	11-13-75	2.0	140	1 well 70'	Approved 1-23-76
2739-3	Ward Lemmon	4-29-75	2.0	405	2 wells 29'	Approved 5-20-76
2814-3	Richard Voss	6-28-76	.85	59.7	dugout 70'X340X14' springs	Approved 7-21-76
2815-3	Gary Voss	6-28-76	2.96	207	1 well 70'	Approved 7-21-76
2816-3	Clarence Hannon	6-29-76	4.0	283	2 wells 80' & 85'	Approved 7-21-76
2823-3	Peterson Farms, Inc.	7-2-76	3.0	307	1 well 80'	Approved 7-22-76
2862-3	Richard Voss	7-26-76	.85	Same as 2814-3	1 well 55' flows about 200 gpm	Approved 9-30-76

Applications No. 2965-3, No. 3281-3, No. 3299-3 & No. 3300-3

Page 2

<u>Number</u>	<u>Name</u>	<u>Priority</u> <u>Date</u>	<u>CFS</u>	<u>Acres</u>	<u>Well</u> <u>Depth</u>	<u>Status</u>
2965-3	Randy Zimmerman	8-31-76	2.2	165	1 well 62'	Deferred 9-29-76
3281-3	Richard Voss	11-9-76	2.0	245	existing well 2862-3	not advertised
3299-3	George Dylla	10-29-76	2.28	400	1 well 65'	Advertised for 1-26-77 meeting
3300-3	Ivan Morehouse	10-29-76	2.0	160	1 well 157'	Advertised for 1-26-77 meeting

Persons Contacted

Randy Zimmerman, George Dylla, Richard Voss, Ivan Morehouse, Mr. and Mrs. Francis Bingen, and James Dylla were contacted during the investigation.

Geology of the Area and Discussion

Information Pamphlet No. 3, "Major Aquifers and Sand and Gravel Resources in Day County, South Dakota" provides general information concerning the major aquifers in Day County. A more detailed and comprehensive report is not available to date.

The Andover area is not shown as being in a major glacial aquifer, but rather an area with poor probability of finding sand and gravel deposits. Test drilling by private individuals has shown that ground water is available in certain areas. Where found, the ground water is under water table conditions except in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 15 and NW $\frac{1}{4}$ of Section 22-T122N-R59W where George Dylla No. 3299-3 has drilled a well and Richard Voss Permit No. 2862-3 has drilled an irrigation well which flows unchecked at an estimated 200 gpm. A flowing unvalved well is in violation of State Statutes.

Apparently the nearby dugout, Permit No. 2814-3, has spring flows into it. Drilling of the well to a deeper sands and gravel formation resulted in the flowing well.

Reportedly, one or two existing permit holders have drilled more wells than authorized by their original permit. New applications will be necessary for any unauthorized wells. If additional wells are authorized a later priority date will be established for junior wells. If well interference problems do occur, then the junior priority wells will be the first to be reduced or shut off.

Mr. Zimmerman and Mr. Dylla each have requested one well in their original applications. Both have advised they need more than one well. Mr. Zimmerman needs three and Mr. Dylla two wells, since one well will not deliver enough water to run a center pivot on one quarter of land. Spacing of wells must also be considered. Until additional information on the aquifer is known spacing of at least 660 feet should be maintained between wells covered by one permit and at least $\frac{1}{4}$ mile between wells authorized by separate permits.

The Commission does not have observation wells in the area. The Staff are planning to install wells during 1977, if funding is provided.

Mr. & Mrs. Bingen and James Dylla are concerned that the irrigation pumping will interfere with their domestic wells. An adequate well in the Andover area is a well in which the pump intake can be placed at least 20 feet into the aquifer, providing the aquifer is thick enough.

The Bingen well which is 85 feet deep may be adequate, but well maintenance may be needed. James Dylla has a four year old well that is 22 feet deep. Mr. Dylla reported the water level was about three feet, but dropped to nine feet last summer. Water comes in the bottom of the well which may be partially plugged. The Dylla well may not be an adequate well.

A letter has been received from Richard Marske protesting the George Dylla application because the irrigation well would be 50 rods from Mr. Marske's dugout. It is doubtful that the dugout would be affected by irrigation pumping. Water levels in dugouts are more likely to be affected by evaporation and plugging from mud and siltation than by irrigation pumping. The Commission has also indicated that even if a dugout were affected by irrigation pumping it would not protect the dugout.

The Staff believes that Water Right Applications No. 2965-3, No. 3299-3 and No. 3300-3 can be issued with proper spacing.

Recommendations

Based upon the investigation, there is unappropriated water available and the Commission Staff recommends that the three applications be approved as follows:

No. 2965-3 for 2.2 cfs from 3-62 foot deep wells, spaced at least 660 feet apart and at least $\frac{1}{4}$ mile from the domestic well in NW $\frac{1}{4}$ Section 12-T122-R59 with well interference qualification.

Applications No. 2965-3, No. 3281-3, No. 3299-3 & No. 3300-3

Page 4

No. 3299-3 for 2.28 cfs from 2-65 foot deep wells, spaced at least 660 feet apart and at least $\frac{1}{4}$ mile from the irrigation well authorized by Water Right Permit No. 2862-3 with well interference qualification.

No. 3300-3 for 2.0 cfs from 1-57 foot deep well with well interference qualification.

The well interference qualification is as follows:

"The irrigation well approved under this permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights."

JOHN HATCH, Chief Engineer
Water Rights Commission

13	18	17	16	15	14	13	18
24	19	20	21	22	23	24	19
25	30	29	28	27	26	25	30
36	31	32	33	7123	34	35	36
R60	R59					Wayd Lester 2737-3	R59
1	6	5	4	7122	3	2	6
12	7	8	9	10	11	12	7
			George Dylla 3289-3	advertised	deferred	Francis Bingen Randy Zimmerman 2765-3	
13	18	17	16	15	14	13	18
		not advertised	Richard Liss 2717-3			Peterson Farms Inc. 2825-3	
24	19	20	21	22	23	24	19
			Richard Vess 2714-3	2714-3 2862-3			
25	30	29	28	27	26	25	30
36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6
12	7	8	9	10	11	12	7
13	18	17	16	15	14	13	18
24	19	20	21	22	23	24	19
25	30	29	28	27	26	25	30
36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6
12	7	8	9	10	11	12	7
13	18	17	16	15	14	13	18
24	19	20	21	22	23	24	19

3299-3

Nov, 19, 1976

Mr. Barton Jones

Dear Sir


I would like to have on record that we would have to right to shut Mr. George Dylla down on water if we run short on our irrigation well.

Mr. Dylla has tested and has found water about $\frac{1}{4}$ of mile from ours. Hoping that it is not in the same vein and will not bother our well, but we have to big of investment to be running out of water when we need it. Hoping we don't have any problems on this



Sincerely,

Voss Farms
Richard Voss
Andover S. Dak.



Andrew, S. Dak
Jan 17, 1977

George Dylla
Andrew, S. Dak 57422
Permit # 3299.3 Well # 1

Dear Mr Jones:

I am writing in regards to the
above person "Notice of Intent to
Appropriate Water" issued in Motion
Independent, Jan. 12, 1977

What rights will I have
for a stock dam fifty rods away
from Mr. Dylla's irrigating well?
How protected am I for my stock
dam and only means of water
for my cattle in this pasture?

This is a complaint against
George Dylla #1 irrigation well.

Yours truly,

Richard Mgrake
Andrew, S. Dak
57422

December 3, 1979

George Dylla
Rt2, Box 4
Andover SD 57422

Dear Mr. Dylla:

We have received your application to add an additional 115 acres of land on your Permit No. 3299-3 from the same 66 foot well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 15, T12N-R59.

We will not need a signed Drillers Log as we have a copy in Permit No. 3299-3. The following will be required:

1. An aerial photo map showing the exact location of the land to be irrigated and the well. Please show in rods or feet from the section line the exact location of the diversion. The map should be signed also, an instruction sheet is enclosed. The map received with your permit No. 3299-3 is not adequate;
2. Are you requesting additional water for this application?
3. Also complete & sign enclosed Form 2A's. The 2A Forms were not completed in your permit No. 3299-3;
4. The fee required for this application will be \$225.00;
5. The Soil/Water Compatibility (WI #1) approval has not been received from the State Conservation Commission. For procedures and required forms, contact the State Conservation Commission, Anderson Bldg, Pierre SD. (Phone 773-3259).

To maintain your priority date on your application for permit to appropriate water in accordance with SDCL 46-5-16, you will now have sixty days from the date of this letter to correct your application and have the above information submitted to this office. Upon receipt of the above further processing of your application will proceed.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW:kv
enclosure

Form 10.

No. _____



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Andover

Date July 13 1981

TO: Water Rights [REDACTED]
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 3299-3

Water Right Permit No. 3299-3 states that the diversion system is to be constructed by July 27, 1979 and that the water is to be put to beneficial use by Jan. 27, 1982.

The diversion system was completed on May 18, 1981.
Applying the water to beneficial use was completed on May 18, 1981.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

George Dylla
(Signature)

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

No. 4459-3

3299-3

March 14, 1983

George Dylla
Route #2, Box 4
Andover, South Dakota 57422

Dear Mr. Dylla:

Enclosed herewith is, Water License No. 4459-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:mr

Enclosures

Applicable portions of Permit No. 3299-3 have been incorporated into this Water License No. 4459-3.