

Water Right Number 3338-3

1. Considered 1-26, 1977
2. Name of Applicant GARY D. HANSON
3. Post Office Address BUSHNELL
4. Amount of water claimed 4.3
5. Source of water supply 2-55' DEEP WELLS
6. Water to be used for IRRIGATION
- Acres to be irrigated 300
7. Water to be diverted and used in DRAKINGS County
about 3N, 2E Miles 0+ AURORA
8. Proof of Publication Received 1-21-77
Not received _____
9. Application Approved 5/22/80
Subject to WT Inquest
Not approved _____
Action deferred _____
10. Remarks: *App E well
referred to well*

1. Considered January 26 19 77
2. Name of Applicant Mary D. Hanson
3. Post Office Address Cushman, SD
4. Amount of Water Claimed 4.3
5. Source of Water Supply Two 5" wells
6. Water to be used for Tree
7. Acres to be irrigated 300 maximum acre feet
8. Water to be diverted and used in Brookings County about 3 N, 2 miles EAST of Curtis
9. PROOF OF PUBLICATION Received 1-21-77

Not Received _____

APPLICATION Approved one well approved 1/27/77 other deferred well approved 5/22/80

Subject to WT. & EQ

Not Approved _____

Action deferred _____

Priority 11/29/76 Date Received 11/29-76 Application Complete (yes) no _____ FEE 8⁰⁰

Remarks _____

WATER QUALITY

Date information and/or fee or corrected Application received _____

Period of Annual use May thru October

Received (yes) 12/15/76 no _____ APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as application (yes) no _____ Remarks description not identical but accepted by SCC

Disapproved _____ Returned _____

.	.				
24					

Diversion Points _____

approximate centers of
NW⁴ & NE⁴ 24-110-49

Lands to be irrigated _____

N¹/₂, 24-110-49

WELL LOG

Remarks Log on Farm 24

Driller Unknown Licensed yes _____ no _____

Depth 55' (2 identical)

Water Right No. _____

MAP Map No. 5624-3 Map located in Water Right _____ Map file _____
 Type of Map Aerial Prepared by W. C. Wimmer

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on Jan. 27, 1977
B. J. Jones
 (Signed)


+++++

PROTESTS Letters/Petitions in file - yes _____ no _____ Remarks _____

REMARKS Date _____
 F.F. & C Final Decision, including F.F. & C of Law were adopted _____
 OF LAW, Date _____
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision
 DECISIONS was adopted _____
 ETC.

Remarks _____

No. 3338-3
 Map No. 2624-3 Water Division No. 3 BIG SIOUX RIVER District
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Barry D. Hanson
 Postoffice address RR 1 Bushnell State South Dakota 57011
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
 3. Name of diversion work Barry D. Hanson Irrigation Project #1
 4. Amount of water claimed (cubic feet per second) 5.0 - 4.3 MAXIMUM: ALUMINUM
 5. Source of water supply 2 wells
 6. Location of point of diversion well #1 - 1860' N 135° W of NE corner sec 24-110-49
well #2 - 1860' N 135° E of NW corner sec 24-110-49
 County Brookings
 7. Annual period or periods during which water is to be used May through October
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
 9. For irrigation use. Total number of acres to be irrigated 300

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>NW 1/4 Sec 24-110-49</u>	<u>1.56</u>		
<u>NE 1/4 Sec 24-110-49</u>	<u>1.44</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use thirteen years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Brookings Register
 12. Principal Features of the Proposed Water Supply System.
 A. Works proposed to divert water from its natural source. 2 wells with deep well turbines
 B. Works proposed to transport water to place of use. buried closed canal
 C. Works proposed to apply water to beneficial use. center pivot irrigation machine

Estimated Total Cost \$ 80,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Brookings

I, Barry D. Hanson, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed _____

Subscribed and sworn to before me this 22 day of Nov, 1976

Notary Public (or other qualified officer)

John Lee
P. E. H. 1916

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3338-3

GARY D. HANSON
(Applicant)

R.R.#1 BUSHNELL
(Post Office Address)

SOUTH DAKOTA 57011
(State)

With the following modifications:

THIS PERMIT IS APPROVED FOR THE EAST WELL ONLY, WITH THE WEST WELL DEFERRED.

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigator, under this Permit, shall control his irrigation so there is not a reduction of needed water adequate domestic wells or in irrigation wells having water rights.

SUPERSEDED BY PERMIT ISSUED MAY 29, 1980

Date of first receipt of application NOVEMBER 29, 1976

Date of return to applicant for correction, amendments or changes required _____, 19____

Date of receipt of corrected application DECEMBER 15, 1976

Approved JANUARY 27, 1977 Recorded in Book 17 Page 109

WATER RIGHT PERMIT NO. 3338-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3338-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 29, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 27, 1979
3. The whole of said work is to be completed on or before JANUARY 27, 1982
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 27, 1985
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.1 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before JANUARY 27, 1985; said water to be used during the following described annual period: MAY - OCTOBER

Witness my hand this 8TH day of APRIL, 1977

WATER RIGHTS COMMISSION

By:

John Hanson
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 3338-3

GARY D. HANSON
(Applicant)

R.R. #1, BUSHNELL
(Post Office Address)

SOUTH DAKOTA 57011
(State)

With the following qualifications.

The irrigation well(s) approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

This Permit is issued and supersedes the Permit issued under the date of April 8, 1977.

Date of first receipt of application NOVEMBER 29, 1976
Date of return to applicant for correction, amendments or changes required _____, 19____
Date of receipt of corrected application DECEMBER 15, 1976
Approved MAY 22, 1980, Recorded in Book 17 Page 109A

WATER RIGHT PERMIT NO. 3338-3

The Water Management Board hereby grants and issues this Water Right Permit No. 3338-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 29, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 22, 1982
3. The whole of said work is to be completed on or before MAY 22, 1985
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 22, 1988
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 4.3 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 22, 1988; said water to be used during the following described annual period: MAY THRU OCTOBER

Witness my hand this 29th day of MAY, 1980

THE WATER MANAGEMENT BOARD

By: John Hatch
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

2 nearly identical wells

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 24", Depth 55'
(2) Casing, Type Steel Diameter 14" Thickness 3/16"
(wood, concrete, steel, etc.)
(3) Perforated Screen.
Type Steel - port slot Diameter 14" Length 3/16"
(4) Gravel Pack, Thickness 5" Length of gravel pack 30'

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0' to 25' top soil; 4' to 25' yellow clay; 25' to 55' water bearing sand & gravel; over 55' in blue clay

Depth to top of water bearing material 25'

Depth to bottom of water bearing material 55'

Thickness of water bearing material 30'

Depth to water (ground surface to water level) 25'

- (2) Distance to nearest existing household or livestock watering wells.

☒ On same owner's property _____ rds. On property owned by others _____ rds.

G. Water Storage Dams.


If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

	Same owner	Other property
Well #1	70 x 15	140 x 15
Well #2	230 x 15	110 x 15

Gary D. Hansen
Signature of Applicant

IRIGATION
MISSION
#1 W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Gary D. Hanson

ADDRESS Road 10000 S. 100th E. 57211

COUNTY Butte

LEGAL DESCRIPTION

1. WELL LOCATION Quarter section
2. LOCATION OF AREA TO BE IRRIGATED Top 110 P 47

TYPE OF IRRIGATION

3. GRAVITY TOWLINE CENTER PIVOT ✓ GUN
4. CROPS TO BE IRRIGATED corn, soybeans

WATER QUALITY

5. SAMPLE NUMBER 76-1854
6. SALINITY (EC X 10⁶) 813 (moderately high)
7. SODIUM (SAR) 0.35 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from _____ Conservation District, County Extension office or Soil Conservation Service. and: that the legal description for the location of the well and land to be irrigated is true and correct.

Gary D. Hanson
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
16 DAY OF November 19 76

Sheldon J. Reed
(TITLE OR SEAL)

Albert J. [Signature]
APPROVED/DISAPPROVED

My Comm Expires: April 6, 1984 (SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Gary Hanson
Address: Rushnell, SD 57011

Date Rec'd: November 16, 1976
Sample No. 76-1854
Identification Well
Sec. 24, T 110N, R 49W

WATER ANALYSIS

Calcium (Ca)	79	ppm*	3.95	me/l**
Magnesium (Mg)	47	ppm	3.85	me/l
Sodium (Na)	16	ppm	0.70	me/l
Potassium (K)	1	ppm	0.03	me/l
Sulfate (SO ₄)	83	ppm	1.73	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	18	ppm	0.52	me/l
Bicarbonate (HCO ₃)	337	ppm	5.52	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	276	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	813	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.35			
Sodium	8.20	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	8.20			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 8.53 me/l
Total anions 7.77 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-1854

Amount Enclosed \$

Signed



December 8, 1976

Mr. Gary D. Hanson
R.R. #1
Bushnell, SD 57011

Dear Mr. Hanson:

Your water sample (Lab. No. 76-1854) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

Your water, as indicated by this analysis, is satisfactory for use on the soils you indicate will be irrigated. If a salt problem or a water table problem should develop, contact extension personnel for assistance.

The WI-1, soils information, and a copy of the water analysis are being forwarded to the State Conservation Commission for their action.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

Form 6 - Notice of Intent to Appropriate Water

No. 3338-3

Publish first publication, on or before January 13, 1977

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 6, 1977

Notice is hereby given that Gary D. Hanson

whose post office address is Bushnell, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

5.0 cubic feet of water per second of time from the ground water through the

Gary Hanson # 1, the point of diversion of which are to be located in the

in the center of the NW 1/4 & center of the NE 1/4

of Section 24, Twp. 110N, Range 40W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

N 1/2, Section 24, T110N, R40W

This application No. 3338-3 will be considered by the Water Rights Commission at their office at Pierre upon the 26th day of January, 1977, at 10:00 a.m. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc:

Gary D. Hanson, R.R. # 1, Bushnell, SD 57011

No. 3328-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brookings) ss.

I, James M. McLehlan Jr. hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Brookings Daily Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Brookings of _____
County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Jan. 13, 1977

Jan. 20, 1977

James M. McLehlan Jr.
(Signature)
Editor - General Manager
(Title)

1-20-77

(Date Signed)

Legal No. 657 — Jan. 13 & 20, 1977
NOTICE INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57301
January 6, 1977
Notice is hereby given that Gary D.
Harrison whose post office address is
Busnell, South Dakota, has made an
application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate for
beneficial use 5.0 cubic feet of water per
second of time from ground water
through the Cary Hansen No. 1, the
points of diversion of which are to be
located in the center of the NW ¼ &
center of the NE ¼ of Section 24, Twp.
110N, Range 49W. Said water to be used
for the purpose of providing irrigation on
portions of the following described land:
N¼, Section 24, T110N, R49W
This application No. 3328-3 will be
considered by the Water Rights
Commission at their office at Pierre
upon the 23rd day of January, 1977, at
10:00 A.M. All interested persons may
appear and be heard.
WATER RIGHTS COMMISSION
BY: BURTON F. JONES
Water Rights Specialist





Department of Water & Natural Resources

Joe Foss Building
Pierre, South Dakota 57501

Water Rights, Water Management Division
(605) 773-3352

May 8, 1980

TO: Persons Interested in Deferred Applications in Brookings County
FROM: John Hatch, Chief Engineer, Water Rights
SUBJECT: Deferred Water Right Applications

The Water Management Board will reconsider deferred water right applications No. 2842-3 & 4467-3 Roger Saathoff, 2843-3 William Moe, 3203-3 Rita Ann Lamoureux, 3506-3 Cecil Hall, 3762-3 Steven D. Goodfellow, 3338-3 Gary D. Hansen, and 4403-3 Stots, Inc. in Brookings County at 3:00 pm, May 22, 1980, Civil Defense Meeting Room, State Capitol Building, Pierre SD.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-14; 46-2-9 thru 46-2-11; 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22; 46-5-41; 46-6-3; 46-6-5; 46-6-6.1; 46-6-10; 46-6-3.1; 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13.

These applications were previously deferred by the Water Rights Commission, (Water Management Board) pending staff investigation.

After reconsideration of the deferred applications the Board can approve, conditionally approve, defer, or deny all or part of the Applications.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights, WMD

JH:kw

Equal Opportunity Employer

3358-3 -

Attn. Mr. Gale Selken

May 16, 1930

12:15 P.M.

I called Mr. Gary Hanson, 693-4542. Mr. Hanson does plan on drilling the well in the NW 1/4 if it is approved. He is sending a letter to this office and a test log of the well, stating that he plans on completing the well as finances clear up, if it is approved.

Also, he had not received the letter from our office regarding the reconsideration. It takes an average of 12 to 16 days to receive mail. I told him about the meeting, time, day, etc., he said he would go into Brookings to mail the letter and test log so we would be sure and receive it before the meeting, as he was doubtful if he could be in Pierre for the meeting.

Also, I told him I was glad I contacted him in person as J. Wiersma had told me he could not find water.

He also stated that he may need another well in the future, if this one did not produce enough water, but knew he would have to reapply for an additional diversion.

BETTY WESTLUND

Bushtnell, South Dakota
May 17, 1980

South Dakota Department of
Water and Natural Resources
Water Rights, Water Management Division
Joe Foss Building
Pierre, South Dakota 57501



Dear Sirs:

Attention Betty Westlund:

This letter is in response to your letter on deferring water rights application no. 3338-3. I was under the assumption that all of the application had been approved. I would request that the water management board approve the NW corner of this application. I have completed the total systems on the E quarter with two wells which I applied for with an addition of one well totaling two wells for the E quarter. I would like the W quarter to stand in the original application of one well. This would total one circular irrigation system per quarter totaling two systems of two wells on E quarter and one well on W quarter.

This amendment to the original application has been very confusing. I am sorry that I will not be able to attend the May 22 nd meeting due to my present work load at this time. I have discussed this with John Nierama. He will represent me at the meeting.

If there are any further questions, please call me at my home. Our phone number is 693-4542. I hope this is sufficient so the board will approve my total irrigation plan.

Yours truly,

Gary D. Hanson
Gary D. Hanson
R.R. 1
Bushtnell, South Dakota
57011

REPORT ON DEFERRED APPLICATION IN BROOKINGS COUNTY

Gary D. Hanson, No. 3338-3

May 1980

The Water Rights Commission deferred action on one 55 foot deep well for Application No. 3338-3 at the January 26, 1977 meeting. This action was taken because several applications had been approved in the area but had not been developed at the time Application No. 3338-3 was considered.

AQUIFER INFORMATION

The well in Application 3338-3 is proposed for the NW $\frac{1}{4}$ of Section 24, T110N, R49W and would divert water from the Big Sioux Aquifer. This sand and gravel aquifer has a saturated thickness between 20 and 40 feet in the area.

There are nine observation wells located in this area (see map). Included in this report are hydrographs from three of the observation wells having the longest period of records. The hydrographs for the other wells are similar. These water table wells reflect the drought years of 1959 and 1976 and the high precipitation years of 1969 and 1979.

CONCLUSIONS

According to the observation well logs and hydrographs, and the available water use data, there is unappropriated water for Application No. 3338-3.

RECOMMENDATIONS

The Staff recommends approval of the deferred point of diversion for Application No. 3338-3 with the well interference clause.

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.


†
Jerry Quest Hansen

GALE N. SELKEN
Hydrologist III

BROOKINGS COUNTY

OBSERVATION WELL ST-8


WATER LEVEL ELEVATION



BROOKINGS COUNTY

OBSERVATION WELL S-14


WATER LEVEL ELEVATION




BROOKINGS COUNTY

OBSERVATION WELL S-15

WATER LEVEL ELEVATION





3338-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

4477-3

NOV 7 1990

Gary Hanson
RR #2 Bx 40
White SD 57276


Dear Mr. Hanson:

Enclosed is Water License No. 4477-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412354 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4477-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Permit No. 3338-3 were incorporated into Water License No. 4477-3.

110-49

1975

304.1

1860'
N 135° E

Well #2

3-94

1860'
N 135° W

Well #1

24

312.8

Gary D. Hanson

Bushnell S.D.

Permit # 300

Water claimed - 5.0 cfs

110-49

Certified Copy

John S. [Signature]

P. 04 1976