


Water Right Number 3558-3

1. Considered 2-23 1977
2. Name of Applicant Stanley & Marion Crakey
3. Post Office Address St Lawrence
4. Amount of Water claimed 6.0
5. Source of Water supply 3-60' wells
6. Water to be used for irrigation
- Acres to be irrigated 580
7. Water to be diverted and used in Grand County
about 6N 13E miles 7 of Miller
8. Proof of Publication Received 2-22-77
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

Map No. 2838-3 Water Division No. 3 JAMES RIVER
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Stanley & Mayan Conkey
Postoffice address St. Lawrence, State So. Dak
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor, employ m. of others.
3. Name of diversion work Conkey Tring # 1, 2 & 3
4. Amount of water claimed (cubic feet per second) 2.0 ft/sec
5. Source of water supply Well
6. Location of point of diversion Well #1 210 ds. W & 50 ds. S of NE corner Sec 7-113-66
Well #2, 110 ds N, 60 ds. West SE corner Sec 8-113-66
Well #3, 80 ds W, 80 ds N SE corner Sec 9-113-66 County HAND
7. Annual period or periods during which water is to be used April - Sept
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) Irrig.
9. For irrigation use, Total number of acres to be irrigated 580

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 SE 1/4 9-113-66	40	NW 1/4 NW 1/4 113-66	40
SW 1/4 SE 1/4 9-113-66	40	SW 1/4 NW 1/4 11-113-66	40
NE 1/4 SE 1/4 9-113-66	40	NE 1/4 NW 1/4 17-113-66	40
SE 1/4 SE 1/4 9-113-66	40	SE 1/4 NW 1/4 17-113-66	40

Attach sheet if more space is needed See attached sheet.

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 4 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Miller Press
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well & Pump

B. Works proposed to transport water to place of use.

Pipeline

C. Works proposed to apply water to beneficial use.

center pivotEstimated Total Cost \$60,000Attachment: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Hand) ss.I, Mayan Conkey, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSigned Stanley & Mayan Conkey
Subscribed and sworn to before me this 17th day of January, 19 77
Robert E. Engle
Notary Public (or other qualified officer)
Comm. Expire 25-84

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3558-3
STANLEY MAXON CONKEY ST. LAWRENCE
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57373 With the following modifications:
 (State)

The irrigation wells approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JANUARY 19, 19 77
 Date of return to applicant for correction, amendments or changes required —, 19 —
 Date of receipt of corrected application FEBRUARY 1, 19 77
 Approved FEBRUARY 24, 19 77, Recorded in Book 17 Page 253

WATER RIGHT PERMIT NO. 3558-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3558-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 19, 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before FEBRUARY 24, 19 78
3. The whole of said work is to be completed on or before FEBRUARY 24, 19 79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is FEBRUARY 24, 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 6.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before FEBRUARY 24, 19 83; said water to be used during the following described annual period: APRIL - SEPTEMBER

Witness my hand this 15TH day of APRIL, 19 77

WATER RIGHTS COMMISSION

By:

John Hatt
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

Stanley & Maxon Conkey

NW $\frac{1}{4}$ NE $\frac{1}{4}$	- 17-113-66	40 Acres
SW $\frac{1}{4}$ NE $\frac{1}{4}$	- 17-113-66	40 Acres
NE $\frac{1}{4}$ NE $\frac{1}{4}$	- 17-113-66	40 Acres
SE $\frac{1}{4}$ SE $\frac{1}{4}$	- 17-113-66	40 Acres
SW $\frac{1}{4}$ SE $\frac{1}{4}$	- 8-113-66	40 Acres
SE $\frac{1}{4}$ SE $\frac{1}{4}$	- 8-113-66	40 Acres
NE $\frac{1}{4}$ NE $\frac{1}{4}$	- 7-113-66	40 Acres
NW $\frac{1}{4}$ NE $\frac{1}{4}$	- 7-113-66	40 Acres

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 18", Depth 60'
(2) Casing, Type Steel (wood, concrete steel, etc) Diameter 14" Thickness 1/2"
(3) Perforated Screen.
Type Stainless Steel, Diameter 14", Length 10'
(4) Gravel Pack Thickness 4", Length of gravel pack 60'

E. Dugout Information or Estimates.

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)
Character of Water bearing materials Bea size gravel

Depth to top of water bearing material 520'
Depth to bottom of water bearing material 60'
Thickness of water bearing material 40'
Depth to water (ground surface to water level) 10'

(2) Distance to nearest existing household or livestock watering wells. 240
On same owner's property 111 rds. On property owned by others: 115 rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Stanley + Maple Conley
Signature of Applicant
By maple Conley

CONSERVATION
COMMISSION
FORM 21 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY) SD



NAME Stanley & Maxon Conkey
ADDRESS St Lawrence, S.D. 57373
COUNTY _____

LEGAL DESCRIPTION

1. WELL LOCATION Well #1 NE 1/4 7-113-66
Well #2 SE 1/4 8-113-66, Well #3 SE 1/4 Sec. 9-113-66
2. LOCATION OF AREA TO BE IRRIGATED Well #3 will irrigate: 160 acres in SE 1/4 Sec. 9-113-66
Well #1 - will irrigate: NW 1/4 of NE 1/4 of Section 7-113-66
Well #2 - will irrigate: E 1/2 of SE 1/4 of Section 8-113-66
- TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn - Alf.

WATER QUALITY

5. SAMPLE NUMBER 76-2086, 76-2087, 76-2088
6. SALINITY (EC X 10⁶) _____
7. SODIUM (SAR) _____
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Hand Co Conservation District, County Extension office or Soil Conservation Service.

and: that the legal description for the location of the well and land to be irrigated is true and correct.

Stanley & Maxon Conkey
APPLICANT'S SIGNATURE

By Maxon Conkey

SUBSCRIBED AND SWORN BEFORE ME THIS
14th DAY OF January 1977.

William E. Engelke
(TITLE OR SEAL) County Extension
Comm Expires 3-5-84

Miss J. Allen
APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

Well #1

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Stanley & Maxon Conkey
 Address: St. Lawrence, SD 57373

Date Rec'd: December 21, 1976
 Sample No. 76-2086
 Identification Well
 NE 1/4, Sec. 7, T 113N, R 66W


WATER ANALYSIS

Calcium (Ca)	115	ppm	5.75	me/l**
Magnesium (Mg)	34	ppm	2.79	me/l
Sodium (Na)	85	ppm	3.70	me/l
Potassium (K)	9	ppm	0.23	me/l
Sulfate (SO ₄)	195	ppm	4.06	me/l
Chloride (Cl)	34	ppm	3.95	me/l
Bicarbonate (HCO ₃)	359	ppm	5.85	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)	294	ppm (as CaCO ₃)		
Alkalinity (Methyl Orange)	0	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	1064	micromhos per cm at 25° C.		
Electrical Conductivity	1.79			
Sodium Adsorption Ratio	29.67	% of cations		
Sodium	0.00	me/l		
Residual sodium carbonate	8.03			
pH				
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 12.47 me/l
 Total anions 10.89 me/l



By: Shirley Mitten

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID
Make checks payable to: Water Quality Laboratory	
Cut along dotted line and return the lower portion with payment	
Sample No. 76-2086	Amount Enclosed \$
	Signed

Well # 2

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Stanley & Maxon Conkey
 Address: St. Lawrence, SD 57373

Date Rec'd. December 21, 1976
 Sample No. 76-2088
 Identification Well -
Sec. 8, T. 113N, R. 66W

WATER ANALYSIS

Calcium (Ca)	117	ppm*	5.85	me/l**
Magnesium (Mg)	33	ppm	2.71	me/l
Sodium (Na)	83	ppm	3.61	me/l
Potassium (K)	9	ppm	0.23	me/l
Sulfate (SO ₄)	191	ppm	3.97	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	34	ppm	0.94	me/l
Bicarbonate (HCO ₃)	403	ppm	6.60	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	330	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1064	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.74			
Sodium	29.11%	of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.89			


Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 12.40 me/l
 Total anions 11.52 me/l



By: Shirley Mitten

Service Performed

Amount Due

Irrigation analysis

\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-2088

Amount Enclosed \$

Signed

Well # 3

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Stanley & Laxon Jorkey Date Rec'd December 21, 1976
 Address: St. Lawrence, SD 57373 Sample No. 26-2087
 Identification Well -
SE 1/4, Sec. 29, T 113N, R 6W

WATER ANALYSIS

Calcium (Ca)	87	ppm*	4.35	me/l**
Magnesium (Mg)	49	ppm	4.02	me/l
Sodium (Na)	136	ppm	5.92	me/l
Potassium (K)	7	ppm	0.18	me/l
Sulfate (SO ₄)	240	ppm	4.99	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	6	ppm	0.55	me/l
Bicarbonate (HCO ₃)	459	ppm	7.52	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	376	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1213	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	2.89			
Sodium	40.91	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.88			

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 14.47 me/l
 Total anions 13.06 me/l

By: Shirley Kitten

Service Performed	Amount Due
-------------------	------------

Irrigation analysis	\$8.00 PAID
---------------------	-------------

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 26-2087

Amount Enclosed \$

Signed

Publish first publication, on or before February 10, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

February 3, 1977

Notice is hereby given that Stanley and Maxon Conkey
whose post office address is St. Lawrence, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
6.0 cubic feet of water per second of time from ~~the~~ ground water through the
Conkey Wells, the point of diversion of which is to be located in the

Center of the SE $\frac{1}{4}$, Section 9; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 7, and NE $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 8, Twp. 113N, Range 66W. Said water to be used for the purpose
of providing irrigation on the following described land:
N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 7; S $\frac{1}{2}$ SE $\frac{1}{4}$, Section 8; SE $\frac{1}{4}$, Section 9; N $\frac{1}{2}$,
Section 17, T113N, R66W

This application No. 3558-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 23rd day of February, 1977 at 10:00 A. M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By

BURTON F. JONES
Water Rights Specialist

BFJ/dw
cc:

Stanley & Maxon Conkey, St. Lawrence, SD 57373

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 3558-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Hand) ss.

I, Robert H. McFarlane hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Miller Press

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City of Miller

County of Hand and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

February 10, 1977

February 17, 1977

Robert H. McFarlane
(Signature)

Publisher
(Title)

February 17, 1977
(Date Signed)

No. 3558-3
NOTICE
INTENT TO APPROPRIATE
WATER

Pierre, South Dakota 57501
February 3, 1977

Notice is hereby given that Stanley and Maxon Conkey whose post office address is St. Lawrence, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 6.0 cubic feet of water per second of time from ground water through the Conkey Wells, the point of diversion of which is to be located in the Center of the SE¹/₄, Section 9; NE¹/₄, NE¹/₄, Section 7, and NE¹/₄, SE¹/₄ of Section 8, Twp 113N, Range 66W. Said water to be used for the purpose of providing irrigation on portions of the following described land: N¹/₂, NE¹/₄, Section 7; S¹/₂, SE¹/₄, Section 8; SE¹/₄, Section 9; N¹/₂, Section 17, T113N, R66W.

This application No. 3558-3

will be considered by the Water Rights Commission at their office at Pierre upon the 23rd day of February, 1977, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS
COMMISSION

By: Burton F. Jones

Water Rights Specialist


FPNO 21

LPNO 22



RESERVATION
APPLICATION
#1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME STANLEY & MAXON CONKEY
ADDRESS ST. LAWRENCE, S.D.
COUNTY HAND

LEGAL DESCRIPTION

- Gravel Pit
1. WELL LOCATION SF 4 S-113-66
2. LOCATION OF AREA TO BE IRRIGATED 4 1/2 ac. in S 1/4 SE 1/4 S-113-66; N 1/4 17-113-66

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED alf - corn - wheat

WATER QUALITY

5. SAMPLE NUMBER 76-792
6. SALINITY (EC X 10⁶) _____
7. SODIUM (SAR) _____
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from HAND Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true
and correct.

Stanley Conkey
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
28 DAY OF July 19 76.

Russell Fickelheim
(TITLE OR SEAL)


Allen J. J. J.
APPROVED/DISAPPROVED

(CONTINUE INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Stanley Conkey
 Address: St. Lawrence, SD 57373

Date Rec'd July 12, 1976
 Sample No. 76-792
 Identification #1 Sand Pit
SE 1/4, Sec. 8, T 113N, R 66W



WATER ANALYSIS			
Calcium (Ca)	87	ppm*	4.35 me/l**
Magnesium (Mg)	45	ppm	3.69 me/l
Sodium (Na)	27	ppm	1.17 me/l
Potassium (K)	6	ppm	0.16 me/l
Sulfate (SO ₄)	181	ppm	3.76 me/l
Nitrate (as N)		ppm	me/l
Chloride (Cl)	26	ppm	0.74 me/l
Bicarbonate (HCO ₃)	312	ppm	5.12 me/l
Carbonate (CO ₃)		ppm	me/l
Iron (Fe)		ppm	me/l
Fluoride (F)		ppm	me/l
Hardness (EDTA as CaCO ₃)		ppm	me/l
Alkalinity (Methyl Orange)	256	ppm (as CaCO ₃)	g.p.g.***
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)	
Electrical Conductivity	847	micromhos per cm at 25° C.	
Sodium Adsorption Ratio	0.58		
Sodium	12.48	% of cations	
Residual sodium carbonate	0.00	me/l	
pH	7.80		
Others:			

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 9.37 me/l
 Total anions 9.62 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-792

Amount Enclosed \$

Signed

NAME Stanley & Maxon Conkey 0847-HQ
ADDRESS St. Lawrence, S.D.
COUNTY HAND

2. LOCATION OF AREA TO BE IRRIGATED: 44 ac. in S²SE¹ 8-113-66; N² 17-113-66

GRAVITY _____ TIME LINE _____ CENTER POINT _____ GUN _____
CROPS TO BE IRRIGATED *all corn to be heat*

5. SAMPLE NUMBER 76-792

6. SALINITY (CG. X 10³) _____

7. SODIUM (SAR) _____

8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from W. L. N. D. S. D. Conservation District, County Extension Office or Soil Conservation Service.

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

ADMINISTRATIVE SIGNATURE

SUBSCRIBED AND SWORN TO BEFORE ME THIS
 25 DAY OF July 1926.

James Buchanan

1920-ED/OT-1000

CONFIDENTIALITY OF REPORTS

DATE MICROFILMED

CAMERA OPERATION

Water Rights Division - DWR

File No. 3538-3

Conversation or File Documentation

NAME OF PERSON OR FILE: Stanley & Maxon Conkey

ADDRESS: HCR, Box 26 COUNTY Kand

DATE: November 3, 1984 TELEPHONE _____

RE: Name Status of permit

COMMENTS:
Maxon Conkey reported on 1984 irrigation questionnaire
that her father was deceased.
The permit should now be listed under Maxon Conkey
only instead of Stanley and Maxon

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Genny M. Math



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

3558A-3

DEC 19 1988

Maxon Conkey
HCR 1, Box 26
St. Lawrence, South Dakota 57373

Dear Mr. Conkey:

Enclosed is Water License No. 3558A-3. This is the final water right document completing your process of obtaining a Water Right.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 3558A-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

605 773-3352

enclosures

NOTE: Applicable portions of Water Permit No. 3558-3 have been incorporated into this Water License No. 3558A-3.




STANLEY & MAXON CONKEY IRRIG. #3

SE 4 9 - 113-66

Lawrence Rzek Dist. Cons.

113-66



Point of Diversion well #3



800 ft. W

MAP N° 2838-3 APRIL 1955-3

STANLEY & MAXON CONKEY IRRIG. #2

N² 17-113-66

Laurens River - Dist. cons.



STANLEY & MAXON CONKEY IRRIG. #1


NE 4 NE 4 7 - 113-66

NW 4 NE 4 7 - 113-66

Laurie Res. Dist. Cons.

Well #1

Point of Diversion 2rds & 30rds
at NE corner sec. 7-113-66



STANLEY & MAXON CONKEY IRRIG. #2

SE⁴ SE⁴; SW⁴ SE⁴ 113-66

Laurence Res. Dist. cons.

42.4

11-125
11/1/26

11-124

WELL #2
60 fds. West

Pipeline

34.4 HhB

HKA

113-66

Point of Diversion Well #2 110 fds N, 60 fds. West SE corner Sec 8-113-66