

Water Right Number 3594-3

1. Considered 3-23, 19 77
2. Name of Applicant ROBERT L. WEVERSTAD
3. Post Office Address YANKTON
4. Amount of Water claimed 2.85
5. Source of Water supply JAMES RIVER
6. Water to be used for IRRIGATION
- Acres to be irrigated 200
7. Water to be diverted and used in YANKTON County
about 1/4, 2E miles of YANKTON
8. Proof of Publication Received YES 3-15-77
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

No. 3394-3Map No. 2871-3 Water Division No. 3 JAMES RIVER District _____
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant ROBERT L. WEVERSTAD
 Post-office address RR2 Box 337, YANKTON, State S.D. 57078
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) CONTRACT
3. Name of diversion work WEVERSTAD NO. 6
4. Amount of water claimed (cubic feet per second) 3-5-2.85 MAXIMUM AVAILABLE
5. Source of water supply JAMES RIVER
6. Location of point of diversion NO. 6 PUMPING STATION - NW 1/4 of SE 1/4 3 93-55
SOUTH MISSION HILL TWP.
 _____ County YANKTON
7. Annual period or periods during which water is to be used MARCH 1 - NOV 30
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION
9. For irrigation use, _____ Total number of acres to be irrigated 200

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>W 1/2 of SE 1/4 3 93-55</u>	<u>60</u>	<u>W 1/2 of NW 1/4 & NE 1/4 of NW 1/4</u>	<u>120</u>
<u>SW 1/4 of NE 1/4 of SE 1/4 3 93-55</u>	<u>15</u>	<u>10-93-55</u>	
<u>5 ACRES of SE 1/4 of SE 1/4 3 93-55</u>	<u>.5</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use _____ years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Pioneer & Democrat - Yankton
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pumping Station

B. Works proposed to transport water to place of use.

Pipe

C. Works proposed to apply water to beneficial use.

Sprinkler system and traveling gunEstimated Total Cost \$ 55,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of YanktonI, Robert L. Weverstad, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSigned Robert L. WeverstadSubscribed and sworn to before me this 11th day of February, 19 71Ernest R. Peterson
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3594-3
ROBERT L. NEVERSTAD RR#2, Box 337, YANKTON
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57078 With the following modifications:
 (State)

Date of first receipt of application FEBRUARY 16, 19 77
 Date of return to applicant for correction, amendments or changes required —, 19 —
 Date of receipt of corrected application —, 19 —
 Approved MARCH 23, 19 77, Recorded in Book 17 Page 330

WATER RIGHT PERMIT NO. 3594-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3594-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 16, 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 23, 19 79
3. The whole of said work is to be completed on or before MARCH 23, 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 23, 19 82
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.85 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than — acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 23, 19 82; said water to be used during the following described annual period: MARCH 1 - NOVEMBER 30

Witness my hand this 19TH day of APRIL, 19 77.

WATER RIGHTS COMMISSION

By:

John H. Hall
 Chief Engineer, Executive Officer


Certificate of Construction Issued —, 19 —

Water License Issued —, 19 —

Bob Laverstad

NE 1/4 of NW 1/4 Sec. 10 T93N, R55W

4 inches = 1 mile



Note: Information given is preliminary & subject to change.

Major Soil Types

Soil	Mapping Unit	Name	Intake	Family	permeability in/hr
15	Haynie silt loam		1.0		.6 - 2.0
17	Haynie silty clay, overwash		.3		.2 - .6

CROPLAND

Capability Units:

15

Haynie silt loam
0-2% slope
Class II
Irrigation
Intake Family
1.0

This deep, nearly level, moderately well drained soil is on some of the higher portions near the present channel of the Missouri River. Permeability is moderate and available water capacity is high. Surface runoff is slow. Organic matter and fertility are low. Soil may be subject to wind erosion when soil cover is reduced.

17

Haynie silty clay
overwash
0-2% slope
Class IIv3
Irrigation
Intake Family
.1

This deep, nearly level, moderately well drained soil is on some of the lower portions near the present channel of the Missouri River. Areas of this soil are usually long, narrow, and curved in shape. The clayey surface layer causes permeability to be slow in the upper portion but permeability is moderate below this layer. Available water capacity is high. Surface runoff is slow. Organic matter and fertility are low.

Form 6 - Notice of Intent to Appropriate Water

No. 3594-2

Publish first publication, on or before March 10, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

February 28, 1977

Notice is hereby given that Robert L. Weverstad
whose post office address is Yankton, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.85 cubic feet of water per second of time from the James River through the
Weverstad No. 6, the point of diversion of which is to be located in the _____

NW 1/4 SW 1/4
of Section 13, Twp. 93N, Range 55W. Said water to be used for the purpose
of providing irrigation on portions of
the following described land:
SE 1/4 Section 3, W 1/2 NW 1/4, NE 1/4 SW 1/4 Section 10, T93N, R55W

This application No. 3594-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 23rd day of March, 1977, at 10:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Robert L. Weverstad, R. R. # 2, Box 337, Yankton, SD 57078

No. 11

STATE OF SOUTH DAKOTA)
) ss.
County Yankton)

certify that the annexed printed copy of Notice of Intent to Appropriate

A newspaper which during the whole time of publication of said notice herein after stated, has been and is printed and published in the _____

County of Yankton and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 14, 1977

Harry L. Luce
(Signature)

Business Mgr.
(Title)

2/14/77
(Date Signed)

**NOTICE INTENT TO
APPROPRIATE WATER**
WATER RIGHTS SPECIALIST
FEBRUARY 23, 1977

Notice is hereby given that Robert L. Weyerstaed whose post office address is Yankton, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.85 cubic feet of water per second of time from the James River, through the Weyerstaed No. 6, the point of diversion of which is to be located in the NW 1/4 SW 1/4 of Section 3, Twp. 20N, Range 55W. Said water to be used for the purpose of providing irrigation on portions of the following described land: SE 1/4 Section 3, W 1/2 NW 1/4 NE 1/4 SW 1/4 Section 10, Twp. 20N, Range 55W, Section 10, Twp. 20N, Range 55W.

This application No. 3594-3 will be considered by the Water Rights Commission at their office at Pierre upon the 23rd day of March, 1977, at 10:00 A.M. All interested persons may appear and be heard.

Water Rights Specialist
By: BURTON F. JONES
Water Rights Specialist



Form 10.

No. 3574-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Pierre

Date 1-4-80

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 3574-3

Water Right Permit No. 3574-3 states that the diversion system is to be constructed by _____, 19 77 and that the water is to be put to beneficial use by _____, 19 77.

The diversion system was completed on _____, 19 77.
Applying the water to beneficial use was completed on 28,
19 ____.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Robert J. [Signature]
(Signature)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
January 29, 1988

ROBERT L. WEVERSTAD
RR 2 BOX 196
YANKTON, SD 57078

NOTICE

Re: Violation of Water Permit No(s). 1026-3 and 1987 Irrigation Questionnaire Requirements

Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 1026-3. The request for the questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 1026-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 3594-3, 2539-3, 373-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 9:00 am, March 2, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota.


The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 1026-3 until either the 1987 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s) 3594-3, 2539-3, 373-3 also held by ROBERT L. WEVERSTAD to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

A handwritten signature in cursive script, appearing to read "John Hatch".

John Hatch, Chief Engineer
Water Rights Division

Note: If the questionnaire(s) are received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3391

February 4, 1988

373-3
1026-3
2539-3
3594-3

Robert L. Weverstad
RR #2 Box 196
Yankton, SD 57078

Dear Mr. Weverstad:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the the requirement to submit the Irrigation Questionnaire(s) for Water Permit Nos. 373-3, 1026-3, 2539-3 and 3594-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 28, 1991

3594-3

Robert L Weverstad
RR #2 Box 196
Yankton, SD 57078

Dear Mr. Weverstad:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit Nos. 1026-3 and 3594-3, has been completed. Your final water right document, the Water License, can now be issued. Upon licensing, the applicable portions of Permit No. 1026-3 will be incorporated into Water License No. 3594-3.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License. South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid.

Our records show that Permit No. 1026-3 is still listed under Floren Weverstad. You were sent forms for filing a "Notice of Transfer of Ownership" for this permit on four occasions from 1986 thru 1988. To date, we have not heard from you on this matter. Enclosed is additional transfer form. Please complete the form and sign in the presence of a notary public. A \$2.50 filing fee is required for filing an ownership change.

The total amount due for the transfer and license fees is \$52.50. Please contact us if you have any questions.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

1026-3

Permit No. 3594-3

James River Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Robert L. Weverstad

of Rt. 2, Box 196, Yankton S.D. 57078 holder of
 Permit No. 1026-3 bearing the priority of March 26, 1963
1.23 February 16, 1977 authorizing
 the diversion of 2.85 cu. ft. per second of the waters of the James River
 for irrigation purposes in Yankton County.

I have to report on the conditions of the same as follows: motor: U.S. Electric pump: Aurora
ID. R-9010-01-630 No. H78-6766
50hp., 3540 rpm size 2x3x108

A. Works used to divert the water:
 motor: Marathon pump: Aurora
S.N. 1212287 No. H78-6769
60 hp., 3520 rpm size 3x4x108

Big Guns (2): make - Water Winch, Lindsay

B. Works used to transport water to place of use:
 Pipeline: size - 8 in. 6 in.
type - PVC
length - 4100 ft. 1650 ft.

No. - W45-M
0915
 nozzle size - 1.4 in thru 1.6 in

C. Works used to apply water to beneficial use:
 Center Pivot: make - Lockwood high pressure - 80 psi
of towers - 8 capacity - 800 gpm
nozzles - Rainbird

capacity - 500 gpm each
 pressure - 80-85 psi
 hose size - 4 in
 hose length - 660 ft

The system is in the following condition good

The point of diversion is located James River: 810 ft E and 460 ft S from the
center of sec 3-T93N-R55W

The works are capable of diverting and conveying to the place of use 2.88 can operate one big gun and
cu. ft. per second of water which is to be used for irrigation center pivot at one time

Water has been put to beneficial use to the maximum extent as follows:

	Acres		Acres
<u>NW 1/4 SE 1/4 sec 3-T93N-R55W</u>	<u>24.5</u>	<u>NW 1/4 NW 1/4 sec 10-T93N-R55W</u>	<u>33.0</u>
<u>NE 1/4 SE 1/4 (Lot 4)</u>	<u>10.6</u>	<u>NE 1/4 NW 1/4</u>	<u>33.0</u>
<u>SW 1/4 SE 1/4</u>	<u>40.0</u>	<u>SW 1/4 NW 1/4</u>	<u>33.0</u>
<u>SE 1/4 SE 1/4</u>	<u>6.6</u>		

comprising a total of 180.7 acres of land and the license should be issued for 2.58 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ No

Exceptions to compliance are:

Date June 5, 1985

* This report proposes to incorporate Permit No. 1026-3 into
 Permit No. 3594-3. Lands in sec 10 and Lot 4 of sec 3
 have a priority date of February 16, 1977.

Ron Duvall
 (signature)

1026-3

LICENSE FOR PERMIT NUMBER 3594-3

1. Legal location of wells: _____

dams & structures: _____

2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth _____

Casing a) diameter _____ Screen a) type _____

b) length _____ b) length _____

c) type _____ Static Water Level _____

Pump a) make _____ Motor a) make _____

b) model _____ b) model no. _____

c) size _____ c) horsepower rating _____

d) capacity _____ GPM d) motor efficiency rating _____

e) turbine pump _____

no. of stages _____

3. Distribution lines:

a) size of lines 8 in 6 in

b) type PVC

c) length 4100 Ft 1650 Ft

4. Dam information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valve (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) lowline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

5. System Type: c) center pivot

- 1) make Lockwood
- 2) number of towers 8
- 3) distance between towers _____
- 4) overall length _____
- 5) End gun (Y/N) _____
- 6) high or low pressure _____
- 7) make & size of nozzles Rainbird
- 8) PSI reading while system is running 80
- 9) GPM 800

g) Gun

- 1) make Lindsay
- 2) serial number _____
- 3) nozzle size 1.4 → 1.6 in.
- 4) capacity (GPM) 500
- 5) PSI 80 - 85
- 6) hose size 4 in.
- 7) hose length 660 ft.

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) ~~Gun~~ Automatic

- 1) make Water Winch
- 2) model W45-M
- 3) serial number 0915
- 4) ^{hose} length 660 ft.
- 5) nozzle size 1.4 → 1.6 in.
- 6) ^{hose size} ~~spacing~~ 4 in.
- 7) PSI 80 - 85 psi
- 8) capacity (GPM) 500 gpm

YES

NO

Check Items

☒
☒
☒

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.
2. Special Qualifications to permit being abided by.
3. All Structures, wells and lands on map.

REMARKS:

motor: Marathon

S.N. 1212287

60 hp., 3520 rpm

pump: Aurora

No. H73-6769

size 3x4x10B

motor: U.S. Electric

I.D. R-9010-G1-630

50 hp., 3540 rpm

pump: Aurora

No. H78-6766

size 2x3x10B

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3594-3

(1) Robert L. Weverstad of RR 2, Box 196, Yankton, SD 57078 made Application No. 3594-3, February 16, 1977 for a water permit to appropriate 2.85 cubic feet of water per second from the James River, Yankton County, South Dakota for irrigation purposes. Permit No. 3594-3 with a priority date of February 16, 1977 was approved March 23, 1977 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before March 23, 1982 and for the application to beneficial use of said water on or before March 23, 1982.

The original notice of hearing published March 7 and 14, 1977 contained errors in the diversion point location and in the description of the acreage to be irrigated. The permit was readvertised March 27 and April 3, 1986 to correct the errors. The readvertisement was approved by the Water Management Board May 14, 1986.

Land irrigated under Water Permit Nos. 1026-3 and 3594-3 utilize the same diversion point. The applicable portions of Water Permit No. 1026-3 are incorporated into this Water License No. 3594-3. Priority dates, as they pertain to the acreage irrigated, are described in (3) of this license.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.58 cubic feet of water per second for beneficial use. The location of the diversion point is: 810 ft. East and 460 ft. South of the center of Section 3, T93N, R55W (NW 1/4 SE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T93N, R55W Section 3	NW 1/4 SE 1/4	24.5 Acres
	NE 1/4 SE 1/4 (Lot 4)	10.6 Acres
	SW 1/4 SE 1/4	40.0 Acres
	SE 1/4 SE 1/4	6.6 Acres
Section 10	NW 1/4 NW 1/4	33.0 Acres
	NE 1/4 NW 1/4	33.0 Acres
	SW 1/4 NW 1/4	33.0 Acres
	Total-----	180.7 Acres

Land in Section 10 and Lot 4 of Section 3 carry a priority date of February 16, 1977 (established by Permit No. 3594-3).

The remaining land in Section 3 will retain a priority date of March 26, 1963 (established by Permit No. 1026-3).

(4) Pursuant to Section 46-5-30.1 Robert L. Weverstad of RR 2, Box 196, Yankton SD 57078 the holder(s) and/or owner(s) of Incorporated No. 3594-3 is issued a license to appropriate water, the right to use 2.58 cubic feet of water per second from the James River with priority dates of March 26, 1963 and February 16, 1977 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated No. 3594-3 and subject to South Dakota State Law.

 JUL 23 1991

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



JUL 23 1991

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

Robert L. Weverstad
RR 2, Box 196
Yankton, SD 57078

Dear Mr. Weverstad:

Enclosed is Water License No. 3594-3. This is the final water right document completing your process of obtaining a water right. Enclosed is Receipt No. 412687 in the amount of \$50.00 which you paid for the inspection and issuance of this water license.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

NOTE: The applicable portions of Water Permit No. 1026-3 are incorporated into Water License No. 3591-3.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

441 687

Pierre, May 20, 1961

RECEIVED OF Robert Meverstad, RR 2, Box 196, Yankton, SD 57078

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____

50 00

Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 3594-3

50 00

2 50

Fee for Filing Transfer Form Water Permit No. 1026-3

Fee for Filing Extension Request _____

Fee for Certified Copy of _____

Fee for Print Copy of Map _____

Fee for Certifying _____

Fee for _____
(Any Other Work Provided by Law)

Total

52 50

By

Chief Engineer



3594-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: ROBERT L WEVERSTAD, 4604 BROADWAY, YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire has not been submitted for Permit No(s) 373-3, 2539-3 & 3594-3. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 1:30 pm, March 1, 2000, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 373-3, 2539-3 & 3594-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter if the hearing impaired



3594-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 3, 2000

373-3

2539-3

3594-3

Robert L Weverstad
4604 Broadway
Yankton, SD 57078

Dear Mr. Weverstad:

I am writing to acknowledge receipt of your 1999 irrigation questionnaires. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 373-3, 2539-3 and 3594-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



35943
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: ROBERT L WEVERSTAD, 4604 BROADWAY, YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaire(s)

Our records indicate your 2014 Irrigation Questionnaire has not been submitted for Permit No(s) 2539A-3 & 3594-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 4, 2015**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2539A-3 & 3594-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3594-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182

January 21, 2015

Tom Arens
Prairie Creek Ranch
4408 Broadway
Yankton SD 57078

RE: Irrigation questionnaires for Water Permit or Right Nos. 127-3, 2539A-3, 3594-3 and 7187-3

Dear Mr. Arens:

I am writing to acknowledge receipt of the 2014 irrigation questionnaires for Prairie Creek Ranch, Arthur Giggee and Robert Weverstad.

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for the above listed permits. The information was received in our office prior to the Water Management Board meeting and no hearing will be scheduled concerning these permits.

Thank you for calling to confirm the information and for working to get the forms submitted on-line. Next year's irrigation questionnaires will be mailed directly to your address. Please keep us updated on any new address or renter changes.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Robert Weverstad, 4604 Broadway, Yankton SD 57078
Arthur P Giggee, 3405 Alumax Rd, Yankton SD 57078