

Water Right Number 3599-3

1. Considered 3.25, 19 77
2. Name of Applicant ORRIS SWAYZE
3. Post Office Address WILMOT
4. Amount of Water claimed .57
5. Source of Water supply SPRINGS & RUNOFF
6. Water to be used for IRRIGATION
- Acres to be irrigated 40
7. Water to be diverted and used in ROBERTS County  
about 6S, 3W miles of PEEVER
8. Proof of Publication Received 1ST 4-1-77  
Not Received \_\_\_\_\_
9. Application Approved \_\_\_\_\_  
Subject to \_\_\_\_\_  
Not Approved \_\_\_\_\_  
Action Deferred \_\_\_\_\_
10. Remarks:

No. 3599-3Map No. 2816-3 Water Division No. 3 WILLETSTONE CREEK District \_\_\_\_\_  
(Mark to be Filled by the Engineer for the W. R. C.)

## APPLICATION FOR PERMIT

## To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant OYRIS SWANZEP  
Postoffice address Willetstone, State South Dakota  
If a corporation show date and place of incorporation \_\_\_\_\_
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract (Divert/Labor)
3. Name of diversion work OYRIS SWANZEP IRRIGATION PROJECT
4. Amount of water claimed (cubic feet per second) 0.57
5. Source of water supply 19.0 ACRES STORAGE DAM & 0.5 cfs spring flow
6. Location of point of diversion Between (SE<sup>1</sup> of SE<sup>4</sup>) 750 S + North + 200 West  
08 SE CORNER SEC 11 - 123 - 51
- County Roberts
7. Annual period or periods during which water is to be used 4-15 through October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 40

List below each, forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

| Land Description                                      | No. Acres Irr. | Land Description | No. Acres Irr. |
|-------------------------------------------------------|----------------|------------------|----------------|
| <u>NW<sup>1</sup> of SE<sup>4</sup> Sec 11-123-51</u> | <u>40</u>      |                  |                |
|                                                       |                |                  |                |
|                                                       |                |                  |                |
|                                                       |                |                  |                |

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use Three years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Willet Express
12. Principal Features of the Proposed Water Supply System.

## A. Works proposed to divert water from its natural source.

irrigation storage reservoir fed by flowing spring. This permit is for an additional 40 acres on permit # 3675-3

## B. Works proposed to transport water to place of use.

closed conduit pipe

## C. Works proposed to apply water to beneficial use.

3 small pivot or big gunEstimated Total Cost \$10,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.  
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of BrainerdI, OYRIS SWANZEP, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed [Signature]Subscribed and sworn to before me this 15 day of Feb, 1977

Notary Public (or other qualified officer)

2673-3

# WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3599-5

ORRIS SWAYZE  
(Applicant)

WILMOT

(Post Office Address)

SOUTH DAKOTA 57279  
(State)

With the following modifications:

LOW FLOWS AS NEEDED FOR DOWNSTREAM DOMESTIC USE,  
INCLUDING LIVESTOCK WATERING MUST BE BY-PASSED

Date of first receipt of application FEBRUARY 22, 1977

Date of return to applicant for correction, amendments or changes required \_\_\_\_\_, 19\_\_\_\_

Date of receipt of corrected application \_\_\_\_\_, 19\_\_\_\_

Approved MARCH 23, 1977, Recorded in Book 17 Page 334

WATER RIGHT PERMIT NO. 3599-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3599-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 22, 1977
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 23, 1979
3. The whole of said work is to be completed on or before MARCH 23, 1982
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 23, 1985
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .57 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MARCH 23, 1985; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 19<sup>TH</sup> day of APRIL, 1977

WATER RIGHTS COMMISSION

By:

John Ketch  
Chief Engineer, Executive Officer

Certificate of Construction Issued \_\_\_\_\_, 19\_\_\_\_

Water License Issued \_\_\_\_\_, 19\_\_\_\_

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter \_\_\_\_\_, Depth \_\_\_\_\_
- (2) Casing, Type (wood, concrete, steel, etc) Diameter \_\_\_\_\_ Thickness \_\_\_\_\_
- (3) Perforated Screen.
- Type \_\_\_\_\_, Diameter \_\_\_\_\_, Length \_\_\_\_\_
- (4) Gravel Pack. Thickness \_\_\_\_\_, Length of gravel pack \_\_\_\_\_

E. Dugout Information or Estimates

- (1) Surface dimensions 3.6 acres, Depth 16' at center

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Depth to top of water bearing material \_\_\_\_\_

Depth to bottom of water bearing material \_\_\_\_\_

Thickness of water bearing material \_\_\_\_\_

Depth to water (ground surface to water level) \_\_\_\_\_

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property \_\_\_\_\_ rds. On property owned by others \_\_\_\_\_ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Height - 22' with 16' at water  
with surface area of 3.6 acres.  
Storage capacity - 19.9 of natural storage  
plus 4.6 ac ft. from excavation  
Dam is spring fed

*Amur Singh*  
Signature of Applicant

CONSERVATION  
COMMISSION  
FORM W1 #1

*Note: This is an expansion of permit 2673-3  
will use same well. Water spl # 73-511 is  
applicable to this permit. This is spring water.*

STATE CONSERVATION COMMISSION  
SUPPORTING INFORMATION  
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE  
WITH SDCL 46-6-3 AS AMENDED  
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Orvis Swartz Orvis Swartz  
ADDRESS Wichita, SD  
COUNTY Roberts

LEGAL DESCRIPTION

1. WELL LOCATION 750' N & 200' West of SE corner Sec. 11-112-51  
2. LOCATION OF AREA TO BE IRRIGATED 1/4 Sec 11-112-51

TYPE OF IRRIGATION

3. GRAVITY \_\_\_\_\_ TOWLINE \_\_\_\_\_ CENTER PIVOT X or GUN X  
4. CROPS TO BE IRRIGATED corn

WATER QUALITY

5. SAMPLE NUMBER 735-4 73-511  
6. SALINITY (EC X 10<sup>6</sup>) 1192 (high)  
7. SODIUM (SAR) .63  
8. RESIDUAL SODIUM CARBONATE (meq/l.) .00

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:  
the soils information has been acquired from Roberts County Conservation District,  
County Extension office or Soil Conservation Service.  
and:  
that the legal description for the location of the well and land to be irrigated is true  
and correct.

Orvis Swartz  
APPLICANT'S SIGNATURE


SUBSCRIBED AND SWORN BEFORE ME THIS  
15 DAY OF Feb 1977.

John S. A. [Signature]  
(TITLE OR SEAL)

Albert J. [Signature]  
APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

WW



# NARRATIVE:

PeA pecuier clay loam 0-2%

PeB pecuier clay loam 2-6%

ReA Rea fill loam 0-2%

J. H. H. H. H. C.  
SOS, Sissat, S.D.

**REPORT OF ANALYSIS**  
**Water Quality Laboratory**  
**Water Resources Research Institute**  
**South Dakota State University**  
**Brookings, South Dakota 57006**

Submitted by: **Orrie L. Wyzo**  
 Address: **Wilmot, South Dakota**  
**57279**

Date Rec'd: **August 17, 1973**  
 Sample No.: **73-511**  
 Identification:

**WATER ANALYSIS**

|                                       |       |                             |       |           |
|---------------------------------------|-------|-----------------------------|-------|-----------|
| Calcium (Ca)                          | 216   | ppm*                        | 10.80 | me/l**    |
| Magnesium (Mg)                        | 47    | ppm                         | 3.84  | me/l      |
| Sodium (Na)                           | 39    | ppm                         | 1.70  | me/l      |
| Potassium (K)                         | 8     | ppm                         | 0.21  | me/l      |
| Sulfate (SO <sub>4</sub> )            | 157   | ppm                         | 7.43  | me/l      |
| Nitrate (as N)                        |       | ppm                         |       | me/l      |
| Chloride (Cl)                         |       | ppm                         |       | me/l      |
| Bicarbonate (HCO <sub>3</sub> )       | 366   | ppm                         | 6.00  | me/l      |
| Carbonate (CO <sub>3</sub> )          |       | ppm                         |       | me/l      |
| Iron (Fe)                             |       | ppm                         |       | me/l      |
| Fluoride (F)                          |       | ppm                         |       | me/l      |
| Hardness (EDTA as CaCO <sub>3</sub> ) | 735   | ppm                         | 43    | g.p.g.*** |
| Alkalinity (Methyl Orange)            | 300   | ppm (as CaCO <sub>3</sub> ) |       |           |
| Alkalinity (Phenolphthalein)          | 0     | ppm (as CaCO <sub>3</sub> ) |       |           |
| Electrical Conductivity               | 2192  | micromhos per cm at 25° C.  |       |           |
| Sodium Adsorption Ratio               | 0.63  |                             |       |           |
| Sodium                                | 10.27 | % of cations                |       |           |
| Residual sodium carbonate             | 0.00  | me/l                        |       |           |
| pH                                    | 7.86  |                             |       |           |
| Others:                               |       |                             |       |           |

\*ppm=parts per million  
 \*\*me/l=milliequivalents per liter

\*\*\*g.p.g.=grains per gallon

COMMENTS: **Total cations 16.55 me/l**  
**Total anions 13.49 me/l**

Please fill out the enclosed questionnaire and return to the Water Quality Laboratory.

By: **Shirley Kitten**

| Service Performed          | Amount Due         |
|----------------------------|--------------------|
| <b>Irrigation analysis</b> | <b>\$6.00 PAID</b> |

Make checks payable to: Water Quality Laboratory


Cut along dotted line and return the lower portion with payment

Sample No. **73-511**

Amount Enclosed \$

Signed

February 22, 1977



Mr. Orris Swayze  
Wilmot, SD 57279

Dear Mr. Swayze:

Your water sample (Lab. No. 73-511) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

*L.O. Fino*

L. O. Fino  
Water Quality Lab

LOF:ckb  
Enclosures  
cc: State Conservation Commission  
D. Pahl, Extension Service

P.S. The reason for the restricted recommendation on this water and soil combination is the restricted permeability (as low as 0.06 inches per hour) in the subsoil of Peever clay loam, and the high salt content of this water. Thorough and infrequent applications are very important.

Form 6 - Notice of Intent to Appropriate Water

No. 3522-3

Publish first publication, on or before March 19, 1977

**NOTICE  
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

February 23, 1977

Notice is hereby given that Orris Swayne  
whose post office address is Wilmot, South Dakota, has made an application in accordance  
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use  
0.57 cubic feet of water per second of time from the spring & runoff through the  
Orris Swayne Irrigation Project, the point of diversion of which is to be located in the \_\_\_\_\_

SE 1/4, SW 1/4  
of Section 11, Twp. 123N, Range 51W. Said water to be used for the purpose  
of providing irrigation on the following described land:

NW 1/4, SE 1/4, Section 11-T123N-R51W

This application No. 3522-3 will be considered by the Water Rights Commission at their office at  
Pierre upon the 23 day of February, 1977, at 10:00 A. M. All interested  
persons may appear and be heard.

**WATER RIGHTS COMMISSION**

By:

**BURTON F. JONES**  
Water Rights Specialist

BFJ/bw

cc: Orris Swayne, Wilmot, South Dakota 57279

Form 8 - Proof of Publication - Notice of  
Intent to Appropriate Water

No. 3599-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA )  
County Polk ) ss.

I, Bernice J. Smith hereby

certify that the annexed printed copy of Notice of Intent to Appropriate  
Water was taken from the Wilcox Enterprise

A newspaper which during the whole time of publication of said notice  
herein after stated, has been and is printed and published in the

City of Wilcox

County of Roberts and State of South Dakota;  
that the said notice was published in said newspaper on the following  
two dates:

March 10, 1977

March 17, 1977

Bernice J. Smith  
(Signature)

Publisher

(Title)

March 17, 1977

(Date Signed)




NOTICE INTENT TO  
APPROPRIATE WATER

Pierre, South Dakota 57501  
February 28, 1977  
Notice is hereby given that  
Oris Swayze whose post office  
address is Wilcox, South Dakota,  
has made an application in ac-  
cordance with the provisions of  
the water laws of South Dakota  
for a permit to appropriate for  
beneficial use 0.57 cubic feet of  
water per second of time from  
the springs and runoff through  
the Oris Swayze Irrigation Pro-  
ject, the point of diversion of  
which is to be located in the  
SE 1/4 of Section 11, Twp.  
123N, Range 51W. Said water to  
be used for the purpose of pro-  
viding irrigation on portions of  
the following described land:  
NW 1/4, Section 11, T123N-  
R51W.  
This application No. 3599-3 will  
be considered by the Water  
Rights Commission at their office  
at Pierre upon the 23 day of  
March, 1977, at 10:00 a.m. All  
interested persons may appear  
and be heard.

WATER RIGHTS  
COMMISSION

By: Burton F. Jones  
Water Rights Specialist  
March 10 & 17





3599-3

DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

February 16, 1994

ORRIS & MILTON SWAYZE  
RR #2  
WILMOT SD 57279

NOTICE

RE: Violation of Water Permit No(s) 2673-3 & 3599-3, 4610-3 & 4862-3 and 1993 Irrigation Questionnaire Requirements

Our records indicate that the 1993 Irrigation Questionnaire has not been submitted for Permit No(s) 2673-3 & 3599-3, 4610-3 & 4862-3. The request for the Questionnaires was dated October 18, 1993. The Water Management Board has directed that owners of water permits who have not submitted the 1993 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2673-3 & 3599-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4610-3 & 4862-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:45 am, April 6, 1994, at the Golden Hills Resort, 900 Miners Avenue, Lead, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4610-3 & 4862-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2673-3 & 3599-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before April 1, 1994, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV  
Water Rights Division  
605 773-3352



3599-3

**DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES**

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

February 24, 1994

2673-3

3599-3

4610-3

4862-3

Orris & Milton Swayze  
RR #2  
Wilmot, SD 57279

Dear Sirs:

I am writing to acknowledge receipt of your 1993 irrigation questionnaires. You may disregard the February 16, 1994, Notice of Violation of Water Permit Nos. 2673-3, 3599-3, 4610-3 and 4862-3 and the 1993 Irrigation Questionnaire Requirements.

The questionnaires were received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath  
Environmental Scientist  
Water Rights Division  
(605) 773-3352

3599-3



**DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES**

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181

January 30, 1996

**NOTICE**

TO: ORRIS & MILTON SWAYZE, RT 2, WILMOT, SD 57279  
FROM: Ron Duvall, Natural Resources Engineer  
for John Hatch, Chief Engineer  
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4862-3 & 4610-3, 2673-3 & 3599-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4862-3 & 4610-3, 2673-3 & 3599-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2673-3 & 3599-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4862-3 & 4610-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4862-3 & 4610-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2673-3 & 3599-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



3599-3

**DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES**

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181

February 13, 1996

Orris & Milton Swayze  
RR 2  
Wilmot, SD 57279

RE: Water Permit Nos. 2673-3, 3599-3, 4610-3 & 4862-3

Dear Sirs:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notice of Violation of Water Permit and Violation of the Requirement to Submit the 1995 irrigation questionnaires.

Questionnaires were completed for you based on your February 9, 1996 telephone conversation with Barry McLaury. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

*Genny McMath*

Genny McMath  
Environmental Scientist  
Water Rights Program  
(605) 773-3352



3577-3

DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

JUN 12 1997

4862-3

Orris & Milton Swayze  
RR 2, Box 18  
Wilmot, SD 57279

Dear Sirs:

Enclosed is Water License No. 4862-3 and Receipt No. 414344 for \$50.00 which was assessed for an investigation and issuance of the license. Water License No. 4862-3 is the final document which completes the process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,


JOHN HATCH, Chief Engineer  
Water Rights Program  
(605) 773-3352

gm  
enclosures

NOTE: The applicable portions of Water Permit Nos. 2673-3, 3599-3 and 4610-3 are being incorporated into this Water License No. 4862-3.

Orris Swayze

Irrigation Project # 2  
Wilmot S. Dak



Scale - 1" = 660'

This application is a request to  
add 40 acres to permit # 2673-3  
Land to be added - NW 1/4 of SE 1/4 Sec 11-123-51

2-17-77  
Certified Correct  
John S. Swayze

APP NO 26763 APP NO 3599-3