

Water Right Number 3674.3

1. Considered 3.23, 19 77
2. Name of Applicant GLORIA HASWELL
3. Post Office Address SIOUX CITY
4. Amount of Water claimed 2.25
5. Source of Water supply 100' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 160
7. Water to be diverted and used in UNION County
about 15 4E miles of ELI. POINT
8. Proof of Publication
Received YES 3-21-77
Not Received _____
9. Application.
Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. ~~3674-3~~ 3674-3
GLORIA HASWELL 910 RICE COFFMAN, FIRST NATL BANK
 (Applicant) (Post Office Address)
IDAHO 51101 With the following modifications: SIDUX CITY, I
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application FEBRUARY 24, 1977
 Date of return to applicant for correction, amendments or changes required —, 19 —
 Date of receipt of corrected application —, 19 —
 Approved MARCH 23, 1977, Recorded in Book 18 Page 42

WATER RIGHT PERMIT NO. ~~3674-3~~ 3674-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3674-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 24, 1977
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 23, 1979
3. The whole of said work is to be completed on or before MARCH 23, 1982
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 23, 1982
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 23, 1982; said water to be used during the following described annual period: APRIL THEN OCTOBER

Witness my hand this 20TH day of APRIL, 1977

WATER RIGHTS COMMISSION

By:

[Signature]
 Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 26, 1979

Water License Issued SEPTEMBER 26, 1979

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30, Depth 100
- (2) Casing, Type Transite Diameter 16 Thickness 1"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type wood slotted, Diameter 16, Length 39
- (4) Gravel Pack. Thickness 14, Length of gravel pack 50

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials fill sand for later

Depth to top of water bearing material 35

Depth to bottom of water bearing material 100

Thickness of water bearing material 65

Depth to water (ground surface to water level) 15

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others 40 rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Steve Hansen by
Paul L. Hoffman FNB
Signature of Applicant

CONSERVATION
COMMISSION
PIERRE, S.D.

STATE CONSERVATION COMMISSION
WATER RIGHTS SECTION
FOR ADMINISTRATION OF WATER RIGHTS UNDER
SOUTH DAKOTA WATER RIGHTS ACT
THIS FORM PROVIDED FOR THE PURPOSE OF WATER IRRIGATION



Mrs. Gloria Maxwell
701st St. Bank Box 3378 Sioux City, IA
Union

GENERAL INFORMATION

1. WELL LOCATION NE 1/4 Sec 26 91-49
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 Sec 26 91-49

TYPE OF IRRIGATION

3. GRAVITY X TOWLINE _____ CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED CORN - soy beans, small grain

WATER QUALITY

5. SAMPLE NUMBER 77-005
6. SALINITY (EC X 10⁶) 186 (high)
7. SODIUM (SAR) 1.17 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I hereby certify that a chemical analysis of the ground water representative of that
to irrigate shall be acquired from South Dakota State University and;
the soils information has been acquired from Union Conservation District,
County Extension office or Soil Conservation Service.


That the legal description for the location of the well and land to be irrigated is true
and correct.

APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
20th DAY OF January 1977

(TITLE OR SEAL)
Notary Public, Goodbury County, Iowa

(SOILS INFORMATION ON REVERSE SIDE)



DESCRIPTION

L.V. - Lamoure Very Fine Sandy loam. Light Colored Phase is a brown to dark brown Very fine sandy loam, with a depth of about 8 to 12 inches. This is underlain by lighter brown Very fine sandy loam.

L.C. - Lamoure Silty Clay loam. Is a dark grayish brown to almost black silty clay loam, 6 to 8 inches in depth. This is underlain by very dark grayish brown silty clay loam to clay.

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: **Mr. Gloria Parwell**
 Address: **c/o Paula Parwell**
Box 3248
Sioux City, Iowa 51102

Date Rec'd: **January 6, 1977**
 Sample No.: **77-005**
 Identification: **Well**
Sec. 25, T 91, R 49W

WATER ANALYSIS

Calcium (Ca)	277	ppm	13.85	me/l**
Magnesium (Mg)	70	ppm	6.48	me/l
Sodium (Na)	87	ppm	3.78	me/l
Potassium (K)	17	ppm	0.44	me/l
Sulfate (SO ₄)	980	ppm	20.38	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	38	ppm	1.05	me/l
Bicarbonate (HCO ₃)	395	ppm	6.48	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		me/l
Alkalinity (Methyl Orange)	394	ppm (as CaCO ₃)		g.p.g.***
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1262	microhmhos per cm at 25° C.		
Sodium Adsorption Ratio	1.19			
Sodium	15.39	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.02			

* ppm = parts per million

** me/l = milliequivalents per liter

*** g.p.g. = grains per gallon

COMMENTS: Total cations 27.91 me/l
 Total anions 27.91 me/l

By: **Shirley Hittan**

Service Performed

Amount Due

Irrigation analysis

\$15.00

8.00 paid

\$ 7.00 due

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. **77-005**

Amount Enclosed \$

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3674-3

(1) WHEREAS, On the 24th day of February A. D. 19 77
Gloria Haswell

made Water Right Application No. 3674-3 for a permit to use 2.28 cubic feet per second of the waters of groundwater (one well)

County of Union, State of South Dakota, for irrigation purposes; and

(2) WHEREAS, On the 23rd day of March A. D. 19 77

Permit No. 3674-3 with a date of priority of February 24, 1977

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 23rd day of March A. D. 19 82 and for the application to beneficial use of said water on or before the 23rd day of March A. D. 19 82

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 2.0 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate the following lands in Section 26-T91N-R49W

acres

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 36

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 33

SW $\frac{1}{4}$ NE $\frac{1}{4}$ 40

SE $\frac{1}{4}$ NE $\frac{1}{4}$ 31

total 140

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Gloria Haswell

of Sioux City, Iowa

the holder _____ and owner _____ of said permit No. 2674-3 a water right, dating from February 24, 1977

to use of 2.0 cubic feet per second of the waters of groundwater (one well)

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted at a point 700' East and 50' South of the

N $\frac{1}{2}$ Corner Section 26, T91N - R49W

and conduct to and upon portions of land in Section 26-T91N-R49W
more fully described on the face of this license.

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2674-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 26th day of September A. D.

Nineteen Hundred and Seventy-nine

Board of Water Management

By:

John Hatch
Chief Engineer JOHN HATCH

Permit No. 3674-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Gloria Haswell

_____ the holder _____ of
Permit No. 3674-3, issued upon Application No. 3674-3, bearing date of priority of February 24,
1977 authorizing the diversion of 3.28 cu. ft. per second of the waters of _____
groundwater (one well) County of Union, State of South Dakota at a
point 700' East and 50' South of the N $\frac{1}{2}$ Corner Section 26, T91N - R49W

_____, for irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.2 cu. ft. per second of water.

Date September 26, 1977

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, WMD

Form 6 - Notice of Intent to Appropriate Water

No. 3674-3

Publish first publication, on or before March 10, 19 77

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 3, 19 77

Notice is hereby given that Gloria Haswell

whose post office address is Sioux City, Iowa 51101, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.28 cubic feet of water per second of time from the ground water through the Haswell # 2, the point of diversion of which is to be located in the _____

NE 1/4 NE 1/4

of Section 26, Twp. 51N, Range 49W. Said water to be used for the purpose of providing irrigation on the following described land:

NE 1/4, Section 26, T51N, R49W

This application No. 3674-3 will be considered by the Water Rights Commission at their office at Pierre upon the 23rd day of March, 19 77, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

~~BURTON F. JONES~~ JAMES WINTERTON
Water Rights Specialist

BEJ/bw

cc: Gloria Haswell, % Dick Coffman, First National Bank, Sioux City, IA
51101

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Gester E. Emerson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Leader-Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 10, 1977

March 17, 1977

Gester E. Emerson
(Signature)

Publisher
(Title)

March 17, 1977
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER 3-17
Pierre, South Dakota 57501

March 3, 1977
Notice is hereby given that
Gloria Haswell whose post office
address is Sioux City, Iowa, has
made an application in accord-
ance with the provisions of the
water laws of South Dakota for a
permit to appropriate for bene-
ficial use 2.28 cubic feet of water
per second of time from ground
water through the Haswell #2, the
point of diversion of which is to
be located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec-
tion 26, Twp. 91N, Range 49W.
Said water to be used for the pur-
pose of providing irrigation on
portions of the following describ-
ed land: NE $\frac{1}{4}$, Section 26, T91N,
R49W.

This application No. 3674-3
will be considered by the Water
Rights Commission at their off-
ice at Pierre upon the 23rd, day
of March, 1977, at 10:00 A.M.
All interested persons may ap-
pear and be heard.
WATER RIGHTS COMMISSION
By James Winterton
Water Rights Specialist
Pub. March 10, 1977



Permit No. 3674-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by GLORIA HASWELL of 901ST NAIL BANK, SIOUX CITY, IA. holder of Permit No. 3674-3, bearing date of priority of FEBRUARY 24, 1977 authorizing the diversion of 2.28 cu. ft. per second of the waters of GROUNDWATER for IRRIGATION purposes, in UNION County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

100' DEEP WELL WITH 16" DIA TRANSITE CASING,
WESTERN LAND ROLLER 8" PUMP
POWERED BY FORD INDUSTRIAL - REC PANE ENGINE
RATED 130 HP

B. Works used to transport water to place of use,

1/4 MILE OF 10" MAINLINE

C. Works used to apply water to beneficial use.

1/2 MILE OF 10" GATED PIPE WITH 30" SPACING ON GATESThe system is in the following condition: GOODThe point of diversion is located 700' E & 50' S OF THE N 1/4 CORNER,
SECTION 26, T9N, R49WThe works are capable of diverting and conveying to the place of use 2.2cu. ft. per second of water which is to be used for IRRIGATIONWater has been put to beneficial use to the maximum extent as follows: ALL IN SECTION 26, T9N, R49W

<u>NW 1/4 NE 1/4</u>	<u>36 ACRES</u>
<u>NE 1/4 NE 1/4</u>	<u>33 "</u>
<u>SW 1/4 NE 1/4</u>	<u>40 "</u>
<u>SE 1/4 NE 1/4</u>	<u>31 "</u>

comprising a total of 140 = 2.0 acres of land.

Date August 9, 1977
Burt Jones
 (Signature)

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7017

PIERRE, August 27, 1979

RECEIVED OF Gloria Haswell & Dick Coffman, First National Bank, Sioux City, IA 51101
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. <u>3674-3</u>		
Fee for Inspecting Beneficial Use, and Issuing Water License No. <u>3674-3</u>		50 00
Fee for Issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____		
(any other work as provided by law)		
TOTAL		50 30

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH gy


6-94

NOT TO SCALE

91-49

69

(6.75) 152.2



26-91-49

(1-147) X Well

70.94
(6.94)

99.8

36

36.4

33

40

31

26

78.1

(6-144)

74.4



74.1

(6.326)

78.1 (6-142)

prepared by
L E De Smet
Co apt 2/17/77

91-49

MAP 2948-3 APR 1977-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

November 1, 2011

Michael Rozell
32955 476th Ave
Elk Point SD 57025

RE: Ownership changes for Water Right Nos. 2015-3, 2016-3, 2017-3, 2348-3, 2349-3, 2526-3,
3644-3 and 3674-3

Dear Mr. Rozell:

Thank you for the prompt return of the 2011 irrigation questionnaires. I note from the forms that ownership changes are needed for the above listed water rights.

Enclosed are partially completed Notice of Transfer of Ownership forms for filing the ownership changes. Please review and complete as needed. Upon completion, please sign the forms and return them to our office with a required filing fee of \$50.00 each (total of \$400). The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

RECEIVED

NOV 14 2011

WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 3674-3

Date: 11-10-2011

I/We request that Water Right No. 3674-3

formerly owned by: Gloria Haswell

be transferred to: (name & address) Chen Beverly Chow
938 Pebble Beach Dr. N. Sioux City SD 57049
Telephone No. 605-540-0393

Title to the following described land(s)/property has been transferred as described above:


140 acres - NE 1/4 Section 26, T91N, R49W

I/We understand that the validity of Water Right No. 3674-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Chen Beverly Chow, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 11/14, 20 11

RECEIVED OF Min H or Chen B Chow 938 Pebble Beach Dr N Sioux City SD 57049

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50 00	
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>3674-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **05068**

By

Shirley E. Eide
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

November 17, 2011

3674-3

Chen Beverly Chow
938 Pebble Beach Dr
N Sioux City SD 57049

Dear Ms. Chow:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Right No. 3674-3.

The ownership change has been completed. The water right formerly held by Gloria Haswell is now listed in your name.

Enclosed for your records is Receipt No. 05068 in the amount of \$50.00. If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure

16" Repl well - permit
3674

WATER WELL COMPLETION REPORT

11-02

Location <u>NW 1/4 NE 1/4 Sec 26 Twp 9N Rg 49</u>		Well Owner: <u>Mike Rozell</u>																													
County <u>Union</u>		Business Name: _____																													
North Please mark well location with an "X" 		Address1: <u>32955 476th Ave.</u>																													
Well completion Date <u>8-5-13</u>		Address2: _____																													
Distance from nearest potential pollution source (Septic tank, abandoned well, feed lot, etc.) ? _____ ft. from <u>N/A</u> (identify source)		City, State, Zip: <u>ELK Point, S.D. 57025</u>																													
PROPOSED USE: ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes ☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well		WELL LOG:																													
METHOD OF DRILLING: <u>REVERSE Rotary</u>		<table border="1" style="width:100%"><thead><tr><th>FORMATION</th><th>DEPTH</th><th>FROM</th><th>TO</th></tr></thead><tbody><tr><td>Topsoil - Clay/Gumbo</td><td></td><td>0</td><td>8</td></tr><tr><td>Clay - Brown to grey</td><td></td><td>8</td><td>45</td></tr><tr><td>SAND/Gravel - Fine to med</td><td></td><td>45</td><td>90</td></tr><tr><td>COAL</td><td></td><td>90</td><td>94</td></tr><tr><td>SAND/Gravel - MED to Lg</td><td></td><td>94</td><td>109</td></tr><tr><td>Cemented SAND - HARD</td><td></td><td>109</td><td>111</td></tr></tbody></table>		FORMATION	DEPTH	FROM	TO	Topsoil - Clay/Gumbo		0	8	Clay - Brown to grey		8	45	SAND/Gravel - Fine to med		45	90	COAL		90	94	SAND/Gravel - MED to Lg		94	109	Cemented SAND - HARD		109	111
FORMATION	DEPTH	FROM	TO																												
Topsoil - Clay/Gumbo		0	8																												
Clay - Brown to grey		8	45																												
SAND/Gravel - Fine to med		45	90																												
COAL		90	94																												
SAND/Gravel - MED to Lg		94	109																												
Cemented SAND - HARD		109	111																												
CASING DATA: ☐ Steel ☒ Plastic ☐ Other If other describe _____		STATIC WATER LEVEL <u>19'</u> FEET																													
<table border="1" style="width:100%"><thead><tr><th>PIPEWEIGHT</th><th>DIAMETER</th><th>FROM</th><th>TO</th><th>HOLE DIAMETER</th></tr></thead><tbody><tr><td><u>Sch 40</u> LB/FT</td><td><u>1.6</u> IN</td><td><u>0</u> FT</td><td><u>70</u> FT</td><td><u>28"</u> IN</td></tr><tr><td>LB/FT</td><td>IN</td><td>FT</td><td>FT</td><td>IN</td></tr><tr><td>LB/FT</td><td>IN</td><td>FT</td><td>FT</td><td>IN</td></tr></tbody></table>		PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER	<u>Sch 40</u> LB/FT	<u>1.6</u> IN	<u>0</u> FT	<u>70</u> FT	<u>28"</u> IN	LB/FT	IN	FT	FT	IN	LB/FT	IN	FT	FT	IN	If flowing: closed in pressure <u>N/A</u> PSI									
PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER																											
<u>Sch 40</u> LB/FT	<u>1.6</u> IN	<u>0</u> FT	<u>70</u> FT	<u>28"</u> IN																											
LB/FT	IN	FT	FT	IN																											
LB/FT	IN	FT	FT	IN																											
GROUTING DATA: Grout Type <u>Bentonite</u> No. of Sacks _____ Grout Weight <u>45</u> Lb/gal From <u>5</u> Ft To _____ Ft Describe grouting procedure <u>Pressure grouted</u>		GPM flow _____ through <u>N/A</u> Inch pipe																													
SCREEN: ☒ Perforated pipe ☐ Manufactured Diameter <u>16"</u> Inches Length <u>40</u> Feet Material <u>PVC</u> Slot Size <u>080"</u> Set From <u>70</u> Feet to <u>110</u> Feet Other information _____		Controlled by ☐ Valve ☐ Reducers ☐ Other _____																													
WAS A PACKER OR SEAL USED? ☐ Yes ☒ No If so, what material? _____ Describe packer(s) and location _____		Reduced flow rate _____ GPM																													
DISINFECTION: Was well disinfected upon completion? ☒ Yes, How? <u>HTH TABS</u> ☐ No, Why Not? _____ Lab sample sent to for water quality analysis _____ <u>IRRIG. well</u>		Can well be completely shut in? _____																													
		WELL TEST DATA: ☐ Pumped Describe: <u>Test pumped by others</u> ☐ Bailed ☐ Other _____																													
		Pumping Level Below Land Surface _____ Ft. After _____ Hrs. pumped _____ GPM _____ Ft. After _____ Hrs. pumped _____ GPM If pump installed, pump rate: _____ GPM																													
		REMARKS RECEIVED JAN 29 2014 WATER RIGHTS PROGRAM																													
		This well was drilled under license # <u>763</u> And this report is true and accurate. Drilling firm: <u>SALMON Well Co.</u> Signature of License Representative: <u>[Signature]</u> Signature of Well Owner or Equitable Property Holder: _____ Date: _____																													

Please return White Copy to DENR Water Rights

523 E. Capitol Ave., Pierre SD 57501

McMath, Genny

From: Joanne Rozell <rozfarms@yahoo.com>
Sent: Tuesday, November 11, 2014 7:51 PM
To: McMath, Genny
Subject: adress change

Hi Genny, I will no longer be farming Beverly Chow's irrigated farm permit number 3674. Next years report should be sent to her at:

Beverly Chow
938 Pebble Beach Drive
North Sioux City, SD 57049

McMath, Genny

From: Joanne Rozell <rozfarms@yahoo.com>
Sent: Thursday, January 22, 2015 11:18 AM
To: McMath, Genny
Subject: Re: adress change

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Genny, The report for Beverly Chow's irrigated farm permit number 3674 now needs to be sent to:

Joseph Chicoine
32080 477th Ave
Elk Point, SD 57025

I was a little quick with the first address correction.

thank you
Mike

From: "McMath, Genny" <Genny.McMath@state.sd.us>
To: 'Joanne Rozell' <rozfarms@yahoo.com>
Sent: Wednesday, November 12, 2014 7:12 AM
Subject: RE: adress change

Thank you for the information – I will make the change.
Genny

From: Joanne Rozell [<mailto:rozfarms@yahoo.com>]
Sent: Tuesday, November 11, 2014 7:51 PM
To: McMath, Genny
Subject: adress change

Hi Genny, I will no longer be farming Beverly Chow's irrigated farm permit number 3674. Next years report should be sent to her at:

Beverly Chow
938 Pebble Beach Drive
North Sioux City, SD 57049

2019 Water Management Board Irrigation Questionnaire

Please fill out and return before **December 2, 2019**

REMEMBER! Return of this questionnaire is required whether or not you irrigated this year.

Return the completed form(s) to the Water Rights Program at 523 E Capitol, Pierre, SD 57501 3181 ph. (605) 773 3352 or submit your form(s) electronically over the internet at <https://denr.sd.gov/iq> Your temporary password is **RAWPRD**

Permit No. 3674-3

JOSEPH CHICOINE, OPERATOR
32080 477th AVE
ELK POINT SD 57025

Any address/ownership corrections?

Email _____

Phone _____

1. Did you irrigate in 2019? *yes ☐ **no ☒

*If yes, number of acres irrigated? _____

**If no, check reason(s) for not irrigating acres covered by Permit No. 3674-3

sufficient moisture ☐ no water available ☐

system not constructed ☐ use abandoned ☐

enrolled in CRP ☒, through what year? 2024

other ☒, please explain in the Comment Box:

2. If your answer to question No. 1 is "no," you are done! If you answered "yes," please complete Nos. 3, 4 & 5.



3. Did you apply chemicals or fertilizer through the system in 2019? yes ☐ no ☐

4. If more than one water source is listed below, circle each source used. A. GROUNDWATER

5. Provide your water use on the back of this form.

Comment Box

see Below



Office use only

RECEIVED

DEC 02 2019

WATER RIGHTS
PROGRAM

Acreage permitted for irrigation under No. 3674-3

(see above section map for help reading legal descriptions)

sec 26-T091N-R49W, NW1/4NE1/4 - 36.00 acres

sec 26-T091N-R49W, NE1/4NE1/4 - 33.00 acres

sec 26-T091N-R49W, SW1/4NE1/4 - 40.00 acres

sec 26-T091N-R49W, SE1/4NE1/4 - 31.00 acres

Irrigation of the farm east of the slough has become uneconomical. Since the smaller farm must maintain the cost of electric power for the well on the other farm that is currently in the CRP.
Map showing farmland and CRP land and owners.

Please provide your 2019 water use to irrigate the above acreage on the REVERSE side of this form.

For an example of a completed questionnaire, please refer to the reverse side of your cover letter.

3674-3


Beverly Chow
938 Pebble Beach
Dakota Dunes, SD 57049

Land in
ZRP

well

slough

Joseph Chicoine
Farmland



3776
3
2.22
NHEL

3776
2
36.64
NHEL



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 31, 2025

Beverly Chow
938 Pebble Beach Dr
N Sioux City, SD 57049

No. 3674-3

Dear Ms. Chow:

I am contacting you in regard to Water Right No. 3674-3, authorizing the diversion of 2.00 cubic feet of water per second from groundwater, one well (Missouri: Elk Point Aquifer), for the irrigation of 140 acres located in the NE ¼ Section 26, T91N, R49W.

Irrigators in South Dakota are required to submit an annual irrigation questionnaire reporting how much water was pumped during the irrigation season. Our records show the land authorized for irrigation under Water Right No. 3674-3 has been in the Conservation Reserve Program (CRP) through 2024.

The purpose of this letter is to find out the status of irrigation on your property. Please take a few minutes and answer the questions on the attached sheet and return it in the envelope provided. If you have made a decision not to resume irrigation, let me know that as well.

Thank you in advance for your help in updating the water right.

Sincerely,

Miranda Smith
Water Rights Program
605 773-3352
Miranda.Smith@state.sd.us

Cc: Joseph Chicoine, 32080 477th Ave, Elk Point, SD 57025

Enclosure

RECEIVED

APR 14 2025

OFFICE OF
WATER

Water Right No. 3674-3
Beverly Chow, c/o Joseph Chicoine

Water Right No. 3674-3 authorizes the irrigation of 140 acres located in:

Section 26, T91N, R49W

NW $\frac{1}{4}$ NE $\frac{1}{4}$ - 36 acres

NE $\frac{1}{4}$ NE $\frac{1}{4}$ - 33 acres

SW $\frac{1}{4}$ NE $\frac{1}{4}$ - 40 acres

SE $\frac{1}{4}$ NE $\frac{1}{4}$ - 31 acres

Do you still own the land described above?

Yes ☒

No ☐ (If no, please list the name, mailing address, and phone number of the new owner)

Has the land been re-enrolled in CRP:

Yes ☒ through calendar year 2040

No ☐

If the land has not been re-enrolled in CRP, we will begin mailing irrigation questionnaires to you for annual reporting. Questionnaires are mailed to irrigators in October each year and are due back in December.

For informational purposes:

46-5-37.2. Exceptions to forfeiture for nonuse. The provisions of § 46-5-37 notwithstanding, no water right or permit may be forfeited for nonuse if land authorized for irrigation by a permit or right is placed under an acreage reserve or production quota program or otherwise withdrawn from use as required for participation in any federal program, if:

- the water source is not fully appropriated
- if the withdrawal from use does not prevent approval of new permits from the same source, and
- if the appropriated water has been applied to beneficial irrigation use prior to participation in a federal program.