


Water Right Number 3684-3

1. Considered 3.23, 19 77
2. Name of Applicant MARTIN'S BAKERS DOZEN
3. Post Office Address MOERIDGE
4. Amount of Water claimed ~~12.0~~ 12.0
5. Source of Water supply 4 - 280' WELLS
6. Water to be used for IRRIGATION
Acres to be irrigated 1200
7. Water to be diverted and used in CAMPBELL County
about 1N, 2E miles of MOUND CITY
8. Proof of Publication Received ~~3-17-77~~
Not Received _____
9. Application  Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

*Construction
by permission
not filed
1 cfs for 70 acres*

No. 3654-3Map No. 2958-3 Water Division No. 3 MISSOURI RIVER
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant MARTIN'S BAKERS DOZEN
 Postoffice address AIRPORT ROAD, MOBRIDGE, State S.D. 57601
 If a corporation show date and place of incorporation (PARTNERSHIP)
2. Method of accomplishing work (contract, employment of others, or by direct labor) CONTRACT
3. Name of diversion work MARTIN'S BAKERS DOZEN IRRIGATION UNIT #11
4. Amount of water claimed (cubic feet per second) 12 Cu. Ft./Sec.
5. Source of water supply 4 IRRIGATION WELLS
6. Location of point of diversion SE 1/4 OF NW 1/4 S. 9, T. 126, R. 76; SE 1/4 OF SE 1/4 S. 9, T. 126, R. 76 W; NE 1/4 OF NW 1/4 S. 16, T. 126 N, R. 76 W AND SE 1/4 OF NE 1/4 Sec. 8, T. 126 N, R. 76 W County CAMPBELL
7. Annual period or periods during which water is to be used MAY 1 - NOV. 1
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION
9. For irrigation use, Total number of acres to be irrigated 1200 A.

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>See Attached</u>		<u>Sheet</u>	

Attach sheet if more space is needed

10. Time required to complete construction of water supply system FIVE years. Additional time required to complete application of water to the proposed beneficial use FOUR years.
11. Choice of newspaper for Notice of Intent to Appropriately Water publication AMERICAN NEWS ABERDEEN, S.D.
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

IRRIGATION WELLS

B. Works proposed to transport water to place of use.

IRRIGATION PIPE

C. Works proposed to apply water to beneficial use.

CENTER PIVOTS & TOWNLINESEstimated Total Cost : 200,000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)STATE OF SOUTH DAKOTA)
) ss.
County of CAMPBELL)I, DYANE MARTIN the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Dyane MartinSubscribed and sworn to before me this 14th day of FEB. 19 77Fernal Dale, Registrar of Deeds
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3684-3
MARTINS BAKERS FORDEN AIRPORT ROAD MOBRIDGE
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57601 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

LANDS COVERED UNDER THIS PERMIT ARE ALSO COVERED UNDER OTHER PERMITS. COMBINATIONS OF DIVERSION UNDER THESE PERMITS SHALL NOT EXCEED THE STATUTORY LIMIT OF 1 GFS FOR EACH 70 ACRES IRRIGATED.

Date of first receipt of application FEBRUARY 28, 19 77
 Date of return to applicant for correction, amendments or changes required _____, 19 ____
 Date of receipt of corrected application _____, 19 ____
 Approved MARCH 23, 19 77, Recorded in Book 18 Page 52

WATER RIGHT PERMIT NO. 3684-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3684-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 28, 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 23, 19 79
3. The whole of said work is to be completed on or before MARCH 23, 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 23, 19 86
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 12.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MARCH 23, 19 86; said water to be used during the following described annual period: MAY 1 - NOVEMBER 1

Witness my hand this 20TH day of APRIL, 19 77

WATER RIGHTS COMMISSION

By:

John Hatch

Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 ____

Water License Issued _____, 19 ____

LANDS TO BE IRRIGATED

LAND DESCRIPTION	No. ACRES
$S\frac{1}{2}$ OF $NE\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	80
$SE\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	160
$E\frac{1}{2}$ OF $SW\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	80
$NW\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$NE\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$SE\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$NW\frac{1}{4}$ OF Sec. 15, T. 126 N, R. 76 W	160
$NW\frac{1}{4}$ OF Sec. 16, T. 126 N, R. 76 W	160
$N\frac{1}{2}$ OF $SW\frac{1}{4}$, Sec. 16, T. 126 N, R. 76 W	80

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 23", Depth 380'
(2) Casing Type Plastic Diameter 16" Thickness 3/4"
(wood, concrete, steel, etc)
(3) Perforated Screen.
Type Stainless Steel, Diameter 10", Length 40'
(4) Gravel Pack Thickness 6", Length of gravel pack 65'

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0-2 top soil
2-34 Sand with some clay
34-220 Blue clay
220-280 Sand & Gravel

Depth to top of water bearing material 220'

Depth to bottom of water bearing material 280'

Thickness of water bearing material 60'

Depth to water (ground surface to water level) 62'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others 160 rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Deane Martin
Signature of Applicant

SEE 2606-3 FOR
WATER QUALITY DATA

(SOILS INFORMATION ON REVERSE SIDE)



DEPARTMENT OF PLANT SCIENCE
Field Crops-Plant Pathology-Soils
Main Office 219 Agricultural Hall (605) 688 5121
Plant Science Building (605) 688 5156

South Dakota State University
Brookings, S.D. 57006

March 17, 1977

Mr. Al Griffiths
State Conservation Commission
Pierre, South Dakota 57501

Dear Mr. Griffiths:

Reference is made hereby to the application of "Martins' Bakers Dozen" of Mobridge, South Dakota for a water permit a few weeks ago. The water sample accompanying it was No. 77-318. It has been advertized.

Mr. Martin appeared at the laboratory on March 15 with a sample from a new test hole (77-438). The analysis is incomplete, but the electrical conductivity is 920, the sodium percent is 31.4, and the Sodium Adsorption Ratio is 1.78. He wishes to have his application considered with this water rather than 77-318.

Sincerely,

Lawrence O. Fine
Professor

LOF:jcb

College of Agriculture and Biological Sciences

A land-grant university serving South Dakota through Teaching - Research - Extension

Well Description

- | | | |
|----|--|-----------------|
| #1 | SE $\frac{1}{4}$ OF NW $\frac{1}{4}$ Sec. 9 | T. 126N, R. 76W |
| #2 | SE $\frac{1}{4}$ OF SE $\frac{1}{4}$ Sec. 9 | " " |
| #3 | NE $\frac{1}{4}$ OF NW $\frac{1}{4}$ Sec. 16 | " " |
| #4 | SE $\frac{1}{4}$ OF NE $\frac{1}{4}$ Sec. 8 | " " |

LAND TO BE IRRIGATED

LAND DESCRIPTION	No. ACRES
$S\frac{1}{2}$ OF $NE\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	80
$SE\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	160
$E\frac{1}{2}$ OF $SW\frac{1}{4}$, Sec. 8, T. 126 N, R. 76 W	80
$NW\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$NE\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$SE\frac{1}{4}$ OF Sec. 9, T. 126 N, R. 76 W	160
$NW\frac{1}{4}$ OF Sec. 15, T. 126 N, R. 76 W	160
$NW\frac{1}{4}$ OF Sec. 16, T. 126 N, R. 76 W	160
$N\frac{1}{2}$ OF $SW\frac{1}{4}$, Sec. 16, T. 126 N, R. 76 W	80

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Martin's Bakers Dozen
 Address: Airport Rd.
Mobridge, SD 57601

Date Rec'd: February 22, 1977
 Sample No.: 77-318 77-438
 Identification: Well-280'
13W1/2, Sec. 9, T 126N, R 76W

WATER ANALYSIS

Calcium (Ca)	117	ppm*	5.85	me/l**
Magnesium (Mg)	37	ppm	3.03	me/l
Sodium (Na)	374	ppm	16.27	me/l
Potassium (K)	18	ppm	0.47	me/l
Sulfate (SO ₄)	265	ppm	5.51	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	56	ppm	1.55	me/l
Bicarbonate (HCO ₃)	1105	ppm	18.12	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	906	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	2076	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	7.72			
Sodium	63.50	% of cations		
Residual sodium carbonate	9.24	me/l		
pH	7.58			

Others:

*ppm==parts per million

**me/l==millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 25.62 me/l
 Total anions 25.18 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$15.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-318

Amount Enclosed \$

Signed

Form 6 - Notice of Intent to Appropriate Water

No. 3684-3

Publish first publication, on or before March 10, 19 77

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

March 30, 19 77

Notice is hereby given that Martin's Bakers Dozen

whose post office address is Mobridge, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

12 cubic feet of water per second of time from the ground water through the Martin's Bakers Dozen # 11, the point of diversion of which is to be located in the SE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 9; NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 16; SE $\frac{1}{4}$ NE $\frac{1}{4}$

of Section 8, Twp. 126N, Range 76W. Said water to be used for the purpose of providing irrigation on the following described land:

S $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$, E $\frac{1}{4}$ SW $\frac{1}{4}$, Section 8; NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9;
NW $\frac{1}{4}$, Section 15; NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Section 16. T126N, R76W

This application No. 3684-3 will be considered by the Water Rights Commission at their office at Pierre upon the 23 day of March, 19 77, at 10:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By: JAMES WINTERTON

Water Rights Specialist

BFG/bw

cc: Martin's Bakers Dozen, Airport Rd., Mobridge, South Dakota 57601

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brown) ss.

I, Dianne Brenden hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Aberdeen American News

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Aberdeen of _____

County of Brown and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 9, 1977

March 16, 1977

Dianne Brenden
(Signature)

Principal Clerk
(Title)

March 16, 1977
(Date Signed)

(No. 191—March 9-16-27)

NOTICE


INTENT TO

APPROPRIATE WATER

Notice is hereby given that Martin's Bakers Dozen whose post office address is McBride, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 11 cubic feet of water per second of time from ground water through the Martin's Bakers Dozen No. 11, the points of diversion of which are to be located in the SE1/4 NW1/4, SE1/4 SE1/4 of Section 9; NE1/4 NW1/4 of Section 16; SE1/4 NE1/4 of Section 9, Twp. 126N, Range 76W. Said water to be used for the purpose of providing irrigation on portions of the following described land: E1/2 NE1/4, SE1/4, E1/2 SW1/4, Section 8; NW1/4, NE1/4 SE1/4, Section 9; NW1/4, Section 15; NW1/4, N1/2 SW1/4, Section 1A, T126N, R76W.

This application No. 3684-3 will be considered by the Water Rights Commission at their office at Pierre upon the 23 day of March, 1977, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION
By: James Winterton
Water Rights Specialist



Form 10.

No. _____

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office _____

Date _____

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:


This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 3684-3.

Water Right Permit No. 3684-3 states that the diversion system is to be constructed by MARCH 23, 1986 and that the water is to be put to beneficial use by MARCH 27, 1986.

The diversion system was completed on Dec., 1981.
Applying the water to beneficial use was completed on _____,
19____.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Duane M. Mott
(Signature)



3/10/82

to date we have completed
the construction of our wells.
we do not have all our pivots
up.

~~we plan to~~

we do have 3 pivots up at this
time & we plan to put the
rest up within the next 2 years.

As per Request on Form A 10
we notify you that our diversion
system has been completed. However
not all of the water has been put
to use.



Diane Marko

3684-3 1-11-82

Science Station was
in - all wells are in
figures to put last system
in this summer - check
in Fall of '02 or
Summer of '03

8654-3

Water Rights Division
605 773-3352

January 29, 1982

Martins Bakers Dozen
Airport Road
Mobridge SD 57601

DTTN: Duane Martin

This letter is to confirm our conversation of January 29 concerning the completion of Form 10. Form 10 is to be completed when the construction of the entire project as described on your application is complete. The five year limit on construction expires March 23, 1982. When Form 10 is received in this office a inspection of the project will be scheduled. If you have any further questions please contact this office. A copy of your application is enclosed.

Thank you.

KEVIN C. LARSON
Water Resources Engineer

KCL:ks

enclosure

RECORDED
INDEXED
CAMERA OPERATOR



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

MARTIN'S BAKERS DOZEN, Duane Martin
BOX 365
MOBRIDGE, SD 57601

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 3684-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 3684-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 8, 1987

Duane Martin
Box 365
Mobridge, SD 57601

Dear Mr. Martin:

Your 1986 Irrigation Questionnaire for Water Permit No. 3684-3 was received March 26, 1987. The purpose of this letter is to find out from you if you recorded irrigation data for the following permits all on the form you submitted:

-2252-3	Duane Martin
-2590-3	Bonita Quenzer
-2591-3	Steve Martin
-2605-3	Carol Fellows
-2606-3	G S Martin
2607-3	Shirleen Starkey
-2614-3	Thomas Martin

In August, 1986, you indicated to Mike Jensen, with our office, that the above permits should all be transferred to Martin's Bakers Dozen. Transfer forms were sent to you, but to date, we have not received them from you.

Please notify our office as soon as possible if the irrigation data for the above listed permits was reported on the questionnaire for Permit No. -3684-3.

Sincerely,

Genny McMath
Natural Resources Engineer
605 773-3352

*Mr. Martin called - April 10, 1987 - Yes, all
irrigation data for above permits were
reported under 3684-3.*

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 15, 1987

2252-3	2590-3
2591-3	2605-3
2606-3	2607-3
2614-3	3684-3

Duane Martin
Martin's Bakers Dozen
Box 365
Mobridge, SD 57601


Dear Mr. Martin:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 2252-3, 2590-3, 2591-3, 2605-3, 2606-3, 2607-3, 2614-3, and 3684-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
January 29, 1988

MARTIN'S BAKERS DOZEN-Duane Martin
BOX 365
MOBRIDGE, SD 57601

NOTICE

Re: Violation of Water Permit No(s). 2591-3, 2590-3 and 1987
Irrigation Questionnaire Requirements

Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 2591-3, 2590-3. The request for the questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 2591-3, 2590-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 2252-3, 3684-3, 2605-3, 2607-3, 2614-3, 2606-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 9:00 am, March 2, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota.


The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 2591-3, 2590-3 until either the 1987 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s) 2252-3, 3684-3, 2605-3, 2607-3, 2614-3, 2606-3 also held by MARTIN'S BAKERS DOZEN to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.


The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

A handwritten signature in cursive script, appearing to read "John Hatch".

John Hatch, Chief Engineer
Water Rights Division

Note: If the questionnaire(s) are received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 16, 1988

2252-3	2606-3
2590-3	2607-3
2591-3	2614-3
2605-3	<u>3684-3</u>

Duane Martin
Martin's Bakers Dozen
Box 365
Mobridge SD 57601

Dear Mr. Martin:

I am contacting you with regard to the status of Water Permit Nos. 2252-3, 2590-3, 2591-3, 2605-3, 2606-3, 2607-3, 2614-3 and 3684-3. Mr. Steve Martin visited our office February 1, 1988 and reviewed the permit files.

Mr. Martin stated that Permit Nos. 2252-3, 2590-3, 2591-3, 2605-3, 2606-3, 2607-3, and 2614-3 are for irrigation from shallow wells and are no longer used. Permit No. 3684-3 is for irrigation from four deep wells and is utilized. These permits (except No. 3684-3) will be scheduled for cancellation at our May Water Management Board Meeting. You will be notified of the exact date and time of the hearing. If you do not concur that these permits are not being used, please contact me as soon as possible.

An irrigation questionnaire is still required for Water Permit No. 3684-3. Please remit this prior to the March 2, 1988 Water Management Board Meeting to avoid action by the Board.

If you have any questions, please contact me.

Sincerely,

GENNY MCMATH
Natural Resources Analyst
605 773-3352

enclosure



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 23, 1988

3684-3

Duane Martin
Martin's Bakers Dozen
Box 365
Mobridge SD 57601

Dear Mr. Martin:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 3684-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

3684-3



November 16, 1995

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

Randy Geffre
RR 1 Box 54A
Mound City, SD 57646

3684-3

Dear Mr. Geffre:

Enclosed, as we discussed, is a copy of Water Permit No. 3684-3, currently held by Martin's Bakers Dozen.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosure