


or Right Number 3706-3

1. Considered 3 - 24, 19 77
2. Name of Applicant HOLZBALER BROS.
3. Post Office Address WAGNER
4. Amount of Water claimed ~~200~~ 2.20
5. Source of Water supply 200' WELL
6. Water to be used for IRR.
- Acres to be irrigated 160
7. Water to be diverted and used in CHAS. MIX County
about _____ miles 2 1/2 N of WAGNER
8. Proof of Publication Received ~~FE~~ 3-21-77
Not Received _____
9. Application Approved 3-29-79
Subject to KT 1/2 mi Spac
Not Approved Cho Agew.
Action Deferred _____
10. Remarks:

*Deferred
3-24-77*

No. 3706-3Map No. 2980-3 Water Division No. 3 MISSOURI RIVER District
(Books to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through item, not applicable)

1. Name of Applicant Holzhauser Bros.
Postoffice address Wagner, State S. D. 57330
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Holzhauser #3
4. Amount of water claimed (cubic feet per second) 2-3 2.78 MAX. ALLOWABLE
5. Source of water supply well
6. Location of point of diversion center of NE 1/4 of Sec 21, T96 R63

- County Charles Mix
7. Annual period or periods during which water is to be used Spring & Summer
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, _____ Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE 1/4 of NE 1/4 of Sec 21, T96-R63	40		
SE 1/4 of NE 1/4 of Sec 21, T96-R63	40		
SW 1/4 of NE 1/4 of Sec 21, T96-R63	40		
SW 1/4 of NE 1/4 of Sec 21, T96-R63	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 54 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Wagner Post
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

turbine pump

B. Works proposed to transport water to place of use.

aluminum pipe

C. Works proposed to apply water to beneficial use.

center pivot - sprinklerEstimated Total Cost \$ 64,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Charles MixDon Holzhauser

the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Subscribed and sworn to before me this 3Signed Don Holzhauser Bros.
Don Holzhauser day of Nov 1947

Notary Public (or other qualified officer)

Burks L.

293-3, SW 1/4, 15

4666A-3, SE 1/4, 15

5635-3, SE 1/4, 15

WAGNER QUADRANGLE
SOUTH DAKOTA-CHARLES MIX
7.5 MINUTE SERIES (TOPOGRAPHIC)

6370 III NE
(WAGNER NE) 1398
6370 III SE
SCALE 1:24,000



VERTICAL INTERVAL 5 FEET
ELEVATION IS MEAN SEA LEVEL

FOR NATIONAL MAPS, CONTACT THE NATIONAL MAP SERVICE CENTER,
DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20540
FOR MAPS AND SYMBOLS

3706-3, NE 1/4, 21

3707-3, NE 1/4, 21

3736-3, NW 1/4, 22

3736-3, SW 1/4, 22

293-3, N 1/2 NW 1/4, 22

2583-3, S 1/2, NW 1/4, 22

3700-3, SW 1/4, 22

3707-3, SW 1/4, 22

- CLASSIFICATION
- Heavy-duty
 - Medium-duty
 - Light-duty
 - Unimproved dirt
 - U.S. Route
 - State Route



WAGNER NE, S. D.
N4307.5—W9815/7.5
1964
AMS 6370 III NE—SERIES V

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3706-3
HOLZFAUER BROS WAGNER
 (Applicant) (Post Office Address)

SOUTH DAKOTA 57380 With the following modification:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

The well approved under this permit shall be spaced so there is at least one-half mile spacing between wells and screened into the Choteau aquifer.

Date of first receipt of application JANUARY 6 19 77
 Date of return to applicant for correction, amendments or changes required _____ 19 ____
 Date of receipt of corrected application WQ FEBRUARY 7 19 77
 Approved MARCH 28 19 79 Recorded in Book 20 Page 235
 WATER RIGHT PERMIT NO. 3706-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3706-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and condition:

1. The date from which applicant may claim right is JANUARY 6 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 28 19 81
3. The whole of said work is to be completed on or before MARCH 28 19 84
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 28 19 88
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriator must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 28 19 88; said water to be used during the following described annual period: APRIL - OCTOBER

Witness my hand this 5th day of APRIL 19 79

WATER RIGHTS COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 ____

Water License Issued _____ 19 ____

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 36", Depth 200'
- (2) Casing, Type plastic Diameter 18" Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type stainless steel, Diameter 18", Length 40"
- (4) Gravel Pack. Thickness 18", Length of gravel pack 50

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (i) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials sand, gravel - shale

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others 160 rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Haybarn Bros.
Joe Haybarn Ray Haybarn
Signature of Applicant

STATE OF SOUTHERN S.D.
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER PLANT GROWING
WITH SOIL 46-6-4 AS APPLICABLE

(THIS FORM REQUIRED FOR PROPOSED GROUND WATER APPLICATION OR



NAME _____
ADDRESS _____
COUNTY _____

LEGAL DESCRIPTION

1. WELL LOCATION _____
2. LOCATION OF AREA TO BE IRRIGATED _____

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE ☒ CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED _____

WATER QUALITY

5. SAMPLE NUMBER 16-637
6. SALINITY (EC X 10⁶) 1608
7. SODIUM (SAR) 5.72
8. RESIDUAL SODIUM CARBONATE (meq/L) 0.01

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from _____ Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

H. H. B. B.
SOUTHERN S.D.
S. D. WATER RIGHTS COMM.

SUBSCRIBED AND SWORN BEFORE ME THIS
26th DAY OF _____ 1917.

David N. B. B.
COUNTY CLERK

W. A. A. A.
SOUTHERN S.D.

INFLUENCE OF

34	Headok	1110
46	Griff-Tetanka	
	Griff	1103
	Tetanka	1101
46	Griff silt loam	1103
46	Highmore silt loam	1102
319	Highmore-Ekin silt loam	1101


Inlake rates

Headok	0.3
Griff	0.5
Tetanka	0.1
Highmore	0.5
Ekin	0.3

Soil Characteristics.

- III-2 Soils with 20 to 40 inch, deep leamy material over sand and gravel on nearly level (0 to 2%) uplands. They have substantial 18 inch water storage on surface and 12 inch depth. These soils have a moderate wind erosion hazard.
- III-3 Deep, leamy, well to very poorly well drained soils in uplands under that receive beneficial moisture. However, moisture is still inadequate in most years.
- IV-1 Deep, leamy, poorly drained, soils on bottom lands and in depressions. An intermediate water table, occasional flooding, or salinity severely limits use.
- III-2 Deep, and moderately deep, leamy, well drained soils on nearly level (0 to 2%) uplands. Moisture is inadequate in most years and these soils have slight to moderate wind erosion hazard.
- III-1 Deep and moderately deep, leamy soils on gently sloping (2 to 4%) uplands. They have moderate wind and water erosion hazards.

BEST IMAGE POSSIBLE FROM POOR ORIGINAL



See location

Form 6 - Notice of Intent to Appropriate Water

3706-3

Publish first publication, on or before March 10, 19 77

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 6, 19 77

Notice is hereby given that Holzbauer Brothers
whose post office address is Wagner, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.2 cubic feet of water per second of time from the ground water through the

Holzbauer # 2, the point of diversion of which is to be located in the

center of the NE 1/4

of Section 21, Twp. 96N, Range 63W. Said water to be used for the purpose
of providing irrigation on portions of the following described land:

NE 1/4, Section 21, T96N, R63W

This application No. 3706-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 24th day of March, 19 77, at 11:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

JAMES WINTERTON
Water Rights Specialist

BFJ/bw

cc: Holzbauer Brothers, Wagner, SD 57380

No. 3706-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Charles Mix) ss.

I, Mildred Robinson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Wagner Post

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City of Wagner
County of Charles Mix and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 10-1977

March 17-1977

Mildred Robinson
(Signature)

Bookkeeper
(Title)

March 17-1977
(Date Signed)

Public Notice

NOTICE INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
March 4, 1977

Notice is hereby given that
Holzbauer Brothers whose post
office address is Wagner, South
Dakota, has made an applica-
tion in accordance with the
provisions of the water laws of
South Dakota for a permit to
appropriate for beneficial use
2.2 cubic feet of water per
second of time from ground
water through the Holzbauer
#3, the point of diversion of
which is to be located in the
Center of the NE 1/4 of Section
21, Twp. 96N, Range 63W. Said
water to be used for the
purpose of providing irrigation
on portions of the following
described land: NE 1/4, Section
21, T96N, R63W.

This application No. 3706-3
will be considered by the Water
Rights Commission at their
office at Pierre upon the 24th
day of March, 1977, at 11:00
a.m. All interested persons
may appear and be heard.

WATER RIGHTS
COMMISSION
By: James Winterton
Water Rights Specialist

Pub.: Mar. 10-17, 1977



REPORT ON THE CHARLES MIX - DOUGLAS COUNTY AREAS

March 23, 1978

During the March 1977 Water Rights Commission meeting some of the deferred applications in the Lake Andes - Wagner area were reconsidered. At that time, 6 applications from the Choteau aquifer and 7 from the Delmont aquifer were approved. The Water Rights Commission Staff has not followed up on these applications and it is not known which are developed or how much pumping has been done.

Listing of Deferred Applications

CHARLES MIX COUNTY

2310-3 Richard Soulek
2323-3 Dale Meyer
3696-3 John D. Orr
3697-3 Dean Weber
3698-3 Rolland B. Vanderpol
3700-3 Holzbauer Bros.
3701-3 Marlin Laska
3704-3 Edward E. Weber
3705-3 Greenwood Colony
3706-3 Holzbauer Bros.
3736-3 Holzbauer Bros.
3750-3 Gary Hrdlicka
4004-3 Wilbur and Eugene Slaba
4005-3 Maynard & Vera Vesper
4198-3 Joe Holzbauer

DOUGLAS COUNTY

2283-3 Ted Reinfeld
3699-3 Joe L. Sanders
3702-3 Clarence Ewing
3703-3 Clarence Ewing
3708-3 Donald Schmidt
4059-3 Eltor Brenner

The Water Rights Commission Staff is concerned about the water levels in the Choteau aquifer. At this time the water levels are 8-10 feet below what is considered normal. The Delmont aquifer is 3-4 feet below normal and should recharge this spring with normal snowmelt. The Water Rights Commission Staff is recommending no action on these applications at this time.

JOHN HATCH, Chief Engineer
Water Rights Commission

CHARLES MIX & DOUGLAS COUNTIES



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

March 23, 1978

TO: Persons with deferred applications in Charles Mix & Douglas Counties.

FROM: John Hatch, Chief Engineer, Water Rights Commission

SUBJECT: Reconsideration of deferred applications in Charles Mix & Douglas Counties.


The Water Rights Commission will reconsider Water Right Applications in Charles Mix & Douglas Counties at 10:30 am, March 29, 1978 at the Guest House, 101 North Broadway, Watertown, South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, Ground Water 46-6-3, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

The applications were deferred by the Water Rights Commission, pending Staff investigation.

After reconsideration of the deferred Applications in Charles Mix & Douglas Counties the Commission can approve, defer, or deny all or part of the Applications. A copy of the "Report on the Charles Mix - Douglas County" is enclosed for your information.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Commission

JH:kjw

enclosure



Department of Natural Resource Development

WATER RIGHTS COMMISSION
Joe Foss Building, Pierre, South Dakota 57501
Phone 605/773-3151

March 14, 1979

TO: Holders of Deferred Applications in Charles Mix and Douglas Counties
FROM: John Hatch, Chief Engineer, Water Rights Commission
SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred Water Right Applications in Charles Mix and Douglas Counties at 3:30 p.m., March 28, 1979, at the Community Room of the Pierre City Hall, 222 East Dakota Ave, Pierre, South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-14; 46-2-9 thru 46-2-11; 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3; 46-6-5; 46-6-6.1; 46-6-10; 46-6-3.1; 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

These applications were previously deferred by the Water Rights Commission, pending Staff investigation.

After reconsideration of the deferred Applications the Commission can approve, conditionally approve, defer, or deny all or part of the Application.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Commission may be appealed to the Courts as provided by law.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Commission

JH:kjw



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
605 773-3352

February 5, 1986

293-3
1619-3A
2583-3
3700-3
(3706-3)
3707-3
3736-3

Leo Holzbauer
RR 1, Box 170
Wagner SD 57380

Dear Mr. Holzbauer:

Enclosed are partially completed transfer forms pertaining to Water Right Nos. 293-3, 1619-3A, 2583-3, 3700-3, 3706-3, 3707-3 and 3736-3. To complete the forms, they will need to be signed by the owner in the presence of a notary public. Upon completion of the transfer forms, please return them to this office with a required filing fee of \$2.50 each, a total of \$17.50.

Upon receipt of the forms and filing fees in our office, the above water right numbers will be transferred to the appropriate parties. You will then be notified that the transfers have been completed and receipts for filing fees you paid will be forwarded to you.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of Water Permit or Water Right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact us.

Sincerely,

GENNY MCMAITH
Natural Resources Analyst

GM:ks

enclosures

NOTE: Thank you for stopping by our office to complete your irrigation questionnaires.



Department of Water & Natural Resources

Joe Foss Building
5th East Capitol
Pierre, South Dakota 57501-3181

February 14, 1989

293-3
1619-3A
2583-3
3700-3
< 3706-3
3707-3
3736-3

Leo Holzbauer
RR #1 Box 170
Wagner, SD 57380

Dear Mr. Holzbauer:

In response to our telephone conversation, enclosed are partially completed "Notice of Transfer" forms for use in filing ownership changes on Water Right Nos. 293-3, 1619-3A, Water Permit Nos. 2583-3, 3700-3, 3706-3, 3707-3 and 3736-3. The permits, with the exception of No. 293-3 (Lawrence Holzbauer), are all listed in the name of Holzbauer Brothers.

Please complete the forms and have them signed and notarized. Upon completion, return them to our office with a required filing fee of \$2.50 each (total of \$17.50).

If you have any questions, please contact us.

Sincerely,

GENNY MCMATH
Natural Resources Analyst
605 773-3352

enclosure



3706-3



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1990

LEO HOLZBAUER
RR 1 BOX 170
WAGNER, SD 57380

NOTICE

RE: Violation of Water Permit No(s). 4666A-3 and 1989 Irrigation Questionnaire Requirements

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). 4666A-3. The request for the Questionnaire was dated October 13, 1989. The Water Management Board has directed that owners of water permits who have not submitted the 1989 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4666A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No. 3736-3, 3700-3, 3706-3, 3707-3, 293-3, 2583-3 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Roosevelt-Jefferson Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 4666A-3 until the 1989 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s). 3736-3, 3700-3, 3706-3, 3707-3, 293-3, 2583-3 also held by LEO HOLZBAUER to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the March 7th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 2, 1990

293-3 2583-3
3700-3 3706-3
3707-3 3736-3
4666A-3

Leo Holzbauer
RR 1, Box 170
Wagner SD 57380

Dear Mr. Holzbauer:

I am writing to acknowledge receipt of your 1989 irrigation questionnaires for the above listed Water Permits. You may disregard the February 9, 1990 Notice of failure to submit the 1989 irrigation questionnaire. Your questionnaire was received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall /KS

RON DUVAL
Natural Resources Engineer
Water Rights Division



3706-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

FEB 22 2000

5635-3

Leo Holzbauer
29416 395th Ave.
Wagner, SD 57380

Dear Mr. Holzbauer:

Enclosed is Water License No. 5635-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 416355 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5635-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOTE: The applicable portions of Water Right No. 293-3 and Water Permit Nos. 2583-3, 3700-3, 3706-3, 3707-3, 3736-3 and 4666A-3 are incorporated into this Water License No. 5635-3.

1-178
NOT TO SCALE

3706-3

75.9

38.9

(1-192)

37.8

Well spring
center 50' x 50' see 15-96-63
Pond point
13 1/4 acres
12 m. up
Jernard Kalan
Lawrence

61.0

62.8

21

75.5

54.3

44.2

85

74.6

14.3

16.9 Trees (1.5)

13.0

96.63

24.9

37.0

95.9

21.0


(1-192)

10.7

THAN N10 2980-3 APR 21 3706-3

(CW) Converted Wetland after 12-23-85
 (D) Ditched prior to 12-23-85
 (T) Tiled prior to 12-23-85
 (W) Wetland in a channel

DETERMINATION FOR HIGHLIGHTED TRACTS ONLY



Barry McLaury *Barry A. McLaury*
 Natural Resources Analyst
 Division of Water Rights
 Date July 15, 1993