

Water Right Number 3B46-3

1. Considered 5-25, 1977
2. Name of Applicant PAUL YOUNG
3. Post Office Address GAYVILLE
4. Amount of water claimed 3.71
5. Source of water supply 2-90' WELLS
6. Water to be used for IRRIGATION
Acres to be irrigated 260
7. Water to be diverted and used in YANKTON County
about 55 Miles of GAYVILLE
8. Proof of Publication Received ~~YES~~ 5-4-77
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 3846-3
 Map No. 3107-3 Water Division No. 3 AMES RIVER District _____
 (Banks to be filled by the Engineer for the W. & C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Paul Young
 Postoffice address R.R. 1 Dayville, S.D. State S.D.
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Albert and Paul Young
4. Amount of water claimed (cubic feet per second) 7.5 no 2.5 per system on well
3.71 cfs MAX. ALLOWABLE
5. Source of water supply 3 WELLS
6. Location of point of diversion No. 2 Well - 56.25' N AND 135' W OF SE CORNER
No. 3 Well 52.25' N AND 39.50' W OF SE CORNER 36-93-54
No. 4 Well - 39.25' N AND 45.50' W OF SE CORNER 36-93-54 County YANKTON
7. Annual period or periods during which water is to be used March 1 - Nov. 31
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 260 A

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
56.25' N 135' W OF SE CORNER		WELL NO. 4 - 39.25' N & 45.50' W OF SE CORNER 36-93-54	40
NO. 2 WELL 56.25' N 135' W OF SE CORNER 36-93-54	100		
NO. 3 WELL 52.25' N & 39.50' W OF SE CORNER 36-93-54	120		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Press and Observer Yankton
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

3 wells

B. Works proposed to transport water to place of use.

pipes

C. Works proposed to apply water to beneficial use.

numbers 2 and 3 well will be pivot system
number 4 well will be turbine pump system

Estimated Total Cost \$ 88,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Yankton

I, Paul Young the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Paul YoungSubscribed and sworn to before me this 29 day of March, 1977

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3846-3
PAUL YOUNG RT #1, GAYVILLE
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57031 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MARCH 30, 19 77
 Date of return to applicant for correction, amendments or changes required —, 19 —
 Date of receipt of corrected application APRIL 1, 19 77
 Approved MAY 25, 19 77, Recorded in Book 18 Page 252

WATER RIGHT PERMIT NO. 3846-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3846-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 30, 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 25, 19 79
3. The whole of said work is to be completed on or before MAY 25, 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 25, 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.71 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MAY 25, 19 84; said water to be used during the following described annual period: MARCH 1 - NOVEMBER 30

Witness my hand this 13TH day of JUNE, 19 77

WATER RIGHTS COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued —, 19 —

Water License Issued —, 19 —

FOR No. 2-3-4
WELLS

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 20", Depth 90'
- (2) Casing, Type Plastic (wood, concrete, steel, etc) Diameter 16" Thickness 219 wall
- (3) Perforated Screen.
Type Plastic (per), Diameter 16", Length 20"
- (4) Gravel Pack, Thickness 4", Length of gravel pack 70'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material 70'

Depth to bottom of water bearing material 90'

Thickness of water bearing material 20'

Depth to water (ground surface to water level) 20'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 50 rds. On property owned by others 170 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

P. S. Young
Signature of Applicant

CONSERVATION
COMMISSION
FORM #1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN AQUIFERS
WITH SOIL RESOURCES AS APPLICABLE
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION)



NAME PAUL YOUNG
ADDRESS RRI Gayville, S.D.
COUNTY _____

LEGAL DESCRIPTION

1. WELL LOCATION: 40.2 Well - 56.25' N and 135.0' W OF THE S.E. CORNER 36-93-54
NE 1/4 Sec 11 - 39.25' N and 54.50' W OF S.E. CORNER 36-93-54
NE 1/4 Sec 11 - 39.25' N and 43.50' W OF S.E. CORNER 36-93-54
2. LOCATION OF AREA TO BE IRRIGATED: S 1/2 OF S 1/4 25-93-54 - 160 A
R 17 1/2, W 1/2 OF NE 1/4, N 1/2 OF NE 1/4 - 36-93-54
230 A

TYPE OF IRRIGATION

3. GRAVITY _____ TOWARD 1.213 WELLS
4. CROPS TO BE IRRIGATED CORN - SOY BEANS - ALFALFA

WATER QUALITY

	#1 well	#3 well	#14 well
5. SAMPLE NUMBER	77-342	77-343	77-344
6. SALINITY (EC x 10 ⁶)	990 (moderately high)	990	990
7. SODIUM (SAR)	1.68 (low)	1.59	1.51
8. RESIDUAL SODIUM CARBONATE (meq/l.)	0	0	0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from S.D. Dakota State University and; the soils information has been acquired from James C. Seitz Conservation District, County Extension office or Soil Conservation Service.

and; that the legal description for the location of the well and land to be irrigated is true and correct.

Paul Young
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
21 DAY OF January 19 77.

James C. Seitz
OFFICIAL OR SEAL

James C. Seitz
APPROVING OFFICER

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Paul Young
Address: Rt. 1, Box 40
Gayville, SD 57031

Date Rec'd: February 28, 1977
Sample No.: 77-342
Identification: #2 Well
Sec. 36, T 93N, R 54E

WATER ANALYSIS

Calcium (Ca)	91	ppm*	4.55	me/l**
Magnesium (Mg)	32	ppm	2.62	me/l
Sodium (Na)	73	ppm	3.18	me/l
Potassium (K)	6	ppm	0.16	me/l
Sulfate (SO ₄)	235	ppm	4.89	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	21	ppm	0.59	me/l
Bicarbonate (HCO ₃)	385	ppm	6.32	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	316	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	990	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.68			
Sodium	30.25	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.71			

*ppm=parts per million

**me/l=milliequivalents per liter

***g.g.=grains per gallon

COMMENTS:	Total cations	10.51	me/l
	Total anions	11.80	me/l

By: Shirley Mitten

Service Performed

Amount Due

Irrigation analysis

\$15.00 LAND

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-342

Amount Enclosed

Signed

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: PAUL YOUNG Date Rec'd: February 23, 1977
Address: Box 1 Sample No. 77-343
Gayville, SD 57031 Identification: Well #3
Box, Sec. 36, T. 93E, R. 54E

WATER ANALYSIS

Calcium (Ca)	118	ppm*	5.90	me/l**
Magnesium (Mg)	30	ppm	2.46	me/l
Sodium (Na)	75	ppm	3.26	me/l
Potassium (K)	6	ppm	0.16	me/l
Sulfate (SO ₄)	230	ppm	4.73	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	22	ppm	0.60	me/l
Bicarbonate (HCO ₃)	366	ppm	6.00	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	300	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	990	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.19			
Sodium	27.67	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.79			
Others:				

*ppm==parts per million
**me/l==millequivalents per liter
***g.p.g.=grains per gallon

COMMENTS: Total cations 11.78 me/l
Total anions 11.38 me/l

By: Shirley Hillan

Service Performed	Amount Due
Irrigation analysis	\$15.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-343 Amount Enclosed: _____
Signed: _____

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Paul Young
Address: Gayville, SD 57031

Date Rec'd: February 23, 1977
Sample No.: 77-344
Identification: #4 Wells
SEA, Sec. 36, T. 93N, R. 54E

WATER ANALYSIS

Calcium (Ca)	130	ppm*	6.50	me/l**
Magnesium (Mg)	31	ppm	2.54	me/l
Sodium (Na)	74	ppm	3.22	me/l
Potassium (K)	6	ppm	0.16	me/l
Sulfate (SO ₄)	235	ppm	4.89	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	23	ppm	0.64	me/l
Bicarbonate (HCO ₃)	393	ppm	6.24	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		B.P.G.***
Alkalinity (Methyl Orange)	312	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	990	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.51			
Sodium	25.92	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.70			
Others:				

*ppm=parts per million

**me/l=millequivalents per liter

***B.P.G.=grains per gallon

COMMENTS: Total cations 12.42 me/l
Total anions 11.77 me/l

By: Shirley M. Stettin

Service Performed

Amount Due

Irrigation analysis

\$15.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-344

Amount Enclosed \$

Signed

March 22, 1977

Mr. Paul Young
R.R. #1
Gayville, SD 57031

Dear Mr. Young:

Your water sample (Lab. No. 77-342, 77-343, 77-344) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

Your water, as indicated by this analysis, is satisfactory for use on the soils you indicate will be irrigated. If a salt problem or a water table problem should develop, contact extension personnel for assistance.

The M-1, soils information, and a copy of the water analysis are being forwarded to the State Conservation Commission for their action.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:chb

Inclosures

cc: State Conservation Commission

D. Pahl, Extension Service

P.S. Soils 17, 19, 32, and 221 will not take water fast enough for a center pivot outside and application. You will be very disappointed in results on those soils wherever they are at the outer end of a circle.

Form 6 - Notice of Intent to Appropriate Water

No. 5846-2

Publish first publication, on or before April 11, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

April 11, 1977

Notice is hereby given that Paul Young

whose post office address is Gayville, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

3.2112 cubic feet of water per second of time from the ground through the

Young #1, the point of diversion of which is to be located in the

SE 1/4 of Section 25; Center of North Boundary of the N 1/2

and Center of the N 1/2

of Section 36, Twp. 13N, Range 5W. Said water to be used for the purpose of providing irrigation on the following described land:

E. NW 1/4, W 1/4 NE 1/4, Section 36, T 13N, R 54W

This application No. 5846-2 will be considered by the Water Rights Commission at their office at Pierre upon the 11th day of April, 1977, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

JAMES WINTERSON
Water Rights Specialist

BFJ/bw

cc: Paul Young, Rt. # 1, Gayville, South Dakota 57931

No. 3246-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Yankton) ss.

I, Harry L. Sneece hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Daily Press & Dakotan

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City _____ of Yankton

County of Yankton and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

April 26, 1977

May 5, 1977

Harry L. Sneece
(Signature)

Business Manager
(Title)

May 3, 1977
(Date Signed)

447245+3
NOTICE INTENT TO
APPROPRIATE WATER
APRIL 11, 1977

Notice is hereby given that Paul Young whose post office address is Gayville, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 3.71 cubic feet of water per second of time from ground water through the Young #1, the points of diversion of which are to be located in the SE 1/4 SE 1/4 of Section 25; Center of North Boundary of the NW 1/4 and Center of the N 1/2 of Section 36, Twp. 93N, Range 4W. Said water to be used for the purpose of providing irrigation on portions of the following described land: E 1/2 NW 1/4, W 1/2 NE 1/4, Section 36; S 1/2, Section 25-T93N-R54W.

This application No. 3246-3 will be considered by the Water Rights Commission at their office at Pierre upon the 25th day of May, 1977, at 10:00 A.M. All interested persons may appear and be heard.
Water Rights Commission
By: JAMES WINTERTON
Water Rights Specialist





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 26, 2000

1680A-3
3315-3
3846-3

Paul Young
309 James Pl
Yankton, SD 57078-4906

Dear Mr. Young:

Enclosed is a "Notice" dated October 20, 2000 concerning the 2000 irrigation questionnaire. The notice was originally mailed to 810 Birch Rd #2, Yankton, SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



3846-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: PAUL YOUNG, 3103 ALUMAX RD, YANKTON, SD 57078 6433

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire has not been submitted for Permit No(s) 1680A-3, 3315-3 & 3846-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 5, 2003, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 1680A-3, 3315-3 & 3846-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



3846-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7540 6543

Your item was delivered at 9:18 am on January 23, 2003 in YANKTON, SD 57078. The item was signed for by P YOUNG.

[Shipment History >](#)[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7540 6543

PAUL YOUNG
3103 ALUMAX RD
YANKTON SD 57078 6433

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For inquiries:
Access Internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (FOR MAIL USE ONLY)

- ☐ Priority Mail
☐ Package Services

PS Form 153, February 2001

(See Reverse)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2003

1680A-3
3315-3
3846-3

Paul Young
3103 Alumax Rd
Yankton SD 57078-6433

Dear Mr. Young:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Permit or Right Nos. 1680A-3, 3315-3 and 3846-3.


I completed questionnaires for you based on our January 23rd telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,


A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



WELL LOCATION:

- NO. 1 3915 FT. NORTH AND 2650 FT. WEST OF THE SOUTHEAST CORNER OF SECTION 36-93-54
- NO. 2 5625 FT. NORTH AND 1350 FT. WEST OF THE SOUTHEAST CORNER OF SECTION 36-93-54
- NO. 3 5225 FT. NORTH AND 3950 FT. WEST OF THE SOUTHEAST CORNER OF SECTION 36-93-54
- NO. 4 3925 FT. NORTH AND 4850 FT. WEST OF SOUTHEAST CORNER OF SECTION 36-93-54



CLAY COUNTY

U.S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
ASSISTING
SOIL CONSERVATION DISTRICT

REFERENCE PLANNING ASSISTANCE BY LLOYD GEM
DISTRICT CONSERVATIONIST
SOIL CONSERVATION SERVICE

DRAWING NUMBER

SHEET 2 OF 8
DATE 2-22-77

MAP NO. 3107-3 (App. NO. 3846-3)

To Be Irrigated
By Vane P. Miller
County Extension Agent
Yankton Co.

No. 3 Well

120 A

To Be Irrigated
By Vane P. Miller
County Extension Agent
Yankton Co. No. 2 Well

100 A

No. 1 Well

To Be Irrigated
By Vane P. Miller
County Extension Agent
Yankton County.
Tow line 40 A
No. 4 Well

↑
Frisbie L.
Young

↑
Vera
Barker

↑
Albert Young Jr

93-54

To Be Irrigated
By Miller
Extension Agent

To Be Irrigated
By Van P. M.
County Extension Agent
Yorkton

No. 3 Well

120 A

No. 1 Well

This well approved
under Permit No
3315-3

No. 4 Well

Town Line
40 A
County Extension Agent
Yorkton County

Van
Barker

Albert Young

93-54

APPN 3846-3



3846-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 30, 2006

3315-3
3846-3
6458-3

Paul Young
815 James Place
Yankton SD 57078

Dear Mr. Young:

Enclosed is a "Notice" dated October 20, 2006 concerning the 2006 irrigation questionnaire. The notice was originally mailed to 3103 Alumax Rd, Yankton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

MAY 10 2007

6458-3

3315-3

3846-3

Paul Young
815 James Place
Yankton SD 57078-4906

Dear Mr. Young:

Enclosed is Water License No. 6458-3. A map of your project as prepared by a staff engineer is also enclosed. This is the final water right document completing your process of obtaining a Water Right.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 6458-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

Note: The applicable portions of Nos. 3315-3 and 3846-3 are incorporated into Water License No. 6458-3.

enclosures