

Water Right Number 3857-3

1. Considered 5-25, 19 77
2. Name of Applicant ROBERT E. DONNELLY
3. Post Office Address BURBANK
4. Amount of Water claimed 2.47
5. Source of Water supply 90' DEEP WELL
6. Water to be used for IRRIGATION
- Acres to be irrigated ~~2~~ 173
7. Water to be diverted and used in UNION County
about 3N, 6W miles of ELK POINT
8. Proof of Publication Received 5-2-77
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____

10. Remarks:

No. 3857-3Map No. 3116.3 Water Division No. 3 Pig Sioux River District
(Blanks to be filled by the Engineer for the S. D. E. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Robert E. Donnelly
 Postoffice address RR Burbank Box 838 Elk Point State South Dakota 57010
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) contract
 3. Name of diversion work R. Donnelly #2
 4. Amount of water claimed (cubic feet per second) 2.47 CFS
 5. Source of water supply Well
 6. Location of point of diversion N E 1/4 S W 1/4 Sec 6 - 91- 50

County Union

7. Annual period or periods during which water is to be used April thru October
 8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
 9. For irrigation use, Total number of acres to be irrigated 173

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>N$\frac{1}{2}$ SW$\frac{1}{4}$ Sec 6-91-50</u>	<u>36</u>		
<u>W$\frac{1}{2}$ NW$\frac{1}{4}$ Sec 6-91-50</u>	<u>80</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Elk Point Leader Courier
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

Pump

C. Works proposed to apply water to beneficial use.

PipeEstimated Total Cost \$ 15000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Union

I, Robert E. Donnelly, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Robert E. DonnellySubscribed and sworn to before me this 32 day of February 1927

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3857-3

ROBERT E. DONNELLY
(Applicant)

R.R. - BURBANK Box 838
(Post Office Address)

SOUTH DAKOTA 57010
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MARCH 7 19 77
Date of return to applicant for correction, amendments or changes required — 19 —
Date of receipt of corrected application APRIL 8 19 77
Approved MAY 25 19 77, Recorded in Book 18 Page 260

WATER RIGHT PERMIT NO. 3857-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3857-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 7 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 25 19 79
3. The whole of said work is to be completed on or before MAY 25 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 25 19 82
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.47 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 25 19 82; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 13TH day of JUNE 19 77

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued MARCH 25 19 80

Water License Issued MARCH 25 19 80

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 45-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Robert E. Donnelly
ADDRESS FBI Burbank So Dak 57010
COUNTY Union

LEGAL DESCRIPTION

1. WELL LOCATION NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 16 91-50
2. LOCATION OF AREA TO BE IRRIGATED N $\frac{1}{2}$ SW $\frac{1}{4}$ & NW $\frac{1}{4}$ Sec 16-91-50

TYPE OF IRRIGATION

3. GRAVITY X TOWLINE _____ CENTER PIVOT _____ GUN _____
4. CROPS TO BE IRRIGATED Corn beans small grain etc.

WATER QUALITY

5. SAMPLE NUMBER 77-365
6. SALINITY (EC X 10⁶) 16.16 (high)
7. SODIUM (SAR) 1.03 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from Union Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true
and correct.

Robert E. Donnelly
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
22 DAY OF February 1977.

John R. Atwood
(TITLE OR SEAL) Notary

Alfred J. Hoff
APPROVED/CLERK

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Robert E. Donnelly..... Date Rec'd March 2, 1977.....
Address Rt. 1..... Sample No. 77-365.....
Fairbank, SD 57010..... Identification Well.....
SW 1/4, Sec. 6, T 91N, R 50W.....

WATER ANALYSIS

Calcium (Ca)	246	ppm*	12.30	me/l**
Magnesium (Mg)	40	ppm	3.28	me/l
Sodium (Na)	66	ppm	2.87	me/l
Potassium (K)	8	ppm	0.21	me/l
Sulfate (SO ₄)	650	ppm	13.52	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	40	ppm	1.13	me/l
Bicarbonate (HCO ₃)	337	ppm	5.52	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	276	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1646	microhmhos per cm at 25° C.		
Sodium Adsorption Ratio	1.03			
Sodium	15.38	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.22			
Others:				

*ppm==parts per million

**me/l==millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 18.66 me/l
Total anions 20.17 me/l

By: Shirley Mittan.....

Service Performed	Amount Due
Irrigation analysis	\$15.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-365.....

Amount Enclosed \$.....

Signed.....

March 22, 1977

Mr. Robert E. Donnelly
R.R. #1
Burbank, SD 57010

Dear Mr. Donnelly:

Your water sample (Lab. No. 77-365) has been analysed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

- (1) It will be used no more than 3 times (preferably less) in any growing season.
- (2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.
- (3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.
- (4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb
Inclosures
cc: State Conservation Commission
D. Pahl, Extension Service

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 30, Depth 90

(2) Casing, Type Transite Diameter 16 Thickness 1 1/4 "
(wood, concrete, steel, etc)

(3) Perforated Screen.

Type sawed slotted, Diameter 16, Length 39

(4) Gravel Pack, Thickness 14, Length of gravel pack 50

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials waterbearing sand

Depth to top of water bearing material 40

Depth to bottom of water bearing material 90

Thickness of water bearing material 50

Depth to water (ground surface to water level) 18

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 160 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

W. H. L. L. L.
Signature of Applicant

WATER LICENSE NO. 3857-3

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Robert E. Donnelly

of Elk Point, SD

the holder _____ and owner _____ of said permit No. 3857-3 a water right, dating from March 7, 1977

to use of 2.22 cubic feet per second of the waters

of groundwater (one well)

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at a point 2630' south and 1400' east

of the NW corner, Section 6-T91N-R50W

and conduct to and upon portions of land in Section 6-T91N-R50W more fully

described on the face of this License

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 3857-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 25th day of March A. D.

Nineteen Hundred and eighty

Board of Water Management

By:

John Hatch
Chief Engineer JOHN HATCH

Permit No. 3857-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION


This is to Certify, That Robert E. Donnelly

_____ the holder _____ of
Permit No. 3857-3, issued upon Application No. 3857-3, bearing date of priority of _____
March 1, 1977 authorizing the diversion of 2.47 cu. ft. per second of the waters of _____
groundwater (one well) County of Union, State of South Dakota at _____
a point 2630' south and 1400' east of the NW corner, Section 6-
E91N-R50W

_____, for irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.22 cu. ft. per second of water.

Date March 25, 1980


JOHN HATCH, Chief Engineer
Water Rights, WMD

No. 3857-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Lester E. Emerson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Leader - Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

city of Leola, South Dakota

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

April 21, 1977


April 28, 1977

Lester E. Emerson
(Signature)

Publisher
(Title)

April 28, 1977
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
April 8, 1977
Notice is hereby given that
Robert E. Donnelly, whose post
office address is Burbank, South
Dakota, has made an application
in accordance with the provisions
of the water law of South Dakota
for a permit to appropriate for
beneficial use 2.47 cubic feet of
water per second of time from
ground water through the R. Don-
nelly, #2, the point of diversion
of which is to be located in the
NE 1/4 SW 1/4 of Section 6, Twp. 91N,
Range 50W. Said water to be
used for the purpose of provid-
ing irrigation on portions of the
following described land:
N 1/2 SW 1/4 NW 1/4, Section 6,
T91N, R50W, Range 50W.
This application No. 3857-3
will be considered by the Water
Rights Commission at their off-
ice at Pierre upon the 25th day
of May, 1977, at 10:00 A.M. All
interested persons may appear
and be heard.
WATER RIGHTS COMMISSION
By James Winterton
Water Rights Specialist
Pub. April 21, 28.



3857-3

Publish first publication, on or before May 12, 19 77

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

April 6, 19 77

Notice is hereby given that Robert E. Donnelly

whose post office address is Burbank, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.47 cubic feet of water per second of time from the ground water through the

R. Donnelly #2, the point of diversion of which is to be located in the _____

NE 1/4 SW 1/4

of Section 6, Twp. 91N, Range 50W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

N 1/2 SW 1/4, W 1/2 NW 1/4, Section 6; T91N, R50W

This application No. 3857-3 will be considered by the Water Rights Commission at their office at Pierre upon the 25th day of May, 19 77, at 10:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

JAMES WINTERTON
Water Rights Specialist

BFJ/bw
cc:

Robert E. Donnelly, R.R., Burbank, S.D.

Permit No. 3857-3Water Division 3 BIG SIOUX RIVER Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by ROBERT E DONNELLY of Box 838, ELK POINT holder of Permit No. 3857-3, bearing date of priority of MARCH 7, 1977 authorizing the diversion of 2.47 cu. ft. per second of the waters of GROUND WATER for IRRIGATION purposes, in UNION County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

90' DEEP WELL WITH 16" TRANSITE CASING
FAIRBANKS MORSE 10" PUMP - AMARILLO GEAR DRIVE S-80
POWER TAKE OFF - POWERED WITH JOHN DEERE 4020 DIESEL
TRACTOR

B. Works used to transport water to place of use,

C. Works used to apply water to beneficial use.

1 1/2 MILE OF 8" GATED PIPE WITH 40" SPACING ON GATES
40 ROWS OF 8" GATED PIPE WITH 30" SPACING ON GATES

The system is in the following condition: GOOD

The point of diversion is located 2030' S AND 1400' E OF THE NW CORNER,
SECTION 6, T9N, R50W

The works are capable of diverting and conveying to the place of use 2.22
 cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows: ALL IN SECTION 6, T9N, R50W

W 1/2 NW 1/4 83.6 ACRES (OVERSIZE SECTION)
N 1/2 SW 1/4 80.0 "

comprising a total of 163.6 acres of land.

222

Date AUGUST 8, 1979

[Signature]
 (Signature)

3857-3
2465-3

Mr. Robert E Donnelly was notified January 11, 1980 that the \$50.00 fee for Water License had not been received.

Mr. R.E. Donnelly called this office January 15, 1980, said he had sent the fee in September, 1979. After checking it was discovered that Mr. Robert Donnelly had sent a \$50.00 check (which he had received from the bank)

In checking a George and Joe Donnelly they had a Water License written up from a check received same date Robert Donnelly check was received (Receipt No. 4 7043) this fee is for Mr. Robert Donnelly, as on

January 16, 1980, I called George Donnelly and Mrs. George Donnelly said she had mailed a \$100.00 check on January 15, 1980 for their two Water License's and we should be getting it shortly.

I called Mr. Robert Donnelly back and informed him of the mistake and he said he mailed another \$50.00 check. I told him it was not necessary and we would return it and he would receive his Water License as soon as it is written up and signed.

Also receipt No. 4 7043 is hereby transferred to Permit No. 3857-3 and with explanation on Receipt also.

This explanation is filed in both permits to justify the date on the later receipt No. in Permit No. 2465-3 (as the Water License was sent September 17, 1979) and the letter to Mr. Robert Donnelly on January 11, 1980.

BETTY WESTLUND
Water Rights Specialist I

3857-3
2465-3

Water Rights, Water Management Division
Phone (605) 773-3352

March 27, 1980

George Donnelly
R.R. #2, Box 46
Elk Point, SD 57025

Dear Mr. Donnelly:

Enclosed is your receipt no. 4 7236, in the amount of \$50.00 for payment of the fee for the Inspection and issuance of Water License and Certificate of Construction of Work, No. 2465-3, issued to you on September 17, 1979. Also a copy of your Water License issued is enclosed.

The original receipt no. 4 7043 sent to you, was in error, and was the fee sent in by Robert E. Donnelly for his Water License, etc. This was taken care of by phone on January 16, 1980. Our copy of the receipt no. 4 7043 has been placed in Mr. Robert Donnelly's Water Right No. 3857-3.

Sincerely,

Betty Westlund
Water Rights Specialist

BW:plh

Enclosures

cc: Robert E. Donnelly

RECEIPT

WATER RIGHTS COMMISSION

No 4 7043

State of South Dakota

September 17, 1979

PIERRE,

RECEIVED OF Robert E. Donnelly, Elk Point SD 57625

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)	3857-3	50	00
Fee for inspecting Construction, and issuing Cert. of Construction No.	3857-3		
Fee for inspecting Beneficial Use, and issuing Water License No.			
Fee for issuing Location Certificate-Dry Draw, No.			
Fee for filing			
Fee for certified copy of			
Fee for Print copy of map			
Fee for Certifying			
Fee for			
(any other work as provided by law)			
TOTAL		50	00

*This fee was placed in wrong Permit
See letter of explanation.*

WATER RIGHTS COMMISSION

By John Watson
Chief Engineer, Executive Officer

JOHN WATSON



Department of Water & Natural Resources

Joe Foss Building Water Rights, Water Management Division
Pierre, South Dakota 57501 (605) 773-3352

March 27, 1980

Robert E. Donnelly
Box 838
Elk Point, SD 57025

Dear Mr. Donnelly:

Enclosed herewith are, Water License No. 3857-3 and Certificate of Construction.

Water License No. 3857-3 is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights, WMD

JH:plh

enclosures

Also enclosed is a copy of Receipt No. 4 7043 which was made out to George & Joe Donnelly by mistake, as we discussed by phone on January 16, 1980. The original copy of the receipt was sent to George Donnelly. Letter to George Donnelly also enclosed.


BW

Equal Opportunity Employer

SOUTH DAKOTA WATER WELL COMPLETION REPORT

3857-3
07-92Location NW 1/4 SE 1/4 Sec 6 Twp 91N Rg 50WCounty Union North

Please mark well location with an "X"



Well Completion Date

11-5-03

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? +100 ft. from Farmstead (identify source).

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Mud RotaryCASING DATA: ☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>SCH 40 LB/FT</u>	<u>16 IN</u>	<u>0 FT</u>	<u>100 FT</u>	<u>22 IN</u>
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUTING DATA

Grout Type	No. of Sacks	Grout Weight	From	To
<u>Cement</u>	_____	_____ lb./gal	<u>30 ft</u>	<u>0 ft</u>
_____	_____	_____ lb./gal	_____ ft	_____ ft

Describe grouting procedure Pump inSCREEN: ☒ Perforated pipe ☐ ManufacturedDiameter 16 IN Length 40 FEETMaterial PVCSlot Size 80 Set From 100 Feet to 60 Feet

Other information _____

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

DISINFECTION: Was well disinfected upon completion?

☒ YES, How: Pumped in☐ NO, Why Not? from tanker

Laboratory sent to for water quality analysis _____

Well Owner: Robert DonnellyBusiness Name: 40 Dawn GloverAddress: 32118 470th Ave.
Burbank, SD 57016

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
Heavy clay	0	3
Yellow clay	3	4
Black silt	4	12
Grey silt	12	16
Clay	16	24
Soft sandy silt	24	55
Sand + gravel	55	97
Shale	97	102

STATIC WATER LEVEL 21 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

RECEIVED

WELL TEST DATA:

JAN 29 2004

☒ PumpedDescribe: WATER☐ Bailed

PRC

☐ Other _____

Pumping Level Below Land Surface

48 ft. After 4 Hrs. pumped Approx 1000 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate 1000 GPM

REMARKS

Replacement wellThis well was drilled under license # 667

And this report is true and accurate.

Drilling firm Dakota Drilling + Backhoe, Inc.

Signature of License Representative:

Dorman Ochoa

Signature of Well Owner or Equitable Property Holder:

Robert M. Donnelly

Date:

1-26-04



3857-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2005

Gary & Dawn Glover
32118 470th Ave
Burbank SD 57010

Dear Mr. & Mrs. Glover:

I am writing in follow-up to our phone conversation of January 26th. Enclosed are copies of the water rights we discussed.


Water Right Nos. 313-3A and 3857-3 need to be transferred to Dawn's name. Enclosed are partially completed Notice of Transfer of Ownership forms for filing ownership changes. Please review the forms and make any necessary corrections. Upon completion, please sign and return them to our office with a required filing fee of \$2.50 each (total of \$5.00). The check or money order for the fee can be made payable to the Water Rights Program.

Water Right Nos. 4676-3 and 4708-3 are currently listed in the name of James and Robert Donnelly. I will list you as manager for these to enable the annual irrigation questionnaire to be directed to your attention.

In regard to Water Right No. 1103-3 which authorizes irrigation from Burbank Lake, this water right will be scheduled for cancellation consideration since it is no longer being used. We will contact you with the time, date and place of the hearing once it is scheduled.

If I can answer any questions for you, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 3857-3

Date: _____

I/We request that Water Right No. 3857-3

formerly owned by: Robert E Donnelly

be transferred to: (name & address) Dawn Glover, 32118 470th Ave, Burbank SD 57010

Telephone No. (605) 356-3134

Title to the following described land(s)/property has been transferred as described above:

163.6 acres – W ½ NW ¼ and N ½ SW ¼ Section 6, T91N, R50W

I/We understand that the validity of Water Right No. 3857-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Dawn Glover, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED
FEB 18 2005
WATER RIGHTS
PROGRAM



3857-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 18, 2005

313-3A
3857-3

Dawn Glover
32118 470th Ave
Burbank SD 57010

Dear Mrs. Glover:

I am writing to acknowledge receipt of the "Notice of Transfer of Ownership" forms for changing ownership on Water Right Nos. 313-3A and 3857-3. The forms were completed properly, however before they can be processed, a filing fee of \$2.50 each (\$5.00 total) is needed. My first letter may not have been clear with respect to the fee.

Please remit a total of \$5.00 as soon as possible. The check or money order for the fee can be made payable to the Water Rights Program.

Thank you in advance for your help. If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date February 22, 2005

RECEIVED OF Dawn Glover, 32118 470th Ave, Eubank SD 57010

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2	50
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>3857-3</u>		
Fee for _____ for C.Y. _____	2	50
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____		
(Any Other Work Provided by Law)	TOTAL	2 50

No. 000000

By

Garland E. Eichelberger
Chief Engineer





3857-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 25, 2005

313-3A
3857-3

Dawn Glover
32118 470th Ave
Burbank SD 57010

Dear Mrs. Glover:

Thank you for sending in the filing fees for transferring Water Right Nos. 313-3A and 3857-3. The ownership changes have been completed. The water rights, formerly listed in the name of Robert E Donnelly are now listed in your name.

Enclosed are your Receipt Nos. 001769 and 001770 in the amounts of \$2.50 each. You may keep these for your records.

If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

6M345

NOT TO SCALE

92-50

56.4 (6-M345)
345

33.8 N (6-M309)

49.5

(1-20)

45.5

80.0

8.8

58.4

ok as shown

6

X Well

78.9 (6-M309)

(6-124) 52.0

63.6 (6-M345)
345

prepared by
L E De Smet Co apt
2/22/77

91-50

9.0

APPENDIX 3857-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 4, 2024

313-3A, 3857-3
8673-3, 4708-3, 4032-3

Gary Glover
1305 Jack Nicholas Dr
Elk Point SD 57025

Dear Mr. Reitz:

Enclosed is a "Notice" dated October 23, 2024, concerning the 2024 Irrigation Questionnaires.

The notice was originally mailed to 32118 470th Ave, Burbank SD 57010. The post office notified our office that your address has changed, and your records have been updated accordingly.

This is a time sensitive matter. Please complete and return the enclosed questionnaires or submit your reports online at <https://danr.sd.gov/iq/> using this password *VWXVXG*.

If this change of address is in-correct, please contact our office immediately to update your contact information.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures

533 N7E 1 424C2210/31/
RETURN TO SENDER
GLOVER
1305 JACK NICKLAUS DR
ELK POINT SD 57025-2402
RETURN TO SENDER