


Water Right Number 398-3

1. Considered 5-25, 1977
2. Name of Applicant RAILE BROS
3. Post Office Address EUREKA
4. Amount of water claimed 2.28
5. Source of water supply 67' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 640
7. Water to be diverted and used in CAMPBELL County
about 45, 16E Miles of MOUND CITY
3. Proof of Publication
Received 5-6-77
Not received _____
9. Application
Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 3800-3Map No. 2462-3 Water Division No. 3 MISSOURI RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Raile Bros
Postoffice address Eureka, State SD
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Raile # 2
4. Amount of water claimed (cubic feet per second) 2.28 cfs (additional)
5. Source of water supply irrigation well
6. Location of point of diversion 300' N of the center of
NE 1/4 Sec 2-125-74
- County McPherson Campbell

7. Annual period or periods during which water is to be used April-October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, _____ Total number of acres to be irrigated no additional acres

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>SECTION 2, T25N, R14W</u>	<u>640</u>		
<u>Acres covered under</u>			
<u>Permit 3199-3</u>			

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Eureka: Northwest Blade
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well and Pump

B. Works proposed to transport water to place of use.

buried pipe

C. Works proposed to apply water to beneficial use.

center pivotEstimated Total Cost \$ 60,000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of McPhersonI, Raile Bros, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Raile BrosSubscribed and sworn to before me this 12 day of April, 19 77Ernest L. Jackson
Notary Public (or other qualified officer)

Ernest L. Jackson
Notary Public
My Commission Expires _____

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3898-3

RAILE BROS
(Applicant)

EURICA
(Post Office Address)

SOUTH DAKOTA 57437 With the following modifications:
(State)

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells.

*See also
4368-3
5199-3*

Date of first receipt of application APRIL 14, 19 77
Date of return to applicant for correction, amendments or changes required —, 19 —
Date of receipt of corrected application —, 19 —
Approved MAY 25, 19 77 Recorded in Book 18 Page 292

WATER RIGHT PERMIT NO. 3898-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3898-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is APRIL 14, 19 77
2. The equipment of at least one-fifth of the work above specified is to be completed on or before MAY 25, 19 78
3. The whole of said work is to be completed on or before MAY 25, 19 79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 25, 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 25, 19 81; said water to be used during the following described annual period: APRIL - OCTOBER

Witness my hand this 14TH day of JUNE, 19 77

WATER RIGHTS COMMISSION

By:

John H. Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

	JOB NAME	LOCATION	DATE	RIG NO.	FOREMAN
#	DEPTH	TIME	Unit #1	REMARKS	DESCRIPTION
1	0-20		0-4 Topsoil Yellow Clay 4-20 Coarse yellow sand & gravel		
2	20-35		20-22 Coarse yellow sand & gravel 22-32 Blue Clay 32-35 Gravel		.#1
3	35-50		35-41 Blue Clay 41-50 Coarse gravel		
4	50-65		50-57 B E gravel 57-65 Large rocks & gravel water loss coal		
5	65-80		65-67 Large rocks & gravel water loss coal 67-80 Blue Clay		
41-67 = 26 good gravel					
Cased Hole #1					
Cased to 65'					
4" Plastic					
30 ft. Slotted Bottom					
35 ft. Blank					
2000 lbs. pea rock					
Waterhead 22 ft.					
Pumped 85 GPM					
1 5" Retip drag bit					
1 used 7 7/8"					
5½ bags bentonite					

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____ Diameter _____ Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others _____ rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

We have an existing permit to irrigate all of section 2. Our prior permit No. 3199-3 is for 2.2 cfs. We would like an additional diversion point in the NE $\frac{1}{4}$ of that same section for another well. We feel the aquifer and water are much the same.

Our original idea was to tow a center pivot. However, the holding capacity of our soil is so low that towing would do very little good. This is why we are applying for an additional well.

We have been advised that you may use the water and soil maps and information from our existing permit for this additional diversion point.

Boyd B. Brown
Boyd B. Brown
(Signature of Applicant)

SEE PERMIT N^o 3199-3

FOR WATER QUALITY DATA

SEE PERMIT N^o 3199-3

FOR WATER QUALITY DATA

Publish first publication, on or before May 12, 19 77

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

April 26, 19 77

Notice is hereby given that Raile Brothers
whose post office address is Eureka, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.28 cubic feet of water per second of time from the ground water through the
Raile # 2, the point of diversion of which is to be located in the

N 1/2 Sec 2
of Section 2, Twp. 125N, Range 74W. Said water to be used for the purpose
of providing irrigation on portions of the following described land:

Section 2, T125N, R74W

This application No. 3898-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 25th day of May, 19 77, at 10:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

JAMES WINTERTON
Water Rights Specialist

BFJ/bw

cc: Raile Brothers, Eureka, SD 57437

No. 3898-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County McPherson) ss.

I, Arlo C. Nehlhaff hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Northwest Blade

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

Eureka of S. Dak.
McPherson
County of _____ and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

May 5, 1977

May 12, 1977

Arlo C. Nehlhaff
(Signature)

Publisher
(Title)


May 5, 1977
(Date Signed)

NOTICE
INTENT TO
APPROPRIATE WATER

Notice is hereby given that
Raile Brothers whose post office
address is Eureka, South Dakota,
have made an application in
accordance with the provisions of
the water laws of South Dakota
for a permit to appropriate for
beneficial use 2.28 cubic feet of
water per second of time from
ground water through the Raile #
2, the point of diversion of which
is to be located in the N $\frac{1}{4}$ NE $\frac{1}{4}$
of Section 2, Twp. 125N, Range
74W. Said water to be used for
the purpose of providing irrigat-
ion on portions of the following
described land: Section 2,
T125N, R74W.

This application No. 3898-3
will be considered by the Water
Rights Commission at their office
at Pierre upon the 25th day of
May, 1977, at 10:00 A.M. All
interested persons may appear
and be heard.

Water Rights Commission
By: James Winterton
Water Rights Specialist





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

RAILE BROTHERS, Bruce Raile
BOX 608
EUREKA, SD 57437

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). ~~3898-3~~, 3199-3, 4368-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216. Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 3898-3, 3199-3, 4368-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.



Department of Water & Natural Resources

Joa Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 13, 1987

3199-3
3898-3
4368-3

Raile Brothers
RR #1 Box 151
Eureka, SD 57437

Dear Sirs:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 3199-3, 3898-3 and 4368-3 and the date hearings were to be held before the Water Management board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

#3199-3
#4363-3
#3898-3

February 17, 1989

Raile Brothers
RR 1, Box 151
Eureka, SD 57437

Dear Sirs:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division

3898-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

RAILE BROTHERS
RR 1 BOX 151
EUREKA SD 57437

NOTICE

RE: Violation of Requirement to Submit 1991 Irrigation Questionnaire

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 3199-3, 3898-3 & 4368-3. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:15 am, March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3199-3, 3898-3 & 4368-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office before the March 4th hearing date, your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 7, 1992

3199-3

3898-3

4368-3

Raile Brothers
RR #1 Box 151
Eureka, SD 57437

Dear Sirs:

I am writing to acknowledge receipt of your 1991 irrigation questionnaires for Water Permit Nos. 3199-3, 3898-3, and 4368-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaires were received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division



3898-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: RAILE BROTHERS
RR #1 BOX 151
EURORA SD 57437

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Requirement to Submit 1992 Irrigation Questionnaire

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 3199-3, 3898-3 & 4368-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3199-3, 3898-3 & 4368-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, your name will be deleted from the Board agenda.

3898-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 9, 1993

3199-3
3898-3
4368-3

Raile Brothers
RR #1 Box 151
Eureka, SD 57437

Dear Sirs:

I am writing to acknowledge receipt your 1992 irrigation questionnaires. I must assume that since you did not include the questionnaire for No. 4368-3, that the information was included on forms for Nos. 3199-3 and 3898-3.

You may disregard the January 29, 1993, Notice of Violation of the Requirement to Submit the 1992 Irrigation Questionnaires. The questionnaires were received prior to the Water Management Board meeting, and your name was deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352

3898-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 1, 1996

3199-3

3898-3

Mike Raile
RR 1, Box 151
Eureka SD 57437

Dear Mr. Raile:

Enclosed are two partially completed "Notice of Transfer" forms for use in filing an ownership change on Water Permit Nos. 3199-3 and 3898-3. The permits are currently listed in the name of Raile Brothers.

The transfer forms should be checked over for accuracy and signed by the you (the owner) in the presence of a notary public. Upon completion, return the form to our office with a filing fee of \$2.50 for each notice.

The final inspection of your system was completed on July 18, 1995, by Mark Rath, staff engineer. After the transfer forms have been received, we can issue the Water License. Statutes require we charge \$50 for the inspection and issuance of the final papers. The water license is the final document which completes the process of obtaining a water right. Upon receipt of \$55.00 (\$50 for water license and \$5.00 for the transfers) the water license will be sent to you.

If you have any questions, please contact Mark Rath or me at (605) 773-3352.

Sincerely,

Karen Schlaak

Karen Schlaak
Environmental Scientist
Water Rights Program

enclosures

REPORT ON INSPECTION OF PERMIT NO. 3898-3

DATE OF INSPECTION: 7/18/95

Other permit(s) associated with the project: 3199-3

**DIVERSION POINT LEGAL LOCATION: FROM THE NE CORNER OF SECTION 2 T125N-R74W:
WELL NO 1 - 1310 FEET SOUTH AND 3160 FEET WEST; WELL NO 2 - 1130 FEET SOUTH AND
1320 FEET WEST**

WELL INFORMATION: WELL NO 1

- 1) Well Drilling Firm: HURON DRILLING
- 2) No. of Wells 1
- 3) Depth(s) 65 feet
- 4) Well log is available YES

Casing:

- 1) Diameter 16 inches
- 2) Length 35 feet
- 3) Type PVC

Screen:

- 1) Type STAINLESS STEEL
- 2) Length 30 feet
- 3) Static water level 22 feet

Pump:

- 1) Make VERTILINE
- 2) Model 35672529
- 3) Size 10
- 4) Capacity 900 GPM

Motor:

- 1) Make GE
- 2) Model No. 5K6258YH1A
- 3) Horsepower rating 75 hp

WELL INFORMATION: WELL NO 1

- 1) We'l Drilling Firm: HURON DRILLING
- 2) No. of Wells 1
- 3) Depth(s) 122 feet
- 4) Well log is available Y

Casing:

- 1) Diameter 15 inches
- 2) Length 92 feet
- 3) Type PVC

Screen:

- 1) Type STAINLESS STEEL
- 2) Length 30 feet
- 3) Static water level ? feet

Pump:

- 1) Make WESTERN LAND ROLLER
- 2) Model G7914
- 3) Size 10
- 4) Capacity 900 GPM

Motor:

- 1) Make US ELECTRICAL
- 2) Model No. 326TP
- 3) Horsepower rating 50 hp

DISTRIBUTION LINES OR CANALS:

- 1) Type PVC 2) Size 8 inches 3) Length 1000 feet

SYSTEM TYPE:

Center pivot: NO 1

- 1) Make VALLEY

- 2) Overall length 1280 feet
- 3) Number of towers 9
- 4) End gun Y
- 5) High or low pressure HIGH
- 6) Capacity 900 GPM

Center pivot: NO 2

- 1) Make: VALLEY
- 2) Overall length 1280 feet
- 3) Number of towers 9
- 4) End gun Y
- 5) High or low pressure HIGH
- 6) Capacity 900 GPM

CHEMIGATION EQUIPMENT:

- 1) Does chemigate NO

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Special qualifications to permit being abided by Y
- 2) All structures, wells and lands on map Y
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

Permit No. 3898-3
MISSOURI River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, 7/18/1995, made a thorough examination of the water use system constructed by MIKE RAILE of R1 BOX 151, EUREKA SD holder of Permit No. 3199-3, bearing the priority of OCTOBER 6, 1976 authorizing the diversion of 2.22 cu. ft. per second and Permit No. 3898-3, bearing the priority of APRIL 14, 1977 authorizing the diversion of 2.28 cu. ft. per second of the waters of GROUNDWATER for IRRIGATION purposes, in CAMPBELL County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

TWO PUMPS WITH A COMBINED CAPACITY OF 1800 GPM

B. Works used to transport water to place of use:

1000 FEET OF 8 INCH PVC PIPE

C. Works used to apply water to beneficial use:


TWO CENTER PIVOTS

The system is in the following condition GOOD. The point of diversion is located FROM THE NE CORNER OF SECTION 2 T125N-R74W; WELL NO 1 - 1310 FEET SOUTH AND 3160 FEET WEST; WELL NO 2 - 1130 FEET SOUTH AND 1320 FEET WEST. The works are capable of diverting and conveying to the place of use 4.00 cu. ft. per second of water which is to be used for IRRIGATION. Water has been put to beneficial use to the maximum extent as follows:

ALL LAND LOCATED IN SECTION 2 T125N-R74W:
NW1/4 NW1/4 - 33 ac NE1/4 NW1/4 - 33 ac SE1/4 NW1/4 - 33 ac SW1/4 NW1/4 - 33 ac
NW1/4 NE1/4 - 33 ac NE1/4 NE1/4 - 33 ac SE1/4 NE1/4 - 33 ac SW1/4 NE1/4 - 33 ac
comprising a total of 264 acres of land and the license should be issued for 3.77 cfs.

Applicable permit qualifications have been complied with: YES

Exceptions to compliance are: NONE



Mark D. Rath
Natural Resources Engineer
DENR, Water Rights Program

10/5/95
Date



September 26, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

SECOND NOTICE

Permit Nos. 3199-3
3898-3

**NOTICE OF WATER LICENSE INSPECTION FEE
AND TRANSFER OF OWNERSHIP FEE REQUIREMENT**

Mike Raile
RR 1, Box 151
Eureka, SD 57437

Dear Mr. Raile:

On February 1, 1996, you were notified the final inspection fee of \$50.00 is due before Water License No. 3898-3 can be issued. Transfer of Ownership forms were also sent to you, enclosed are additional forms. These forms need to be signed, notarized and returned to our office. A transfer of ownership fee in the amount of \$2.50 per transfer is due on Water Permit Nos. 3199-3 and 3898-3 (\$5.00 total). As of this date, the fees have not been received. Upon licensing, the applicable portions of Water Permit No. 3199-3 will be incorporated into 3898-3.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$55.00 fee, your Water License will be sent to you. This is the final document for the perfection of your Water Right. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

According to South Dakota Water Law 46-5-30.1, you may not divert water until the License, Transfer of Ownership forms and applicable fees have been paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 3898-3

Date: 7-1-96



I/We request that Water Permit No. 3898-3

formerly owned by: Raile Brothers

be transferred to: (name & address) Michael W. Raile, R1 Box 151

Pierre, S.D. Telephone No. 605-284-2922

Title to the following described land(s)/property has been transferred as described above:

N 1/2 Section 2-T125N-R74W

I/We understand that the validity of Water Permit No. 3898-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)

County of Campbell)

I/We Michael W. Raile being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Michael W. Raile

(Signed)

Subscribed and sworn to before me this 7th day of October, 1996.

Robert [Signature]
(Notary Public)

Expires 10-8-97

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

415141

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ October 8, 19 96

RECEIVED OF Michael W. Raile, RR 1, Box 151, Eureka, SD 57437-9656

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		2 50
Fee for Filing Transfer Form <u>Water Permit No. 3896-3</u>		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	2 50

By John Hatch
Chief Engineer

RECEIPT

415142

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre. _____ October 8, 19 96

RECEIVED OF Michael W. Raile, RR 1, Box 151, Eureka, SD 57437-9656

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct
and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. 3898-3

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for _____

50 00

(Any Other Work Provided by Law)

Total

50 00

By

Chief Engineer

John Hatch



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

DEC 26 1996

3898-3

Michael W. Raile
RR 1, Box 151
Eureka, SD 57437-9656

Dear Mr. Raile:

Enclosed is Water License No. 3898-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 3898-3 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License. Also enclosed are Receipt Nos. 415140 and 415141 for the Transfer of Ownership on Water Permit Nos. 3199-3 and 3898-3.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 3898-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOTE: The applicable portions of Water Permit No. 3199-3 have been incorporated into this Water License No. 3898-3.

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 3898-3

(1) Raile Brothers, Eureka SD made Application No. 3898-3, April 14, 1977 for a water permit to divert 2.28 cubic feet of water per second from groundwater (one well), Campbell County, South Dakota for irrigation purposes. Permit No. 3898-3, with a priority date of April 14, 1977 was approved May 25, 1977 and issued to the applicants for diversion of water with construction of the described water supply system to be completed on or before May 25, 1979 and for the application to beneficial use of said water on or before May 25, 1981.

Water Permit No. 3898-3 authorized an additional well to irrigate the same acreage permit... under Water Permit 3199-3. The applicable portions of Water Permit No. 3199-3 have been incorporated into this Water License No. 3898-3.

Water Permit Nos. 3199-3 and 3898-3 were transferred October 8, 1996, to Michael W Raile.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 3.77 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 1,310 feet south and 3,160 feet west (NE 1/4 NW 1/4) and Well #2 - 1,130 feet south and 1,320 feet west (N 1/2 NE 1/4) both from the northeast corner of Section 2-T125N-R74W.


(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

all located in Section 2-T125N-R74W

NW 1/4 NW 1/4	33 acres	NW 1/4 NE 1/4	33 acres
NE 1/4 NW 1/4	33 acres	NE 1/4 NE 1/4	33 acres
SE 1/4 NW 1/4	33 acres	SE 1/4 NE 1/4	33 acres
SW 1/4 NW 1/4	33 acres	SW 1/4 NE 1/4	33 acres

Total 264 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Michael W Raile, RR 1, Box 151, Eureka SD 57437-9656 the holder and/or owner of Incorporated Water Permit No. 3898-3 is issued a license to appropriate water, the right to use 3.77 cubic feet of water per second from groundwater (two wells) with priority dates of October 6, 1976 (2.22 cfs) and April 14, 1977 (1.55 cfs) from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Permit No. 3898-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

DEC 26 1996

date



3898-3

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. ☐ Addressee's Address
- 2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Mike Raile
RR 1, Box 151
Eureka, SD 57437

3199-3
3898-3

TTL

4a. Article Number

P 378 081 292

4b. Service Type

- ☒ Registered ☐ Certified
- ☐ Express Mail ☐ Insured
- ☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

9-27-96

5. Received By: (Print Name)

Mike Raile

6. Signature: (Addressee or Agent)

[Signature]

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.



3898-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 22, 1999

NOTICE

TO: MICHAEL W RAILE, RR 1 BOX 151, EUREKA, SD 57437 9656

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaire(s)

Our records indicate that the 1998 Irrigation Questionnaire has not been submitted for Permit No(s) 3898-3. The request for the Questionnaire was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 9:45 am, March 3, 1999, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3898-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1999, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3898-3

SENDEN: ■ Complete items 1 and/or 2 for additional services. ■ Complete items 3, 4a, and 4b. ■ Print your name and address on the reverse of this form so that we can return this card to you. ■ Attach this form to the front of the mailpiece, or on the back if space does not permit. ■ Write "Return Receipt Requested" on the mailpiece below the article number. ■ The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. ☐ Addressee's Address 2. ☐ Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: MICHAEL W RAILE RR 1 BOX 151 EUREKA SD 57437 9656		4a. Article Number P 378 080 689	
		4b. Service Type ☐ Registered ☒ Certified ☐ Express Mail ☐ Insured ☐ Return Receipt for Merchandise ☐ COD	
		7. Date of Delivery 1-23-99	
5. Received By: (Print Name)		8. Addressee's Address (Only if requested and fee is paid)	
6. Signature: (Addressee or Agent) <i>Michael Raile</i>			
PS Form 3811, December 1994		102595-96-B-0/229 Domestic Return Receipt	

Is your RETURN ADDRESS completed on the reverse side?

Thank you for using Return Receipt Service.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 26, 1999

3898-3

Michael W Raile
11139 327th Ave
Eureka, SD 57437

Dear Mr. Raile:

I am writing to acknowledge receipt of your 1998 irrigation questionnaire. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Right No. 3898-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.


If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE

3898-3



Mark D Rath

Mark D Rath
Natural Resources Engineer
Division of Water Rights
Date 8/8/95

Transferred

to
McPherson

3898-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: MICHAEL W RAILE, 11139 327TH AVE, EUREKA, SD 57437

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaire(s)

Our records indicate your 2020 Irrigation Questionnaire has not been submitted for Permit No(s) 3898-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3898-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: KDCMJB**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

3898-3

RECEIPT**WATER RIGHTS PROGRAM**

South Dakota Department of Environment and Natural Resources

Date February 16, 2021RECEIVED OF Scott Raile 11115 327th Ave. Eureka SD 57437

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$
Fee to retain Future Use Permit No. _____ after period of seven years.	\$
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$
Fee for Filing Transfer Form <u>3898-3</u>	\$50.00
Fee for _____	\$
Fee for Issuing New Well Driller's License No. _____	\$
Fee for Renewal of Well Driller's License No. _____	\$
Fee for Issuing Well Pump Installer's License No. _____	\$
Fee for Renewal of Well Pump Installer's License No. _____	\$
(Any Other Work Provided by Law)	
TOTAL	\$50.00

By *Eric Gronlund*
Chief Engineer*vm*

PAID

FEB 16 2021

Ck# 2847

NOTICE OF TRANSFER OF OWNERSHIP
RECEIVED

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

FEB 16 2021

WATER RIGHTS
PROGRAM

Water Right/Permit No. 3898-3

Date: 2-10-21

I/We request that Water Right/Permit No. 3898-3 formerly owned by:

Michael Raile

be transferred to:

New Owner Name:

Scott Raile

Address:

32666 112th St

City, State, Zip

Eureka, SD 57437

Telephone No. (605)-284-5238

Title to the following described land(s)/property has been transferred as described above:

Father has passed away, The Lawyer is transferring
Land titles to me, per my mothers instruction.
Will be farming + owning this Land in 2021 + beyond
Sec 02-T125N-R74W NW 1/4 + SW 1/4 264 acres.*

☐ I understand that the validity of Water Right/Permit No. 3898-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Scott Raile, the new owner, certify that the above information is true and correct.

Scott Raile
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

2009/07

per phone call with Scott - legal description should have been
NW 1/4 and NE 1/4 Sec 2.

S.m.



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 16, 2021

3898-3

Scott Raile
32666 112th St
Eureka SD 57437

Dear Mr. Raile:

I am writing to acknowledge the irrigation questionnaire, transfer form and filing fee you submitted for Water Right No. 3898-3.

The ownership change has been completed. The water right formerly listed under Michael Raile is now listed in your name.

Enclosed for your records is a receipt for the filing fee that was paid. If I can answer any questions, please let me know.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: SCOTT RAILE, 32666 112TH ST, EUREKA, SD 57437

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire has not been submitted for Permit No(s) 3898-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 3898-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: PSZFYP**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 8, 2022

3898-3

Scott Raile
32666 112th St
Eureka SD 57437

Dear Mr. Raile:

I am writing to acknowledge receipt of your 2021 irrigation questionnaire.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Right No. 3898-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us