

Water Right Number 3974-3

1. Considered 7.27, 1977
2. Name of Applicant GEORGE, IRENE E. REX ZASTROW
3. Post Office Address GANN VALLEY
4. Amount of Water claimed 2.5
5. Source of Water supply 95' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 200
7. Water to be diverted and used in BUFFALO County
about 3 N, 1 E miles of GANN VALLEY
8. Proof of Publication
Received YES 11-14-77
Not Received _____
9. Application
Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

No. 3974-3Map No. 3225-3 Water Division No. 3 Missouri River District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant George, Irene, & Rex Zastrow
 Postoffice address Gann Valley, State South Dakota 57341
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
3. Name of diversion work George, Irene, & Rex Zastrow - Unit # 2
4. Amount of water claimed (cubic feet per second) 2.5
5. Source of water supply Ground Water
6. Location of point of diversion NW⁴ NW⁴ SECTION 14 T107N. R68W

County Buffalo

7. Annual period or periods during which water is to be used March - November
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 200

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
E $\frac{1}{2}$ of 15-107-68	200		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Wessington Springs Dakotan
Wessington Springs, SD
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center PivotEstimated Total Cost \$ -----Attachment: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Buffalo)I, Rex Zastrow, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Rex ZastrowSubscribed and sworn to before me this 12 day of OctoberNotary Public (or other qualified officer)MY COMMISSION
EXPIRES NOV. 4, 1968

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 3974-3
GEORGE, IRENE & REX ZASTROW GAY VALLEY
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57341 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MAY 20 19 77
 Date of return to applicant for correction, amendments or changes required AUGUST 8 19 77
 Date of receipt of corrected application NOVEMBER 14 19 77
 Approved NOVEMBER 30 19 77 Recorded in Book 119 Page 186

WATER RIGHT PERMIT NO. 3974-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 3974-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 14 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 30 19 80
3. The whole of said work is to be completed on or before NOVEMBER 30 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 30 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.5 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 30 19 84; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 7TH day of DECEMBER 19 77

WATER RIGHTS COMMISSION

By:

John Field
 Chief Engineer - Executive Officer

Certificate of Construction Issued _____ 19 ____
 Water License Issued _____ 19 ____

HURON DRILLING INC. DRILLERS LOG

PAGE NO.

George Zastrow

VW-14-107-58

5-3-71

15

Dana Heinzerling

JOB NAME

LOCATION

DATE _____

RIG NO.

FOREMAN

Jt No.	DEPTH	TIME	REMARKS	DESCRIPTION
1	0-20	0-4	Topsoil	NW-14-107-68
2	20-35	4-11	Yellow gravel	Buffalo Co.
3	35-50	11-20	Blue clay	#2
4	50-65	20-50	Blue clay & very fine sand	
5	65-80	50-54	Blue clay	
6	80-95	54-65	Medium-coarse sand, traces of clay	
7	95-110	65-80	Fine-medium sand with gravel, traces of blue cly	
		80-95	Fine-medium sand with gravel, traces of coal	
		95-104	Blue clay and fine sand	
		104-110	Shale	

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. *Log will be provided by driller

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 330 rds. On property owned by others 160 rds.

G. Water Storage Dams.


If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

x Rex Zastrow
Signature of Applicant

copy buffalo

MY COMMISSION EXPIRES NOV. 4, 1964
(SEE INFORMATION ON REVERSE SIDE)

APPROVED/DISAPPROVED



George Zastron
Gardn. Valley, S.D.

Prepared by
Soil Conservation Service
L. V. Kehrwald - Dist. En.
Chamberlain, S.D.

Soils mapped

20- This is a dark, shallow, medium textured soil.
Soil tends to be droughty due to underlying gravel.
Not normally suitable for cultivation because
of excessive internal drainage.
Depth to gravel varies from 12" to 20"
Surface soils gravelly loam.

12- These are very shallow developed soils over
coarse sands and gravels.

39 and 13
are also
the same
soil on
steeper slopes

Surface layer of 0-5 inches of gravelly loam
of weak crumb structure

Sub-surface layer of 2-7 inches brown, very friable
gravelly loam

Underlying layer of very pale brown coarse
sands and gravel.

A thin zone of lime accumulation may be present
in the lower subsoil layer

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: George, Irene & Rex Zastrow Date Rec'd May 12, 1977
 Address Garn Valley, SD 57341 Sample No. 77-763
cc: Huron Drilling, Inc. Identification #2 Well-110'
P.O. Box 1422 SE 1/4, Sec. 14, T 107N, R 68W
Huron, SD 57350

WATER ANALYSIS

Calcium (Ca)	96	ppm*	4.80	me/l**
Magnesium (Mg)	10	ppm	0.79	me/l
Sodium (Na)	53	ppm	2.31	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	129	ppm	2.68	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.29	me/l
Bicarbonate (HCO ₃)	327	ppm	5.36	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	268	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	778	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.38			
Sodium	28.30	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.59			

Others:

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 8.16 me/l
 Total anions 8.33 me/l

By: Shirley Hittman

Service Performed

Amount Due

Irrigation analysis

\$15.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-763

Amount Enclosed \$

Signed

Part 1 - Notice of Intent to Appropriately Water:

No. 3074-3

Further Street publication, on or before **July 14, 1977**

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATERS

Fierre, South Dakota 57501

June 13, 1977

Notice is hereby given that George, Irene and Rex Zastrow whose

post office address is Gann Valley, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, ~~46-5-42, 46-5-43, 46-5-44, 46-5-45, 46-5-46, 46-5-47, 46-5-48, 46-5-49, 46-5-50, 46-5-51, 46-5-52, 46-5-53, 46-5-54, 46-5-55, 46-5-56, 46-5-57, 46-5-58, 46-5-59, 46-5-60, 46-5-61, 46-5-62, 46-5-63, 46-5-64, 46-5-65, 46-5-66, 46-5-67, 46-5-68, 46-5-69, 46-5-70, 46-5-71, 46-5-72, 46-5-73, 46-5-74, 46-5-75, 46-5-76, 46-5-77, 46-5-78, 46-5-79, 46-5-80, 46-5-81, 46-5-82, 46-5-83, 46-5-84, 46-5-85, 46-5-86, 46-5-87, 46-5-88, 46-5-89, 46-5-90, 46-5-91, 46-5-92, 46-5-93, 46-5-94, 46-5-95, 46-5-96, 46-5-97, 46-5-98, 46-5-99, 46-6-1, 46-6-2, 46-6-3, 46-6-4, 46-6-5, 46-6-6, 46-6-7, 46-6-8, 46-6-9, 46-6-10, 46-6-11, 46-6-12, 46-6-13, 46-6-14, 46-6-15, 46-6-16, 46-6-17, 46-6-18, 46-6-19, 46-6-20, 46-6-21, 46-6-22, 46-6-23, 46-6-24, 46-6-25, 46-6-26, 46-6-27, 46-6-28, 46-6-29, 46-6-30, 46-6-31, 46-6-32, 46-6-33, 46-6-34, 46-6-35, 46-6-36, 46-6-37, 46-6-38, 46-6-39, 46-6-40, 46-6-41, 46-6-42, 46-6-43, 46-6-44, 46-6-45, 46-6-46, 46-6-47, 46-6-48, 46-6-49, 46-6-50, 46-6-51, 46-6-52, 46-6-53, 46-6-54, 46-6-55, 46-6-56, 46-6-57, 46-6-58, 46-6-59, 46-6-60, 46-6-61, 46-6-62, 46-6-63, 46-6-64, 46-6-65, 46-6-66, 46-6-67, 46-6-68, 46-6-69, 46-6-70, 46-6-71, 46-6-72, 46-6-73, 46-6-74, 46-6-75, 46-6-76, 46-6-77, 46-6-78, 46-6-79, 46-6-80, 46-6-81, 46-6-82, 46-6-83, 46-6-84, 46-6-85, 46-6-86, 46-6-87, 46-6-88, 46-6-89, 46-6-90, 46-6-91, 46-6-92, 46-6-93, 46-6-94, 46-6-95, 46-6-96, 46-6-97, 46-6-98, 46-6-99, 46-7-1, 46-7-2, 46-7-3, 46-7-4, 46-7-5, 46-7-6, 46-7-7, 46-7-8, 46-7-9, 46-7-10, 46-7-11, 46-7-12, 46-7-13, 46-7-14, 46-7-15, 46-7-16, 46-7-17, 46-7-18, 46-7-19, 46-7-20, 46-7-21, 46-7-22, 46-7-23, 46-7-24, 46-7-25, 46-7-26, 46-7-27, 46-7-28, 46-7-29, 46-7-30, 46-7-31, 46-7-32, 46-7-33, 46-7-34, 46-7-35, 46-7-36, 46-7-37, 46-7-38, 46-7-39, 46-7-40, 46-7-41, 46-7-42, 46-7-43, 46-7-44, 46-7-45, 46-7-46, 46-7-47, 46-7-48, 46-7-49, 46-7-50, 46-7-51, 46-7-52, 46-7-53, 46-7-54, 46-7-55, 46-7-56, 46-7-57, 46-7-58, 46-7-59, 46-7-60, 46-7-61, 46-7-62, 46-7-63, 46-7-64, 46-7-65, 46-7-66, 46-7-67, 46-7-68, 46-7-69, 46-7-70, 46-7-71, 46-7-72, 46-7-73, 46-7-74, 46-7-75, 46-7-76, 46-7-77, 46-7-78, 46-7-79, 46-7-80, 46-7-81, 46-7-82, 46-7-83, 46-7-84, 46-7-85, 46-7-86, 46-7-87, 46-7-88, 46-7-89, 46-7-90, 46-7-91, 46-7-92, 46-7-93, 46-7-94, 46-7-95, 46-7-96, 46-7-97, 46-7-98, 46-7-99, 46-8-1, 46-8-2, 46-8-3, 46-8-4, 46-8-5, 46-8-6, 46-8-7, 46-8-8, 46-8-9, 46-8-10, 46-8-11, 46-8-12, 46-8-13, 46-8-14, 46-8-15, 46-8-16, 46-8-17, 46-8-18, 46-8-19, 46-8-20, 46-8-21, 46-8-22, 46-8-23, 46-8-24, 46-8-25, 46-8-26, 46-8-27, 46-8-28, 46-8-29, 46-8-30, 46-8-31, 46-8-32, 46-8-33, 46-8-34, 46-8-35, 46-8-36, 46-8-37, 46-8-38, 46-8-39, 46-8-40, 46-8-41, 46-8-42, 46-8-43, 46-8-44, 46-8-45, 46-8-46, 46-8-47, 46-8-48, 46-8-49, 46-8-50, 46-8-51, 46-8-52, 46-8-53, 46-8-54, 46-8-55, 46-8-56, 46-8-57, 46-8-58, 46-8-59, 46-8-60, 46-8-61, 46-8-62, 46-8-63, 46-8-64, 46-8-65, 46-8-66, 46-8-67, 46-8-68, 46-8-69, 46-8-70, 46-8-71, 46-8-72, 46-8-73, 46-8-74, 46-8-75, 46-8-76, 46-8-77, 46-8-78, 46-8-79, 46-8-80, 46-8-81, 46-8-82, 46-8-83, 46-8-84, 46-8-85, 46-8-86, 46-8-87, 46-8-88, 46-8-89, 46-8-90, 46-8-91, 46-8-92, 46-8-93, 46-8-94, 46-8-95, 46-8-96, 46-8-97, 46-8-98, 46-8-99, 46-9-1, 46-9-2, 46-9-3, 46-9-4, 46-9-5, 46-9-6, 46-9-7, 46-9-8, 46-9-9, 46-9-10, 46-9-11, 46-9-12, 46-9-13, 46-9-14, 46-9-15, 46-9-16, 46-9-17, 46-9-18, 46-9-19, 46-9-20, 46-9-21, 46-9-22, 46-9-23, 46-9-24, 46-9-25, 46-9-26, 46-9-27, 46-9-28, 46-9-29, 46-9-30, 46-9-31, 46-9-32, 46-9-33, 46-9-34, 46-9-35, 46-9-36, 46-9-37, 46-9-38, 46-9-39, 46-9-40, 46-9-41, 46-9-42, 46-9-43, 46-9-44, 46-9-45, 46-9-46, 46-9-47, 46-9-48, 46-9-49, 46-9-50, 46-9-51, 46-9-52, 46-9-53, 46-9-54, 46-9-55, 46-9-56, 46-9-57, 46-9-58, 46-9-59, 46-9-60, 46-9-61, 46-9-62, 46-9-63, 46-9-64, 46-9-65, 46-9-66, 46-9-67, 46-9-68, 46-9-69, 46-9-70, 46-9-71, 46-9-72, 46-9-73, 46-9-74, 46-9-75, 46-9-76, 46-9-77, 46-9-78, 46-9-79, 46-9-80, 46-9-81, 46-9-82, 46-9-83, 46-9-84, 46-9-85, 46-9-86, 46-9-87, 46-9-88, 46-9-89, 46-9-90, 46-9-91, 4~~

of water per second of time from the the ground water through
the Zastrow Unit #2, the point of diversion of which is

to be located in the NW¹/₄ NW¹/₄

of Section 14, Twp. 107N, Range 68W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$: SE $\frac{1}{4}$, Section 15, T107N, R58W

This Application No. 3974-3 will be considered by the Water Rights Commission at ~~the office at Pierre~~ the Stauroilite Inn, Brookings, S.D. upon the 27th day of July, 1977, at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

WATER RIGHTS COMMISSION

JAMES WINTERTON
Water Rights Specialist

cc:

George Zastrow, Gann Valley, S.D. 57341

The Wessington Springs True Dakotan

Affidavit of Publication

STATE OF SOUTH DAKOTA, COUNTY OF JERAULD, SS.

J. Craig Wenzel being first duly sworn, deposes and says that he is a resident of the County of Jerauld and State of South Dakota; and The Wessington Springs True Dakotan is a weekly newspaper of general circulation, printed and published in Wessington Springs, in said county by J. Craig and Dennis P. Wenzel; and is now and has been such newspaper continuously, during all the times hereafter mentioned; that the affiant is, and was during all the times hereafter mentioned, the business manager of said newspaper, in charge of the advertising department thereof; and has personal knowledge of all the facts stated in this affidavit;

and that the notice and advertisement headed "Notice of Hearing On Application to Appropriate Water" a printed copy of which is hereunto attached and made a part hereof, was printed and published in said newspaper in successive issues. That the first publication of said notice in said newspaper aforesaid was on Wednesday, the 21st day of June, 1977; and that the succeeding publications were:

on Wednesday, the 28th day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.
on Wednesday, the day of June, 1977.

that the fee charged for the printing and publishing of said notice and advertisement in said newspaper as aforesaid, was 14 dollars and 13 cents, and for this affidavit; twenty-five (25) cents, and that said fee for printing and publishing said notice and advertisement in said newspaper has been fully paid; that the full amount of fees charged for the publishing of the said attached and annexed notice and advertisement inures to the benefit of the publisher of the said True Dakotan; and no agreement or understanding for the division thereof has been made with any person whomsoever; that the said newspaper is a legal newspaper as provided by law.

Subscribed and sworn to before me, this 9th day of Nov, 1977.

Notary Public in and for Jerauld County, South Dakota

NOTICE OF HEARING ON APPLICATION TO APPROPRIATE WATER

Pierre, S.D. 57501- June 13, 1977

Notice is hereby given that George, Irene and Rex Zastrow whose post office address is Gann Valley, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 through 46-1-8; 46-2-2 through 46-2-11, 46-2-13; 46-5-1 through 46-5-8, 46-5-8, 46-5-10 through 46-5-22, 46-5-41, Ground Water 46-6-3, 46-6-5, 46-6-6.1, 46-6-10; 46-6-14 and Commission Rules ARSD 53:01:01:01 through 52:01:01:13, for a permit to appropriate for beneficial use 2.4 cubic feet of water per second of time from ground water through the Zastrow Unit #2, the point of diversion of which is to be located in the NW 1/4 NW 1/4 of Section 14, Twp. 107N, Range 68W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NE 1/4, SE 1/4 NW 1/4, N 1/4 NW 1/4, SE 1/4, Section 15, T107N, R68W.

This Application No. 3974-3 will be considered by the Water Rights Commission at the Staurilite Inn, Brookings, S.D. upon the 27th day of July, 1977, at 10 a.m. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

WATER RIGHTS COMMISSION JAMES WINTERTON Water Rights Specialist

c-32-33

AFFIDAVIT EX-REL. PUBLICATIONS FEES

STATE OF SOUTH DAKOTA, COUNTY OF JERAULD, SS.

bel first duly sworn on his oath, says that he is one of the authorized attorneys of the

in the action mentioned and described in the annexed notice; that the affiant directed the publication of the annexed notice; that no agreement or understanding for any division of the fees therefor has been made with any person whomsoever; and that no part thereof has been refunded or rebated by the party publishing said notice.

Subscribed and sworn to before me this day of 19

Notary Public, Jerauld County, South Dakota



HUXON DRILLING INC. DRILLERS LOG

George Zastrow
JOB NAME

14-107-68-Buffalo
County

LOCATION

11/5/75

DATE

PAGE NO.

18

RIG NO

Bernard
Schieder

FOREMAN

DEPTH	TIME	Remarks
0-10		Top soil, gravel
10-20		Blue clay
20-30		Blue clay, sand trace
30-40		Blue clay
40-50		Blue clay
50-60		Gravel and clay trace
60-70		Good sand
70-80		Good sand
80-90		Good sand
90-96	TD	Good
		Clay mixed



3974-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JO: FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

OCT 15 1993

5708-3

Rex Zastrow
HCR 5, Box 68
Miller, SD 57362

Dear Mr. Zastrow:

Enclosed is Water License No. 5708-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413696 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5708-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

rd
enclosures

NOTE: The applicable portions of Water Permit No. 3974-3 have been incorporated into this Water License No. 5708-3.

HURON DRILLING INC.
WELL LOCATION MAP

NAME George, Irene, & Rex Zastrow

DATE May 12 19 77

WELL NO. # 2

NW

QUARTER, SECTION 14

TWP. 107 RANGE 68


IN Buffalo

COUNTY

NW-14-107-68

E 1/2 - 15-107-68

*↓
#2*



X — PROPOSED LOCATION

Prepared By

Dick Fadgen

Dick Fadgen

Beadle County Extension Agent

Map No 3225-3 App No 3974-3