


Water Right Number 4017-3

1. Considered 7-27, 19 77
2. Name of Applicant MARTIN RONNING
3. Post Office Address COLUMBIA
4. Amount of water claimed 7.4
5. Source of water supply 92' & 95' WELLS
6. Water to be used for IRRIGATION
Acres to be irrigated 520
7. Water to be diverted and used in BROWN County
about 6E, 85 Miles of FREDERICK
8. Proof of Publication
Received ~~2-1-77~~ 7-27-77
Not received _____
Approved _____
Subject to _____
Not approved _____
Action deferred _____
9. Application
10. Remarks:

Map No. 3261-3 Water Division No. 3 JAMES RIVER District
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Martin Ronning
 Postoffice address Columbia, State South Dakota 57433
 If a corporation show date and place of incorporation -----
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
 3. Name of diversion work Martin Ronning - Unit # 1
 4. Amount of water claimed (cubic feet per second) 7.4 cfs
 5. Source of water supply Ground Water
 6. Location of point of diversion 2 Wells Center of SW $\frac{1}{4}$ -10-126-63, NE $\frac{1}{4}$ of NW $\frac{1}{4}$ -10-126-63

County Brown

7. Annual period or periods during which water is to be used March - November
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
 9. For irrigation use, 520 Total number of acres to be irrigated 520

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SW $\frac{1}{4}$ -10-126-63	60	NE $\frac{1}{4}$ SE $\frac{1}{4}$ 10-126-63	40
NW $\frac{1}{4}$ -10-126-63	160		
E $\frac{1}{2}$ NE $\frac{1}{4}$ 10-126-63	80		
W $\frac{1}{2}$ SE $\frac{1}{4}$ 10-126-63	80		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Brown County News, Frederick, SD
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ -----

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of BrownI, Martin Ronning

the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Martin RonningSubscribed and sworn to before me this 19 day of June, 1977

Notary Public (or other qualified officer)

COMMISSION EXPIRES
MARCH 1, 1984.

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 4017-3

MARTIN RONNING
(Applicant)

COLUMBIA
(Post Office Address)

SOUTH DAKOTA 57433
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MAY 10, 19 77

Date of return to applicant for correction, amendments or changes required —, 19 —

Date of receipt of corrected application JUNE 21, 19 77

Approved JULY 27, 19 77, Recorded in Book 19 Page 36

WATER RIGHT PERMIT NO. 4017-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 4017-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions.

1. The date from which applicant may claim right is MAY 10, 19 77
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 27, 19 80
3. The whole of said work is to be completed on or before JULY 27, 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JULY 27, 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 7.4 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before JULY 27, 19 84; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 10TH day of AUGUST, 19 77

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued —, 19 —

Water License Issued —, 19 —

HURON DRILLING INC. DRILLERS LOG

PAGE NO.

[illegible]

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type _____, Diameter _____, Length _____
- (4) Gravel Pack. Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. *Log will be furnished by driller

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 240 rds. On property owned by others 480 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

X Maureen Manning
Signature of Applicant

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Martin Honning
Address: Columbia, SD 57433
cc: Huron Drilling, Inc.
P.O. Box 1422
Huron, SD 57350

Date Rec'd: May 5, 1977
Sample No.: 77-724
Identification: Well-
SW1, Sec. 10, T. 126N, R. 63W

WATER ANALYSIS

Calcium (Ca)	144	ppm*	7.20	me/l**
Magnesium (Mg)	38	ppm	3.15	me/l
Sodium (Na)	94	ppm	4.09	me/l
Potassium (K)	8	ppm	0.21	me/l
Sulfate (SO ₄)	227	ppm	4.72	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	59	ppm	1.65	me/l
Bicarbonate (HCO ₃)	444	ppm	7.28	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	364	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1343	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.80			
Sodium	27.91	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.41			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 14.65 me/l
Total anions 13.65 me/l

By: Shirley Kitten

Service Performed

Amount Due

Irrigation analysis

\$15.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-724

Amount Enclosed \$

Signed

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Martin Ronning
ADDRESS Columbia, South Dakota 57433
COUNTY Brown

LEGAL DESCRIPTION


1. WELL LOCATION Center of the SW $\frac{1}{4}$ of 10-126-63, NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of 10-126-63
2. LOCATION OF AREA TO BE IRRIGATED SW $\frac{1}{4}$ -10-126-63, NW $\frac{1}{4}$ -10-126-63

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn, Alfalfa, Small Grain

WATER QUALITY

5. SAMPLE NUMBER 77-724
6. SALINITY (EC X 10⁶) 1343 (high)
7. SODIUM (SAR) 1.80 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0



I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Brown Co. Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

X Martin Ronning
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
4th DAY OF July 19 77.

(TITLE OR SEAL)
COMMISSION EXPIRES
MARCH 4, 1984.

Albert L. Hoff
APPROVED/RECEIVED

(SOILS INFORMATION ON REVERSE SIDE)



May 11, 1977

Mr. Martin Ronning
Columbia, SD 57433

Dear Mr. Ronning:

Your water sample (Lab. No. 77-724) has been analyzed and the results are reported on the accompanying sheet, which is your copy to keep.

I am also enclosing a copy of AES pamphlet #13 for your use. The quality of your water for irrigation use is plotted approximately by means of the red cross in the chart on the outside back cover.

This water is marginal for use on the soils you intend to irrigate and should be considered for use only under the following conditions:

(1) It will be used no more than 3 times (preferably less) in any growing season.

(2) The soil will be completely filled with water so natural leaching can occur, by irrigating in the late fall just before freeze-up, at least one year out of 3.

(3) Water applications will be made each irrigation to completely re-wet the entire depleted soil within the rooting zone of the crop being grown. This may require 3-5 inches of water each irrigation with fine soils.

(4) If a salt problem or soil dispersion occurs, contact extension personnel or this office for management recommendations.

Sincerely yours,

L. O. Fino

L. O. Fino
Water Quality Lab

LOF:ckh

Enclosures

cc: State Conservation Commission
D. Pahl, Extension Service

Publish first publication, on or before July 14, 1977NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

June 24, 1977Notice is hereby given that Martin Ronning whose

post office address is Columbia, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, ~~46-5-42, 46-5-43, 46-5-44, 46-5-45, 46-5-46, 46-5-47, 46-5-48, 46-5-49, 46-5-50, 46-5-51, 46-5-52, 46-5-53, 46-5-54, 46-5-55, 46-5-56, 46-5-57, 46-5-58, 46-5-59, 46-5-60, 46-5-61, 46-5-62, 46-5-63, 46-5-64, 46-5-65, 46-5-66, 46-5-67, 46-5-68, 46-5-69, 46-5-70, 46-5-71, 46-5-72, 46-5-73, 46-5-74, 46-5-75, 46-5-76, 46-5-77, 46-5-78, 46-5-79, 46-5-80, 46-5-81, 46-5-82, 46-5-83, 46-5-84, 46-5-85, 46-5-86, 46-5-87, 46-5-88, 46-5-89, 46-5-90, 46-5-91, 46-5-92, 46-5-93, 46-5-94, 46-5-95, 46-5-96, 46-5-97, 46-5-98, 46-5-99, 46-6-1, 46-6-2, 46-6-3, 46-6-4, 46-6-5, 46-6-6, 46-6-7, 46-6-8, 46-6-9, 46-6-10, 46-6-11, 46-6-12, 46-6-13, 46-6-14~~ and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, ~~46-6-15, 46-6-16, 46-6-17, 46-6-18, 46-6-19, 46-6-20, 46-6-21, 46-6-22, 46-6-23, 46-6-24, 46-6-25, 46-6-26, 46-6-27, 46-6-28, 46-6-29, 46-6-30, 46-6-31, 46-6-32, 46-6-33, 46-6-34, 46-6-35, 46-6-36, 46-6-37, 46-6-38, 46-6-39, 46-6-40, 46-6-41, 46-6-42, 46-6-43, 46-6-44, 46-6-45, 46-6-46, 46-6-47, 46-6-48, 46-6-49, 46-6-50, 46-6-51, 46-6-52, 46-6-53, 46-6-54, 46-6-55, 46-6-56, 46-6-57, 46-6-58, 46-6-59, 46-6-60, 46-6-61, 46-6-62, 46-6-63, 46-6-64, 46-6-65, 46-6-66, 46-6-67, 46-6-68, 46-6-69, 46-6-70, 46-6-71, 46-6-72, 46-6-73, 46-6-74, 46-6-75, 46-6-76, 46-6-77, 46-6-78, 46-6-79, 46-6-80, 46-6-81, 46-6-82, 46-6-83, 46-6-84, 46-6-85, 46-6-86, 46-6-87, 46-6-88, 46-6-89, 46-6-90, 46-6-91, 46-6-92, 46-6-93, 46-6-94, 46-6-95, 46-6-96, 46-6-97, 46-6-98, 46-6-99, 46-7-1, 46-7-2, 46-7-3, 46-7-4, 46-7-5, 46-7-6, 46-7-7, 46-7-8, 46-7-9, 46-7-10, 46-7-11, 46-7-12, 46-7-13, 46-7-14, 46-7-15, 46-7-16, 46-7-17, 46-7-18, 46-7-19, 46-7-20, 46-7-21, 46-7-22, 46-7-23, 46-7-24, 46-7-25, 46-7-26, 46-7-27, 46-7-28, 46-7-29, 46-7-30, 46-7-31, 46-7-32, 46-7-33, 46-7-34, 46-7-35, 46-7-36, 46-7-37, 46-7-38, 46-7-39, 46-7-40, 46-7-41, 46-7-42, 46-7-43, 46-7-44, 46-7-45, 46-7-46, 46-7-47, 46-7-48, 46-7-49, 46-7-50, 46-7-51, 46-7-52, 46-7-53, 46-7-54, 46-7-55, 46-7-56, 46-7-57, 46-7-58, 46-7-59, 46-7-60, 46-7-61, 46-7-62, 46-7-63, 46-7-64, 46-7-65, 46-7-66, 46-7-67, 46-7-68, 46-7-69, 46-7-70, 46-7-71, 46-7-72, 46-7-73, 46-7-74, 46-7-75, 46-7-76, 46-7-77, 46-7-78, 46-7-79, 46-7-80, 46-7-81, 46-7-82, 46-7-83, 46-7-84, 46-7-85, 46-7-86, 46-7-87, 46-7-88, 46-7-89, 46-7-90, 46-7-91, 46-7-92, 46-7-93, 46-7-94, 46-7-95, 46-7-96, 46-7-97, 46-7-98, 46-7-99, 46-8-1, 46-8-2, 46-8-3, 46-8-4, 46-8-5, 46-8-6, 46-8-7, 46-8-8, 46-8-9, 46-8-10, 46-8-11, 46-8-12, 46-8-13, 46-8-14, 46-8-15, 46-8-16, 46-8-17, 46-8-18, 46-8-19, 46-8-20, 46-8-21, 46-8-22, 46-8-23, 46-8-24, 46-8-25, 46-8-26, 46-8-27, 46-8-28, 46-8-29, 46-8-30, 46-8-31, 46-8-32, 46-8-33, 46-8-34, 46-8-35, 46-8-36, 46-8-37, 46-8-38, 46-8-39, 46-8-40, 46-8-41, 46-8-42, 46-8-43, 46-8-44, 46-8-45, 46-8-46, 46-8-47, 46-8-48, 46-8-49, 46-8-50, 46-8-51, 46-8-52, 46-8-53, 46-8-54, 46-8-55, 46-8-56, 46-8-57, 46-8-58, 46-8-59, 46-8-60, 46-8-61, 46-8-62, 46-8-63, 46-8-64, 46-8-65, 46-8-66, 46-8-67, 46-8-68, 46-8-69, 46-8-70, 46-8-71, 46-8-72, 46-8-73, 46-8-74, 46-8-75, 46-8-76, 46-8-77, 46-8-78, 46-8-79, 46-8-80, 46-8-81, 46-8-82, 46-8-83, 46-8-84, 46-8-85, 46-8-86, 46-8-87, 46-8-88, 46-8-89, 46-8-90, 46-8-91, 46-8-92, 46-8-93, 46-8-94, 46-8-95, 46-8-96, 46-8-97, 46-8-98, 46-8-99, 46-9-1, 46-9-2, 46-9-3, 46-9-4, 46-9-5, 46-9-6, 46-9-7, 46-9-8, 46-9-9, 46-9-10, 46-9-11, 46-9-12, 46-9-13, 46-9-14, 46-9-15, 46-9-16, 46-9-17, 46-9-18, 46-9-19, 46-9-20, 46-9-21, 46-9-22, 46-9-23, 46-9-24, 46-9-25, 46-9-26, 46-9-27, 46-9-28, 46-9-29, 46-9-30, 46-9-31, 46-9-32, 46-9-33, 46-9-34, 46-9-35, 46-9-36, 46-9-37, 46-9-38, 46-9-39, 46-9-40, 46-9-41, 46-9-42, 46-9-43, 46-9-44, 46-9-45, 46-9-46, 46-9-47, 46-9-48, 46-9-49, 46-9-50, 46-9-51, 46-9-52, 46-9-53, 46-9-54, 46-9-55, 46-9-56, 46-9-57, 46-9-58, 46-9-59, 46-9-60, 46-9-61, 46-9-62, 46-9-63, 46-9-64, 46-9-65, 46-9-66, 46-9-67, 46-9-68, 46-9-69, 46-9-70, 46-9-71, 46-9-72, 46-9-73, 46-9-74, 46-9-75, 46-9-76, 46-9-77, 46-9-78, 46-9-79, 46-9-80, 46-9-81, 46-9-82, 46-9-83, 46-9-84, 46-9-85, 46-9-86, 46-9-87, 46-9-88, 46-9-89, 46-9-90, 46-9-91, 46-9-92, 46-9-93, 46-9-94, 46-9-95, 46-9-96, 46-9-97, 46-9-98, 46-9-99, 46-10-1, 46-10-2, 46-10-3, 46-10-4, 46-10-5, 46-10-6, 46-10-7, 46-10-8, 46-10-9, 46-10-10, 46-10-11, 46-10-12, 46-10-13, 46-10-14, 46-10-15, 46-10-16, 46-10-17, 46-10-18, 46-10-19, 46-10-20, 46-10-21, 46-10-22, 46-10-23, 46-10-24, 46-10-25, 46-10-26, 46-10-27, 46-10-28, 46-10-29, 46-10-30, 46-10-31, 46-10-32, 46-10-33, 46-10-34, 46-10-35, 46-10-36, 46-10-37, 46-10-38, 46-10-39, 46-10-40, 46-10-41, 46-10-42, 46-10-43, 46-10-44, 46-10-45, 46-10-46, 46-10-47, 46-10-48, 46-10-49, 46-10-50, 46-10-51, 46-10-52, 46-10-53, 46-10-54, 46-10-55, 46-10-56, 46-10-57, 46-10-58, 46-10-59, 46-10-60, 46-10-61, 46-10-62, 46-10-63, 46-10-64, 46-10-65, 46-10-66, 46-10-67, 46-10-68, 46-10-69, 46-10-70, 46-10-71, 46-10-72, 46-10-73, 46-10-74, 46-10-75, 46-10-76, 46-10-77, 46-10-78, 46-10-79, 46-10-80, 46-10-81, 46-10-82, 46-10-83, 46-10-84, 46-10-85, 46-10-86, 46-10-87, 46-10-88, 46-10-89, 46-10-90, 46-10-91, 46-10-92, 46-10-93, 46-10-94, 46-10-95, 46-10-96, 46-10-97, 46-10-98, 46-10-99, 46-11-1, 46-11-2, 46-11-3, 46-11-4, 46-11-5, 46-11-6, 46-11-7, 46-11-8, 46-11-9, 46-11-10, 46-11-11, 46-11-12, 46-11-13, 46-11-14, 46-11-15, 46-11-16, 46-11-17, 46-11-18, 46-11-19, 46-11-20, 46-11-21, 46-11-22, 46-11-23, 46-11-24, 46-11-25, 46-11-26~~ for a permit to appropriate for beneficial use 7.4 cubic feet

of water per second of time from ~~the~~ ground water through the Martin Ronning-Unit # 1, the point of diversion of which is to be located in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ and center of the SW $\frac{1}{4}$

of Section 10, Twp. 126N, Range 63W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

W $\frac{1}{2}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 10, T126N, R63W

This Application No. 4017-3 will be considered by the Water Rights Commission ~~at their office at Pierre~~ the Staurolite Inn, Brookings, SD upon the 27th day of July, 1977, at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

WATER RIGHTS COMMISSION

JAMES WINTERTON
Water Rights Specialist

cc: Martin Ronning, Columbia, SD 57432

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brown) ss.

I, Gordon Sjodin hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Brown County News

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Aberdeen

County of Brown and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

July 6, 1977

July 13, 1977

Gordon Sjodin
(Signature)

Owner Publisher
(Title)

July 26, 1977
(Date Signed)


NOTICE OF HEARING ON
APPLICATION TO
APPROPRIATE WATER

Pierre, South Dakota 57501
June 24, 1977

Notice is hereby given that Martin Ronning whose post office address is Columbia, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-8, 46-2-9 thru 46-2-11, 46-3-13; 46-5-1 thru 46-5-3, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 7.4 cubic feet of water per second of time from ground water through the Martin Ronning Unit No. 1, the point of diversion of which is to be located in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ and center of the SW $\frac{1}{4}$ of Section 10, Twp. 126N, Range 63W. Said water to be used for the purpose of providing irrigation on portions of the following described land: W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 10, T126N, R63W.

This Application No. 4017-3 will be considered by the Water Rights Commission at the Staurolite Inn, Brookings, SD upon the 27th day of July, 1977, at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

WATER RIGHTS COMMISSION
JAMES WINTERTON,
Water Rights Specialist
cc: Martin Ronning,
Columbia, SD 57433



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 15, 1985

Martin Ronning
Columbia SD 57433

Notice

Re: Violation of Requirement To Submit 1984 Irrigation Questionnaire

Our records indicate that the 1984 Irrigation Questionnaire has not been submitted for Permit No(s). 4017-3. The request for the Questionnaire was dated October 17, 1984. The Water Management Board has directed that owners of water permits who have not submitted 1984 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 10:30 a.m., May 15, 1985 in the Civil Defense Room, State Capitol Building, Pierre, South Dakota.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 4017-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

John Hatch
John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 73-3352

NOTE: If the questionnaire(s) is received in this office before the May 15th hearing date, your name will be deleted from the agenda for the hearings.

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 12, 1985

Notice or Amendment to Water Permit(s)

To: Martin Ronning
Columbia, SD 57433

FROM: John Hatch, Chief Engineer
Water Rights Division 773-3352 *John Hatch*

SUBJECT: Amendment to Water Permit No(s). 4017-3.

Pursuant to the provisions of the notice dated April 15, 1985, and following the Hearing May 15, 1985, the Water Management Board has amended Water Permit No(s). 4017-3 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required Irrigation questionnaire in the future could result in suspension of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.



Department of **Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Attachment to Water Permit No(s). 4017-3

Pursuant to the provisions of the notice dated April 15, 1985, and following the Hearing May 15, 1985, the Water Management Board has amended Water Permit No(s). 4017-3 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 26, 1986

NOTICE

Martin Renning
Columbia, SD 57433

Re: Violation of Water Permit No(s). 4017-3

Our records indicate that the 1985 Irrigation Questionnaire has not been received for Water Permit No(s). 4017-3. The request for the Questionnaire was dated November 13, 1985. The Water Management Board has directed that owners of water permits who have not submitted 1985 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4017-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing(s) will be at 2:00 p.m., May 14, 1986, Joe Foss Building, Room 216, Pierre, South Dakota. The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 4017-3 until either the 1985 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,


John Hatch, Chief Engineer
Water Rights Division
(605) 773-3352

Note: If the questionnaire(s) is received in this office before the May 14 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 16, 1986

NOTICE OF ONE YEAR SUSPENSION OF WATER PERMIT

TO: Martin Ronning
Columbia,
South Dakota 57433

FROM: John Hatch, Chief Engineer *John Hatch*
Water Rights Division *by Del Brog*
605 773-3352

SUBJECT: One Year Suspension of Water Permit No(s). 4017-3
If the 1985 Irrigation Questionnaire Is Not Received By
June 1, 1986

Pursuant to the provisions of the notice dated March 26, 1986 and following the Hearing May 14, 1986, the Water Management Board ordered:

That Water Permit No(s). 4017-3 be suspended until December 31, 1986, unless the required 1985 Irrigation Water Use Questionnaire is received by June 1, 1986.

Suspension of a permit means water may not be pumped during the 1986 irrigation season. Decisions of the Board may be appealed to the Circuit Court and the Supreme Court as provided by law.

Equal Opportunity Employer

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
May 29, 1986

Permit No. 4017-3

Martin Ronning
Columbia,
South Dakota 57433


Dear Mr. Ronning:

I am writing to acknowledge receipt of your 1985 Irrigation Questionnaire. A notice was sent to you May 16, 1986 regarding the Board action taken May 14, 1986 to suspend your permit(s) if the 1985 irrigation questionnaire was not received before June 1, 1986.

You may disregard the May 16 notice. With receipt of your 1985 questionnaire(s), your permit(s) will not be suspended.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

Equal Opportunity Employer

SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

MARTIN RONNING
COLUMBIA, SD 57433

NOTICE

Re: Violation of Water Permit No(s). 4017-3

Our records indicate that the 1986 Irrigation Questionnaire has not been received for Permit No(s). 4017-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearings(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4017-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing(s) will be at 2:00 pm, May 6, 1987, Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 4017-3 until either the 1986 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 14, 1987

396-2611



NOTICE OF ONE YEAR SUSPENSION OF WATER PERMIT

TO: MARTIN RONNING

COLUMBIA, SD 57433

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

John Hatch

SUBJECT: One Year Suspension Of Water Permit No(s). 4017-3 If
The 1986 Irrigation Questionnaire Is Not Received By
June 1, 1987

Pursuant to the provisions of the Notice dated March 23, 1987,
and following the Hearing May 6, 1987, the Water Management Board
ordered:

That Water Permit No(s). 4017-3 be SUSPENDED until December 31,
1987 unless the required 1986 Irrigation Water Use Questionnaire
is received by June 1, 1987.

Suspension of a permit means water may not be pumped during the
1987 Irrigation Season. Decisions of the Board may be appealed
to the Circuit Court and the Supreme Court as provided by law.

Dear Sirs

*I made 2 rounds with irrigation
1986. I'm in good luck. Hope data is*

satisfactory

Sincerely

John Hatch

C.R.

Doul

Zpivot

2450000

COPIA

1700900/160000

1, 11/1/87 5-26-87



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 29, 1987

Permit No. 4017-3

Martin Ronning
Columbia, SD 57433

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 1986 Irrigation Questionnaire. A notice was sent to you May 14, 1987 regarding the Board action taken May 6, 1987 to suspend your permit(s) if the 1986 irrigation questionnaire was not received before June 1, 1987.

You may disregard the May 14 notice. With receipt of your 1986 questionnaire, your permit will not be suspended.

If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4. Put your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional services the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery.

3. Article Addressed to: MARTIN RONNING COLUMBIA, SD 57433	4. Article Number P521925633 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail Always obtain signature of addressee or agent and DATE DELIVERED.
5. Signature — Addressee X <i>Gail Ronning</i>	8. Addressee's Address (ONLY if stated and fee paid)
6. Signature — Agent X	
7. Date of Delivery <i>5-15-87</i> <i>RRB</i>	

PS Form 3811, Feb. 1986

DOMESTIC RETURN RECEIPT



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 29, 1988

MARTIN RONNING
COLUMBIA, SD 57433

NOTICE

Re: Violation of Water Permit No(s). 4017-3

Our records indicate that the 1987 Irrigation Questionnaire has not been received for Permit No(s). 4017-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearings(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4017-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing(s) will be at 9:00 am, March 2, 1988, Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 4017-3 until either the 1987 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 14, 1988

NOTICE OF ONE YEAR SUSPENSION OF WATER PERMIT

TO: MARTIN RONNING

COLUMBIA, SD 57433

FROM: John Hatch, Chief Engineer
Water Rights Division
605-773-3352

SUBJECT: One Year Suspension Of Water Permit No(s). 4017-3

Pursuant to the provisions of the notice dated January 29, 1988, and following the hearing of March 2, 1988, the Water Management Board has ordered:

That Water Permit No(s). 4017-3 be **SUSPENDED** until December 31, 1988.

Suspension of a permit means water may not be pumped during the 1988 irrigation season. Decisions of the Board may be appealed to the Circuit Court and the Supreme Court as provided by law.

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery
(Extra charge)

MARTIN RONNING
COLUMBIA, SD 57433

4. Article Number

P501 739 006

Type of Service:

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail

Always obtain signature of addressee or agent and **DATE DELIVERED**.

8. Addressee's Address (ONLY if requested and fee paid)

X
6. Signature - Agent

X *Tom Ronning*

7. Date of Delivery

3-15-88



PS Form 3811, Mar. 1987

U.S. POSTAL SERVICE

DOMESTIC RETURN RECEIPT

March 16, 1988

John Hatch, Chief Engineer
Water Rights Division

Dear Sir:

Hi Jim. I'm Jim Downing son of Martin Downing and I received a letter by certified mail today for my dad who is in Arizona since last December. Being certified I opened it up, which I usually don't do until he gets home, unless it happens to be a Bill or something. He doesn't have a phone and he hasn't called lately and I don't know if he is on his way home or out traveling some. I checked his file as I know we measured the water last fall and I was sure he took care of that before he left. I found two copies of a document he mailed to you about December 8, 1987, just before he left. I'm mailing them to you, so be sure to check your files. I hope you find them as my dad's health isn't that great to get a surprise like this. Please inform me, soon as possible. Thank you.



Sincerely,
Jim Downing



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 26, 1988

NOTICE

TO: Martin Ronning
Columbia SD 57433

FROM: JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352 *John Hatch*

SUBJECT: Notice of Hearing to Consider request for
Reconsideration of Suspended Water Permits No. 4017-3
and 4257-3

The hearing on your April 24, 1988 request to the Water Management Board to reconsider suspension of Water Permit Nos. 4017-3 and 4257-3 has been scheduled for 9:15 am, May 11, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, SD.

As stated in the notice to you dated January 29, 1988, the hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

After all evidence is taken at the hearing, the Board may issue a decision to rescind the suspension of your permits, defer action or taken no action. The hearing is an adversary proceeding and any party has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Any decision rendered by the Board may be appealed to the Circuit Court or to the State Supreme Court as provided by law.

cc: Harold Deering, Assistant Attorney General

CERTIFICATION


I hereby certify that on April 26, 1988 I have personally deposited with the U.S. Mail, a postage prepaid envelope containing Notice of Hearing to Consider request for Reconsideration of Suspended Water Permit Nos. 4017-3 and 4257-3 addressed as follows:

Martin Ronning
Columbia SD 57433

Karen Schlaak
KAREN SCHLAACK
Senior Secretary

STATE OF SOUTH DAKOTA)
) ss
COUNTY OF HUGHES)

Sworn to, before me, this 28th day of April, 1988.



John Hatch
Notary Public



4017-3
4257-3

April 24, 1988

Dept of Water and Natural Resources
Pierre S.D. 57500

Dear sir:

Please put me on the
agenda with the Board meeting
next month regarding my
Drinking permit. Thank you

Sincerely,

Martin Bonney

Patricia Bonney

Martin Ronning
Water Permit No. 4017-3

Patricia Ronning & J Hurrell
Water Permit No. 4257-3

GENERAL

Application No. 4017-3 submitted by: Martin Ronning
Columbia, SD 57433

Permit Approved: July 27, 1977

Application No. 4257-3 submitted by: Patricia Ronning &
Jeanette Hurrell
Columbia, SD 57433

Permit Approved: May 25, 1978

The above Permits were Amended in 1985 to include the
irrigation questionnaire qualification for violation of the
requirement to submit the 1984 irrigation questionnaire

FIVE YEAR HISTORY OF IRRIGATION QUESTIONNAIRE RETURNS

Year	Date Request Mailed	Date Irrigation Questionnaire Returned	Date of Any Board Action
1983	November, 1983	December 19, 1983	none
1984	October, 1984	no report filed	May 15, 1985
1985	November, 1985	May 28, 1986	May 14, 1986
*1986	November, 1986	May 22, 1987-partial	May 6, 1987
1987	October, 1987	March 21, 1988	March 2, 1988

* Part of the data for the 1985 irrigation questionnaire was
submitted by letter received May 22, 1987; the information
contained in the letter was not sufficient and was obtained
through a follow-up telephone conversation.

PAST VIOLATIONS

1. Violation of Requirement to Submit 1984 Irrigation
Questionnaire

April 15, 1985, Martin Ronning was sent a Notice of
Violation of Requirement to Submit the 1984 Irrigation
Questionnaire for Water Permit No. 4017-3.

April 15, 1985, Patricia Ronning & Jeanette Hurrell were
sent a Notice of Violation of Requirement to Submit the 1984
Irrigation Questionnaire for Water Permit No. 4257-3.

May 15, 1985, the Water Management Board Amended Water Permit Nos. 4017-3 and 4257-3 to include the Irrigation Questionnaire Qualification.

2. 1985 Irrigation Questionnaire Violation:

March 26, 1986, Martin Ronning was given notice of permit violation for non-return of his 1985 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held May 14, 1986.

March 26, 1986, Patricia Ronning and Jeanette Hurrell were given notice of permit violation for non-return of their 1985 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held May 14, 1986.

May 14, 1986, The Water Management Board suspended Water Permit Nos 4017-3 and 4257-3 until December 31, 1986, unless the required 1985 irrigation water use questionnaire was received by June 1, 1986.

May 16, 1986, Martin Ronning was notified of the Board action to suspend Permit No. 4017-3.

May 16, 1986, Patricia Ronning & Jeanette Hurrell were notified of the Board action to suspend Permit No. 4257-3.

May 28, 1986, the irrigation questionnaires were returned, the permits were no longer suspended.

3. 1986 Irrigation Questionnaire Violation

March 23, 1987, Martin Ronning was given notice of permit violation for non-return of his 1986 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held May 6, 1987.

March 23, 1987, Patricia Ronning and Jeanette Hurrell were given notice of permit violation for non-return of their 1986 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held May 6, 1987.

May 6, 1987, The Water Management Board suspended Water Permit Nos. 4017-3 and 4257-3 until December 31, 1987, unless the required 1986 irrigation water use questionnaires were received by June 1, 1987.

May 14, 1987, Martin Ronning was notified of the Board action to suspend Permit No. 4017-3.

May 14, 1987, Patricia Ronning and Jeanette Hurrell were notified of the Board action to suspend Permit No. 4257-3.

May 22, 1987, Martin Ronning sent the irrigation data for both permits to the office in letter form. Additional information was obtained through a telephone conversation with Mr. Ronning and Del Brosz. The permits were no longer suspended.

4. 1987 Irrigation Questionnaire Violation

January 29, 1988, Mr. Ronning was given notice of permit violation for non-return of his 1987 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held March 2, 1988.

January 29, 1988, Patricia Ronning and Jeanette Hurrell were given notice of permit violation for non-return of their 1987 irrigation questionnaire and of the hearing scheduled before the Water Management Board to be held March 2, 1988.

March 2, 1988, The Water Management Board suspended Water Permit Nos. 4017-3 and 4257-3 until December 31, 1988.

March 14, 1988, Martin Ronning was notified of the Board action to suspend Permit No. 4017-3.

March 14, 1988, Patricia Ronning and Jeanette Hurrell were notified of the Board action to suspend Permit No. 4257-3.

March 21, 1988, copies of the 1987 irrigation questionnaires were received along with a letter from Jim Ronning stating he felt they had already returned the questionnaires.

April 26, 1988, a letter was received from Martin and Patricia Ronning requesting time on the May 11, 1988, Water Management Board Meeting agenda.

April 26, 1988, Martin Ronning was sent a Notice of Hearing to Consider Request for Reconsideration of Suspended Water Permit Nos. 4017-3 and 4257-3.

4017-3

SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3131

May 13, 1988

NOTICE

TO: Martin & Patricia Ronning
Columbia SD 57433

FROM: John Hatch, Chief Engineer
Water Rights Division
(605) 773-3352 *John Hatch*

SUBJECT: Reinstatement of Suspended Water Permits and Notice of
One Year Suspension Without Reinstatement for Future
Irrigation Questionnaire Violations

The Water Management Board, following the May 11, 1988, hearing passed the following motion:

"That the owners of Water Permits No. 1372-2 (Earl Sonnenschein & Sons); 1731-2 (Buckles Ranch); 235-3 (Russell Doolittle); 2171-3, 2497-3, 3229-3 (Harlan Stadheim); 2174-3, 2175-3, 2413-3, 3223-3, 4353-3, 5026-3, 5038-3 (Poinsett Hutterian Brethern); 3264-3 (John Heber); 3479-3, 4237-3 (Bob Kohnen) 3825-3 (Rod Page, operator); 4017-3 (Martin Ronning); 4257-3 (Patricia Ronning & Jeanette Hurrell); 4521-3 (Tom/William Maher & Harvey Buhl); 4564-3, 4611-3 (Wendell Bishop); 4660-3 (Dihl Grohs); 4732-3 (Gerald Benjamin); 4741-3 (Lois J Elsing); 4827-3 (Gary Smith); 4844-3 (Gerald Goetsch); 4966-3 (Delano Hefer); 4985-3, 4992-3, 5043-3, 5044-3 (Ray & David Hanson); 4754-3 (Richard Beare); and 375-2 (Rhea Brill), have now submitted the 1987 irrigation questionnaires for these permits, that a 60 day suspension period has been completed and that these permits are reinstated effective immediately. The owners of the permits are also NOTIFIED that failure to submit future required irrigation questionnaires will result in a one year suspension without reinstatement."

If you have any questions, please contact us.


cc: Water Management Board



I hereby certify that on May 13, 1988 I have personally deposited with the U.S. Mail, a postage prepaid envelope containing Notice of Reinstatement of Suspended Water Permits addressed as follows:

KAREN SCHLAAK
Senior Secretary

Sworn to, before me, this 11th day of May, 1988.



John H. H. H.
Notary Public



4017-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: MARTIN RONNING
BOX 37
COLUMBIA SD 57433

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Water Permit No(s) 4017-3

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 4017-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4017-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-25. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: MARTIN RONNING BOX 37 COLUMBIA SD 57433	4. Article Number P 906 560 154 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise Always obtain signature of addressee or agent and DATE DELIVERED .
5. Signature — Addressee X	8. Addressee's Address (ONLY if requested and fee paid)
6. Signature — Agent X <i>Patricia Ronning</i>	
7. Date of Delivery 1-30-93 4:45	

PS Form 3811, Apr. 1989

DOMESTIC RETURN RECEIPT



4017-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 4, 1993

4017-3

Martin Ronning
Box 37
Columbia, SD 57433

Dear Mr. Ronning:

I am writing to acknowledge receipt your 1992 irrigation questionnaire for Water Permit 4017-3. You may disregard the January 29, 1993, Notice of Violation of Water Permit.

The questionnaire was received prior to the Water Management Board meeting, and your name was deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352

4017-3

CONSERVATION
COMMISSION
FORM W1 11

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

2019-01

NAME Martin Renning

ADDRESS Columbia, South Dakota 57433

COUNTY Brown

LEGAL DESCRIPTION

1. WELL LOCATION Center of the SW1 of 10-126-62, NE1 of the NW1 of 10-126-63

2. LOCATION OF AREA TO BE IRRIGATED SW1-10-126-63, NW1-10-126-63

10R# 4017-3

TYPE OF IRRIGATION

No SE 1/4

3. GRAVITY TOWLINE CENTER PIVOT X GUN

4. CROPS TO BE IRRIGATED Corn, Alfalfa, Small Grain

WATER QUALITY

5. SAMPLE NUMBER 77-724

6. SALINITY (EC X 10⁶) 1543 (high)

7. SODIUM (SAR) 1.80 (low)

8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Brown Co. Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Martin Renning
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
19 DAY OF March 19 77.

COMMISSION EXPIRES
MARCH 4, 1984.

CONDITIONAL APPROVED/REJECTED

(SOILS INFORMATION ON REVERSE SIDE)

THIS FORM IS TO BE FILLED OUT BY THE APPLICANT AND SUBMITTED TO THE COMMISSIONER OF THE STATE CONSERVATION COMMISSION. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. THE COMMISSIONER OF THE STATE CONSERVATION COMMISSION IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS FORM. THE COMMISSIONER OF THE STATE CONSERVATION COMMISSION IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS FORM. THE COMMISSIONER OF THE STATE CONSERVATION COMMISSION IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS FORM.

HURON DRILLING CO. DRILL LOG

PAGE NO.

Martin Manning

SW-10-126-63

Brown County

DATE

412

Gerrie

WIG NO

FORMER

DEPTH	WIG	REMARKS
0-10		topsoil, yellow clay & rocks 2-10
10-20		rocks and gravel
20-30		gravel & rocks @ 36
30-40		30-40 blue clay - 46
40-50		W.L. 46-49 - fine sand & coal
		49-56 - coarse gravel
50-60		W.L. coal streak 56-57
		medium sand 57-60
60-70		W.L. medium sand 60-65
		fine sand 65-72
70-80		L.W.L. 72-80 coarse sand
80-90		W.L. medium-coarse sand
90-100		W.L. coarse sand & rocks
100-110		W.L. coarse sand & rocks
112	T.D.	

10

Part: Manning
OWNER

WELL REPORT

Brown County
SW-10-126-63

HURON
DRILLING CO.
Dillon & D.

June 3, 1972
DATE

DESCRIPTION

CASING LOG

Depth	ft.	
Flows	gpm	20 ft. 15" PVC Plastic pipe to 22 ft.
Pumps	gpm	20 ft. 15" Plastic pipe to 92 ft.
20 ft. Plastic Perf.	ft.	20 ft. 16" Stainless pipe to 112 ft.
20 ft. Stainless Steel Screen	ft.	Screen 20 Slot pipe to ft.

REMARKS

20 ft. - 16" Stainless Steel Screen - 20 Slot
20 ft. - 15" PVC Plastic Perf.
Bernard Schleder
Personnel

End

Permit No. 4017-3James River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Martin Ronning
 _____ of Columbia, SD 57433 holder of
 Permit No. 4017-3, bearing the priority of May 10 1977 authorizing
 the diversion of 7.4 cu. ft. per second of the waters of Groundwater (2 wells)
 for Irrigation purposes, in Brown County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water: Byron Jackson Vertical Pump, Serial No. 771H7486
with Stapleton Rk Angle Drive, Model No. 7385
and Case Geyl Diesel, Model No. 504, 200 Hp

B. Works used to transport water to place of use:

Approx. 1 mile - 8" Buried PVC pipe

C. Works used to apply water to beneficial use:

2 - Olson 10 tower Center Pivots

The system is in the following condition Good

The point of diversion is located Center of SW 1/4 Sec. 10-T126N-R63W
1320' North & 1320' East of SW Corner Sec. 10-T126N-R63W

The works are capable of diverting and conveying to the place of use 1800 gpm (4 cfs)
 cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: All in Section 10-T126N-R63W

<u>NW 1/4 NW 1/4 - 33 Acres</u>	<u>NW 1/4 SW 1/4 - 33 Acres</u>	<u>NW 1/4 SE 1/4 - 33 Acres</u>
<u>NE 1/4 NW 1/4 - 33 "</u>	<u>NE 1/4 SW 1/4 - 33 "</u>	<u>NE 1/4 SE 1/4 - 33 "</u>
<u>SW 1/4 NW 1/4 - 33 "</u>	<u>SW 1/4 SW 1/4 - 33 "</u>	<u>SW 1/4 SE 1/4 - 33 "</u>
<u>SE 1/4 NW 1/4 - 33 "</u>	<u>SE 1/4 SW 1/4 - 33 "</u>	

comprising a total of 363 acres of land and the license should be issued for 4 cfs

Applicable perm. qualifications have been complied with X Yes No

Exceptions to compliance are: _____ Date Nov. 17, 1994

Timothy H. Schaal
 (signature)

LICENSE FOR PERMIT NUMBER 4017-3

1. Legal location of wells: Center of SW 1/4 Sec. 10-T126N-R63W
dams & structures: _____

2. Well Information: Well Drilling Firm Huron Drilling, Inc.

Completion Report Yes X No _____ No. of Wells 1 Depth 112
Casing a) diameter 15 inch Screen a) type 20 ft & 20 ft
b) length 22 ft b) length 5 ft steel Perf. Plastic
c) type PVC Plastic Static Water Level _____
Pump a) make Byron Jackson V.I. Pump Motor a) make Case 6 cyl Diesel
b) ^{Serial} model No. 771H 786 b) model No. 504
c) size _____ c) horsepower rating 200 hp
d) capacity 1800 gpm
e) turbine pump - no. of stages _____
f) operating PSI 70-80

3. Distribution lines or canals

a) size 8 inch
b) type Buried PVC
c) length 5270 ft.

with — Stapleton Rt. Angle Drive
Model No. 7385
1750 RPM

4. Dam Information:

a) height to crest _____ m) Outlet tubes:
b) height to primary spillway _____ 1) diameter _____
c) height to secondary spillway _____ 2) type _____
d) crest width _____ 3) valved (Y/N) _____
e) crest length _____ 4) valve type _____
f) spillway length _____ 5) location on structure _____
g) spillway width _____
h) approx. storage _____ n) Category of Dam _____
i) approx. storage to crest _____
j) date constructed _____
k) inspection sheet completed (Y/N) _____
l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make 2 - 0/50H
- 2) number of towers 10
- 3) distance between towers _____
- 4) overall length 1300
- 5) end gun (Y/N) Yes
- 6) high or low pressure High
- 7) make & size of nozzles _____

- 8) capacity (GPM) 900 each

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
<u>NA</u>		1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>		2. Special qualifications to permit being abided by?
<u>X</u>		3. All structures, wells and lands on map?
<u>X</u>		4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
	<u>X</u>	5. Is chemigation used?
	<u>X</u>	6. If yes, does equipment comply with chemigation rules?

REMARKS:

File No. 4017-3

**Water Rights Division
File Documentation**

NAME OF PERSON OR FILE: Martin Ronning

ADDRESS: Columbia SD 57433 COUNTY: Brown

DATE: 11-17-94 TELEPHONE: 396-2611

RE: S/W Compatibility Permit

COMMENTS:

We are proceeding with this license based on the repeal of the Soil/Water Compatibility Permit statutes by the 1994 Legislature.

Karen Schlaak

Karen Schlaak
Environmental Scientist



JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

4017-3

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

414413

South Dakota Department of Environment and Natural Resources

Pierre, February 21, 19 95

RECEIVED OF Martin Ronning, Box 37, Columbia, SD 57455

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. <u>1</u> after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>4017-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer



4017-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1995

MARTIN & PATRICIA RONNING
BOX 37
COLUMBIA SD 57433

NOTICE

RE: Violation of Water Permit No(s) 4017-3 & 4257-3.

Our records indicate that the 1994 Irrigation Questionnaire has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated November 3, 1994. The Water Management Board has directed that owners of water permits who have not submitted the 1994 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 8, 1995 in the Crown Room, 3rd Floor, Kings Inn Best Western Convention Center, 200 S Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 3, 1995, you will no longer be in violation of your permit and your name will be deleted from the Board agenda

Very truly yours,


Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

3. Article Addressed to:

MARTIN & PATRICIA RONNING
BOX 37
COLUMBIA, SD 57433

5. Signature (Addressee):

Martin Ronning

6. Signature (Agent):

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

4a. Article Number

4017-3 757 566 320

4b. Service Type

☐ Registered

☐ Insured

☐ Certified

☐ COD

☐ Express Mail

☐ Return Receipt for Merchandise

7. Date of Delivery

SEP 14 1994

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991

U.S. GPO: 1993-352-714

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 22, 1995

4017-3
4257-3

Martin & Patricia Ronning
Box 37
Columbia, SD 57433

Dear Mr. & Mrs. Ronning:

I am writing to acknowledge receipt of your 1994 irrigation questionnaires. The questionnaires were completed for you following my telephone conversation with Martin on February '6, 1995. You may disregard the February 7, 1995, Notice of Violation of Water Permit Nos. 4017-3 and 4257-3.

The questionnaires were received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

During our telephone conversation, you inquired as to the status of licensing on Water Permit No. 4257-3, listed in the name of Patricia Ronning. You were correct when remembering that both Water Permit No. 4017-3 and 4257-3 were inspected at the same time. The license for No. 4257-3 is still on hold due to lack of a well completion report. We are not sure if Kaiser Drilling or Huron Drilling drilled the well, and have not been able to obtain a log. If you have a copy of the log or are able to obtain one from the driller, please forward a copy of it to our office.

We have received your \$50.00 fee for inspection and licensing of No. 4017-3. The license will be processed and forwarded to you soon.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 4017-3

(1) Martin Ronning of Box 37, Columbia SD 57433 made Application No. 4017-3, May 10, 1977 for a water permit to appropriate 7.4 cubic feet of water per second from groundwater (two wells). Brown County, South Dakota for irrigation purposes. Permit No. 4017-3, with a priority date of May 10, 1977 was approved July 27, 1977 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before July 27, 1982 and for the application to beneficial use of said water on or before July 27, 1984.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 4.0 cubic feet of water per second for beneficial use. The location of the diversion point is 1320 feet north and 1320 feet east of the southwest corner (center of SW 1/4) Section 10-T126N-R63W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

All in Section 10-T126N-R63W

NW 1/4 NW 1/4	33 acres	NW 1/4 SW 1/4	33 acres	NW 1/4 SE 1/4	33 acres
NE 1/4 NW 1/4	33 acres	NE 1/4 SW 1/4	33 acres	NE 1/4 SE 1/4	33 acres
SW 1/4 NW 1/4	33 acres	SW 1/4 SW 1/4	33 acres	SW 1/4 SE 1/4	33 acres
SE 1/4 NW 1/4	33 acres	SE 1/4 SW 1/4	33 acres		
				Total	363 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Martin Ronning of Box 37, Columbia SD 57433 the holder and/or owner of Water Permit No. 4017-3 is issued a license to appropriate water, the right to use 4.0 cubic feet of water per second from groundwater (one well) with a priority date of May 10, 1977 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 4017-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and Natural Resources

MAR 29 1995

date



4017-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

MAR 29 1995

4017-3

Martin Ronning
Box 37
Columbia, SD 57433

Dear Mr. Ronning:

Enclosed is Water License No. 4017-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 414413 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4017-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

gm
enclosures

4017-3



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: MARTIN RONNING, BOX 37, COLUMBIA, SD 57433

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4017-3

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4017-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4017-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9.45 am, March 6, 1996 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
 2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

MARTIN RONNING
BOX 37
COLUMBIA SD 57433

4a. Article Number

2161984082

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2/10/95 US

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X Martin Ronning

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



4017-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 13, 1996

Martin & Patricia Ronning
Box 37
Columbia, SD 57433

4017-3
4257-3

Dear Mr. & Mrs. Ronning:


I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notice of Violation of Water Permit Nos. 4017-3 and 4257-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4617-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: MARTIN RONNING, 1521 MELGAARD RD E #304, ABERDEEN, SD 57401

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaire(s)

Our records indicate that the 2004 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 25, 2005, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4017-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8516 0780

Your item was delivered at 6:05 am on February 09, 2005 in PIERRE, SD 57501 to CENTRAL MAIL SERVICE. The item was signed for by B KELLY.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

► Track & Confirm by email

[What is this?](#)

[Go >](#)

► Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8516 0780

MARTIN RONNING
1521 MELGAARD RD E #304
ABERDEEN SD 57401

Ing.

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail®
☐ Package Services

(See Reverse)

PS Form 153, July 2001



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 27, 2005

4017-3
4257-3

Martin Ronning
1521 Melgaard Rd E #304
Aberdeen SD 57401

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2004 irrigation questionnaires. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right Nos. 4017-3 and 4257-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

L. Oaheta
Missouri River
Shoreline

WATER
INTAKE
SITE

PROPOSED DELIVERY SYSTEM

State of South Dakota) ss
County of Stanley)

I, M. James Oehlerking, Registered Professional Engineer No. 2722, in the State of South Dakota do hereby certify that at the request of Charles J. Serbousek, owner, I have shown the lands proposed to be irrigated within said boundaries on Sept. 1 1981, for which application for Appropriative Water Right is made and that this map is a true representation thereof.

Witness my hand and seal this 1st day of Sept. 1981.

M. James Oehlerking
Professional Engineer

Map 4508-3
Appl. 4017-3




T 115 N R 80 W

Charles R. Serbousek

T 115 N R 79 W

~~Map # 4808-B~~
Cuppl. 4017-3


NOT TO SCALE



4017-3

Timothy A. Wheel
November 15, 1990

NOT TO SCALE



Timothy L. Sheal
November 15, 1990



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: MARTIN RONNING, 1521 MELGAARD RD E #304, ABERDEEN, SD 57401
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4017-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 27, 2007

4017-3
4257-3

Martin Ronning
1521 Melgaard Rd E #304
Aberdeen SD 57401

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 4017-3 and 4257-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: MARTIN RONNING, 1521 MELGAARD RD E #304, ABERDEEN, SD 57401
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 4, 2009

4017-3
4257-3

Martin Ronning
1521 Melgaard Rd E #304
Aberdeen SD 57401

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right Nos. 4017-3 and 4257-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 22, 2009

4017-3
4257-3

Martin Ronning
PO Box 2056
Aberdeen SD 57402-2056

Dear Mr. Ronning:

Enclosed is a "Notice" dated October 16, 2009 concerning the 2009 irrigation questionnaire.

The notice was originally mailed to 1521 Melgaard Rd E #304, Aberdeen SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: MARTIN RONNING, PO BOX 2056, ABERDEEN, SD 57402 2056
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 9, 2011** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

4017-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 31, 2011

4017-3
4257-3

Martin Ronning
PO Box 2056
Aberdeen SD 57402 2056

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2010 irrigation questionnaires.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Right Nos. 4017-3 and 4257-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 18, 2012

4017-3
4257-3

Martin Ronning
PO Box 5
Barnard SD 57426 0005

Dear Mr. Ronning:

Enclosed is a "Notice" dated October 12, 2012 concerning the 2012 irrigation questionnaire.

The notice was originally mailed to PO Box 2056, Aberdeen SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: JIM RONNING, MGR, 39184 114TH ST, COLUMBIA, SD 57433

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 1, 2016

4017-3
4257-3

Jim Ronning
39184 114th St
Columbia SD 57433

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2015 irrigation questionnaires.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Permit Nos. 4017-3 and 4257-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

No. 4017-3

July 13, 2016

Jim Ronning, Mgr
39184 114th St
Columbia SD 57433

Dear Mr. Ronning:

On July 5, 2016, a staff member from the Department of Environment and Natural Resources (DENR) observed overspray from the irrigation system located in the W 1/2 Section 10-T126N-R63W onto the adjacent north/south road (see attached photo). This irrigation system is covered by Water Right No. 4017-3 with you listed as manager.

It is common for center pivots to have stops which are used to shut off the end gun when the pivot nears a road. Please take steps to insure end gun stops are functioning properly so there is not direct overspray on to the road.

A water right holder is not allowed to operate an irrigation system in violation of state water law, which includes end gun overspray upon land not authorized by the water right.

If you don't believe this irrigation system is causing the overspray, or if you have any questions, please contact me at (605) 773-3352 or by email at eric.gronlund@state.sd.us.

Thank you for your cooperation,

Eric Gronlund
Water Rights Program, DENR
605 773-3352

enclosures

Overspray Report

Date of Picture: 07/05/2016

County: Brown

Water Right/Permit No.: 4017-3

Reported by: Watertown Water Rights Program Seasonal Well Technician



Description from summer help: second overspray picture 114th st and 391ave pic facing south

Notes: location information from the picture matches summer help's description and is shown as a green dot on the map





4017-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: JIM RONNING, MGR, 39184 114TH ST, COLUMBIA, SD 57433
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaire(s)

Our records indicate your 2019 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4017-3 & 4257-3. The request for the Questionnaire was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4017-3 & 4257-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4017-3 & 4257-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: BSAIKZ**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4017-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 3, 2020

4017-3
4257-3

Jim Ronning
39184 114th St
Columbia SD 57433

Dear Mr. Ronning:

I am writing to acknowledge receipt of your 2019 irrigation questionnaire.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right Nos. 4017-3 and 4257-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



4017-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 11, 2023

4017-3
4257-3

Jim Ronning
39184 114th St
Columbia SD 57433

Dear Mr. Ronning:

Thank you for sending in the 2022 irrigation questionnaires for Water Right Nos. 4017-3 and 4257-3. When processing the forms, I realized the water rights are still listed under Martin Ronning. If you now own the land; if it's in a trust; LLC or other entity, the water rights should be transferred to reflect current ownership.

Enclosed are partially completed "Notice of Transfer of Ownership" forms for use in filing ownership changes. Please review and complete as needed. Upon completion, please sign and return the forms to our office with a required filing fee of \$50 each (total of \$100). The check or money order for the fee can be made payable to the Water Rights Program.

If I can answer any questions for you, please let me know.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

June 1, 2023

Jim Ronning
39184 114th St
Colombia SD 57433

4017-3
4257-3

Dear Mr. Ronning:

It is the understanding of our office that the ownership of the land authorized in Water Right Nos. 4017-3 and 4257-3 has changed. In January of this year, we sent you a set of partially completed "Transfer of Ownership" forms. To this date, no response has been received.

If you own the land; if it's in a trust, LLC, or other entity, the water rights should be transferred to reflect the current ownership.

Enclosed are partially completed forms for ownership changes. Please review and complete as needed. Upon completion, please sign and return the forms to our office with the required filing fees of \$50.00 each (total of \$100.00). A check or money order can be made payable to South Dakota Water Rights Program.

If you have any questions or concerns, please let me know.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 9th, 2026

4017-3

Jim Ronning
39184 114th St
Columbia, SD 57433

Dear Mr. Ronning:

Each year, the State of South Dakota sends out Water Management Irrigation Questionnaires to collect information based on annual water use from our state's waters.

After speaking with you on the phone, you stated that you now own this property. For your convenience I have enclosed a partially completed "Transfer of Ownership" form for you to complete and return in the pre-paid envelope.

Please return the form with a check for \$50.00 made payable to "SD Water Rights Program" to cover the transfer fee. If you would prefer to pay by card you may call our Fiscal Office at 605.773.5559. This form will still need to be returned even if you are submitting payment over the phone.

If you have any questions or concerns, please give me a call. My direct number is 605.773.8204

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 17th, 2026

4257-3, 4017-3

James Ronning
39184 114th St
Columbia, SD 57433

Dear Mr. Ronning:

Hello Jim, we spoke on the phone today and you stated that you now own both Water Rights, 4257-3 and 4017-3. In January 2026, I sent you the Transfer of Ownership for Water Right No. 4017-3. You did fill it out and returned it to me, so I have 4017-3 already to go, but the \$50.00 transfer fee wasn't sent with the Transfer of Ownership.

I am now sending you the Transfer of Ownership for the other Water Right, 4257-3, since you stated that you also own this. Please fill out this transfer of ownership and return the form with a check for \$100.00 (\$50.00 each), made payable to "SD Water Rights Program" to cover both transfer fees. I have a return envelope enclosed for your convenience. If you would rather pay by card, you may call our Fiscal Office at 605.773.5559.

This Transfer of Ownership form for 4257-3, will still need to be mailed to me even if you decide to pay for them over the phone.

If you have any questions or concerns, please give me a call. My direct number is 605.773.8204

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

enclosure

RECEIVED

MAR - 2 2026

OFFICE OF
WATER

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

Mail to: SD DANR, Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 4017-3

Date: 1/20/2026

I/We request that Water Right/Permit No. 4017-3 formerly owned by:
Martin Ronning be transferred to:New Owner Name: James Ronning
Address: 39184 114th Street mobile: 605-290-1058
City, State, Zip Columbia S.D. 57433 email:


Title to the following described land(s)/property has been transferred as described above:

363 acres located NW1/4, SW1/4, N1/2 SE1/4, SW1/4 SE1/4, all in Section 10-T126N-R63W

☒ I understand that the validity of Water Right/Permit No. 4017-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, James Ronning, the new owner, certify that the above information is true and correct.
(signed by new owner)**NOTE:** Water permits may be cancelled for nonconstruction after the five-year construction period has expired. Once a water permit is developed, an inspection is conducted to issue a water right license for the project as developed. A water permit/right may be cancelled for one or more of the following reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three-year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM


South Dakota Department of Agriculture and Natural Resources

Date March 26, 2026

RECEIVED OF James Ronning 39184 114th Street Columbia, SD 57433

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form #4017-3 _____	\$ <u>50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	\$ <u>50.00</u>

By 
Chief Engineer



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 27, 2026

4257-3, 4017-3

James Ronning
39184 114th Street
Columbia, SD 57433

Dear Mr. Ronning:

The South Dakota Water Rights Program is in receipt of the "Notice of Transfer of Ownership" forms and the required fees you submitted for Water Right Nos. 4257-3 & 4017-3. Enclosed are the receipts of payments for your records.

Water Right Nos. 4257-3 & 4017-3, previously held by Martin Ronning, are now listed under your name. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the Permit/License (copies enclosed), State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the Permit/License will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Shannon Konst

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

NOTE: The validity of Water Right Nos. 4257-3 & 4017-3 has not been determined by this transfer action. Only the Water Management Board has the authority to determine if a water permit/right is valid.

enclosure