


4132.3

1. Considered 1-25 1978
2. Name of Applicant HAROLD TJEERDSMA
3. Post Office Address AVON
4. Amount of Water claimed 3.42
5. Source of Water supply 2-200' DEEP WELLS *
6. Water to be used for IRRIGATION
 Acres to be irrigated 240
7. Water to be diverted and used in BON HOMME County
 about 3N, 7W miles of SPRINGFIELD
8. Proof of Publication
 Received ~~SE~~ 1-27-78
 Not Received _____
9. Application
 Approved _____
 Subject to _____
 Not Approved _____
 Action Deferred _____

10. Remarks:

No. 4132-3
 Map No. 3363-3 Water Division No. 3 Missouri River District _____
 (Blanks to be filled by the Engineer for the W. R. C.)


APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Harold Tjeerdsma
 Postoffice address Avon, State South Dakota
 If a corporation show date and place of incorporation NA
2. Method of accomplishing work (contract, employment of others, or by direct labor) _____
Sprinkler
3. Name of diversion work _____
4. Amount of water claimed (cubic feet per second) 3.5 3.42 MAX. ALLOWABLE
Well
5. Source of water supply #1 NE 1/4 Sec 2 T93 R61
6. Location of point of diversion #2 SW 1/4 Sec 3 T93 R61
- County Bon Homme
7. Annual period or periods during which water is to be used Mar-Oct.
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) _____
9. For irrigation use, 2 Total number of acres to be irrigated 240 ac.

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE 1/4 Sec. 2 T93 R61	160		
NE 1/4 Sec. 10 T93 R61	80		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Tyndall Tribune
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

Pipeline

C. Works proposed to apply water to beneficial use.

SprinklerEstimated Total Cost \$ 50,000
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County Bon Homme) ss.I, Harold Tjeerdsma the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able, to complete the necessary construction.Signed: Harold TjeerdsmaSubscribed and sworn to before me this 24 day of Aug, 1977

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 4132-3
HAROLD TJEERDSMA AVON
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57315 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application AUGUST 25, 19 77

Date of return to applicant for correction, amendments or changes required _____, 19 _____

Date of receipt of corrected application JANUARY 27, 19 78

Approved MARCH 29, 19 78, Recorded in Book 19 Page 301

WATER RIGHT PERMIT NO. 4132-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 4132-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 27, 19 78
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPT. 29, 19 80
3. The whole of said work is to be completed on or before MARCH 29, 19 83
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 29, 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.42 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MARCH 29, 19 84; said water to be used during the following described annual period: MAY - OCTOBER

Witness my hand this 6th day of APRIL, 19 78

WATER RIGHTS COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 18", Depth 200'
 (2) Casing, Type Plastic Diameter 15" Thickness 1/2"
(wood, concrete, steel, etc)
 (3) Perforated Screen.
 Type Plastic, Diameter 15", Length 40'
 (4) Gravel Pack, Thickness 3", Length of gravel pack 200'

E. Dugout Information or Estimates.

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Hard cherty - stone
with large open cavities in
cherty

Depth to top of water bearing material 150'

Depth to bottom of water bearing material 200'

Thickness of water bearing material 50'

Depth to water (ground surface to water level) 150'

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others 100 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Harold Gierdema
 Signature of Applicant

2

Permit No.

2588-3

has the water
quality.

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Harold Tjeerdma

ADDRESS Huron

COUNTY Box Horse

LEGAL DESCRIPTION

1. WELL LOCATION SW 1/4 Sec 3 T 93 R 61

2. LOCATION OF AREA TO BE IRRIGATED N 1/2 NE 1/4 Sec 10 T 93 R 61

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____

4. CROPS TO BE IRRIGATED CORN Alfalfa

WATER QUALITY

5. SAMPLE NUMBER - See attached water sample

6. SALINITY (EC x 10⁶) from existing irrigation well

7. SODIUM (SAR) _____

8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Box Horse Conservation District, County Extension office or Soil Conservation Service. and: that the legal description for the location of the well and land to be irrigated is true and correct.

Harold Tjeerdma
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
24 DAY OF Aug. 19 77.


J. Duran
(TITLE OR SEAL)

APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

N-1/2 NE-1/4 SE-1/4 T-22 R-61

MAP



NARRATIVE

$\frac{1}{5-27}$, $\frac{2}{8-37}$

Houdek loam

Deep, medium-textured, moderately permeable soils developed in calcareous glacial till. Slopes are irregular, shallow potholes, and scattered stones are common. 5-8% Slope Moderate Erosion problems

$\frac{18}{1-1}$

Felicence

Deep soils of moderately heavy texture that have developed on deep wind laid deposits (loess). Generally slopes are smooth and lengthy, however some areas are complex with short irregular slopes, and potholes are not uncommon. 0-2% Slope

$\frac{20}{1-0}$

Tetonka

Deep, moderately heavy, imperfectly drained soils with slow permeability, developed in enclosed depressions and potholes which are subject to frequent overflow. Crops are frequently damaged. Parent material is sediment washed in from the surrounding soils of higher position and redeposited in the depressions. 0-1% Slope

SEE PERMIT NO 4132-3
FOR WATER QUALITY DATA

Publish first publication, on or before January 12, 1978

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 3, 1973

Notice is hereby given that Harold Tjeerdsma whose post office address is Avon, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to change point of diversion and for additional lands to appropriate for beneficial use 3.42 cubic feet of water per second of time from ground water (2 wells) through the Tjeerdsma Project #2, the points of diversion of which are to be located in the centers of the NE $\frac{1}{4}$ of Section 2 and W $\frac{1}{2}$ SW $\frac{1}{4}$

of Section 3, Twp. 93N Range 61W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

NE $\frac{1}{4}$ Section 2; N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 10; SW $\frac{1}{4}$ Section 3; T93N, R61W

This Application No. 4132-3 will be considered by the Water Rights Commission at Pierre, South Dakota upon the 25th day of January, 1978 at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

NOTE: Final Proof of Publication must be received by the hearing date for the Commission to take action.

WATER RIGHTS COMMISSION

BETTY WESTLUND
Water Rights Specialist I

cc: Harold Tjeerdsma, Avon, SD 57315

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Bon Homme) ss.

I, C. R. Brodeur hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Avon Clarion

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City of Avon
County of Bon Homme and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Jan. 12, 1978

Jan 19 1978

C. R. Brodeur
(Signature)
Public
(Title)
1-25-78
(Date Signed)



Legal Notice

NOTICE
OF HEARING ON APPLICATION
TO APPROPRIATE WATER

Pierre, South Dakota 57501
January 3, 1978
Notice is hereby given that
Harold Tjeerdsma whose post
office address is Avon, South
Dakota, has made an application in
accordance with the provisions of
SDCL 46-1-1 thru 46-1-8; 46-2-9
thru 46-2-11, 46-2-13; 46-5-1 thru
46-5-8, 46-5-10, thru 46-5-22,
46-5-41, 46-6-5, 46-6-6.1, 46-6-10,
46-6-14 and Commission Rules
ARSD 52:01:01:01 thru 52:01:01:13
for a permit to change point of
diversion and for additional lands
to appropriate for beneficial use
3.42 cubic feet of water per second
of time from ground water (2
wells) through the Tjeerdsma Pro-
ject #2, the points of diversion of
which are to be located in the
centers of the NE $\frac{1}{4}$ of Section 2
and W $\frac{1}{2}$ SW $\frac{1}{4}$ of Section 3, Twp.
93N, Range 62W. Said water to be
used for the purpose of providing
irrigation on portions of the fol-
lowing described land: NE $\frac{1}{4}$ Sec-
tion 2; N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 10; SW $\frac{1}{4}$
Section 3; T93N, R61W.

This application No. 4132-3 will
be considered by the Water Rights
Commission at Pierre, South Dak-
ota upon the 25th day of January,
1978, 10 A.M. The Commission is
authorized to make a determina-
tion on this application at 10:00
A.M. The Commission is authoriz-
ed to make a determination on this
application at the hearing. All
interested persons may appear and
be heard. Any person who may be
affected by a Commission decision
who desires to present evidence or
cross-examine witnesses according
to SDCL 1-26 may notify the
Commission in writing prior to the
hearing or orally at the hearing.

NOTE: Final Proof of Publica-
tion must be received by the
hearing date for the Commission
to take action.

Water Rights Commission
Betty Westlund
Water Rights Specialist I
(Jan. 12, 19, 1978)

January 30, 1978

Mr. Harold Tjeerdsma
Avon,
South Dakota 57315

Dear Mr. Tjeerdsma:

This is to inform you that the Water Rights Commission did not take any action on your water right application no. 4132-3 because the Affidavit of Publication was not received.

We received the Affidavit of Publication today and your application will be considered at the March 28-29, 1978 meeting at Watertown, South Dakota.

Sincerely,

Betty Westlund
Water Rights Specialist I

BW:plh

SOUTH **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 14, 1989



Vergil Worm
Dakota Boring Company
Box 57
Lebanon, SD 57455


Dear Mr. Worm:

Our office is in the process of issuing Water Licenses for irrigation permits in Bon Homme County. In order to complete the files, and before licenses can be issued, "as constructed" well logs are needed for the following wells:

Owner	Location
✓ Bochmans Inc.	NW 1/4 NE 1/4 SE 1/4 Sec.19, T94N-R60W
✓ Harold Tjeersma	SW 1/4 Sec.93N-R61W
✓ Donald Wynia	SW 1/4 Sec.25, T94N-R60W
	NW 1/4 Sec.25, T94N-R60W
✓ Richard Hajek	SW 1/4 NE 1/4 Sec.15, T94N-R60W
✓ Virgil Tjeerdsma	NE 1/4 NW 1/4 Sec.23, T94N-R60W

The holders of these permits indicate that you constructed the irrigation wells listed above. Please forward copies of the well logs to our office. If logs are no longer available, please advise. Your prompt attention in this matter will be appreciated. If you have any questions, please contact me.

Very truly yours,



KEN BUHLER
Natural Resources Engineer
Water Rights Division
(605) 773-3352

*Sorry but it doesn't seem to have
any logs for these wells*

Vergil Worm



4132-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 14, 1989

Harold Tjeedsma
RR 1, Box 96
Avon SD 57315


Dear Mr. Tjeedsma:

Our office is in the process of issuing a Water License for Water Permit No. 4132-3. In order to complete the file, and before the license can be issued, a well log is needed for the following described well:

SW 1/4 Sec.3, T93N-R61W

The water license is nearly ready to be issued but cannot be done until an "as constructed" log of this well is obtained. Your prompt attention in this matter will be appreciated. If you have any questions, please contact me.


Very truly yours,



KEN BUNKER
Natural Resources Engineer
Water Rights Division
(605)773-3352



4132-3



Attn Ken Buhler

In regards to an
"as constructed" log, I do
not have any thing what
you need. I have records
back to 1978 but my
will was constructed prior
to that. Will keep looking
and will forward it to
you if found.

Harold Jenkins

Permit No. 4132-3

Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Harold Tjeerdsma
 of Avon, SD holder of
 Permit No. 4132-3, bearing the priority of January 27 19 78 authorizing
 the diversion of 3.42 cu. ft. per second of the waters of groundwater
 for irrigation purposes, in Bon Homme County.

I have to report on the conditions of the same as follows:

- (copy)
- A. Works used to divert the water: The works used to divert water consists of one well constructed by Dakota Boring Co. (SD Driller's License #234). The well is 250 feet deep, cased with 16-inch diameter PVC, and screened with 80 feet of 16-inch diameter PVC. The pump is a National 8-inch turbine pump with 5 stages. The motor is a 100 HP U.S. Electric. The system is capable of diverting 900 GPM.
- B. Works used to transport water to place of use: Water is transported to place through an 8-inch diameter PVC pipeline 3600 feet long.

C. Works used to apply water to beneficial use: Water is applied to beneficial use through two center pivots. The first is located in the SW 1/4 Sec. 3, it is a Olson center pivot with 10 towers, a span of 125 feet between towers and an overall length of 1290 feet. The pivot has an end gun, operates at 70 psi with 900gpm. The second pivot is located in the NW 1/4 NE 1/4 Sec. 10, it is a Lindey-Zimatic with 3 towers, 630 feet overall length, and (BACK)
 The system is in the following condition GOOD

The point of diversion is located 1435 feet N23°E from the SW corner of Sec. 3, T93N-R61W,
(NE 1/4 NW 1/4 SW 1/4 SW 1/4 Sec. 3, T93N-R61W)

The works are capable of diverting and conveying to the place of use 2.00
 cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: NE 1/4 SW 1/4 - 33 acres, NW 1/4 SW 1/4
- 28 acres, SW 1/4 SW 1/4 - 30 acres, SE 1/4 SW 1/4 - 33 acres; all of Sec. 3, T93N-R61W
NW 1/4 NE 1/4 Sec. 10, T93N-R61W - 40 acres.

comprising a total of 164 acres of land and the license should be issued for 2.00 cfs

Applicable permit qualifications have been complied with Yes No

Exceptions to compliance are: _____ Date Dec 18, 1982

No. 4132-3 will incorporate the applicable portions of W. Right 2558-3. Inc

[Signature]
 (signature)

an end gun. The pivot operates at 45 psi, with 900 GPM.

LICENSE FOR PERMIT NUMBER 4132-3

1. Legal location of wells: 1435 feet N23°E from the SW corner of Sec. 3, T93N-R61W
(NE 1/4 NW 1/4 SW 1/4 SW 1/4 Sec. 3, T93N-R61W)

dams & structures: _____

2. Well Information: Well Drilling Firm Dakota Boring Co. (SD License No. 234)

No. of wells one Depth 250 feet

Casing a) diameter 16-inch Screen a) type PVC
 b) length 170 feet b) length 30 feet
 c) type PVC Static Water Level 160

Pump a) make National Pump Motor a) make U.S. Electric
 b) model N260-8 Serial # 577-870 b) model no. ID# R-6347-03-004-R2141425H
 c) size 8-inch c) horsepower rating 100 HP
 d) capacity 900 GPM d) motor efficiency rating _____
 e) turbine pump unknown
 no. of stages 5 stages

3. Distribution lines:

a) size of lines 8-inch
 b) type PVC
 c) length 3600 feet

4. Dam information:

a) height to crest _____
 b) height to spillway _____
 c) crest width _____
 d) crest length _____
 e) spillway length _____
 f) spillway width _____
 g) approx. storage _____
 h) Distribution lines or canals:
 1) size _____
 2) type _____
 3) length _____

- i) Outlet tubes:

1) diameter _____
 2) type _____
 3) valued (Y/N) _____
 4) valve type _____
 5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet
 2) diameter of pipe _____
 3) make, model & number of sprinklers _____
 4) spacing of sprinklers _____
 5) nozzle size _____

- b) towline:

1) length _____ feet
 2) make, model & number of sprinklers _____
 3) spacing of sprinklers _____
 4) nozzle size _____

5. System Type: c) center pivot, d) Gate Pipe
- 1) make Nelson (Model # 103P, SN 4236)
 - 2) number of towers 10
 - 3) distance between towers 125 feet
 - 4) overall length 1290'
 - 5) End gun (Y/N) Nelson 100
 - 6) high or low pressure High
 - 7) make & size of nozzles Nelson nozzles
 - 8) PSI reading while system is running 70 psi
 - 9) GPM 900 gpm
system irrigates 126 acres (see map)
- e) Siphons
- 1) number _____
 - 2) size _____
- f) Portable boom
- 1) make _____
 - 2) serial number _____
 - 3) nozzle size _____
 - 4) capacity (GPM) _____
 - 5) PSI _____
- g) Gun
- 1) make _____
 - 2) serial number _____
 - 3) nozzle size _____
 - 4) capacity (GPM) _____
 - 5) PSI _____
 - 6) hose size _____
 - 7) hose length _____
- h) Hydromatic
- 1) make _____
 - 2) model _____
 - 3) serial number _____
 - 4) length _____
 - 5) nozzle size _____
 - 6) spacing _____
 - 7) PSI _____
 - 8) capacity (GPM) _____

YES	NO	Check Items
___	___	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.
___	___	2. Special Qualifications to permit being abided by.
___	___	3. All Structures, wells and lands on map.

REMARKS:

LICENSE FOR PERMIT NUMBER 4132-3 (continued) (pivot 2 information)

1. Legal location of wells: _____

_____ dams & structures: _____

2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth _____

Casing a) diameter _____ Screen a) type _____
 b) length _____ b) length _____
 c) type _____ Static Water Level _____

Pump a) make _____ Motor a) make _____
 b) model _____ b) model no. _____
 c) size _____ c) horsepower rating _____
 d) capacity _____ GPM d) motor efficiency rating _____
 e) turbine pump _____
 no. of stages _____

3. Distribution lines:

a) size of lines _____
 b) type _____
 c) length _____

4. Dam information:

a) height to crest _____
 b) height to spillway _____
 c) crest width _____
 d) crest length _____
 e) spillway length _____
 f) spillway width _____
 g) approx. storage _____
 h) Distribution lines or canals:
 1) size _____
 2) type _____
 3) length _____

i) Outlet tubes:

1) diameter _____
 2) type _____
 3) valued (Y/H) _____
 4) valve type _____
 5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet
 2) diameter of pipe _____
 3) make, model & number of sprinklers _____
 4) spacing of sprinklers _____
 5) nozzle size _____

b) towline:

1) length _____ feet
 2) make, model & number of sprinklers _____
 3) spacing of sprinklers _____
 4) nozzle size _____

5. System Type: c) center pivot

- 1) make Lindsey-Zimatic
- 2) number of towers 3 plus big overhang
- 3) distance between towers
unknown
- 4) overall length 630 feet
- 5) End gun (Y/N) Nelson 100
- 6) high or low pressure high
- 7) make & size of nozzles
unknown
- 8) PSI reading while system is
running 45psi
- 9) GPM 900
Model 307 507
Serial # 4236

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____


h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES	NO	Check Items
<u>Y</u>	<u>✓</u>	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit. <i>SHOULD BE AID CAMP AREA</i> <i>WWW.NZIR.AND.BEFORE</i>
<u>✓</u>	<u>---</u>	2. Special Qualifications to permit being abided by.
<u>Y</u>	<u>---</u>	3. All Structures, wells and lands on map.

REMARKS:

4132-3



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 2, 1990

Harold Tjeerdsma
RR 1, Box 96
Avon SD 57315

Dear Mr. Tjeerdsma:

This office is in the process of issuing a Water License for Water Permit No. 4132-3. Review of the water permit indicates that a Soil/Water Compatibility Permit was never approved for the NE 1/4 Sec. 10, T93N-R61W. Approval of a Soil/Water Permit for this portion of land is still necessary.

Enclosed find a completed Application For Soil/Water Compatibility Permit. Please sign the application, have it notarized, and return it for processing. If you have any questions, feel free to contact me.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Ken Buhler".

KEN BUHLER
Natural Resources Engineer
Division of Water Rights
(605)773-3352

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4457

WR#

OWNERS NAME: HAROLD TJEERDSMA OWNERS ADDRESS: RRL Box 96
Avon, South Dakota 57315

COUNTY LAND LOCATED IN: Sanborn PHONE: 286-3661

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION NE1/4 NW1/4 SW1/4 SW1/4 10-T93N-R61W

Depth: _____

Legal Description	Acres	Legal Description	Acres
NE1/4 NW1/4 10-T93N-R61W	40		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XXX GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: Corn and Beans

WATER QUALITY:

4. WATER SAMPLE NUMBER: 86-0915

7. ADJUSTED (SAR): 3.58

5. SALINITY (EC X 10³): 1700

8. PERCENT SODIUM: 18.82

6. SODIUM (SAR): 1.34

Requirements:

The drainage way found in the NE1/4 NW1/4 of the project area shall be maintained in grass and/or alfalfa to address potential erosion and wetness.



Director, Division of Conservation


March 5, 1990
Date

XXX APPROVED
 DISAPPROVED
 WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.


REPORT ON READVERTISEMENT
OF THE NOTICE OF HEARING ON
APPLICATION NO. 4132-3
MARCH 1, 1991

Water Permit Application No. 4132-3 was filed on August 25, 1977 to authorize a change in the point of diversion and for additional irrigated lands. This readvertisement of the Notice of Hearing published January 12 & 19, 1978 is needed to correct the legal description of the diversion point. The correct location of the developed well is the SW 1/4 SW 1/4 Sec. 3, T93N-R61W. An inspection of Water Permit No. 4132-3 found one developed well capable of diverting 2.0 cubic feet of water per second being utilized to irrigate 40 acres in the NW 1/4 NE 1/4 Sec. 10, T93N-R61W and acreage authorized by Water Right No. 2588-3 located in the SW 1/4 Sec. 3, T93N-R61W. This readvertisement does not authorize any increase in the acreage irrigated or any increase in the water appropriation.



KEN BUHLER
Natural Resources Engineer
Water Rights Division

approved by



JAMES A. GOODMAN, P.E.
Natural Resources Engineer
Water Rights Division


RECOMMENDATION OF CHIEF ENGINEER FOR READVERTISED WATER PERMIT
APPLICATION NO. 4132-3, Harold Tjeerdsma

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 4132-3, Harold Tjeerdsma, RR 1 Box 96, Avon, SD.

The Chief Engineer is recommending APPROVAL of Application No. 4132-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) in the public interest with the following qualification:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

See report on application for additional information.


JOHN HATCH, Chief Engineer
March 1, 1991



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 28, 1991

Harold Tjeerdsma
RR 1 Box 96
Avon, SD 57315

Dear Mr. Tjeerdsma:

The original notice of hearing for Water Permit No. 4132-3 was published with an error. Therefore, the notice of hearing needs to be readvertised to correct the error. A notice of hearing has been sent to the Publisher of the Tyndall Tribune & Register, printed at Tyndall, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the readvertisement are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

The cost of publication of this notice will be paid by the Division of Water Rights. Please contact us if you have any questions.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 28, 1991

Tyndall Tribune & Register
Box 520
Tyndall, SD 57066

Dear Sir:

Enclosed is a Readvertisement of Notice of Hearing on Permit No. 4132-3 to be published twice. Please publish the first notice on April 3, 1991, with the second publication 7 days later.

Please bill the Water Rights Division for the cost of the advertisement.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSHITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Readvertisement of Notice of Hearing to Appropriate Water by Permit No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name _____

Newspaper _____

Instruction to Newspaper - Publish first Notice on April 3, 1991, with the second publication 7 days later.

Readvertisement of NOTICE OF HEARING on Application No. 4132-3 to Appropriate Water

Notice is given that Harold Tjeerdsma, RR 1, Box 96, Avon, SD 57315 filed an application for a water permit on August 25, 1977. Water Permit No. 4132-3 authorized a change in the point of diversion and for additional irrigated lands. This readvertisement of the notice of hearing published January 12 & 19, 1978 is needed to correct the legal description of the diversion point. The correct location of the developed well is the SW 1/4 SW 1/4 Section 3 T93N-R61W. An inspection of Water Permit No. 4132-3 found one developed well capable of diverting 2.0 cubic feet of water per second being utilized to irrigate 40 acres in the NW 1/4 NE 1/4 Section 10 T93N-R61W and 124 acres authorized by Water Right No. 2588-3 located in the SW 1/4 Section 3 T93N-R61W. This readvertisement does not authorize any increase in the acreage irrigated or any increase in the water appropriation.

Fursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 4132-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 22, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 4132-3 and 2) the chief engineer's recommendation, a Board meeting is scheduled for May 1, 1991, at 10:00 am in the meeting room at Chief Louie's, 601 E. Havens, Mitchell, SD. If this application is opposed or the recommendation is contested, the May 1, 1991, hearing date may be rescheduled for another Board meeting. If the hearing is rescheduled, notice of the time and place will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The May 1, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by April 22, 1991.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) def. r, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Ben Hur) ss.

I, Walter C. DeLoach

certify that the attached printed Notice wa
from the Ben Hur Tribune

A newspaper which during the whole time of publi
said notice herein after stated, has been and is pri
published in the Ben Hur Tribune
of Ben Hur

County of Ben Hur and State of South
that the said notice was published in said newspap
following two dates:

April 3, 1991
April 10, 1991

Walter C. DeLoach
(Signature)

Publisher
(Title)

4-10-91
(Date Signed)

Cost of Printing: \$168.00

Readvertisement of
NOTICE OF HEARING
on Application No. 4132-3
to Appropriate Water

Notice is given that Harold
Teerdsma, RR 1, Box 96, Avon, SD
57315 filed an application for a wa
ter permit on August 25, 1977. Water
Permit No. 4132-3 authorized a
change in the point of diversion and
for additional irrigated lands. This
readvertisement of the notice of
hearing published January 12 & 19,
1978 is needed to correct the legal
description of the diversion point.
The correct location of the developed
well is the SW 1/4 SW 1/4 Section 3
T93N-R61W. An inspection of Water
Permit No. 4132-3 found one devel
oped well capable of diverting 2.0 cu
bic feet of water per second being ut
lized to irrigate 40 acres in the NW
1/4 NE 1/4 Section 10 T93N-R61W
and 124 acres authorized by Water
Right No. 2588-3 located in the SW
1/4 Section 3 T93N-R61W. This
readvertisement does not authorize
any increase in the acreage irrigated
or any increase in the water approp
riation.

Pursuant to SDCL 46-2A-2, th
Chief Engineer recommends AP
PROVAL of Application No. 4132-3
because 1) unappropriated water is
available, 2) existing rights will no
be unlawfully impaired, 3) it is a
beneficial use of water, and 4) it is in
the public interest. Unless a petiti
or is filed opposing the application or
the applicant files a petition
contesting the chief engineer's rec
ommendation, the Water Manage
ment Board will NOT CONDUCT a
hearing to consider this applicator
and the chief engineer will issue the
permit as recommended. Petitions
filed in support of the applicator
will NOT require the Board to hear
the application.

Any person interested in oppos
ing or supporting this application
must file a written petition with
BOTH the applicant and Chief Engi
neer. The applicant must also file a
petition if opposed to the Chief En
gineer's recommendation. The Chief
Engineer's address is "Water Rights
Division, Foss Building, 523 E Capit
ol, Pierre SD 57501 (605 773-3352)"
and the applicant's mailing address
is given above. A petition filed by ei
ther an interested person or the ap
plicant must be filed by April 22,
1991. The petition may be informal,
but must include a statement des
cribing the petitioner's interest in
the application, the petitioner's rea
sons for opposing or supporting the
application, and the signature and
mailing address of the petitioner or
the petitioner's legal counsel, if legal
counsel is obtained.

For purposes of publishing 1) the
notice of hearing on Application No.
4132-3 and 2) the chief engineer's
recommendation, a Board meeting is
scheduled for May 1, 1991, at 10:00
a.m. in the meeting room at Chef
Louie's, 601 E. Havens, Mitchell, SD.
If this application is opposed or the
recommendation is contested, the

May 1, 1991, hearing date may be
rescheduled for another Board meet
ing. If the hearing is rescheduled,
notice of the time and place will be
given by First Class Mail to the ap
plicant and persons filing petitions.
Anyone not filing a petition, but in
terested in attending the hearing,
may contact the Division of Water
Rights to confirm a hearing date and
location. The May 1, 1991, hearing
date will be automatically delayed
for at least 20 days upon written re
quest to the Chief Engineer from the
applicant or any interested person
opposing the application. The re
quest for an automatic delay must be
filed by April 22, 1991.

If a hearing is held, the Chief En
gineer's recommendation is not
final or binding upon the Board. The
Board is authorized to 1) approve, 2)
approve with qualifications, 3) defer,
or 4) deny this application based on
the facts presented at the public
hearing. Any hearing will be an ad
versary proceeding. Any person filing
a petition and/or the applicant have
the right to be represented by a

lawyer and may present evidence or
cross-examine witnesses according
to SDCL 1-26. These and other due
process rights will be forfeited if not
exercised. Decisions of the Board
may be appealed to the Circuit Court
and State Supreme Court as provided
by law. Contact the Water Rights Di
vision to request copies of informa
tion pertaining to this application or
to assure access to the hearing by the
handicapped.

This application is made pur
suant to SDCL 46-1-1 thru 46-1-9,
46-1-12 thru 46-1-16; 46-2-3.1, 46-2-
9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1
thru 46-2A-10, 46-2A-12, 46-2A-14,
46-2A-15; 46-5-1 thru 46-5-11, 46-5-
13 thru 46-5-15, 46-5-24, 46-5-25, 46-
5-30.2, 46-5-30.4, 46-5-31; 46-6-3,
46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13,
46-6-14, 46-6-26; and Board Rules
ARSD 74:02:01:01 thru 74:02:01:15.
(April 3-10)





GREAT FACES. GREAT PLACES.

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 13, 1991

4132-3

Harold Tjeerdsma
RR #1 Box 96
Avon, SD 57315

Dear Mr. Tjeerdsma:

Water Permit No. 4132-3 was readvertised April 3 and 10, 1991 to correct the legal description of the diversion point. The readvertisement was approved on May 1, 1991. The final water right document, the water license, can now be issued.

The inspection of the water use system and the inspection of the extent of application of water to beneficial use, has been completed. Upon licensing, the applicable portions of Water Right No. 2588-3 will be incorporated into License No. 4132-3.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, June 15, 1991

RECEIVED OF Arlis Tjeerdsma, RR 1, Box 96, Avon, SD 57315-9606

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 4132-3	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer John Hatch (F)

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 4132-3

(1) Harold Tjeerdsma of RR 1, Box 96, Avon, SD 57315 made Application No. 4132-3, August 25, 1977 for a water permit to appropriate 3.42 cubic feet of water per second from groundwater (one well), Bon Homme County, South Dakota for irrigation purposes. Permit No. 4132-3 with a priority date of January 27, 1978 was approved March 29, 1978 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before March 29, 1983 and for the application to beneficial use of said water on or before March 29, 1984.

Water Permit No. 4132-3 was obtained to change the point of diversion and add acreage on Water Permit No. 2588-3.

The applicable portions of Water Permit No. 2588-3 are incorporated into this Water License No. 4132-3.

Priority dates, as they pertain to the acreage irrigated, are described in (3) of this License.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.00 cubic feet of water per second for beneficial use. The location of the diversion point is: 1435 feet N 23 degrees E of the SW corner of Section 3, T93N, R61W (NW 1/4 SW 1/4 SW 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T93N, R61W	Section 3	NE 1/4 SW 1/4	33 Acres	
		NW 1/4 SW 1/4	28 Acres	
		SW 1/4 SW 1/4	30 Acres	
		SE 1/4 SW 1/4	33 Acres	
Section 10		NW 1/4 NE 1/4	40 Acres	
Total-----			164 Acres	

NOTE: SW 1/4 Section 3 carries a February 27, 1976 priority date.
NE 1/4 Section 10 carries a January 27, 1978 priority date.

(4) Pursuant to Section 46-5-30.1 Harold Tjeerdsma of RR 1, Box 96, Avon, SD 57315 the holder(s) and/or owner(s) of Incorporated Water Permit No. 4132-3 is issued a license to appropriate water, the right to use 2.00 cubic feet of water per second from groundwater (one well) with priority dates of February 27, 1976 and January 27, 1978 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Permit No. 4132-3 and subject to South Dakota State Law.



AUG 6 1992

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



AUG 6 1992

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

4132-3

Harold Tjeerdsma
RR 1, Box 96
Avon, SD 57315

Dear Mr. Tjeerdsma:

Enclosed is Water License No. 4132-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412720 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4132-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Permit No. 2588-3 are incorporated into this Water License No. 4132-3.



4132-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: HAROLD TJEERDSMA, 30972 407TH AVE, AVON, SD 57315

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire has not been submitted for Permit No(s) 4132-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 3, 2004, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 4132-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 27, 2004, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4132-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 8947

Your item was delivered at 3:10 pm on January 21, 2004 in SUN CITY WEST, AZ 85375. The item was signed for by A TJEERDSA.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 8947

HAROLD TJEERDSMA
30972 407TH AVE
AVON SD 57315

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

iling.

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2004

4132-3

Harold Tjeerdsma
30972 407th Ave
Avon SD 57315

Dear Mr. Tjeerdsma:

I am writing to acknowledge receipt of your 2003 irrigation questionnaire. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right No. 4132-3.

I completed a questionnaire for you based on your January 21st telephone conversation with Ron Duvall. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

$$G \quad f \quad F \quad e \quad E \quad d \quad D \quad c \quad C \quad b$$

Total number of Acres. 23.048.10.

The above Map
Principal
notes of the survey
Surveyor
Sancti...

[illegible]

23.048.10.

The above Map of Township N^o 93 North of Range N^o 61 West of the 5th Principal Meridian Dakota Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office,
Sankt Peter P. T. Nov 8 1862

Geo. D. Hill Sur. Gen!

NOT TO SCALE

appl.
4132-3

Map

BLANK

Harold Tjenden

3-98

*Harold Tjenden
District Commissioner*

3

Well Point of Diversion

93-61

New Pipe line

3-98

Pivot Points

10

NOT TO SCALE

Harold Tjeendasma

3-98

3.3

6.2

25.3

13.7

64.2

Point of diversion

6.2

2.8

2

94.2

58.2

23.0

25.8

93-61
2.8


10.4

10.1

300.0

3-98

NOT TO SCALE




NOT TO SCALE



Kent A. Buhler

KENT A. BUHLER
 Natural Resources Engineer
 SD Dept of Water & Natural Resources
 Division of Water Rights





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 30, 2006

4132-3

Harold Tjeerdsma
210 Cedar St
Springfield SD 57062-2225

Dear Mr. Tjeerdsma:

Enclosed is a "Notice" dated October 20, 2006 concerning the 2006 irrigation questionnaire. The notice was originally mailed to 30972 407th Ave, Avon SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



4132-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: HAROLD TJEERDSMA, 210 CEDAR ST, SPRINGFIELD, SD 57062 2225

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaire(s)

Our records indicate that the 2011 Irrigation Questionnaire has not been submitted for Permit No(s) 4132-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.


The hearing will be held at **10:00 am, March 7, 2012**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 4132-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 6, 2012

4132-3

Harold Tjeerdsma
210 Cedar St
Springfield SD 57062 2225

Dear Mr. Tjeerdsma:

I am writing to acknowledge receipt of your 2011 irrigation questionnaire.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for Water Right No. 4132-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

4132-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 23, 2013

4132-3

Harold Tjeerdsma
1302 W 27th St
Yankton SD 57078 5363

Dear Mr. Tjeerdsma:

Enclosed is a "Notice" dated October 18, 2013 concerning the 2013 irrigation questionnaire.

The notice was originally mailed to 210 Cedar St, Springfield SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT OF ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov



October 27, 2014

4132-3

Harold Tjeerdsma
30985 434th Ave
Yankton SD 57078 6700

Dear Mr. Tjeerdsma:

Enclosed is a "Notice" dated October 17, 2014 concerning the 2014 irrigation questionnaire.

The notice was originally mailed to 1302 W 27th St, Yankton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

November 6, 2018

4132-3

Harold Tjeerdsma
700 W 1st Ave
Lennox SD 57039-2337

Dear Mr. Tjeerdsma:

Enclosed is a "Notice" dated October 30, 2018 concerning the 2018 irrigation questionnaire.

The notice was originally mailed to 30985 434th Ave., Yankton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: ARLIS TJEERDSMA, OP, 2511 DORIAN DR, YANKTON, SD 57078

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire has not been submitted for Permit No(s) 4132-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 4132-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FMWPKW**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 27, 2024

4132-3

Arlis Tjeerdsma
2511 Dorian Dr
Yankton SD 57078

Dear Ms. Tjeerdsma:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 4132-3. The information was received prior to the March 6, 2024, Water Management Board meeting and this permit number has been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

Cc: Percy Tjeerdsma, 41175 309th St, Springfield SD 57062



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 27, 2024

4132-3

Percy Tjeerdsma
41175 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

Each year, the State of South Dakota sends out Water Management Irrigation Questionnaires to collect information based on annual water use from our state's waters.

This year we received word that the property previously owned and reported on by Harrold & Arlis Tjeerdsma, had been sold to you.

For your convenience I have enclosed a partially completed "Transfer of Ownership" form for you to complete and return in the pre-paid envelope, along with a copy of the Water Right.

Please return the form with a check for \$50.00 made payable to "SD Water Rights Program" to cover the transfer fee. If you would prefer to pay by card you may call our Fiscal Office at 605.773.4216. This form will still need to be returned even if you are submitting payment over the phone.

Should you decide you wish to discontinue the irrigation on this piece of land, we would ask that you let us know.

If you have any questions or concerns, please reach out.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 15, 2024

4132-3

Percy Tjeerdsma
41175 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

I have received your "Notice of Transfer of Ownership" form and the required fees. Enclosed is a receipt of payment and copy of the original water right for your records.

Water Right No. 4132-3 previously owned by Harrold Tjeerdsma is now listed under yourself. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the Water Right, State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the Water Right will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosure

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

PAID

MAR 13 2024
Ck# 4221
Permit# 31136A

No. 4132-3

Date: 3-6-2024

I/We request that Water Right No. 4132-3

formerly owned by: Harrold & Arlis Tjeerdsma

be transferred to: (name & address) Percy Tjeerdsma 41175 309th st
Springfield SD

Email: pctjee@gwta.net Telephone No. 605 369 2515

Title to the following described land(s)/property has been transferred as described above:

164 acres: SW ¼ Sec 3 & NW ¼ NE ¼ Sec 10; all in T93N, R61W

I/We understand that the validity of Water Right No. 4132-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Percy Tjeerdsma, the new owner, certify that the above information is true and correct.

Percy Tjeerdsma

(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED

MAR 13 2024

**OFFICE OF
WATER**

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Agriculture and Natural Resources

Date March 13, 2024

RECEIVED OF Percy/Connie Tjeerdsma 41175 309th St. Springfield SD 57062

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form <u>4132-3</u>	<u>\$50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	<u>\$50.00</u>

By Eric Gronlund
Chief Engineer me



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: PERCY TJEERDSMA, 41175 309TH ST, SPRINGFIELD, SD 57062

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 4509-3, 4132-3, 2492-3 & 3576-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 6413-3 & 8388-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 5, 2025 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6413-3 & 8388-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 4509-3, 4132-3, 2492-3 & 3576-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: ROHZOB**

**cc: ROBERT TJEERDSMA ESTATE, C/O NATALIE VOLLMER, 31735 SD HWY 37,
SPRINGFIELD SD 57062**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

2492-3, 3576-3, 4132-3
4509-3, 6413-3, 8388-3

Percy Tjeerdsma
41175 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2492-3, 3576-3, 4132-3, 4509-3, 6413-3 & 8388-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

cc: ROBERT TJEERDSMA ESTATE, C/O NATALIE VOLLMER, 31735 SD HWY 37,
SPRINGFIELD SD 57062



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 10th, 2026

4132-3

Tristan & Aimee Namminga
PO Box 141
Avon, SD 53315

Dear Namminga's:

Each year, the State of South Dakota sends out Water Management Irrigation Questionnaires to collect information based on annual water use from our state's waters.

We understand that portions of the property authorized under Water Right No. 4132-3, has been sold to you. For your convenience I have enclosed a partially completed "Transfer of Ownership" form for you to complete and return in the pre-paid envelope.

Please return the form with a check for \$50.00 made payable to "SD Water Rights Program" to cover the transfer fee. If you would prefer to pay by card, you may call our Fiscal Office at 605.773.5559. This form will still need to be returned even if you are submitting payment over the phone.

Should you decide you wish to discontinue the irrigation on this piece of land, we would ask that you let us know.

If you have any questions or concerns, please give me a call. My direct number is 605.773.8204

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

enclosure