

Water Right Number 4313-3

1. Considered SEPTEMBER 13, 1978
2. Name of Applicant MADISON COUNTRY CLUB INC.
3. Post Office Address MADISON, S.D.
4. Amount of water claimed .88
5. Source of water supply UN-NAMED CREEK-TAILWATERS LAKE HERMAN
6. Water to be used for IRRIGATION - GOLF COURSE

Acres to be irrigated 83.6

7. Water to be diverted and used in LAKE County
about 1N-2Y2 Miles WEST of MADISON

8. Proof of Publication

Received ~~the~~ 9-13-78

Not received _____

9. Application

Approved _____

Subject to _____

Not approved _____

Action deferred _____

10. Remarks:

*340-6 hrs. loc.
25-100'*

No. 4313-3
 Map No. 3522-3 Water Division No. 3 SIoux RIVER District _____
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Madison Country Club, Inc.
 Postoffice address P.O. Box 293, Madison South Dakota
 If a corporation show date and place of incorporation Originally incorporated 1946, Madison, SD
Re-incorporated June 1977, Madison, SD
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Employment of Others
 3. Name of diversion work MADISON COUNTRY CLUB IRRIGATION PROJECT
 4. Amount of water claimed (cubic feet per second) 0.88 cfs
An un-named creek in tailwaters of Lake Herman
 5. Source of water supply _____
 6. Location of point of diversion _____
Lot 1, SW 1/4, Sec. 3, T 106 N, R 53 W
 _____ County Lake

7. Annual period or periods during which water is to be used March 15 through November 15
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation (Golf Course)
 9. For irrigation use, _____ Total number of acres to be irrigated 83.6

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
Portion S of RR Track in NW 1/4		Portion N of Creek in SE 1/4 of	
of SW 1/4 of Sec 3 T106 R53	18.9	SW 1/4 of Sec 3 T106 R53	23.7
Portion S of RR Track NW 1/4		SW 1/4 of SW 1/4 of	
Creek in NW 1/4 of SW 1/4 of Sec 3 T106 R53	1.9	Sec 3 T106 R53	39.1

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 1 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Madison Daily Leader, Madison, SD.
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.
Electric Pumping Station

B. Works proposed to transport water to place of use.
Underground plastic pipe (Approximately 14,000 feet)

C. Works proposed to apply water to beneficial use.
Impact Sprinklers

Estimated Total Cost \$ 35,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.) WATER SAMPLE SUBMITTED TO WATER
QUALITY LAB., BROOKINGS

STATE OF SOUTH DAKOTA

County of _____

I, Richard I. Rupp, President, Madison Country Club, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Richard I. RuppSubscribed and sworn to before me this 2 day of July, 1978

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 4313-3

MADISON COUNTRY CLUB
(Applicant)

Box 293 - MADISON
(Post Office Address)

SOUTH DAKOTA 57042 With the following modifications:
(State)

This Permit is approved recognizing the prior right, Permit No. 646-3 of the Department of Wildlife, Parks and Forestry. (Formerly the Department of Game, Fish and Parks)

Date of first receipt of application JULY 11, 19 78
Date of return to applicant for correction, amendments or changes required _____, 19 _____
Date of receipt of corrected application _____, 19 _____
Approved SEPTEMBER 13, 19 78, Recorded in Book 20 Page 80

WATER RIGHT PERMIT NO. 4313-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 4313-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JULY 11, 19 78
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 13, 19 79
3. The whole of said work is to be completed on or before SEPTEMBER 13, 19 80
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 13, 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION (GOLF COURSE)
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed .88 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 13, 19 81, said water to be used during the following described annual period: MARCH 15 THRU NOVEMBER 15

Witness my hand this 20th day of SEPTEMBER, 19 78

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Madison Country Club, INC.
ADDRESS P.O. Box 29, Madison, SD 57042
COUNTY Lake



LEGAL DESCRIPTION

1. WELL LOCATION Lot 1, SE1/4 of SW 1/4, Sec. 3, T106N, R53W
2. LOCATION OF AREA TO BE IRRIGATED Portion S of RR Track in NW 1/4 of SW 1/4 of Sec 3; Portion S of RR Track & W of Creek in NE 1/4 of SW1/4 of Sec. 3; Portion W of Creek in SE 1/4 of SW 1/4 of Sec. 3; and SW 1/4 of SW 1/4 of Sec3, T106N, R53W.

TYPE OF IRRIGATION

3. GRAVITY TOWLINE CENTER PIVOT GUN X
4. CROPS TO BE IRRIGATED Grassland, Golf Course

WATER QUALITY

5. SAMPLE NUMBER 78-506
6. SALINITY (EC X 10⁶) 7.88 (moderately high)
7. SODIUM (SAR) 0.72 Adjusted 1.76
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0.0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and; the soils information has been acquired from Conservation District, County Extension Office of Soil Conservation Service.

and:
that the legal description for the location of the well and land to be irrigated is true and correct.


Richard J. Hill
APPLICANT'S SIGNATURE
President, Madison Country Club, INC.

SUBSCRIBED AND SWORN BEFORE ME THIS
DAY OF July 1978.

Donald E. Jurek
(TITLE OR SEAL)
Commissioner 12-10-78
(SOILS INFORMATION ON REVERSE SIDE)

Albert J. Hill
APPROVED/

MAP



Map is of Sec. 3, T 106 N, R 53 W

Area outlined in red is area to be irrigated.



NARRATIVE

SOILS INFORMATION

- Chano-Chano* 9-15% .3
CeD - Well drained; moderate intake rate; high available water capacity; Slow internal drainage in substratum.
- Egan-Battle* .3
EbB, EbC, EhB - Nearly level to sloping; high available water capacity; slow internal drainage in substratum.
- Chano-Chano* 16-21% .2
ErE - Gently undulating to steep; Moderate intake rate; high available water capacity; erodible; slow internal drainage in substratum.
- Lamo S.C.* .3
La - Nearly level; high water table; subject to flooding; slow internal draining.
- Lamo S.C.* .5
VbA, VgB - Moderately well drained; nearly level to gently sloping; slow internal drainage in substratum; high available water capacity.
- Wendell S.C.* .5 .3
WeA - Well drained; nearly level to sloping; high available water capacity.

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57007

Submitted by: Madison Country Club, Inc. Date Rec'd. July 11, 1978
 Address: Box 293 Sample No. 78-506
Madison, SD 57042 Identification Un-Named Creek in Tailwater of
SW 1/4, Sec. 3, T 106N, R 53 Lake Horman

WATER ANALYSIS

Calcium (Ca)	152	ppm*	7.60	me/l**
Magnesium (Mg)	36	ppm	2.95	me/l
Sodium (Na)	38	ppm	1.65	me/l
Potassium (K)	21	ppm	0.55	me/l
Sulfate (SO ₄)	313	ppm	6.51	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	9	ppm	0.25	me/l
Bicarbonate (HCO ₃)	239	ppm	3.92	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	196	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	988	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.72	Adjusted	1.76	
Sodium	12.94	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.60			

Others:

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon



COMMENTS: Total cations 12.75 me/l
 Total anions 10.68 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$15.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 78-506

Amount Enclosed \$

Signed

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

(RECOMMENDED MANAGEMENT)



NAME OF APPLICANT Madison Country Club, Inc., Madison, SD

RECOMMENDED MANAGEMENT:

1. Water should not be applied more than 1, 2, 3, 4, 5, times during the irrigation season. NA
2. Each uninterrupted application (one rotation of center pivot) should be of at least 1, 2, 3, 4, inches of water. NA
3. () Yes () No Surface drainage suggested
4. () Yes () No Subsurface drainage suggested
5. () Yes () No Specific land areas that should be avoided

-
-
-
6. () Deep tillage (For the purpose of aiding movement of water through dense subsoils)

7. () Heavy fall application of irrigation water

Water Quality is good. Soil/water capatability is also satisfactory. Topography of golf course calls for about 3 irrigation management areas:

- 1.) Low-lying Lamo soils along intermittent stream. Subject to flooding and has a fluctuating water table. Will stay wet in the spring. Needs the least amount of irrigation.
- 2.) Small area of Viborg and Wentworth soils that are relatively flat. They are deep silty clay loams and have a real good water holding capacity. Will require irrigation just prior to drying and/or cracking of soil surface.

Copy to Applicant - 1 3.) Steep slopes and convex knobs (Clarno, Egan, and Beadle) will use the most water and fertilizer to stay green. However, they are the shallowest soils to the relatively poor

Copy to Water Rights - 2

Copy to File - 1


permeability at depths of 12 to 36". Will require a slow rate of application at closer irrigation application intervals.



SOILS MAP

FOR

MADISON COUNTY CLUB



UNITED STATES DEPARTMENT OF AGRICULTURE
Soil Conservation Service

SOIL INTERPRETATIONS

SOIL MAPPING UNITS	LAND USE and SOIL GROUP	SOIL GROUP DESCRIPTIONS
WeA	I2	Deep, loamy, well drained soils on nearly level (0-2%) upland slopes. They have few or no limitations in use. Permeability is moderate in the subsoil. Available water capacity is moderate to high.
VbA	I3	Deep, loamy, moderately well and well drained soils on nearly level (0-2%) upland slopes and in swales that receive beneficial moisture from adjacent slopes. They have few or no limitations for use. Permeability is moderate in the subsoil. Available water capacity is moderate to high.
VgB	IIe1	Deep, loamy, moderately well and well drained soils on gently sloping (2-6%) uplands and bottomlands that receive beneficial moisture from high slopes. They have a moderate water erosion hazard. Permeability is moderate in the subsoil. Available water capacity is moderate to high.
EbB EhB	IIe3	Deep, loamy, well drained soils on gently undulating and gently sloping (2-6%) upland. They have moderate water erosion and slight to moderate wind erosion hazards. Permeability is moderate in the subsoil. Available water capacity is moderate high.
Ra Wh	IIw2	Deep, loamy to clayey, somewhat poorly or poorly drained, very limy soils with intermittent high water tables. They occupy nearly level to flat slopes or depressions. Choice of crops and time of tillage is limited by seasonal wetness. Permeability is slow. Available water capacity is moderate to high.
La	IIw3	Deep, clayey, limy, poorly drained soils on bottomlands that are sometimes flooded. Time of tillage is often delayed by wetness and yields are affected. Permeability is slow. Available water capacity is moderate high.
EbC	IIIe2	Deep, loamy, well drained soils on sloping (6-9%) uplands and eroded soils on gently sloping (2-6%) uplands. Water erosion hazard is severe. Permeability is moderate in the subsoil. Available water capacity is high.

(Continued)

SD-CONS-1A
11/75UNITED STATES DEPARTMENT OF AGRICULTURE
Soil Conservation Service

SOIL INTERPRETATIONS

SOIL MAPPING UNITS	LAND USE and SOIL GROUP	SOIL GROUP DESCRIPTIONS
CeD	Iv1	Deep, loamy, well drained soils on rolling (9-15%) uplands and eroded phases of these soils on undulating (6-9%) slopes. They have severe water erosion hazards. Permeability is moderate in the subsoil. Available water capacity is high.

SOIL LEGEND

The first capital letter is the initial one of the soil name. A second capital letter, A, B, C, D, E, or F shows the slope. Symbols without a slope letter are those of nearly level soils. A final number, 2, in the symbol indicates an eroded soil.

SYMBOL	NAME
Ba	Bajus silty clay loam
Bc	Bajus silty clay loam
BdA	Beadle clay loam, 0 to 2 percent slopes
BdB	Beadle clay loam, 2 to 6 percent slopes
BdC	Beadle clay loam, 6 to 9 percent slopes
CaA	Clarno loam, 0 to 2 percent slopes
CaB	Clarno loam, 2 to 6 percent slopes
CaC	Clarno loam, 6 to 9 percent slopes
CaB	Clarno-Ethan loams, 2 to 6 percent slopes
CeC	Clarno-Ethan loams, 6 to 9 percent slopes
CaD	Clarno-Ethan loams, 9 to 16 percent slopes
Da	Davis loam
DeB	Delmont-Talmo loams, 2 to 6 percent slopes
DeC	Delmont-Talmo loams, 6 to 9 percent slopes
DmA	Dempster silt loam, 0 to 2 percent slopes
DmB	Dempster silt loam, 2 to 6 percent slopes
DpC	Dempster-Delmont complex, 6 to 9 percent slopes
EaC	Egan silty clay loam, 6 to 9 percent slopes
EbA	Egan-Beadle complex, 0 to 2 percent slopes
EbB	Egan-Beadle complex, 2 to 6 percent slopes
EbC	Egan-Beadle complex, 6 to 9 percent slopes
EeB	Egan-Ethan complex, 2 to 6 percent slopes
EeC2	Egan-Ethan complex, 6 to 9 percent slopes, eroded
EgA	Egan-Viborg silty clay loams, 0 to 3 percent slopes
EhB	Egan-Wentworth silty clay loams, 2 to 6 percent slopes
EnA	Ener loam, 0 to 2 percent slopes
EaF	Ethan-Betts loams, 21 to 40 percent slopes
ErE	Ethan-Clarno loams, 16 to 21 percent slopes
EsE	Ethan-Clarno stony complex, 6 to 25 percent slopes
E-D	Ethan-Davis stony complex, 3 to 21 percent slopes
Gr	Graceville silty clay loam
HeA	Henkin loam, 0 to 3 percent slopes
HeB	Henkin loam, 3 to 9 percent slopes
HkB	Houdek loam, 2 to 6 percent slopes
HpA	Houdek-Prosser loams, 0 to 3 percent slopes
Lu	Loma silty clay loam
MdB	Moody-Nora complex, 2 to 6 percent slopes
MaA	Moody-Trent silty clay loams, 0 to 2 percent slopes
NcC	Nora-Crofton silt loams, 6 to 9 percent slopes
PrA	Prosper loam, 0 to 2 percent slopes
Ra	Rauville silty clay loam
Sa	Sandy lake beaches
ScA	Sinal silty clay, 0 to 2 percent slopes
SdB	Sinal silty clay loam, 2 to 6 percent slopes
StA	Strickney-Tetonka complex, 0 to 2 percent slopes
TdE	Talmo-Delmont loams, 6 to 21 percent slopes
Te	Tetonka silt loam
VbA	Viborg silty clay loam, 0 to 2 percent slopes
VgB	Viborg-Egan silty clay loams, 2 to 6 percent slopes
Vo	Volga silty clay loam
WeA	Wentworth-Egan silty clay loams, 0 to 2 percent slopes
Wh	Whitewood silty clay loam
We	Wierth silty clay loam

CONVENTIONAL SIGNS

WORKS AND STRUCTURES

Highways and roads

Divided	
Good motor	
Poor motor	
Trail	

Highway markers

National Interstate	
U. S.	
State or county	

Railroads

Single track	
Multiple track	
Abandoned	

Bridges and crossings

Road	
Trail	
Railroad	
Ferry	
Ford	
Grade	
R. W. over	
R. R. under	

Buildings

School	
Church	
Mine and quarry	
Gravel pit	

Power line	
Pipeline	
Cemetery	
Dams	
Levee	
Tanks	
Well, oil or gas	
Forest fire or lookout station	
Windmill	
Located object	

BOUNDARIES

National or state	
County	
Minor civil division	
Reservation	
Land grant	
Small park, cemetery, airport	
Land survey division corners	

DRAINAGE

Streams, double-line	
Perennial	
Intermittent	
Streams, single-line	
Perennial	
Intermittent	
Crossable with tillage implements	
Not crossable with tillage implements	
Unclassified	
Canals and ditches	
Lakes and ponds	
Perennial	
Intermittent	
Spring	
Marsh or swamp	
Wet spot	
Drainage end or alluvial fan	

RELIEF

Escarpments	
Bedrock	
Other	
Short steep slope	
Prominent peak	
Depressions	
Crossable with tillage implements	
Not crossable with tillage implements	
Contains water most of the time	

SOIL SURVEY DATA

Soil boundary	
and symbol	
Drainage	
Stoniness	
Stony	
Very stony	
Rock outcrops	
Chert fragments	
Clay spot	
Sand spot	
Gumbo or scabby spot	
Made land	
Severely eroded spot	
Blowout, wind erosion	
Gully	

No. 4313-2

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Lake) ss.

I, Grace M. Johnson hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Madison Daily Leader

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City Madison of Madison

County of Lake and State of South Dakota;
that the said notice was published in said newspaper on the following
dates:

Tuesday, August 29th, 1978

Tuesday, September 5th, 1978

Grace M. Johnson
(Signature)

Owner
(Title)

Sept 5, 1978
(Date Signed)

Tues., August 29
Tues., September 5

NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER

Pierre, South Dakota 57501
August 15, 1978


Notice is hereby given that the Madison Country Club, Inc. whose post office address is Madison, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-3; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-3; 46-5-10 thru 46-5-22, 46-5-41, and Commission Rules ARSD 52:01:01:01 thru 52:01:01:12, for a permit to appropriate for beneficial use .88 cubic feet of water per second of time from an unnamed creek in tailwaters of Lake Herman through the Madison Country Club Irr. Project, the point of diversion of which is to be located in the 1-2-1, SW 1/4 of Section 3, Twp. 106N Range 33W. Said water to be used for the purpose of providing irrigation on portions of the following described land: SW 1/4, Section 3 - T106N, R33W.

This Application No. 4313-2 will be considered by the Water Rights Commission at the 4-H Fairgrounds Meeting Hall, West of Mitchell, on Highway 16, Mitchell, SD upon the 13th day of September, 1978 at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

NOTE: Final Proof of Publication must be received by the hearing date for the Commission to take action.

WATER RIGHTS COMMISSION
BETTY WESTLUND
Water Rights Specialist

4313-2/29



Publish first publication, on or before September 1, 1978

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 15, 1978

Notice is hereby given that the Madison Country Club, INC. whose post office address is Madison, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use .88 cubic feet of water per second of time from an unnamed creek in tailwaters of Lake Herman through the Madison Country Club Irr. Project, the point of diversion of which is to be located in the Lot 1, SW 1/4

of Section 3, Twp. 106N Range 53W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW 1/4, Section 3 - T106N, R53W

This Application No. 4313-3 will be considered by the Water Rights Commission at the 4-H Fairgrounds Meeting Hall, West of Mitchell, on highway 16-Mitchell, SD upon the 13th day of September, 1978 at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

NOTE: Final Proof of Publication must be received by the hearing date for the Commission to take action.

WATER RIGHTS COMMISSION

BETTY WESTLUND

Water Rights Specialist

Madison Country Club, Box 293, Madison, SD 57042

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6504

PIERRE, August 14, 1978

RECEIVED OF Madison Country Club, Inc., P.O. Box 293, Madison SD FUND 290
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to appropriate Water No. 4313-3 (examination, processing, recording and filing)	225	00
Fee for Inspecting Construction, and Issuing Cert. of Construction No.		
Fee for Inspecting Beneficial Use, and Issuing Water License No.		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	225	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH R,jw

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

D ELLIS-MADISON COUNTRY CLUB
PO BOX 254
MADISON, SD 57042

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire


Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 4313-3, 547-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm. May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 4313-3, 547-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 11, 1987

547-3
4313-3

D Ellis
Madison Country Club
PO Box 254
Madison, SD 57042


Dear Mr. Ellis:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 547-3 and 4313-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Your questionnaire was received prior to the May 6, 1987 Water Management Board Meeting and was no longer considered to be in violation. Your name was deleted from the agenda pertaining to these hearings.


If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

4313-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

November 29, 1994

547-3
4313-3
5336-3

Madison Country Club
Bill Stromberg
P.O. Box 293
Madison, SD 57042

Dear Mr. Stromberg:

This letter is in response to receipt of the enclosed check for \$50.00 which you sent to us with your 1994 irrigation questionnaire.

Your check is being returned because the annual water rights fee is only a proposal. The fee information was provided to you to make you aware that the fees are being considered as an option to partially fund the Water Rights Division. Before any annual fee could be assessed, legislation must be passed.

I apologize for any confusion caused by our letter. Please contact me if you have any questions (605) 773-3352.

Sincerely,

Ron Duvall
Natural Resources Engineer
Water Rights Division

enclosure



4313-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

October 3, 1997

5336-3

Bill Stromberg
Madison Country Club
1428 NE 4th St
Madison, SD 57042

Dear Mr. Stromberg:

Early in 1992, an investigation was conducted of the water use system described in 4313-3 and 5336-3. These two water permits, along with Vested Right No. 547-3, authorize irrigation of 128.9 acres of the golf course. The investigation of your water use system, was conducted so that a water license could be issued for the system as developed under Nos. 4313-3 and 5336-3.

Upon reviewing your water permit files, I noted that a water license was not issued following the investigation. Unless the golf course has expanded, the report prepared following the 1992 investigation should be accurate. Our intent is to issue one water license by incorporating Nos. 4313-3 and 5336-3 together.

Statutes require that we charge a \$50.00 fee for the investigation and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

I apologize for the delay in issuance of your water license. If you have any questions concerning the findings of the investigation or the issuance of the water license, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number (No. 5336-3). This will insure proper handling of the fee.



4313-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

JUN 12 1998

5336-3

Madison Country Club, Inc.
%Bill Stromberg
Box 254
Madison, SD 57042-0254

Dear Mr. Stromberg:

Enclosed is Water License No. 5336-3 and Receipt No. 415490 for \$50.00 which was assessed for an investigation and issuance of the license. Water License No. 5336-3 is the final document which completes the process of obtaining a water right

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOTE: The applicable portions of Water Permit No. 4213-3 have been incorporated into this Water License No. 5336-3.

NOT TO SCALE

NOS. 547-3, 4313-3, 5336-3

MADISON COUNTRY CLUB

MADISON, SD

DRAWN BY: GREGORY C. JOHNSTON

Gregory C. Johnston
Natural Resources Engineer

Water Rights Division, DENR

3/11/92

62R

NC

HEL

HEL

N

1"=650'

No. 5336-3

NW $\frac{1}{4}$ SW $\frac{1}{4}$ = 17 acres

SW $\frac{1}{4}$ SW $\frac{1}{4}$ = 35 acres

SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 11 acres

Total = 63 acres

No. 4313-3

SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 9 acres

NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 2 acres

Total 11.0 acres

3

NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 2 acres

NW $\frac{1}{4}$ SW $\frac{1}{4}$ = 17 acres

LOT 1 or (NE $\frac{1}{4}$ & SE $\frac{1}{4}$ of SW $\frac{1}{4}$) = 19 acres

NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 5 acres

SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 15.9 acres

Unnamed
14.5 Creek

LOT 1
(20.9 acres)

35AB. 547-3 Water Right
All in Sec 3-166-53:
SE $\frac{1}{4}$ SE $\frac{1}{4}$ = 4 acres
SW $\frac{1}{4}$ SE $\frac{1}{4}$ = 30 acres
SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 15.9 acres
NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 5 acres
Total = 54.9 acres

SW $\frac{1}{4}$ SE $\frac{1}{4}$ = 30 acres

20.5
SE $\frac{1}{4}$ SE $\frac{1}{4}$ = 4.0
or
acres
(RR & W Coffey's
Subdivision of
Sec. 3 & 10,
T 106N-R 53W)

SE $\frac{1}{4}$ SW $\frac{1}{4}$
= 11 acres

SE $\frac{1}{4}$ SW $\frac{1}{4}$
= 9 acres

Tailwaters
Lake Herman

5.8

NOT TO SCALE

NOS. 547-3, 4313-3, 5336-3
MADISON COUNTRY CLUB

MADISON, SD

DRAWN BY: GREGORY C. JOHNSTON

Gregory C. Johnston
Natural Resources Engineer
Water Rights Division, DENR
3/11/92

62R

HEL

HEL

NC

N

1"=650'

No. 5336-3

NW $\frac{1}{4}$ SW $\frac{1}{4}$ = 17 acres
SW $\frac{1}{4}$ SW $\frac{1}{4}$ = 35 acres
SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 11 acres
Total = 63 acres

No. 4313-3

SE $\frac{1}{4}$ SW $\frac{1}{4}$ = 9 acres
NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 2 acres
Total 11.0 acres

3

NE $\frac{1}{4}$ SW $\frac{1}{4}$ = 2 acres

HEL 3




Photo copy from Lake Co. SLS Office
Cauld [Signature]

1" = 640'

107.53

