

1. Considered 1-28- 1981
2. Name of Applicant HARLAND HAUG
3. Post Office Address WILLOW LAKE, S.D.
4. Amount of Water Claimed (3.17) No ADDITIONAL
5. Source of Water Supply 91' NEW WELL
6. Water to be used for IRR
7. Acres to be irrigated No ADD'L (222) ^{maximum} acre feet
8. Water to be diverted and used in CLARK County
about 1 W, 3 miles SOUTH of WILLOW LAKE
9. PROOF OF PUBLICATION Received ☒ 1-5-81
Not Received _____
- APPLICATION Approved 1/28/81
Subject to WT - TQ
Not Approved _____
Action deferred _____

Priority _____ Date Received 11-20-80 Application Complete yes ☐ no ☐ FEE 150⁰⁰

Remarks adding an additional diversion point on
Permit 4329-3 - no add'l CFS or release
(Well #5)

Date information and/or fee or corrected Application received _____
Period of Annual use APRIL THRU OCTOBER


WATER
QUALITY

Received yes 11/24/80 no ☐ APPROVED CONDITIONAL (Circle one)

WI-1 Description same as application ☒ yes ☐ no _____ Remarks _____

Disapproved _____

Returned _____



Diversion Point _____

ADD'L WELL NE⁴ SW⁴

22-T113N-157W

Lands to be irrigated _____

SW⁴, Sec. 22 and N²NW⁴

Section 27 all in T113N-

R57W

WELL
LOG

Remarks _____

Driller Empire Drilling licensed ☒ yes ☐ no

Depth 91' feet

MAP Map No. 3531-3 Map located in Water Right 6 Map file _____
 Type of Map 1700-3 Drawn & Aerial Prepared by J. W. Peterson

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 1-28-81

J. W. Peterson
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
 F.F. & C Final Decision, including F.F. & C of Law were adopted _____
 OF LAW, Date
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision
 DECISIONS was adopted _____
 ETC.

Remarks: _____



No. 4324-3
 Map No. 3531-3 Water Division No. 3 Big Sioux District
1700-3 Above for Office Use 10170201

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☐ Vested Right ☐ Future Use ☐Change in Diversion ☒ Additional Diversion ☐Change in Acreage ☐ Additional Acreage ☐

1. Name of Applicant Harland Haug Phone No. 605-5377
 Post Office Address Willow Lake State South Dakota 57225
 (Street, RR or Box) (Town) (Zip Code)
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor3. Name of diversion work Harland Haug Irrigation Project 1A4. Amount of water claimed (cubic feet per second) 3.17 (No ADD'L)5. Source of water supply Wells

6. Location of point of diversion N 1/4 - 3800' N 62° E of SW corner Sec 22 - 113 - 57
Disband Well #3 - 1200' N 52° E of SW corner Sec 22 - 113 - 57
Disband Well #4 - 1200' N 87° E of SW corner Sec 22 - 113 - 57 County Clark

7. Annual period or periods during which water is to be used April through Oct.8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation9. For irrigation use, Total number of acres to be irrigated 222 (No ADD'L)

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>N 1/4 of SW 1/4 of Sec 22 - 113 - 57</u>	<u>39</u>
<u>NE 1/4 of SW 1/4 of Sec 22 - 113 - 57</u>	<u>40</u>
<u>SW 1/4 of SW 1/4 of Sec 22 - 113 - 57</u>	<u>39</u>
<u>SE 1/4 of SW 1/4 of Sec 22 - 113 - 57</u>	<u>27</u>

Land Description	No. Acres Irr.
<u>N 1/4 of NW 1/4 Sec 27 - 113 - 57</u>	<u>38</u>
<u>NE 1/4 of NW 1/4 Sec 27 - 113 - 57</u>	<u>39</u>

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 3 years. Additional time required to complete application of water to the proposed beneficial use 3 years.11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Clark County Courier

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well & Ramp

B. Works proposed to transport water to place of use.

Buried Conduit

C. Works proposed to apply water to beneficial use.

142 acres center pivot
80 acres Traveling gun

Estimated Total Cost \$ 8000 and 1/2

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
 County of Brookings) ss.

I, Harland Haug, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Harland HaugSubscribed and sworn to before me this 17 day of Nov, 1980

John S. Williams
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4324-3A

Harland Haug

Willow Lake

(Applicant)

(Post Office Address)

South Dakota

57278

(State)

With the following qualifications

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This permit is approved subject to the irrigation water use questionnaire being submitted each year.

PRIORITY ESTABLISHED UNDER 4324-3

Land covered under this Permit is also covered under Permit No. 4324-3. Combinations of diversions under the two permits shall not exceed the Statutory limit of 1 c.f.s. for each 70 acres of land to be irrigated. NOVEMBER 20, 1980

Date of first receipt of application _____, 19____

Date of return to applicant for correction, amendments or changes required _____, 19____

Date of receipt of corrected application WA NOVEMBER 24, 1980

Approved JANUARY 28, 1981, Recorded in Book 22 Page 36

WATER RIGHT PERMIT NO. 4324-3A

The Water Management Board hereby grants and issues this Water Right Permit No. 4324-3A authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is 55 CFS - JULY 15, 1975 & 2.62 CFS - Oct. 4, 1978
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 28, 1983
3. The whole of said work is to be completed on or before JANUARY 28, 1986
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 28, 1989
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed No ADD'L cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied

for irrigation on or before JANUARY 28, 1989; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 13th day of MARCH, 1991

THE WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

New well # 5



D Well Information

- (1) Drill Hole, Diameter 26", Depth 91'
- (2) Casing, Type Fiberglass, Diameter 14", Thickness 7/8"
(wood, concrete, steel, etc)
- (3) Screen, Type Slot & Gravel, Diameter 14", Length 7'
- (4) Gravel Pack, Thickness 5', Length of gravel pack 15'

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Attach a copy of test well log)


- Depth to top of water bearing material 26'
- Depth to bottom of water bearing material 91'
- Depth to water (ground surface to water level) 46'

(2) Distance to nearest existing household or livestock watering well.

- On same owner's property 90 rds.
- On property owned by others 160 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a Crest width _____ b length _____
3. Height of Dam _____
4. Outlet dimensions:
Pipe diameter _____
Spillway width _____
- X & Y slope:
Upstream _____
Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Herbert H. H. H.
Signature of Applicant

IRRIGATION DRILLING CO.

FRANKFORT, SOUTH DAKOTA

PHONE 472-0384

AK.
R.W.

DRILLING REPORT

Location of Well: Collins Trs 1/4, SW 1/4, Section 22, Township 113, Range 57

We'll be drilled for: Harlon Haug Willow Lake
(Name) (Address)
Clark S. Dak.
(County) (State)

Date well drilling started 5-7-80 finished _____

Purpose of well Irr. Test hole
(domestic, irrigation, industrial, other)

Depth 83 ft. Casing Diameter 1 1/2 inches NORTH

Slot Size _____ Screen Size _____

Screener Depth: From 63 ft. to 83 ft.

Remarks: _____

Cased up for observation 1 Mile
Well - 1. K water - sand

REPORT OF FINAL PUMPING TEST
Write Additional Times and Readings on Back of Page

Date _____

Elapsed Time From Start of Pumping	Water Level	Discharge
---------------------------------------	-------------	-----------

0 hr.	0 in.	141	ft.	in.	(Static)
-------	-------	-----	-----	-----	----------

hr.	min.	ft.	in.	GPM
-----	------	-----	-----	-----

hr.	min.	ft.	in.	GPM
-----	------	-----	-----	-----

hr.	min.	ft.	in.	GPM
-----	------	-----	-----	-----

				RECOVERY
hr.	min.	ft.	in.	

[illegible]

SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM

STATE CONSERVATION COMMISSION

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

OWNERS NAME: Harold & Helen OWNERS ADDRESS: 1000 1st StCOUNTY LAND LOCATED IN: Butte PHONE: 605-337-7TENANT'S NAME AND ADDRESS: (If Other Than Owner) 2619-C.K.

In accordance with State Law SDCL 46-5-6.5, If a water permit is granted with a conditional Soil/Water Compatibility permit, a copy of such conditional soil/water compatibility permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water permit within 6 months of receipt of such water permit.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)

1. WELL LOCATION OR DIVERSION POINT: NE 1/4 Sec 20 T22N R10W
2. SURFACE WATER SOURCE: connected with S.D. 12/1/80
3. LOCATION OF AREA TO BE IRRIGATED. NOTE: SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)

Legal Description	Acres	Legal Description	Acres
<u>NE 1/4 Sec 20 T22N R10W</u>	<u>40</u>		
<u>NE 1/4 Sec 20 T22N R10W</u>	<u>40</u>		

4. TYPE OF IRRIGATION: GRAVITY: TOWLINE: CENTER PIVOT: GUN: OTHER: (Specify)
5. CROPS TO BE IRRIGATED:
6. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: 1977
- LEGAL DESCRIPTION:
- IN WHAT NAME:

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 80-995
8. SALINITY (EC X 10⁶): 618
9. SODIUM (SAR): 0.40
10. ADJUSTED (SAR): 0.95

RECEIVED

NOV 10 1980

South Dakota
Division of Conservation

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at 1:00 a.m./p.m., on Nov 10, 1980, at the following location: NE 1/4 Sec 20 T22N R10W by (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

7 DAY OF June, 1980.

(NOTARY PUBLIC)

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application. In all cases a WATER PERMIT must be obtained from the Board of Water Management.

APPLICANT'S SIGNATURE

Director, Division of Conservation

X APPROVED

DISAPPROVED

CONDITIONALLY APPROVED

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

Submitted by: _____

Date Rec'd _____

Address: _____

Sample No. _____

Identification _____

WATER ANALYSIS

Calcium (Ca)	ppm	110	me/l**
Magnesium (Mg)	ppm	62	me/l
Sodium (Na)	ppm	70	me/l
Potassium (K)	ppm	10	me/l
Sulfate (SO ₄)	ppm	265	me/l
Nitrate (as N)	ppm		me/l
Chloride (Cl)	ppm	14	me/l
Bicarbonate (HCO ₃)	ppm	14	me/l
Carbonate (CO ₃)	ppm		me/l
Iron (Fe)	ppm		me/l
Fluoride (F)	ppm		me/l
Hardness (EDTA as CaCO ₃)	ppm		g.p.g.***
Alkalinity (Methyl Orange)	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	ppm (as CaCO ₃)		
Electrical Conductivity	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	Adjusted SAR		
Sodium	% of cations		
Residual sodium carbonate	me/l		
pH			
Others:			

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS:

100 mg/l
Total Hardness

7.64
Total Hardness

RECEIVED

NOV 10 1980

South Dakota
Division of Conservation

By: _____

Service Performed

Amount Due

Inspection, Analysis

11.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. _____

Amount Enclosed \$ _____

2M-380-5016A

Signed _____

COUNTRY

$\rho = 2.5 / \text{km}$

56-22-113-57

22

7146

4-1

2M46

16

3

F2X

2114

45

35572

20

2M46

N41-27-113-57

RECEIVED

NOV 10 1960

Subject: _____
 Division: _____



Approved _____

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Harland Hauer

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED unless shaped or graded to
eliminate surface ponding.

2F34₂ LeMoure clayey soils

&

2F35₂



These are small areas along the drainageway. Approximately 20 to 30 acres.

RECOMMENDED MANAGEMENT:

Surface drainage suggested on any area that tends to pond water.

Deep tillage may be beneficial at infrequent intervals.

The two areas on opposite sides of the drainageway are not the same size and possibly do not lend themselves to a moveable pivot of the largest feasible size.

Possibly a shorter system to move to 4 or 5 - 40 acre areas will better fit your needs and still avoid the heavy soils along the drainageway.

No. 4324-3A

Publish first publication, on or before December 18, 1980

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

December 1, 1980

Notice is hereby given that Harland Haug whose post office

address is Willow Lake, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use no add'l cubic feet of water per second of time from groundwater

(one well) through the Harland Haug to add an additional
Irrigation Project 1A, XXX point XXX of diversion of which is (one) to be located in the

NE 1/4 SW 1/4,

of Section 22, Twp. 113 N, Range 57 W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW 1/4, Section 22 and NE 1/4 NW 1/4, Section 27 all in T113N - R57W, this acreage is covered under Permit 4324-3.

This Application No. 4324-3A will be considered by the Water Management Board at the Kneip Building, Meeting Room #1, Illinois & Church Street, Pierre, SD 57501 upon the 20th day of January 1981

at 10 AM. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Harland Haug
RR #1
Willow Lake, SD 57278

BETTY WESTLUND
Water Rights Specialist

WNR-806A-7/79 Notice of Intent to Appropriate Water
GROUNDWATER

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. _____

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County _____) ss.

I, Daniel Moritz hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Clack County Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City _____ of Clack

County of Clack and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

12-18-80

12-25-80

Daniel Moritz
(Signature)

Publisher
(Title)

1-1-81
(Date Signed)

Notice of Hearing on
Application to Appropriate Water
Pierre, South Dakota 57501
December 4, 1980


Notice is hereby given that
Harland Haug whose post office
address is Willow Lake, South
Dakota, has made an application
in accordance with the provisions
of SDCL 46-1-1 thru 46-1-9, 46-1-
14; 46-2-9 thru 46-2-11, 46-2-13; 46-
5-1 thru 46-5-8; 46-5-10 thru 46-5-22,
46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-
6-6.1, 46-6-10, 46-6-14 and Board
Rules ARSD 52:01:01:01 thru
52:01:01:13, for a permit to
appropriate for beneficial use no
add'l. cubic feet of water per
second of time from groundwater
(one well) through the Harland
Haug Irrigation Project 1A to add
an additional point of diversion
on an existing permit of which is
to be located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, of
Section 22, Twp. 113N, Range
57W. Said water to be used for the
purpose of providing irrigation on
portions of the following
described land: SW $\frac{1}{4}$, Section 22
and N $\frac{1}{4}$ NW $\frac{1}{4}$, Section 27 all in
T113N-R57W, this acreage is
covered under Permit 4324-3.

This Application No. 4324-3A
will be considered by the Water
Management Board at the Kneip
Building, Meeting Room, No. 1,
Illinois & Church Street, Pierre,
SD 57501 upon the 28th day of
January 1981 at 10 A.M. The
Board is authorized to make a
determination on this application
at the hearing. All interested
persons may appear and be
heard. Any person who may be
affected by a Board decision who
desires to present evidence or
cross-examine witnesses
according to SDCL 1-26 may
notify the Board in writing prior
to the hearing or orally at the
hearing.

This hearing is an adversary
proceeding. Any person has the
right to be present or to be
represented by a lawyer. These
and other due process rights will
be forfeited if they are not
exercised at the hearing.
Decisions of the Board may be
appealed to the Courts as
provided by law.

Any handicapped person
wishing to attend this hearing can
contact the Water Rights
Division, DWR, Joe Foss
Building, Pierre, SD prior to the
hearing date for assistance to
assure access to the hearing.

Water Management Board
Betty Westlund
Water Rights Specialist
12-18-80



RECEIPT

WATER RIGHTS COMMISSION

No 4 7793

State of South Dakota

PIERRE, November 25, 1980

RECEIVED OF Harland Haug, Willow Lake, SD 57273
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4324-3A (examination, processing, recording and filing)	150	00
Fee for inspecting Construction, and Issuing Cert. of Construction No.		
Fee for inspecting Beneficial Use, and Issuing Water License No.		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	150	00

WATER RIGHTS COMMISSION

By *(Signature)*
Chief Engineer, Executive Officer
JOHN HATCH

Permit No. 4324-3AWater Division 3 JAMES RIVER Water District
Sioux River N 10170201REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by HAELAND
HAUG of WILLOW LAKE holder
of Permit No. 4324-3A, bearing date of priority of July 11, 1975
authorizing the diversion of 3.17 * cu. ft. per second of the waters of GROUNDWATER
for IRRIGATION purposes, in CLARK County.

I have to report on the condition of the same as follows:

The Water Use System consists of, WELL #1 - 87' DEEP WITH 16" STEEL CASING - 15' JOHNSON SCREEN
FAIRBANKS MORSE 6" PUMP - 2 STAGE 10" BOWLS, POWERED
BY 40 HP GE ELECTRIC MOTOR @ 1760 RPM

A. Works used to divert the water:
WELL #2 - 97' DEEP WITH 14" STEEL CASING - 10' SS SCREEN - WESTERN LAND
POWER 6" PUMP - 9 STAGE WITH 10" BOWLS, POWERED BY 60 HP US ELECTRIC
MOTOR @ 1760 RPM.

WELL #3 - 27' DEEP WITH 8" PLASTIC CASING - 10' SS SCREEN - 6' SUBOTED
PLASTIC WITH 7 1/2 HP GOULD SUBMERSIBLE PUMP
WELLS #1 & #2 PUMPED TO BOOSTER PUMP - VALLEY 6" PUMP, POWERED
BY 30 HP GE ELECTRIC MOTOR.

B. Works used to transport water to place of use,
3100' OF 6" BURIED PVC, FROM WELLS #1 & #2 TO BOOSTER PUMP
2300' OF 6" ALUMINUM PIPE - THIS IS ALL USED WITH BIG GUN PORTION
1300' OF 8" BURIED PVC FROM WELL #2 TO PIVOT PAD

C. Works used to apply water to beneficial use:
9 TOWER (SHORT SPAN) ELECTROGATOR CENTER PIVOT SYSTEM
WITH RAINBIRD #50B END GUN
BIG BOSS TRAVELLING SPRINKLER SYSTEM WITH NELSON #P200
BIG GUN WITH 600 GPM NOZZLE - 660' OF 4 1/2" FLEXIBLE RUBBER HOSE

The system is in the following condition: GOODThe point of diversion is located WELL #1 - 2470'E & 40'S; WELL #2 - 2600'E & 430'S FROM THE

W 1/4 CORNER, SECTION 22; WELL #3 - 1400'E & 100'N OF THE SW CORNER, SECTION 22, T113N, R57W
PIVOT - 600 GPM

The works are capable of diverting and conveying to the place of use BIG GUN - 600 GPM - 1200 GPM - 2.66 CFScu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows: ALL IN T113N, R57W
SECTION 22 SECTION 27

NW 1/4 SW 1/4	39 ACRES	NW 1/4 NW 1/4	38 ACRES
NE 1/4 SW 1/4	40 "	NE 1/4 NW 1/4	39 "
SW 1/4 SW 1/4	39 "	(CORNERS & OPP AREAS ARE	
SE 1/4 SW 1/4	27 "	IRRIGATED BY GUN SYSTEM)	

comprising a total of 222 acres of land.

* THIS WATER LICENSE REPLACES PERMIT N° 4324-3
AND INCORPORATES APPLICABLE PORTIONS OF N° 4324-3

Date SEPTEMBER 23, 1982

[Signature]
(Signature)

Conversation of File DocumentationNAME OF PERSON OR FILE: Harlan Haug 4324-3AADDRESS: Willow Lake COUNTY _____DATE: 4-5-83 ^(1-23-83 date on cover letter is actual date) TELEPHONE _____RE: Licensing of 4324-3A & incorporation of 4324-3A

COMMENTS:

4324-3A should be licensed for 1200 gpm (2.66 cfs) from 3 wells, #1 87' #2 97' & #3 27' deep, for irrigation of 222 acres and a priority date of July 11, 1975.

Permit 2318-3 for 3.17 cfs from one 55' deep well to irrigate 222 acres, with completion date of Sept. 10, 1980, was incorporated into Permit 4324-3 for no additional cfs or land & to add 3 wells 1-30' & 2-80' deep. 2318-3 was placed in cancelled status, with no loss of rights, pursuant to administrative policy followed in 1978. For some reason priority date of July 11, 1975 for .55 cfs and Oct. 4, 1978 ^{2.62 cfs} was assigned. Priority for 4324-3 should have been only July 11, 1975.

Project completion date should have remained Sept. 10, 1980 rather than Nov. 15, 1981.

Permit 4324-3 should have been numbered 2318-3A. Permit 4324-3A, received 11-20-80 ^(after original 5 yr constr) for one 91' well #5 in NE⁴ SW⁴ Sec. 22, no add'l. cfs or acres was approved Jan 28, 1981 w/ July 15, 1975 priority for .55 cfs & 2.62 cfs, Oct 4, 1978 w/ construction to be completed Jan 28, 1986. This well was never constructed. Wells constructed were as approved under 4324-3.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: John R. H. H.

WATER LICENSE NO. 4324-3A(1) WHEREAS, On the 20th day of November A. D. 19 80Harland Haugmade Water Right Application No. 4324-3A for a permit to use no additional cubic feet per second of the waters of groundwater (three wells)County of Clark, State of South Dakota, for Irrigation

purposes; and

(2) WHEREAS, On the 28th day of January A. D. 19 81Permit No. 4324-3A, with a date of priority of July 11, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water

supply system therein described on or before the 28th day of January A. D. 19 86 and for theapplication to beneficial use of said water on or before the 28th day of January A. D. 19 89

WHEREAS on the 23rd day of September, 1982, the applicable portions of Permit No. 4324-3 were incorporated into this Water License No. 4324-3A

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 2.66 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate the following land all in T113N, R57WSection 22 NW $\frac{1}{4}$ SW $\frac{1}{4}$ 39 acres (CB)NE $\frac{1}{4}$ SW $\frac{1}{4}$ 40 " (CA)SW $\frac{1}{4}$ SW $\frac{1}{4}$ 39 " (CC)SE $\frac{1}{4}$ SW $\frac{1}{4}$ 27 " (CD)Section 27 NW $\frac{1}{4}$ NW $\frac{1}{4}$ 38 " (3B)NE $\frac{1}{4}$ NW $\frac{1}{4}$ 39 " (BA)**TOTAL 222 acres****corners & odd areas are irrigated by gun system**

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Harland Haug

_____ of Willow Lake SD 57278

the holder _____ and owner _____ of said permit No. 4324-3A a water right, dating from July 11, 1975

_____ to use of 2.66 cubic feet per second of the waters of groundwater (three wells)

in the County of Clark and State of South Dakota, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted at Well #1-2470'E & 40'S (CA); Well #2-2600'E & 430'S (CA) from the W 1/4 Corner Section 22; Well #3-1400'E & 100'N of the SW corner (CD), Section 22, T113N, R57W

and conducted to and upon portions of Sections 22 and 27, T113N, R57W more fully described on the face of this license

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 4324-3A and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 21st day of January A. D.
Nineteen Hundred and Eighty-three

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer **JOHN HATCH**

Permit No. 4324-3A

Water Diversion No. 3 Sioux River Water District
10170201

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Harland Haug

_____ the holder _____ of
Permit No. 4324-3A, issued upon Application No. 4324-3A, bearing date of priority of _____
July 11, 1975 authorizing the diversion of 3.17* cu. ft. per second of the waters of _____
groundwater (three wells) County of Clark, State of South Dakota at _____
Well #1-2470'E & 40'S (CA); Well #2-2600'E & 430'S (CA); from the W½
corner, Section 22; Well #3-1400'E & 100'N of the SW corner (CD), Section
22, T113N, R57W for Irrigation

_____ purposes, he s complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.66 cu. ft. per second of water.

Date January 21, 1983

* This Water License replaces
Permit No. 4324-3 and in-
corporates applicable portions
of Permit No. 4324-3.

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 9090

PIERRE, January 3, 19⁸³

RECEIVED OF Harland Haug, Willow Lake SD 57278

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No. 4324-31)	50	00
Fee for inspecting Beneficial Use, and issuing Water License No. 4324-31)		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer

JOHN HATCH



Department of Water & Natural Resources

Joe Foss Building Water Rights Division
Pierre, South Dakota 57501

(605) 773-3352

January 21, 1983

Harland Haug
Willow Lake,
South Dakota 57278

Dear Mr. Haug:

Enclosed herewith are, Water License No. 4324-3A and Certificate of Construction.

Water License No. 4324-3A is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

A handwritten signature in cursive script, reading "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

enclosures

NOTE: This Water License replaces Permit No. 4324-3 and incorporates applicable portions of Permit No. 4324-3.

WNR-817-7/79

Transmittal of Water License

4321-3A

 **Department of
Water & Natural Resources**
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Harland Haug
RR 1, Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

On October 5, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;



Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,

John W. Hatch

JOHN HATCH, Chief Engineer
Water Rights Division

South Dakota



GREAT FACES. GREAT PLACES.

February 1, 1991

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

HARLAND HAUG
RR 1, BOX 57
WILLOW LAKE, SD 57278

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s). 4324-3A

Our records indicate that the 1990 chemigation report(s) has not been received for Permits No(s) 4324-3A. The request for the chemigation report(s) was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 chemigation report(s) be given notice of violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of South Dakota general rule 74:02:09:02(3) requiring chemigation users to report the dates and hours of chemical application.

The hearing(s) will be held at 9:15 am, on February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.

The hearing(s) will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 4324-3A until either the 1990 chemigation report(s) is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is received in this office before the February 27th hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4. Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check boxes for additional service(s) requested. 1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)	
3. Article Addressed to: Harland Haug RR 1, BOX 57 Willow Lake, SD 57278	4. Article Number 2997 218 525 Type of Service: ☒ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise Always obtain signature of addressee or agent and DATE DELIVERED.
5. Signature - Addressee X <i>Harland Haug</i>	8. Addressee's Address (ONLY if requested and fee paid)
6. Signature - Agent X	
7. Date of Delivery 2/4/91	



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

GREAT FACES. GREAT PLACES.

February 14, 1991

4324-3A

HARLAND HAUG
RR 1, BOX 57
WILLOW LAKE, SD 57278

Dear Mr. HAUG:

I am writing to acknowledge receipt of your 1990 chemigation report for Water Right No.(s) 4324-3A. You may disregard the February 1, 1991, Notice of failure to report chemical use for 1990. With receipt of the chemigation report, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Regan Fanning at (605) 773-3352.

Sincerely,

Ron Duvall,
Natural Resources Engineer IV
Water Rights Division


Name: Anonymous

Date: August 2, 1991

Subj: Alleged contamination of Vermillion East Fork: Willow Lake
aquifer.

The individual calling was concerned that an irrigation pump may have shut down (double 220 voltage) due to a lightning strike while the chemical pump (110 voltage) remained running resulting in contamination of the aquifer. The type of chemical being applied is not known, but the individual suspects the chemical may have been Lorsban. This occurred approximately two weeks ago.

The individual has requested that the Water Rights Division inspect the equipment used by Harland Haug and Donald E Schmidt to ensure the proper chemigation equipment is in place. This person also indicated that garbage is being dumped into a gravel pit located 5 miles south and 1/4 mile west of Willow Lake. The gravel pit may be in direct connection with the aquifer.



Ron Duvall, Natural Resources Engineer

Conversation or File Documentation

NAME OF PERSON OR FILE: Harland HaugADDRESS: WILLOW LAKE SD COUNTY ClarkDATE: 8/5/1991 TELEPHONE _____RE: Complaint Inspection

COMMENTS:

I inspected Harland Haug irrigation system (Permit No. 4324-3A).

Mr. Haug said he applied Lorsban mixed with 28-00 fertilizer around 2-3 weeks ago. about 20 gallons on 122 acres.

He ran the system on automatic and then shut the pivot down. Everything shut down at the same time.

The system is 1205' long w/ 9 towers and pumps 550 gpm. At the well, the pressure is 100 psi at the Pivot 75 psi.

His pivot travels over his neighbor's alpha^(SD) field about 15'. I told him it wasn't suppose to do that. Mr. Haug said he spoke with his neighbor about it and his neighbor said that it was fine. I said he would probably have to shut the gun off over the field. Mr. Haug said his neighbor would have to complain to him personally before he would shut it off. Since his neighbor had said it was okay before.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Norma C. Pab



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

HARLAND HAUG
FR #1 POX 57
WILLOW LAKE SD 57278

NOTICE

RE: Violation of Water Permit No(s) 4324-3A

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am. March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

HARLAND HAUG
RR 1, BOX 57
WILLOW LAKE, SD 57278

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s) 4324-3A


The first notice to file chemigation report(s) for Permit No(s) 4324-3A was dated October 18, 1991. Our records indicate that we have not received the 1991 chemigation report for Permits No(s) 4324-3A. The Water Management Board has directed that owners of water permits who have not submitted the 1991 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearings will be held at 9:15 am, on March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre SD, and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,


RON DUVAL, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 4, 1992 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 6, 1992

4324-3A

Harland Haug
RR #1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1991 irrigation questionnaire for Water Right No. 4324-3A. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaire was received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,


Genny McMath
Natural Resources Analyst
Water Rights Division



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 6, 1992

HARLAND HAUG
RR 1, BOX 57
WILLOW LAKE, SD 57278

Dear Mr. HAUG:

I am writing to acknowledge receipt of your 1991 chemigation report for Water Right No(s) 4324-3A. You may disregard the January 27, 1991 Notice of Failure to Report Chemical Use for 1991. With receipt of the chemigation report, your name has been deleted from the March 4, 1992 Water Management Board meeting agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Don Frye'.

DON FRYE, Natural Resources Analyst
Water Rights Division

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece, the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

HARLAND HAUG
RR #1 BOX 57
WILLOW LAKE, SD 57278

4a. Article Number

906 557 764

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

1/31/92

5. Signature (Addressee)

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)



4324-3A

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1995

NOTICE

TO: HARLAND HAUG
RR 1, BOX 57
WILLOW LAKE, SD 57278

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Failure to Report Chemical Use under Water Permit No(s) 4324-3A

The first notice to file chemigation report(s) for Permit No(s) 4324-3A was dated November 3, 1994. Our records indicate that we have not received the 1994 chemigation report for Permits No(s) 4324-3A. The Water Management Board has directed that owners of water permits who have not submitted the 1994 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 71:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:30 A.M. on March 8, 1995, in the Crown Room, 3RD Floor, Kings Inn Best Western Convention Center, 220 South Pierre Street, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to March 3, 1995, contact the Water Rights Division, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to March 3, 1995, you will no longer be in violation and your name will be deleted from the Board agenda.

Printed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to: **4324-3A**

4a. Article Number

7157566374

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

2-17-95

HARLAND HAUG
RR #1 BOX 57
WILLOW LAKE, SD 57278

Is your RETURN

5. Signature (Addressee)

X Harland Haug

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991

U.S. GPO: 1993-352-714

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



4324-3A

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1995

HARLAND HAUG
RR #1 BOX 57
WILLOW LAKE SD 57278

NOTICE

RE: Violation of Water Permit No 4324-3A.

Our records indicate that the 1994 Irrigation Questionnaire has not been submitted for Permit No 4324-3A. The request for the Questionnaire was dated November 3, 1994. The Water Management Board has directed that owners of water permits who have not submitted the 1994 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9 30 am, March 8, 1995 in the Crown Room, 3rd Floor, Kings Inn Best Western Convention Center, 200 S Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office on/or before March 3, 1995, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

4324-3A



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 28, 1995

4324-3A

Harland Haug
RR #1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1994 Irrigation questionnaire and chemical reporting form. These forms were completed for you based on our February 17, 1995, telephone conversation. You may disregard the February 7, 1995, **Notice of Violation of Water Permit and the Notice of Failure to Report Chemical Use.**

The questionnaire and chemical reporting form were received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352



4324-3A

January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: HARLAND HAUG, RR #1 BOX 57, WILLOW LAKE, SD 57278
FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4324-3A

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

HARLAND HAUG
RR #1 BOX 57
WILLOW LAKE SD 57278

4a. Article Number

2161 984 041

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-31-96

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X *Harland Haug*

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: HARLAND HAUG
RR #1 BOX 57
WILLOW LAKE SD 57278

FROM: Ron Duvall, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 4324-3A

The first notice to file chemigation report(s) for Permit No(s) 4324-3A was dated 10/20/95. Our records indicate that we have not received the 1995 chemigation report for Permits No(s) 4324-3A. The Water Management Board has directed that owners of water permits who have not submitted the 1995 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 A.M. on March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before March 1, 1996 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4324-3A

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1996

4324-3A

Harland Haug
RR 1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1995 irrigation questionnaire. You may disregard the January 30, 1996, Notice of Violation of Water Permit No. 4324-3A.

I completed a questionnaire for you based on our February 7th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

HARLAND HAUG
RR 1 BOX 57
WILLOW LAKE SD 57278

4a. Article Number

P 378 081 437

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2-6-97

5. Received By: (Print Name)

Harland Haug

6. Signature (Addressee or Agent)

X Harland Haug

8. Addressee's Address (Only if requested and fee is paid)

Har

PS Form 3811, December 1994

Domestic Return Receipt



4324-3A

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE**TO:** HARLAND HAUG, RR 1 BOX 57, WILLOW LAKE, SD 57278**FROM:** Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program**SUBJECT:** Violation of Water Permit No(s). 4324-3A

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4324-3A

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
525 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 20, 1997

4324-3A

Harland Haug
RD 1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1996 irrigation questionnaire. You may disregard the February 4, 1997, Notice of Violation of Water Permit No. 4324-3A.

I completed a questionnaire for you based on our February 10th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Gerry McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 9, 1998

4324-3A

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: HARLAND HAUG, RR 1 BOX 57, WILLOW LAKE, SD 57278

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaire(s)

Our records indicate that the 1997 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

4324-3A

4a. Article Number

2119141229

HARLAND HAUG

RR 1 BOX 57

WILLOW LAKE SD 57278

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

1-12-98

5. Received By: (Print Name)

Harland Haug

6. Signature: (Addressee or Agent)

X Harland Haug

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 20, 1998

4324-3A

Harland Haug
RR 1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1997 irrigation questionnaire. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 4324-3A.

I completed a questionnaire for you based on our January 20th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4324-3A

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 22, 1999

NOTICE

TO: HARLAND HAUG, RR 1 BOX 57, WILLOW LAKE, SD 57278

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaire(s)

Our records indicate that the 1998 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

4324-3A

Is your RETURN ADDRESS completed on the reverse side?

SENDER: ■ Complete items 1 and/or 2 for additional services. ■ Complete items 3, 4a, and 4b. ■ Print your name and address on the reverse of this form so that we can return this card to you. ■ Attach this form to the front of the mailpiece, or on the back if space does not permit. ■ Write "Return Receipt Requested" on this mailpiece below the article number. ■ The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. ☐ Addressee's Address 2. ☐ Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: HARLAND HAUG RR 1 BOX 57 WILLOW LAKE SD 57278		4a. Article Number 2119141566 4b. Service Type ☐ Registered ☒ Certified ☐ Express Mail ☐ Insured ☐ Return Receipt for Merchandise ☐ COD 7. Date of Delivery 1-23-99	
5. Received By: (Print Name) Harland Haug		8. Addressee's Address (Only if requested and fee is paid)	
6. Signature: (Addressee or Agent) X Harland Haug			

Thank you for using Return Receipt Service.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 1, 1999

4324-3A

Harland Haug
RR 1 Box 57
Willow Lake, SD 57278

Dear Mr. Haug:

I am writing to acknowledge receipt of your 1998 irrigation questionnaire. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Right No. 4324-3A.

I completed a questionnaire for you based on our February 1st telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4324-3A

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: HARLAND HAUG, RR 1 BOX 57, WILLOW LAKE, SD 57278

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

4324-3A

SENDER, COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Received by (Please Print Clearly) <u>Jackie Haug</u> B. Date of Delivery <u>1-15-00</u>	
1. Article Addressed to: <u>HARLAND HAUG</u> <u>RR 1 BOX 57</u> <u>WILLOW LAKE SD 57278</u>		C. Signature <u>X Jackie Haug</u> ☐ Agent ☐ Addressee	
		D. Is delivery address different from item 1? ☐ Yes ☒ No If YES, enter delivery address below:	
		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.	
2. Article Number (Copy from service label) <u>2 227 670 457</u>		4. Restricted Delivery? (Extra Fee) ☐ Yes	

PS Form 3811, July 1999

Domestic Return Receipt

102595 99 M-1789



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 24, 2000

4324-3A

Harland Haug
RR 1 Box 57
Willow Lake SD 57278

Dear Mr. Haug:

Thank you for calling about your 1999 irrigation questionnaire. I completed a form for you based on our phone conversation. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit No. 4324-3A.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

4324-3A

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Harland Haug
554 9th St SW
Huron SD 57350-3101

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

Harland Haug

B. Date of Delivery

1-29-00

C. Signature

X *Harland Haug*

☐ Agent

☐ Addressee

D. Is delivery address different from item 1?

☐ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☒ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

2. Article Number (Copy from service label)

7000 0600 0026 9814 1723

PS Form 3811, July 1999

Domestic Return Receipt

102595-00-M-0952



4324-3A

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 19, 2001

NOTICE

TO: HARLAND HAUG, RR 1 BOX 57, WILLOW LAKE, SD 57278

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2000 Irrigation Questionnaire(s)

Our records indicate that the 2000 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 20, 2000. The Water Management Board has directed that owners of water permits who have not submitted the 2000 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 7, 2001 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 2, 2001, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2001

4324-3A

Harland Haug
554 9th St SW
Huron, SD 57350-3101

Dear Mr. Haug

Enclosed is a "Notice" dated January 19, 2001 concerning the 2000 irrigation questionnaire. The notice was originally mailed to RR 1 Box 57, Willow Lake. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2001

4324-3A

Harland Haug
554 9th St SW
Huron, SD 57350

Dear Mr. Haug:

I am writing to acknowledge receipt of your 2000 irrigation questionnaire. You may disregard the January 19, 2001, "Notice" concerning reporting requirements for Water Right No. 4324-3A.

I completed a questionnaire for you based on our February 1st telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you Harland for calling with the questionnaire information and for letting us know that you have sold your land. I will get a copy of the water right, a "Notice of Transfer of Ownership" form and a sample irrigation questionnaire sent to the new owners today.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2001

4324-3A

Rick & Ron Symens
RR 1 Box 56
Willow Lake, SD 57278

Dear Sirs:

I am contacting you in regard to ownership of land described in Water Right No. 4324-3A. Harland Haug has notified our office that he sold the land to you.

Enclosed is a partially completed "Notice of Transfer of Ownership" form for use in filing the ownership change. Please review the form and complete as needed. Upon completion, please sign the form in the presence of a notary public and return it to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the Water Rights Program.

I am also enclosing a sample copy of our yearly irrigation questionnaire. This will give you an idea of the type of information you will need to keep track of during the growing season. I have included a copy of the water right for your review. You may keep these documents for your records.

If you have any questions concerning the water right or filing the transfer of ownership, please get in touch with me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

NC 416754

Pierre, FEBRUARY 6, 2001

RECEIVED OF Rick Syrens c/ Ronald Syrens, RR 1 Box 56, Willow Lake, SD 57278
the following amount in fees for services rendered as provided for by law: (Harland Haug)

Fee for Application for Permit No. _____ to Appropriate Water, to construct
and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. _____

Fee for Filing Transfer Form 4324-3A

Fee for Filing Extension Request _____

Fee for _____

(Any Other Work Provided by Law)

Total

2 50

2 50

By Harland E. Ebel
Chief Engineer

NOTICE OF TRANSFER OF OWNERSHIP

No. 4324-3A

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

Date: Feb 5 2001

I/We request that Water Right No. 4324-3A

formerly owned by: Harland Haug

be transferred to: (name & address)

Ricki Lynne or Ronald Lynne
RR1 Box 56 Willow Lake SD 57278

Telephone No. 625-3533 - 625-5465

Title to the following described land(s)/property has been transferred as described above:

222 acres - SW 1/4 Section 22 and N 1/4 NW 1/4 Section 27, all in T113N, R57W

I/We understand that the validity of Water Right No. 4324-3A has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

STATE OF SOUTH DAKOTA)

County of Clark)

I/We Ricki or Ronald Lynne being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Ricki Lynne Ronald Lynne
(Signature of new owner)

Subscribed and sworn to before me this 7 day of Feb, 2000: 2001

Cheryl Gustafson
(Notary Public)



NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 15, 2001

4324-3A

Rick Symens or Ronald Symens
RR 1 Box 56
Willow Lake, SD 57278

Dear Mr. Symens:


Thank you for following up on the ownership change for Water Right No. 4324-3A. The transfer has been completed. The water permit formerly listed in the name of Harland Haug is now listed in your name.

Enclosed is your Receipt No. 415754 in the amount of \$2.50. If I can answer any questions for you, please contact me.

Sincerely,

Glenda Marks
Secretary
Water Rights Program
(605) 773-3352

enclosure



SCALE 8 IN = 1 MILE

* NOTE: THIS IS A REQUEST TO ADD WELLS # 2, 3 AND 4 TO IRRIGATE LAND UNDER PERMIT # 2318-3

HARLAND HAUG

IRRIGATION PROJECT # 1A

CLARK COUNTY

AREA IRRIGATED	222 AC.	NO CHANGE FROM PERMIT # 2318-3
WATER CLAIMED	3.17 CFS	

POINTS OF DIVERSION

WELL # 1	1050 FT	N 87°E	(PERMIT # 2318-3)
WELL # 2	3600 FT	N 43°E	
WELL # 3	1200 FT	N 82°E	
WELL # 4	1200 FT	N 87°E	OF SW CORNER OF SEC 22, T113N, R57W

I, DARRELL W. DE BOER, DO HEREBY CERTIFY THAT THIS MAP IDENTIFIES A REASONABLY ACCURATE RECORD OF THE LAND OF

HARLAND HAUG

WILLOW LAKE, S.D.

CLARK COUNTY

DRAWN BY D.W. DE BOER

SEPT. 13, 1978

PE # 2630


BRD MAP # 3531-3 APPL # 4324-3

~~113-57~~

4324-3A

NOT TO SCALE

113-57



12.7
108.2

21.8
33.0

14.3
15.6
18.5

2600'
2470'
3300
39.20

22

139.6

#1
#2
1300'
8" PVC

77.9
430.6

779-207R

2450'
6" PVC

39.60

39.30

TREES HAVE BEEN REMOVED

100'
150'

BOOSTER PUMP

1400'


20.00

19.85

NOT TO SCALE

4324-3A

+



4324-3A



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: RICK OR RONALD SYMENS, 42796 193RD ST, WILLOW LAKE, SD 57278
FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4324-3A. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4324-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4324-3A in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: RNKZIN**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.