

ter Right Number 4377-3

1. Considered MARCH 28, 19 79
2. Name of Applicant LYLE STORBECK
3. Post Office Address HURON, S.D. 24-109-62
4. Amount of water claimed 1.88
5. Source of water supply GW - 90' well
6. Water to be used for Irrigation
Acres to be irrigated 132
7. Water to be diverted and used in Beadle County
about 8 Miles SOUTH of HURON
8. Proof of Publication
Received 3-19-79
Not received _____
9. Application
Approved _____
Subject to _____
Not approved _____
Action deferred 3-28-79
10. Remarks:

No. 4377-3Map No. 3569-3 Water Use or Use No. 3 James River District _____
(Blanks to be Filled by the Engineer for the W. R. C.)Received
Jan 5, 1979
8:45 am

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Lyle Storbeck
Postoffice address 1635 Riverside Drive Huron, State SD 57350
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) contract
3. Name of diversion work well
4. Amount of water claimed (cubic feet per second) 1.88
5. Source of water supply ground water
6. Location of point of diversion midpoint of NE $\frac{1}{4}$ of 24-109-62
County Beadle

7. Annual period or periods during which water is to be used April - September
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 132
List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE $\frac{1}{4}$ NE $\frac{1}{4}$ 24-109-62	33		
SE $\frac{1}{4}$ NE $\frac{1}{4}$ " " "	33		
NW $\frac{1}{4}$ NE $\frac{1}{4}$ " " "	33		
SW $\frac{1}{4}$ NE $\frac{1}{4}$ " " "	33		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Daily Plainsman
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Irrigation well

B. Works proposed to transport water to place of use.

mainline

C. Works proposed to apply water to beneficial use.

center pivot

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Beadle) ss.I, Lyle Storbeck, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSigned s/Lyle StorbeckSubscribed and sworn to before me this 4th day of January, 1978s/Sandra J. Schilling

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 4377-3
Lyle Storbeck 1635 Riverside Drive, Huron
 (Applicant) (Post Office Address)
South Dakota 57350
 (State) With the following modifications.

The Irrigation well approved under this Permit will be located near domestic wells and other Irrigation wells which may obtain water from the same aquifer. The Irrigation well owner, under this Permit, shall control his Irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in Irrigation wells having prior water rights.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See also 4581-3

Date of first receipt of application January 5 19 79
 Date of return to applicant for correction, amendments or changes required January 5 19 79
 Date of receipt of corrected application February 12 19 79
 Approved MAY 24 19 79, Recorded in Book 21 Page 22

WATER RIGHT PERMIT NO. 4377-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 4377-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 5 19 79
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 24 19 81
3. The whole of said work is to be completed on or before MAY 24 19 84
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 24 19 86
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 11.88 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 24 19 86; said water to be used during the following described annual period: APRIL - SEPTEMBER

Witness my hand this 11th day of JUNE 19 79

WATER RIGHTS COMMISSION

By: John H. Hatcher
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 ____

Water License Issued _____ 19 ____

HURON DRILLING INC. DRILLERS LOG

PAGE NO.

Lyle Storbeck
JOB NAME

NEX-24-109-62-Beadle
LOCATION County

5/16/79
DATE

23
RIG NO.

Karl Osberg
FOREMAN

Jt No.	DEPTH	TIME	REMARKS
1	4		0-4 Yellow clay
2	14		4-14 Yellow clay
3	24		14-24 Yellow clay
4	34		24-26 Yellow clay
5	44		26-34 Blue clay
6	54		34-44 Blue clay
			44-54 Blue clay
			54-56 Good coarse gravel
			56-58 Blue clay
			58-64 Sand with streaks blue clay-water loss
			60-70 Fine sand
			70-80 Medium coarse sand, coal streaks
			80-90 Medium coarse sand and coal streaks
	TD 101		90-101 Medium coarse sand and coal streaks

Huron, South Dakota

WELL REPORT

NEX-24-109-62

Beadle County

DESCRIPTION

HURON
DRILLING CO.
Huron, S. D.

May 21, 1979
DATE

Lyle Storbeck
OWNER

CASING LOG

Depth 101 ft.
Flows gpm 71 ft. 16" Plastic pipe to 71 ft.
Pumps 700 gpm 20 ft. 16" Perf. Plastic pipe to 91 ft.
Head 28' 7" ft. 10 ft. 16" Stainless Steel Screen pipe to 101 ft.
0 Ft. Plastic Perf. 10 ft. 16" Stainless Steel Screen pipe to 101 ft.
0 Ft. Stainless Steel Screen 10 ft. 70 Slot pipe to ft.

REMARKS

10 Ft. 16" Johnson. Stainless Steel Screen 70 Slot


Premure
A days
Dr Line Time

Rig No. 23

Karl Osberg

Foreman

DM




FIELD PUMPING TEST Water Level Measurements

Well No. _____

Location: hyle Stoebrak
Date: May 21 1979

6x5" orifice Reading 1' above ground level

Time of Measurement	Elapsed Time - Minutes	Tape Measurement		Elec. Elev. of Marker Inches	Depth of Water Feet	Draw-down Feet	Pumping Rate GPM	REMARKS
		Mark Held Ft	Wetted Port. Inches					
5:30		33"			28' 2"		700	
5:31		↓			46' 10"	18' 8"	↓	
5:32		↓			46' 10"	18' 8"	↓	
5:33					47'	18' 10"		
5:34					47' 8"	19' 6"		
5:35					48' 2"	20'		
5:40					53' 2"	25' 10"		
5:45					54'	25' 10"		
5:50					54' 1"	25' 11"		
5:55					54' 1"	25' 11"		
6:00					55'	26' 10"		
6:15					57' 6"			
6:30					59' 4"			
Trouble with water level indicator. Didn't shut down								
8:00					70' 7"	42' 5"		
8:15					70' 9"	42' 7"		
8:45					71' 2"	43'		
9:15					71' 10"	43' 10"		
9:45					71' 9"	43' 9"		
10:15					71' 9"	43' 9"		
10:45					71' 9"	43' 9"		
11:15					71' 9"	43' 9"		
11:30					71' 9"	43' 9"		



12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Well Log Attached

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others *230* rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

[Signature]
Signature of Applicant

WATER Sample To University
Bar. Kings 1/2/79

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Lyle Storbeck
ADDRESS 1635 Riverside Dr., Huron S.D.
COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION Midpoint of NE 1/4 of 24-109-62
2. LOCATION OF AREA TO BE IRRIGATED NE 1/4 of 24-109-62

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED CORN + Sorghum

WATER QUALITY

5. SAMPLE NUMBER 79-004
6. SALINITY (EC x 10⁶) 2000
7. SODIUM (SAR) 34 Adjusted = 9.2
8. RESIDUAL SODIUM CARBONATE (meq/l.) 2.2

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from _____ Conservation District, County Extension office or Soil Conservation Service, and: that the legal description for the location of the well and land to be irrigated is true and correct.



APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
3 DAY OF January 19 79.

Dick Sadgen
(TITLE OR SEAL)

Beadle Co Agent APPROVED/NOT APPROVED

(SOILS INFORMATION ON REVERSE SIDE)



NE4-109-62

NE 24-109-62

120 pps J. B. B. with a phone call to CES 1/10/74

IRRIGATION SOILS LEGEND

103B Rand-Bonilla loams, 3-6% slope

These are deep, well drained soils that have loam, silt loam, or light silty clay loam surface layers and loam, clay loam, silt loam, or silty clay loam subsoils. Available water capacity is high. Permeability is moderate. These soils are on uplands.

Continuous move sprinkler systems could have traction problems on those soils having silty clay loam surface layers. The more sloping soils are subject to runoff and erosion if water is applied too fast. Gullies could form in wheel tracks of continuous move systems.

Generally, these soils are suitable for irrigation with medium salinity and low sodium water. If water of high salinity or medium sodium is used, extra water should be applied for leaching purposes and salt tolerant crops may be required.

Leaching operations will be difficult to carry out with center pivot systems.

32 Carthage-Blendon fine sandy loam, 0-2% slope

52B Carthage fine sandy loam, 1-6% slope - Interpretation may be variable.

These are deep, well drained soils that have fine sandy loam surface layers and subsoil. The underlying material is lacustrine silt, glacial till or clay. Available water capacity is moderate or high. Permeability is moderately rapid above the contrasting material and slow or moderately slow in the contrasting material. These soils are on uplands.

The more sloping soils are subject to erosion if water is applied too fast. Gullies could form in wheel tracks of continuous move systems.

The heavier underlying material usually limits the use of irrigation water to that of low salinity and low sodium. Water of medium salinity may be used when additional quantities of water are applied for leaching purposes. Use of higher hazard water will require additional internal drainage and the use of salt tolerant crops.

Lyle Storback Unit



WATER Sample To
Brookings 1/2/79

43 Grt loam, 0-2% slope

These are poorly or very poorly drained soils in closed depressions or broad flat areas. Some of the depressional soils have dense claypan subsoils and contain an excess amount of sodium. They are usually ponded during wet seasons and would become ponded under irrigation. Continuous move irrigation systems are likely to get stuck in these soils.

Soil Conservation Service
Beadle County

A circular ink stamp from the State Water Rights Commission, Florida. The text "RECEIVED" is at the top, "STATE WATER RIGHTS COMMISSION" is in the middle, and "FLORIDA" is at the bottom. The date "FEB 1979" is stamped in the center. The stamp is slightly tilted and has a textured, ink-like appearance.

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57007

Submitted by: Lyle Storvick
 Address: Huron, SD 57350

Date Rec'd: January 2, 1979
 Sample No.: 79-004
 Identification: 011-
N. 24, T. 109N, R. 62E

WATER ANALYSIS

Calcium (Ca)	207	ppm*	10.35	me/l**
Magnesium (Mg)	75	ppm	6.15	me/l
Sodium (Na)	225	ppm	9.79	me/l
Potassium (K)	12	ppm	0.31	me/l
Sulfate (SO ₄)	388	ppm	18.47	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	16	ppm	0.43	me/l
Bicarbonate (HCO ₃)	356	ppm	5.84	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	292	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	2000	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	3.40	Adjusted SAR	9.20	
Sodium	36.80	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.10			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 26.60 me/l
 Total anions 24.74 me/l

By: Charles L. Latta

Service Performed	Amount Due
Induction analysis	115.00


Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 79-004

Amount Enclosed \$

Signed



REC-MGMT/FORM
12/77

d

Water Rights copy.

CONDITIONAL

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Lyle Storbeck, Huron, SD



SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:

13 Totanka-Hoven - depressional, dense clays, sodium

8 Loup
43 Grat high water table under irrigation conditions to extent of ponding
and drowning crops.

RECOMMENDED MANAGEMENT:

1. Water should not be applied more than ---- times during the irrigation season.
2. Each uninterrupted application (one rotation of center pivot) should be of at least ---- inches of water.
3. ☒ Yes () No Surface drainage suggested on any area that tends to pond water.
4. () Yes () No Subsurface drainage suggested on -----.
5. () Deep tillage (for the purpose of aiding movement of water through dense subsoils.

COMMENTS:

6. () Heavy fall application of irrigation water. (3/4 circle)
7. Type of irrigation system recommended for use on this application modified pivot.

GENERAL COMMENTS:

Soils in the north central portions (Loup) are subject to fluctuating water table conditions. This area (approximately 1/4 pivot area) should be kept in permanent type vegetation and will not need irrigations except in successive dry years when the water table declines.

Likewise the southern edge has Grat Loam soils (43) underlain by very permeable gravel that have a water table conditions. A slightly smaller pivot would exclude most of this area. An end gun for the east and west sides may be considered for a bit more acreage.

Copy to applicant
Copy to Water Rights
Copy on File

No. 4377-3

Publish first publication, on or before March 9, 1979

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 22, 1979

Notice is hereby given that Lyle Storbeck whose post office

address is Huron, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 1.83 cubic feet of water per second of time from groundwater

(one well) through the Storbeck Irrigation Project, the point(s) of diversion of which is (XX) to be located in the approximate center of NE 1/4

of Section 24, Twp. 109N, Range 62W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

NE 1/4, Section 24-T109N-R62W.

This Application No. 4377-3 will be considered by the Water Rights Commission at the Community Room in the City Hall, 222 East Dakota, Pierre, SD upon the 28th day of March, 1979

at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Commission may be appealed to the Courts as provided by law.

WATER RIGHTS COMMISSION

Betty Westlund
Water Rights Specialist

BW:plh

cc: Lyle Storbeck, 1635 Riverside Dr., Huron, SD 57350

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
Beadle) ss.
County _____)

I, Linda Schlotter hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____
city of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 9, 1979
March 16, 1979

Linda Schlotter
(Signature)

Bookkeeper
(Title)

3-16-79
(Date Signed)

F.P. 379-79 ~~RECEIVED~~ L.P. 3-16-79
NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER
Pierre, South Dakota 57501
February 22, 1979

Notice is hereby given that Lyle
Storbeck whose post office address
is Huron, South Dakota, has made
an application in accordance with
the provisions of SDCL 46-1-1 thru
46-1-9, 46-1-14; 46-2-9 thru 46-2-11,
46-2-13; 46-5-1 thru 46-5-8; 46-5-10
thru 46-5-22, 46-5-41; 46-6-2, 46-6-3, 1,
46-6-5, 46-6-6, 1, 46-6-10, 46-6-14 and
Commission Rules ARSD
52-01:01-01 thru 52-01:01-13, for a
permit to appropriate for
beneficial use 1.88 cubic feet of
water per second of time from
groundwater (one well) through
the Storbeck Irrigation
Project, the point of diversion of
which is to be located in the ap-
proximate center of NE 1/4 of
Section 24, Twp. 109N, Range 42W.
Said water is to be used for the
purpose of providing irrigation on
portions of the following described
land: NE 1/4, Section 24, T109N-
R42W.

This Application, No. 4377-3 will
be considered by the Water Rights
Commission at the Community
Room in the City Hall, 222 East
Dakota, Pierre, S.D. upon the 28th
day of March, 1979 at 10 A.M. The
Commission is authorized to make
a determination on this application
at the hearing. All interested
persons may appear and be heard.
Any person who may be affected
by a Commission decision who
desires to present evidence or
cross-examine witnesses ac-
cording to SDCL 1-26 may notify
the Commission in writing prior to
the hearing or orally at the
hearing.

This hearing is an adversary
proceeding. Any person has the
right to be present or to be
represented by a lawyer. These
and other due process rights will
be forfeited if they are not exer-
cised at the hearing. Decisions of
the Commission may be appealed
to the Courts as provided by law.
WATER RIGHTS COMMISSION
Patty Westlund
Water Rights Specialist
1-2-102 (Adv.)



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6785

February 12

79

PIERRE,

19

RECEIVED OF Storbeck Cattle Yards, Lyle Storbeck, 1635 Riverview Dr., Huron SD 57350
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. <u>4377-3</u> (examination, processing, recording and filing)	250	00
Fee for inspecting Construction, and issuing Cert. of Construction No.		
Fee for inspecting Beneficial Use, and issuing Water License No.		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	250	00

WATER RIGHTS COMMISSION

By Ackel Hatten
Chief Engineer, Executive Officer
JUN 12 1979



BEADLE COUNTY
IRRIGATION SYSTEMS, INC.

West Highway 14
HURON, SOUTH DAKOTA 57350
(605) 352-8527



February 9, 1979

Department of Natural Resource Development
Water Rights Commission
Joe Foss Building
Pierre, So. Dak. 57501




Dear Sir:

Enclosed please find a check in the amount of \$250.00
from Mr. Storbeck for his acreage charge. Thank you.

Sincerely,

Rhonda Lovett
Secretary

LINDSAY makes it rain



No. 4377-3

Department of Natural Resource Development

WATER RIGHTS COMMISSION
Joe Foss Building, Pierre, South Dakota 57501
Phone 605/773-3151


March 14, 1979

Mr. Lyle Storbeck
1635 Riverside Dr.
Huron, SD 57350

Dear Mr. Storbeck:

Although your Application No. 4377-3 was advertised to be considered at 10:00 a.m. on March 28, 1979, it will be considered at 4:15 p.m. on March 28, 1979 along with the deferred applications in Beadle County.

Sincerely,




Burton F. Jones
Water Rights Specialist III

BFJ:kjw

Deferred Application

No. 4377-3



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501
Phone 605/773-4212

April 11, 1979

Lyle Storbeck
1635 Riverside Dr.
Huron, SD 57350

Dear Mr. Storbeck:

The Water Rights Commission deferred action on your Application No. 4377-3 at the March 28, 1979 Commission meeting, pending investigation by the Commission Staff.

If you have any questions, feel free to contact this office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH:9Y

Form 10.

No. _____



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office

Huron So Dak

Date

Oct 26, 1979

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 4377-3

Water Right Permit No. 4377-3 states that the diversion system is to be constructed by May 26, 1979 and that the water is to be put to beneficial use by May 26, 1979.

The diversion system was completed on July 20, 1979.
Applying the water to beneficial use was completed on July 20, 1979.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.


(Signature)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

No. 4581-3

NOV 3 1987

Lyle Storbeck
1635 Riverview Dr. SE
Huron SD 57350

Dear Mr. Storbeck:

Enclosed herewith is, Water License No. 4581-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks

Enclosures

Water Permit No. 4581-3 authorized irrigation of lands from an existing well authorized under Water Permit No. 4377-3. The applicable portions of Water Permit No. 4377-3 are incorporated into this Water License No. 4581-3.