


Water Right Number 4300-3

1. Considered MARCH 28, 19 79
2. Name of Applicant GLENDAL COLONY
3. Post Office Address FRANKFORT, SD. 25-115-62
4. Amount of water claimed 1.71
5. Source of water supply 90' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 132
7. Water to be diverted and used in SPINK County
about 3E, 10 Miles SOUTH of FRANKFORT
8. Proof of Publication
Received 3-23-79
Not received _____
9. Application
Approved 2-28-79
Subject to well drilling
Not approved _____
Action deferred _____
10. Remarks:

No. 4392-3Map No. 3580-3 Water Division No. 3 JAMES RIVER District _____
(Blanks to be Filled by the Engineer for the W. H. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Glendale Colony
 Post-office address FRANKFORD, State S.D. 57469
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) CONTRACT
3. Name of diversion work WELL GLENDAL IRRIATION PROJECT
4. Amount of water claimed (cubic feet per second) 1.71
5. Source of water supply WELL
6. Location of point of diversion MIDPOINT OF SW 1/4 OF SEC 25 - 11S & 12W
- County Spear
7. Annual period or periods during which water is to be used MAY - OCT
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION
9. For irrigation use, _____ Total number of acres to be irrigated 132

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SW 1/4 of SW 1/4 of 25-11S-12W	13 33		
NW 1/4 of SW 1/4 of 25-11S-12W	3 33		
NE 1/4 of SW 1/4 of 25-11S-12W	3 33		
SE 1/4 of SW 1/4 of 25-11S-12W	3 33		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 7 years.
11. Choice of newspaper for Notice of Intent to Appropriately Water publication THE PRESS REDFIELD 57469
HAROLD D. JONES
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source. WELL - Turbine pump
- B. Works proposed to transport water to place of use.
- C. Works proposed to apply water to beneficial use.

Estimated Total Cost \$ 10,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Glendale)I, Glendale Colony the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSubscribed and sworn to before me this 18th day of November 19 78

Signed John Williams
Notary Public
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 4390-3
GLENDAL COLONY % JOHN KLEINSASSER - FRANKFORT
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57469 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application DECEMBER 18, 1978
 Date of return to applicant for correction, amendments or changes required _____, 19____
 Date of receipt of corrected application WQ MARCH 9, 1979
 Approved MARCH 28, 1979, Recorded in Book 20 Page 304

WATER RIGHT PERMIT NO. 4390-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 4390-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 9, 1979
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 28, 1980
3. The whole of said work is to be completed on or before MARCH 28, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 28, 1981
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 1.71 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 28, 1981; said water to be used during the following described annual period: MAY - OCTOBER

Witness my hand this 2nd day of July, 1979
~~12th~~ ~~APRIL~~

WATER RIGHTS COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer


Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

HURON DRILLING INC. DRILLERS LOG

PAGE NO.

Glendale Colony		S.W. - Sec. 25 - Township 115		4/21/79		18		Bernard Schleder	
JOB NAME		Range 62 LOCATION		DATE		RIG NO.		FOREMAN	
21	DEPTH	TIME	Spink County		REMARKS				
	0-10				Top soil, yellow clay, sand at 8'				
	10-20				Medium sand and yellow clay				
	20-30				Medium dark sand				
	30-40				Medium yellow sand and gravel				
	40-50				Medium sand and gravel good, some coal				
	50-60				Medium sand, some coal good				
	60-70				Medium sand, coal trace water loss				
	70-80				Medium sand, good				
	80-90				Medium sand, little water loss				
	90-100				Medium sand-water loss and coal streaks				
	100-109				Medium sand - water loss				
		TD 109							
					69 Ft. 15" Solid Plastic				
					40 Ft. Perforations-punched stainless steel				
					40 tons of pea rock				
					Gravel and casing furnished by Colony.				



IRRIGATION DRILLING CO.

ROUTE 1

HURON, SOUTH DAKOTA

PH. 377-4287

DRILLING REPORT

Location of Well: C. F. H. E. K. 1/4, S. W. 1/4, Section 1, Township 1, Range 1

Well to be drilled for: _____ (Name) _____ (Address)

(County) _____

Date well drilling started: 11/1/59

Purpose of well 1151 N.E. 1/4 (domestic, irrigation, industrial, other)

Depth 93 ft. Casing Diameter 4 inches

Plot Size _____ Screen Size _____ Date _____

[illegible]

Remarks:	<u>Test Pilot</u>							(State)
----------	-------------------	--	--	--	--	--	--	---------

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1 Mile																																																																																																			

CONFIDENTIAL - SECURITY INFORMATION

REPORT OF FINAL PUMPING TEST
Write Additional Times and Readings on Back of Page

Date.....

Elapsed Time From Start of Pumping	Water Level	Discharge
---------------------------------------	-------------	-----------

Q hr.	Q mlr.	ft.	in.	(State)
-------	--------	-----	-----	---------

hr.	min.	n.	ln.	OP
-----	------	----	-----	----

h	min	h	DL	OP
---	-----	---	----	----

hr.	min.	sec.	of
hr.	min.	sec.	of

hr.		min.		ft.		lb.		RECOVERY	
-----	--	------	--	-----	--	-----	--	----------	--

[illegible]

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 26", Depth 95'
- (2) Casing, Type Plastic (wood, concrete, steel, etc) Diameter 16" Thickness 1/4"
- (3) Perforated Screen.
Type Plastic slotted, Diameter 16", Length 13'
- (4) Gravel Pack, Thickness 5", Length of gravel pack 95'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

SEE ATTACHED WELL LOG

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) 22'

- (2) Distance to nearest existing household or livestock watering well's.

On same owner's property 220 rds. On property owned by others 320 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

John Kleinsasser
Signature of Applicant

CONSERVATION
COMMISSION
FORM W1 #1

Received by Sub. Div. 1/11/79

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

RECEIVED


JAN 11 1979

South Dakota
Division of Conservation

NAME Glendale Colony

ADDRESS Frankfort, So. Dak. 57440

COUNTY Spink



LEGAL DESCRIPTION

1. WELL LOCATION SW 1/4 of Section 25-115-62 (Well located in center of quarter).
2. LOCATION OF AREA TO BE IRRIGATED SW 1/4 of Section 25-115-62

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn

WATER QUALITY

5. SAMPLE NUMBER 77-1604
6. SALINITY (EC X 10⁶) 1000
7. SODIUM (SAR) 2.34 Adjusted SAR-5.95
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0.0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Spink Conservation District, County Extension office or Soil Conservation Service. and: that the legal description for the location of the well and land to be irrigated is true and correct.

John D. [Signature]
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
10 DAY OF January 19 77

[Signature]
(TITLE OR SEAL)

[Signature]
APPROVED/DISA PROVED

(SOILS INFORMATION ON REVERSE SIDE)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

Submitted by: Joan Kleinsasser
 Address: Glendora Colony
Sioux Falls, SD 57140

Date Rec'd: Dec 7, 1979
 Sample No.: 79-076
 Identification: 1 Well-100'
Box 25, T 115N, R 62W

WATER ANALYSIS

Calcium (Ca)	175	ppm*	8.75	mc/l**
Magnesium (Mg)	40	ppm	2.00	mc/l
Sodium (Na)	174	ppm	7.57	mc/l
Potassium (K)	9	ppm	0.23	mc/l
Sulfate (SO ₄)	400	ppm	8.32	mc/l
Nitrate (as N)		ppm		mc/l
Chloride (Cl)	95	ppm	2.66	mc/l
Bicarbonate (HCO ₃)	433	ppm	7.92	mc/l
Carbonate (CO ₃)		ppm		mc/l
Iron (Fe)		ppm		mc/l
Fluoride (F)		ppm		mc/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	396	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1833	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	3.10	Adjusted SAR	8.50	
Sodium	38.15	% of cations		
Residual sodium carbonate	0.00	mc/l		
pH	7.91			
Others:				

*ppm=parts per million
 **mc/l=millequivalents per liter
 ***g.p.g.=grains per gallon

COMMENTS: Total cations 19.83 mc/l
 Total anions 18.90 mc/l

By: Shirley Litter

Service Performed

Amount Due

Irrigation analysis

15.00

Make checks payable to: Water Quality Laboratory


Cut along dotted line and return the lower portion with payment

Sample No. 79-076


Amount Enclos

Signed

LINCOLN T115N R62W S25



Robert D. Jumper
 Spirit Co. L. R. 115N
 Redfield, S. Dak.
 51469



508-23-115-62

Copy to applicant
Copy to Water Rights
Copy on File

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6628

PIERRE, December 18, 1978

RECEIVED OF Glendale Farmers Co-operative, Frankfort SD
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. <u>4390-3</u> (examination, processing, recording and filing) _____	250	00
Fee for Inspecting Construction, and Issuing Cert. of Construction No. _____		
Fee for Inspecting Beneficial Use, and Issuing Water License No. _____		
Fee for Issuing Location Certificate-Dry Draw, No. _____		
Fee for filling _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	250	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH kjw

No. 4390-3

Publish first publication, on or before March 15, 1979

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 9, 1979

Notice is hereby given that the Glendale Colony whose post office

address is Frankfort, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 1.71 cubic feet of water per second of time from ground water

(one well) through the Glendale Colony Irrigation Project, the point (xx) of diversion of which is (xxxx) to be located in the approximate center of the SW 1/4

of Section 25, Twp. 115N, Range 62W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW 1/4, Section 25, T115N, R62W

This Application No. 4390-3 will be considered by the Water Rights Commission at the City Hall Community Room 222 E. Dakota, Pierre, SD upon the 28th day of March, 1979

at 10 A.M. The Commission is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Commission decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Commission in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Commission may be appealed to the Courts as provided by law.

WATER RIGHTS COMMISSION

BETTY WESTLUND
Water Rights Specialist

cc: Glendale Colony, Frankfort, SD 57440

No. 4390-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Spink) ss.

I, Roberta A. Jackhock hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Redfield Press

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

city of Redfield

County of Spink and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 15, 1979

March 22, 1979

Roberta A. Jackhock
(Signature)

Clerk
(Title)

3/22/79
(Date Signed)



No. 4

NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER

Pierre, South Dakota 57501

Notice is hereby given that the
Glendale Colony, whose post
office address is Frankfort, South
Dakota, has made an application
in accordance with the provisions
of SDCL 46-1-1 thru 46-1-14;
46-2-1 thru 46-2-11; 46-5-1

thru 46-5-3; 46-5-10 thru 46-5-22; 46-
5-41; 46-6-3; 46-6-31; 46-6-31; 46-6-
6.1; 46-6-10; 46-6-14; and Com-
mission Rules ARSD 52:01:01:01
thru 52:01:01:13, for a permit to
appropriate for beneficial use
1.71 cubic feet of water per
second of time from ground
water (one well) through the
Glendale Colony Irrigation
Project, the point of diversion of
which is to be located in the
approximate center of the SW 1/4
of Section 25, Twp 115N, Range
62W. Said water to be used for the
purpose of providing irrigation on
portions of the following
described land:

SW 1/4, Section 25, T115N, R62W.
This Application No. 4390-3 will
be considered by the Water
Rights Commission at the City
Hall Community Room, 222 E.
Dakota, Pierre, SD upon the 28th
day of March, 1979 at 10 A.M. The
Commission is authorized to
make a determination on this
application at the hearing. All
interested persons may appear
and be heard. Any person who
may be affected by a Commission
decision who desires to present
evidence or cross-examine
witnesses according to SDCL 1-26
may notify the Commission in
writing prior to the hearing or
orally at the hearing.
This hearing is an adversary
proceeding. Any person has the
right to be present or to be repre-
sented by a lawyer. These and
other due process rights will be
forfeited if they are not exercised
at the hearing. Decisions of the
Commission may be appealed to
the Courts as provided by law.

WATER RIGHTS
COMMISSION

BETTY WESTLUND
Water Rights
Specialist

cc: Glendale Colony, Frank-
fort, SD 57440.
(March 15, 22)

4390-3

Department of Natural Resource Development

WATER RIGHTS COMMISSION
Jno Foss Building, Pierre, South Dakota 57501
Phone 605/773-3151

April 16, 1979

John Kleinsasser
Glendale Colony
Frankfort, SD 57469

Dear Mr. Kleinsasser:

On March 28, 1979 the Water Rights Commission approved your Water Rights Nos. 4389-3 and 4390-3. We need the following submitted before we can issue the permits to you.

- 1.) For #4389-3 for irrigating 132 acres in Section 24-T115N-R62W, we need an aerial photo showing lands to be irrigated and the exact location of the diversion point in rods or feet from the quarter section line. The map we have is not clear as to the exact location of the well.
- 2.) For #4390-3 a signed drillers log of the well to irrigate 132 acres of SW $\frac{1}{4}$, Section 25-T115N-R62W. The drillers log sent in with the permit is not a log of a South Dakota licensed well driller.

You will now have sixty days from the date of this letter to submit the above to this office. Upon receipt your permit will be sent to you.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission


JH:BW:plh

cc: Suel Walters, Beadle Co. Irri. Systems, Huron, SD

*Received
May 22, 1979*

Form 10.

No. 4390-7



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Yankton, S.D.

Date July 1, 1979

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 4390-7.

Water Right Permit No. 4390-7 states that the diversion system is to be constructed by March 27, 19 81 and that the water is to be put to beneficial use by March 27, 19 81.

The diversion system was completed on June 1, 19 79.
Applying the water to beneficial use was completed on July 1, 19 79.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

[Signature]
(Signature)

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Division of Water Rights
605 773-3352

No. 4390-3

January 29, 1985

Glendale Colony
c/o John Kleinsasser
Frankfort, South Dakota 57440

Dear Sir:

The inspection of your water use system and inspection of the extent of the application of water to beneficial use, as developed under your Water Right No. 4390-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

South Dakota Water Law 45-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Maxine Stirling
Staff Assistant

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

2-20-85

Dear —

Please sent me by
Return mail a copy of
Water License S. W $\frac{1}{4}$ of Spink
TWP 115N Range 62W. Thank
you.

Yours truly
John Kleinsasser



LICENSE FOR PERMIT NUMBER 4390-3

1. Legal location of wells: center of SW 1/4 of sec 25 - T115N - R62W

dams & structures: _____

2. Well Information: Well Drilling Firm Huron Drilling

No. of wells 1 Depth 109 ft

Casing a) diameter 15 in.
b) length 69 ft
c) type Plastic

Screen a) type Stainless steel
b) length 40 ft

Static Water Level _____

Pump a) make Aurora-Vertiline
b) ~~type~~ 10 RLM
c) ~~model~~ S.N. 37971106
d) capacity _____ GPM
e) turbine pump
no. of stages _____

Motor a) make U.S. Electrical
b) ~~model~~ ID R-2985-05-615
c) horsepower rating 30
d) motor efficiency rating _____

3. Distribution lines:

a) size of lines _____
b) type _____
c) length _____

4. Dam information:

a) height to crest _____
b) height to spillway _____
c) crest width _____
d) crest length _____
e) spillway length _____
f) spillway width _____
g) approx. storage _____

i) Outlet tubes:

1) diameter _____
2) type _____
3) valued (Y/N) _____
4) valve type _____
5) location on structure _____

h) Distribution lines or canals:

1) size _____
2) type _____
3) length _____

5. System Type: a) sizeroll:

1) length _____ feet
2) diameter of pipe _____
3) make, model & number of sprinklers _____
4) spacing of sprinklers _____
5) nozzle size _____

b) lowline:

1) length _____ feet
2) make, model & number of sprinklers _____
3) spacing of sprinklers _____
4) nozzle size _____

5. System Type: c) center pivot
S.N. 10389 1) make Zimmatic
type 10 2) number of towers 7
M.N. 410 3) distance between towers _____
4) overall length 1300 ft
5) End gun (Y/N) _____
6) high or low pressure low
7) make & size of nozzles _____
8) PSI reading while system is running 40
9) GPM 700

g) Gun

1) make _____
2) serial number _____
3) nozzle size _____
4) capacity (GPM) _____
5) PSI _____
6) hose size _____
7) hose length _____

d) Gate Pipe

1) length _____
2) diameter _____
3) spacing of gates _____

e) Siphons

1) number _____
2) size _____

f) Portable boom

1) make _____
2) serial number _____
3) nozzle size _____
4) capacity (GPM) _____
5) PSI _____

h) Hydromatic

1) make _____
2) model _____
3) serial number _____
4) length _____
5) nozzle size _____
6) spacing _____
7) PSI _____
8) capacity (GPM) _____

YES

NO

Check Items

/

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.

/

2. Special Qualifications to permit being abided by.

/

3. All Structures, wells and lands on map.

REMARKS:

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

I have this day made a thorough examination of the water use system constructed by Glendale Colony
_____ of Frankfort, SD 57469 holder of
Permit No. 4390-3, bearing the priority of March ~~28~~ 9 1929 ^{2nd} ~~24~~ authorizing
the diversion of 1.71 cu. ft. per second of the waters of groundwater (Tulare East James)
for irrigation purposes, in Spink County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

motor : U.S. Electrical

purmp: Verti-line Aurora

ID. R-2985-03-615

type 10RLM

R2128026 N

S. N. 37971106

30 h.p.

B. Works used to transport water to place of use:

center pivot: S.N. 10389

M.N. 410

make - Zimatic, Type 13

of towers - 7

length - 1300 ft

C. Works used to apply water to beneficial use:

low pressure - 40 psi.

capacity - 700 gpm

The system is in the following condition good

The point of diversion is located well: center of SW 1/4 of sec 2.5-T115N-R62W

The works are capable of diverting and conveying to the place of use 1.55

cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: _____

		Acres
NW 1/4 SW 1/4	sec 25-T115N-R62W	31.3

NE 1/4 SW 1/4 " 33.5

SW & SW	"	31.5
---------	---	------

SE $\frac{1}{4}$ SW $\frac{1}{4}$ " 31.7

comprising a total of 128.0 acres of land and the license should be issued for 4.55 cfs

Applicable permit qualifications have been complied with ✓ Yes No

Exceptions to compliance are: _____ Date Oct. 31, 1984

Ron Duval
(signature)

State of South Dakota
Water License No. 4390-3

(1) Glendale Colony
of Frankfort, South Dakota
made Application No. 4390-3, December 18, 1978 for a water permit to appropriate
1.71 cubic feet per second of water from groundwater (one well)
Spink County, South Dakota for irrigation purposes.
Permit No. 4390-3, with a priority date of March 9, 1979
was approved March 28, 1979 and issued to applicant(s) for diversion of water with construction of the described
water supply system to be completed on or before March 28, 1981 and for the application to beneficial use of said
water on or before March 28, 1981.

and

(2) It is certified that the application has complied with the provisions of South Dakota State Law relating to completion of
the construction of the water supply system and is entitled to divert 1.55 cubic feet per second of water
for beneficial use. The location of the diversion point(s) is the center of the SW 1/4 of Section 25,
T115N, R62W

and

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to the following extent, to irrigate the following land all in T115N, R52W

Section 25	NW 1/4 SW 1/4	31.3 acres	
	NE 1/4 SW 1/4	33.5 "	
	SW 1/4 SW 1/4	31.5 "	
	SE 1/4 SW 1/4	31.7 "	
TOTAL		128.0 acres	

(4) Pursuant to §46-5-30.1 Glendale Colony
of XJohn Kleinsasser, Frankfort, South Dakota 57440
the holder(s) and/or owner(s) of Water Permit No. 4390-3 is issued a license to appropriate water, the right to use 1.55 cubic feet per second of water from groundwater (one well) with a priority date of March 9, 1979 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation

This license is subject to any limitations or qualifications listed in Water Permit No. 4390-3 and subject to South Dakota State Law.

John H. Hark
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

FEB 28 1985

RECEIPT

Division of Water Rights

No 4 9955

South Dakota Department of Water and Natural Resources

Pierre, February 21, 1985

RECEIVED OF Glendale Hutterian Brethren Inc., Frankfort, SD 57440

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>4390-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer JOHN HATCH/ms

No. 4390-3

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

FEB 28 1985

Glendale Hutterian Brethren, Inc.
Frankfort,
South Dakota 57440

Dear Sir:

Enclosed herewith is, Water License No. 4390-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

Enclosures

WNR-817 3/83
Transmittal of Water License

anderson

432 acres

1780

61.1

42.6

25

158.0

1300'

WELL
Point of
DANSON

115-62

235.8

Transferred to
Beadle County

Clayton T. Waller
Sprink Co. Assoc
Redfield, S.D.

1780

~~MAP 220-5803~~ APPL. 4390-3

4390-3

~~Milo Watson~~

Glendale Colony

1780

61.1

42.6

25

158.0

Walter T. Shivers
Deveraux Point
Spokane Assoc. S.D.
Pellyfield

115-62

~~Transferred to
Beadle County~~

235.8

1780

Glendale

NOT TO SCALE

4390
3474

Ne

579-80L

146.5



42.6

25

8.7

126.3

7.0

8.0

8.0

Transfer to Beadle

Ron Duwall
Water Resources Eng.
10/31/84

115-62

199.5

7.5

579-80L

July 10. 2015

Chief Engineer
Water Rights Program, DENR
523 E Capitol Avenue
Pierre SD 57501

Dear Chief Engineer

I am now the President of Glendale Hutterian Brethren. Please put my name down as the contact person for all of Glendale's water rights/permits.

A handwritten signature in cursive script, appearing to read "John Kleinsasser".

John Kleinsasser
Glendale Colony