

Mo. River

10170101

Water Right No. 4509-3

1. Considered May 22 19 80
 2. Name of Applicant ROBERT TJEERUSMA
 3. Post Office Address SPRINGFIELD, S.D.
 4. Amount of Water Claimed NO ADD'L (3.5 # 2483-3)
 5. Source of Water Supply MISSOURI RIVER
 6. Water to be used for IRRIGATION
 7. Acres to be irrigated 25 ADD'L maximum 270 AC acre feet
 8. Water to be diverted and used in BON HOMME County
about SW, 4 miles SOUTH of SPRINGFIELD
 9. PROOF OF PUBLICATION Received (initials) 5-8-80
Not Received _____
- APPLICATION Approved 5/22/80
Subject to OK. 5/22
Not Approved _____
Action deferred _____

Priority Date Received 3-27-80 Application Complete (yes) no FEE 150⁰⁰

Remarks Add an add'l 25 acres on 2483-3 that has been inspected with advertiser all 4 cancelled 2483-3. (Fine Drop sheet to be sent after approval to complete)


Date information and/or fee or corrected Application received 4-22-80
Period of Annual use _____

WATER
QUALITY

Received (yes) 3/3/80 no (APPROVED/CONDITIONAL) (Circle one)

VI-1 Description same as application yes _____ no _____ Remarks _____

Disapproved _____



Returned _____

Diversion Point _____

NE⁴ SW⁴ Section 19-

T 92N - R 60W

Lands to be irrigated _____

SW⁴ SW⁴ Section 12;

N 1/2 Section 13

NE⁴ SE⁴ all in Section 13

T 92N - R 61W

WEIR
LOG

Remarks _____

Driller _____ Licensed yes _____ no _____

Depth _____

MAP Map No. 3733-3 Map located in Water Right X Map file _____
 Type of Map Aerial Prepared by SCS

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 5-22-80.

B. J. Westland
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date _____
 F.F. & C Final Decision, including F.F. & C of Law were adopted _____
 OF LAW, Date _____
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision
 DECISIONS was adopted _____
 ETC.

Remarks _____

No. 4509-3Map No. 3733-3 Water Division No. 3 MISSOURI RIVER District
Above for Office Use 101 70101

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☐ Vested Right ☐ Future Use ☐Change in Diversion ☐ Additional Diversion ☐Change in Acreage ☐ Additional Acreage ☒1. Name of Applicant Robert Tjeerdsma Phone No. _____
Post Office Address Springfield State South Dakota 57062
(Street, RR, or Box) (Town) (Zip Code)

If a corporation show date and place of incorporation _____ completed

2. Method of accomplishing work (contract, employment of others, or by direct labor) _____

3. Name of diversion work Robert Tjeerdsma Irrigation Project No. 14. Amount of water claimed (cubic feet per second) 3.5 (no additional)5. Source of water supply Missouri River6. Location of point of diversion 3600 feet South and 1650 feet E. of the NW corner of
Section 19, T92N, R60W7. Annual period or periods during which water is to be used _____ County Bon Homme
April thru November8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation9. For irrigation use, Total number of acres to be irrigated 270

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>see attached sheet</u>			

Attach sheet if more space is needed

10. Time required to complete construction of water supply system completed years. Additional time required to complete application of water to the proposed beneficial use _____ years.11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Springfield Times

12. Principal Features of the Proposed Water Supply System

A. Works proposed to divert water from its natural source.

pumps and motors

NOTE: This application is for an additional 25 acres to Permit No. 2483-3. Pertinent information from Permit No. 2483-3 has been included in this application. Permit No. 2483-3 will be cancelled upon approval of this application.

B. Works proposed to transport water to place of use.

12" & 6" PVC pipelines

C. Works proposed to apply water to beneficial use.

center pivot & traveling gun

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Bon Homme) ss.I, ROBERT TJEERDSMA, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Robert TjeerdsmaSubscribed and sworn to before me this 23 day of April, 1980

Notary Public (or other qualified officer)



WATER RIGHT APPLICATION APPROVAL

The Board of Water Management hereby approves Water Right Application No. 4509-3

ROBERT TJEERDSMA
(Applicant)

SPRINGFIELD
(Post Office Address)

SOUTH DAKOTA 57062 With the following qualifications:
(State)

The applicable portions of Permit No. 2483-3 have been incorporated into this Permit No. 4509-3 and Permit No. 2483-3 has been placed in a cancelled status.

Date of first receipt of application MARCH 27, 1980
Date of return to applicant for correction, amendments or changes required _____, 19____
Date of receipt of corrected application APRIL 16, 1980
Approved MAY 22, 1980, Recorded in Book 21 Page 191

WATER RIGHT PERMIT NO. 4509-3

The Board of Water Management hereby grants and issues this Water Right Permit No. 4509-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 27, 1980
2. The equivalent of at least one-fifth of the work above specified is ~~not~~ completed ~~on or before~~ _____, 19____
3. The whole of said work is ~~to be~~ completed ~~on or before~~ _____, 19____
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is COMPLETED, 19____
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 13.5 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied

for irrigation on or before THIS DATE, 19; said water to be used during the following described annual period: APRIL THRU NOVEMBER

Witness my hand this 4th day of JUNE, 1980

THE BOARD OF WATER MANAGEMENT

By: [Signature]
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

ROBERT TJEERDSMA


Permit No. 4509-3

Acreage to be irrigated

SW $\frac{1}{4}$	SW $\frac{1}{4}$	Sec 12, T92N, R61W	40 ac
NW $\frac{1}{4}$	NW $\frac{1}{4}$	" 13 " "	39 ac
NE $\frac{1}{4}$	NW $\frac{1}{4}$	" 13 " "	40 ac
SW $\frac{1}{4}$	NW $\frac{1}{4}$	" 13 " "	18 ac
SE $\frac{1}{4}$	NW $\frac{1}{4}$	" 13 " "	18 ac
NW $\frac{1}{4}$	NE $\frac{1}{4}$	" 13 " "	34 ac
NE $\frac{1}{4}$	NE $\frac{1}{4}$	" 13 " "	34 ac
SW $\frac{1}{4}$	NE $\frac{1}{4}$	" 13 " "	26 ac
SE $\frac{1}{4}$	NE $\frac{1}{4}$	" 13 " "	9 ac
NW $\frac{1}{4}$	SE $\frac{1}{4}$	" 13 " "	2 ac

TOTAL 270 ac

CONSERVATION
WATER FORM
2/79



SOIL/WATER COMPATIBILITY APPLICATION FORM
STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

RECEIVED

OWNERS NAME: Robert J. Anderson OWNERS ADDRESS: Box 231, Hill
COUNTY LAND LOCATED IN: DeWitt PHONE: (605) 495-7777
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, if a water right is granted with a conditional permit (Soil/Water Compatibility), a copy of such conditional permit must be filed with the County Register of Deeds.
This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION (Show Legal Description to Nearest 10 Acres.)

1. WELL LOCATION OR DIVERSION POINT: 1/4 Sec. 1, T14N, R66W, S4
2. SURFACE WATER SOURCE: Missouri River
3. LOCATION OF AREA TO BE IRRIGATED: SW 1/4 SW 1/4 of Sec. 12, T92N, R66W (40 ac.)
4. INDICATE NON-IRRIGATED AREAS AND (APPROX.) ACRES ON MAP: (Farmstead, shelterbelts, wetlands, etc.)
- TYPE OF IRRIGATION: (Show approximate acres under each type of system):
5. GRAVITY _____ TOWLINE _____ CENTER PIVOT 100 GUN 150 OTHER (Specify) _____
6. CROPS TO BE IRRIGATED: corn & alfalfa
7. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: 1975
LAND: WR 2483-3 for 245 ac. - water source Missouri River
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

8. SAMPLE NUMBER: Missouri River
9. SALINITY (EC X 10⁶): 600 to 700
10. SODIUM (SAR): 2 to 3 ADJUSTED (SAR): _____

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see back) were followed, and that the sample was taken at _____ A.M./P.M., on N/A, 19____, at the following location: _____

by _____ (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I also hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from _____ Conservation District, County Extension Office or Soil Conservation Service; and further, that _____ legal description for the location of the well and land to be irrigated is true and correct.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS
28 DAY OF July, 1988.

(NOTARY PUBLIC)

APPLICANT'S SIGNATURE

Director, Division of Conservation

☒ APPROVED

☐ DISAPPROVED

☐ CONDITIONALLY APPROVED

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application.

In all cases a WATER RIGHT must be obtained from the State Water Rights Commission.

REC-MENT/FORM
12/78

d

619

Approved

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Robert Tleerdana, Sorlingfield

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:

RECOMMENDED MANAGEMENT:


1. Water should not be applied more than 11A times during the irrigation season.
2. Each uninterrupted application (one rotation of center pivot) should be of at least 11A inches of water.
3. ☒ Yes () No Surface drainage suggested on any area that tends to pond
4. () Yes () No Subsurface drainage suggested on water
5. ☒ Deep tillage (for the purpose of aiding movement of water through dense subsoil)
6. () Heavy fall application of irrigation water.
7. Type of irrigation system recommended for use on this application gun

GENERAL COMMENTS:

If you have not already done so, improving the irrigability of the Tetonka flat area, marked as soil 65A, should be one of your management goals.

This may be accomplished by filling, draining or a combination of both.

In the event surface runoff creates a problem an excavation that is large enough to serve as a reuse pit may be advisable.



No. 4509-3

Publish first publication, on or before May 1, 1980

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

April 23, 1980

Notice is hereby given Robert Tjeerdana whose post office

address is Springfield, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, and Board Rules ARSD 52:01:01:01 thru 52:01:01:13. for a permit to appropriate for beneficial use no add'l cubic feet of

water per second of time from the Missouri River through the Robert Tjeerdana Irr. Project #1, to add additional acreage on existing, the point(s) of diversion of which is (xxx) to be located in the NE 1/4 SW 1/4

of Section 19, Twp. 92N, Range 60W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW 1/4 SW 1/4, Section 12; NW 1/4 NW 1/4 SE 1/4, Section 13, all in T92N, R61W

This Application No. 4509-3 will be considered by the Water Management Board at Civil Defense Meeting Room
State Capitol Building, Pierre SD upon the 22nd day of May, 1980

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Robert Tjeerdana
Springfield,
South Dakota 57062

BETTY WESTLUND
Water Rights Specialist

WNR-305B-7/79 Notice of Intent to Appropriate Water
SURFACE WATER

No. 4509-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County San Homme) ss.

I, Wayne L. Bertrand here

certify that the annexed printed copy of Notice of Intent to Approp
Water was taken from the Springfield Ten

A newspaper which during the whole time of publication of said noti
herein after stated, has been and is printed and published in the

City Springfield of San Homme
County of San Homme and State of South Dako
that the said notice was published in said newspaper on the followi
two dates:

April 30, 1980

May 7, 1980

Wayne L. Bertrand
(Signature)

Publisher
(Title)

5-7-80
(Date Signed)

NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER

Pierre, SD 57501
April 23, 1980

Notice is hereby given
Robert Tjeerdsma whose post
office address is Springfield,
South Dakota, has made an
application in accordance
with the provisions of SDCL
46-1-1 thru 46-1-9, 46-1-14,
46-2-9 thru 46-2-11, 46-2-13;
46-5-1 thru 46-5-8, 46-5-10 thru
46-5-22, 46-5-41, and Board
Rules ARSD 52:01:01:01 thru
52:01:01:13, for a permit to
appropriate for beneficial use
no additional cubic feet of
water per second of time from
the Missouri River through
the Robert Tjeerdsma Irriga-
tion Project No. 1, to add
additional acreage on an ex-
isting, permit the point of
diversion of which is to be
located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of
Section 19, Twp. 92N, Range
60W. Said water to be used for
the purpose of providing
irrigation of portions of the
following described land:

SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 12; N $\frac{1}{2}$
and the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section
13, all in T92N, R61W.

This Application No. 4509-3
will be considered by the
Water Management Board at
Civil Defense Meeting Room,
State Capitol Building,
Pierre, SD, upon the 22nd day
of May, 1980 at 10 a.m. The
Board is authorized to make a
determination on this applica-
tion at the hearing. All
interested persons may ap-
pear and be heard. Any
person who may be affected
by a Board decision who
desires to present evidence or
cross-examine witnesses ac-
cording to SDCL 1-26 may
notify the Board in writing
prior to the hearing or orally
at the hearing.

This hearing is an advers-
ary proceeding. Any person
has the right to be present or
to be represented by a
lawyer. These and other due
process rights will be forfeit-
ed if they are not exercised at
the hearing. Decisions of the
Board may be appealed to the
Courts as provided by law.

Any handicapped person
wishing to attend this hearing
can contact the Water Rights
Division, DWNR, Joe Foss
Building, Pierre, SD, prior to
the hearing date for as-
sistance to assure access to

the hearing.
Water Management Board
Betty Westlund
Water Rights Specialist
cc: Robert Tjeerdsma
Springfield, SD
57062
WNR-806B-7-79 Notice of In-
tent to Appropriate Water.
Surface Water
(April 30 & May 7)



Permit No. _____

Water Division 3 Missouri River Water District

REPORT OF EXAMINATION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by Robert Tjeerdsma of Springfield, South Dakota 57062 holder of Permit No. _____, bearing date of priority of _____, 19____ authorizing the diversion of _____ cu. ft. per second of the waters of Missouri River for Irrigation purposes, in Hot Springs County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

- A. Works used to divert the water: At River
West Pump Motor G.E., Model 5K6267X11A, Ser # DMJ407145
100 HP - 1770 RPM
Pump - Peerless, Ser # G105919, Pumping 500 gpm
East Pump G.E., Model 5K6267X11A, Ser # DMJ407147, 100 HP 1770 RPM
Pump - Peerless, Ser # G105918, Pumping 1000 gpm, (500 gpm for
8300 ft. 12" PVC Pipe
6000 ft. 6" PVC Pipe
1800 ft. 6" Alum Pipe
- B. Works used to transport water to place of use, Permit # 1-500 gpm for Permit # 24923
- C. Works used to apply water to beneficial use.
Gifford Hill Center Pivot, Model 164-126-92103, Ser # 72-44-022476
with Heister pump
Boss Irrigation gun with Nelson P-200 gun with 1.4" nozzle and 700 ft 4 1/2"
Flexible Hose
Boss Irrigation gun with Nelson P-200 gun with 1.4" nozzle and 850 ft 4 1/2"
Flexible Hose
(over)

The system is in the following condition: GoodThe point of diversion is located 3600 ft S and 1650 ft E of the NW cor Sec. 19T92N R60W

The works are capable of diverting and conveying to the place of use _____

cu. ft. per second of water which is to be used for _____

Water has been put to beneficial use to the maximum extent as follows: _____

comprising a total of _____ acres of land.

Date _____

(Signature) _____

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

NO 4 7472

April 22

80

PIERRE,

19

RECEIVED OF Robert Tjeerdema, PR, Springfield SD 57062

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to appropriate Water No. 15002-3 (examination, processing, recording and filing)	150	00
Fee for inspecting Construction, and issuing Cert. of Construction No.		
Fee for inspecting Beneficial Use, and issuing Water License No.		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	150	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH kv

June 10, 1980

Robert Tjeerdsma
Springfield,
South Dakota 57062

Dear Mr. Tjeerdsma:

Enclosed herewith is your Water Right Permit No. 4509-3 as approved by the Water Management Board authorizing the water diversion system and apply the water to beneficial use, not exceeding the limits as specified in said Water Right Permit No. 4509-3.

The Board will schedule an inspection so that the Certificate of Construction and Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights, WMD

JH:kw

enclosure

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

ROBERT TJEERSDMA
SPRINGFIELD, SD 57062

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 4509-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 4509-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.



**Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 3, 1987

4509-3

Robert Tjeersdma
Springfield, SD 57068

Dear Mr. Tjeersdma:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaire. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit No. 4509-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 21, 1990

4509-3

Robert Tjeerdsma
Springfield, SD 57062


Dear Mr. Tjeerdsma:

The inspection of your water use system and the inspection of the extent of the application of water to beneficial use, as developed under your Water Permit No. 4509-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,



GENNY MCMATH
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

**SOUTH DAKOTA Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 20, 1990

SECOND NOTICE
Permit No. 4509-3

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Robert Tjeerdsma
RR #1 Box 91
Springfield, SD 57062


Dear Mr. Tjeerdsma:

March 21, 1990 you were notified the final inspection fee of \$50.00 is due before Water License No. 4509-3 can be issued. As of this date, the fee has not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$50.00 fee, your Water License will be sent to you. This is the final document for the perfection of your Water Right. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the License fee has been paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,



Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 773-3352

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4. Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. <u>The return receipt fee will provide you the name of the person delivered to and the date of delivery.</u> For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested. 1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)							
3. Article Addressed to: Robert Tjeerdsma RR 1, Box 91 Springfield SD 57062	4. Article Number P 977 218 503 Type of Service: <table border="0"> <tr> <td>☐ Registered</td> <td>☐ Insured</td> </tr> <tr> <td>☒ Certified</td> <td>☐ COD</td> </tr> <tr> <td>☐ Express Mail</td> <td>☐ Return Receipt for Merchandise</td> </tr> </table> Always obtain signature of addressee or agent and DATE DELIVERED.	☐ Registered	☐ Insured	☒ Certified	☐ COD	☐ Express Mail	☐ Return Receipt for Merchandise
☐ Registered	☐ Insured						
☒ Certified	☐ COD						
☐ Express Mail	☐ Return Receipt for Merchandise						
5. Signature -- Addressee X <i>Robert Tjeerdsma</i>	8. Addressee's Address (ONLY if requested and fee paid)						
6. Signature -- Agent X <i>Jan Kotecki</i>							
7. Date of Delivery 7-2-90							

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412302

Pierre, July 5, 1990

RECEIVED OF Robert Tjeerdsma, RR #1 Box 91, Springfield, SD 57062
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____ Water Right No. 4500-3

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for Certified Copy of _____

Fee for Print Copy of Map _____

Fee for Certifying _____

Fee for _____

(Any Other Work Provided by Law)

Total

50 00

By

Chief Engineer

The pump is used to divert water to Permit No. 2492-3, and acreage covered under this permit which is located in the NW 1/4 Sec.13, T94N-R61W, and in the SW 1/4 Sec. 12, T94N-R63W.

Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Robert Tjeerdsma
 of Springfield, SD holder of
 Permit No. 4509-3, bearing the priority of March 27 1980 authorizing
 the diversion of 3.5 cu. ft. per second of the waters of the Missouri River
 for irrigation purposes, in Bon Homme County.

I have to report on the conditions of the same as follows:

- A. Works used to divert the water: Water is diverted with 2 Peerless pumps powered by General Electric 100HP motors. The east pump is capable of diverting 1000gpm. The west pump is capable of diverting 800gpm.
 (an 800 gpm Peerless Booster Pump is located near the center pivot in Sec. 13, T92N-R61W, for the Pivot, a 1000 gpm Peerless booster pump is also located near the pivot, (BACK)
- B. Works used to transport water to place of use: Water is transported to the place of use through 8300 feet of 12-inch diameter PVC, and 5600 feet of 6-inch diameter PVC.

C. Works used to apply water to beneficial use: Water is applied to beneficial use through a Gifford-Hill Center Pivot with 11 towers 164 feet between towers, and an overall length of 1400 feet. The pivot operates at 65psi with 800gpm. Water is also applied to beneficial use through a Big Boss traveling gun. The gun has a Nelson P-200 gun with a 1.4-inch nozzle and 850 feet of 4.5-inch hose. The gun operates at 120 psi with 500 gpm.
 The system is in the following condition GOOD

The point of diversion is located 3900 feet S24°E from the NW corner of Sec. 19, T92N-R60W

The works are capable of diverting and conveying to the place of use 2.90 for this permit, a total of 4.01 for combined permits
 cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: NE 1/4 NE 1/4 - 35 acres, NW 1/4 NE 1/4 - 38 acres, SW 1/4 NE 1/4 - 38 acres, SE 1/4 NE 1/4 - 8 acres, NE 1/4 SE 1/4 - 1 acre, NW 1/4 SE 1/4 - 3 acres, NE 1/4 NW 1/4 - 35 (bwy) acres, NW 1/4 NW 1/4 - 22 acres, SW 1/4 NW 1/4 - 10 acres, SE 1/4 NW 1/4 - 19 acres; all of Sec. 13, T92N-R61W. SW 1/4 SW 1/4 Sec. 12, T92N-R61W - 40 acres

comprising a total of 252 ²⁵² ~~254~~ acres of land and the license should be issued for 2.90 cfs

Applicable permit qualifications have been complied with Yes No Inspection conducted 9-1-82

Exceptions to compliance are: _____ Date Dec 12, 1982

[Signature]
 (EXHIBIT)

LICENSE FOR PERMIT NUMBER 4509-3

1. Legal location of wells: Location of Diversion Point: 3900 feet S24°E from the NW corner
of Sec. 19, T92N-R60W
 dams & structures: _____

2. Well Information: Well Drilling Firm _____

Completion Report Yes ___ No ___ No. of Wells _____ Depth _____

Casing a) diameter _____ Screen a) type _____

b) length _____ b) length _____

c) type _____ Static Water Level _____

Pump a) make Peerless Motor a) make General Electric

b) model Serial # G105918 b) model No. 5K6267xH1A, Serial #

c) size _____ c) horsepower rating 100 DMJ407147

d) capacity 1000 gpm

e) turbine pump - no. of stages _____

f) operating PSI _____

3. Distribution lines or canals

a) size 12-inch and 6-inch

b) type PVC

c) length 8300 feet of 12-inch, 5600 feet of 6-inch

4 Dam Information:

a) height to crest _____ m) Outlet tubes:

b) height to primary spillway _____ 1) diameter _____

c) height to secondary spillway _____ 2) type _____

d) crest width _____ 3) valved (Y/N) _____

e) crest length _____ 4) valve type _____

f) spillway length _____ 5) location on structure _____

g) spillway width _____

h) approx. storage _____ n) Category of Dam _____

i) approx. storage to crest _____

j) date constructed _____

k) inspection sheet completed (Y/N) _____

l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of
sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of
sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

Serial #78044-0224

- 1) make Gifford Hill Model #164-126-
92108
- 2) number of towers 11
- 3) distance between towers 164'
- 4) overall length 1400'
- 5) end gun (Y/N) Nelson 100
- 6) high or low pressure High
- 7) make & size of nozzles
Rain Bird 2, inklers
- 8) capacity (GPM) 800 gpm

siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
---	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
---	---	2. Special qualifications to permit being abided by?
---	---	3. All structures, wells and lands on map?
---	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	---	5. Is chemigation used?
---	---	6. If yes, does equipment comply with chemigation rules?

REMARKS:

LICENSE FOR PERMIT NUMBER 4509-3 (continued) (information for Pump and Motor₂ and Gun)

1. Legal location of wells: _____

dams & structures: _____

2. Well Information: Well Drilling Firm _____

Completion Report	Yes	No	No. of Wells	Depth
Casing	a) diameter	_____	Screen	a) type
	b) length	_____		b) length
	c) type	_____	Static Water Level	_____
Pump ₂	a) make	Peerless	Motor ₂	a) make
	b) model	Serial #G105919		General Electric
	c) size	_____		b) model No. 5K6267xH1A, Serial #
	d) capacity	800 gpm		c) horsepower rating 100 DHJ407148
	e) turbine pump -- no. of stages	_____		
	f) operating PSI	_____		

3. Distribution lines or canals

a) size _____

b) type _____

c) length _____

4. Dam Information:

a) height to crest	_____	m) Outlet tubes:
b) height to primary spillway	_____	1) diameter
c) height to secondary spillway	_____	2) type
d) crest width	_____	3) valved (Y/N)
e) crest length	_____	4) valve type
f) spillway length	_____	5) location on structure
g) spillway width	_____	
h) approx. storage	_____	n) Category of Dam
i) approx. storage to crest	_____	
j) date constructed	_____	
k) inspection sheet completed (Y/N)	_____	
l) Name of Contractor	_____	

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make Big Boss
- 2) nozzle size 1.4-inch Nelson P200
- 3) capacity (GPM) 500
- 4) hose size 4.5-inch
- 5) hose length 350 feet

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make _____
- 2) number of towers _____
- 3) distance between towers _____
- 4) overall length _____
- 5) end gun (Y/N) _____
- 6) high or low pressure _____
- 7) make & size of nozzles _____
- 8) capacity (GPM) _____

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
---	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
---	---	2. Special qualifications to permit being abided by?
---	---	3. All structures, wells and lands on map?
---	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	---	5. Is chemigation used?
---	---	6. If yes, does equipment comply with chemigation rules?

REMARKS:

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 4509-3

(1) Robert Tjeerdsma of RR #1 Box 91, Springfield, SD 57062 made Application No. 4509-3, March 27, 1980 for a water permit to appropriate 3.50 cubic feet of water per second from the Missouri River, Bon Homme County, South Dakota for irrigation purposes. Permit No. 4509-3 with a priority date of March 27, 1980 was approved May 22, 1980 and issued to applicant(s) for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.


Water Permit No. 4509-3 authorized irrigation of an additional 25 acres on Water Permit No. 2483-3 with no new appropriation of water. The applicable portions of Water Permit No. 2483-3 were incorporated into Water Permit No. 4509-3 upon approval. Priority dates, as they pertain to the irrigated acreage, were not described in Water Permit No. 4509-3. The land in the N1/2 of Section 13, T92N, R61W (originally permitted under No. 2483-3) carries a priority date of December 19, 1975. The remaining land carries a priority date of March 27, 1980.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.90 cubic feet of water per second for beneficial use. The location of the diversion point is: 3900' S 24 degrees E from the NW corner of Section 19, T92N, R60W (NE1/4 SW1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T92N, R61W Section 12 SW1/4 SW1/4	40 acres	March 27, 1980 - priority date
Section 13 NE1/4 NE1/4	35 acres	December 19, 1975 - priority date
NW1/4 NE1/4	38 "	" " "
SW1/4 NE1/4	38 "	" " "
SE1/4 NE1/4	8 "	" " "
NE1/4 SE1/4	1 acres	March 27, 1980 - priority date
NW1/4 SE1/4	3 "	" " "
NE1/4 NW1/4	38 acres	December 19, 1975 - priority date
NW1/4 NW1/4	22 "	" " "
SW1/4 NW1/4	10 "	" " "
SE1/4 NW1/4	19 "	" " "
Total	252 acres	

(4) Pursuant to Section 46-5-30.1 Robert Tjeerdsma of RR #1 Box 91, Springfield, SD 57062 the holder(s) and/or owner(s) of Water Permit No. 4509-3 is issued a license to appropriate water, the right to use 2.90 cubic feet of water per second from the Missouri River with priority dates of December 19, 1975 and March 27, 1980 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 4509-3 and subject to South Dakota State Law.


 JOHN HATCH, Chief Engineer
 Water Rights Division
 Department of Water and Natural
 Resources

SEP 12 1990



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 12 1990

4509-3

Robert Tjeerdsma
RR #1 Box 91
Springfield, SD 57062

Dear Mr. Tjeerdsma:

Enclosed is Water License No. 4509-3. This is the final water right document completing your process of obtaining a water right. Enclosed is Receipt No. 412302 in the amount of \$50.00 which you paid for the inspection and issuance of this water license.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have continuing right to use the water.


Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

st^h of the 5th Principal MERIDIAN



Posts	Courses	Ch. ^o Ik. ^o	Posts	Courses	Ch. ^o Ik. ^o	Posts	Courses	Ch. ^o Ik. ^o
264	S. 54° E	33.70						
	S 57° E	41.00						
	S 64° E	21.05						
2.3	N 80° W	55.40						
	N 60° W	29.50						
3.4	S 60° 45' W	50.40						
4.5	S 60° 45' W	41.40						
5.6	S 80° W	40.50						
	W	38.30						
	N 10° W	9.88						
6.7	N 70° 00' W	17.00						
7.8	N	13.30						
	N 17° 45' W	41.20						
	N 37° W	34.20						
8.9	N 35° 30' W	24.00						
	N 40° W	47.20						
9.10	N 51° W	37.50						
10.11	N 45° 75' W	71.00						


The above diagram of Section 24 Township 92 North, Range 61 West of the 5th Principal Meridian is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Henry Cooper
U.S. Surveyor General


The above Map of Township N. 92 North of Range N. 61 West of the 5th Principal Meridian Dakota Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office } *Geo. S. Hill*
Washington D.C. Nov 5 1862 } Sur. Gen.

<i>G</i>	<i>f</i>	<i>F</i>	<i>e</i>	<i>E</i>	<i>d</i>	<i>D</i>	<i>c</i>	<i>C</i>	<i>b</i>	<i>B</i>
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------



The above Map of Fort
Princip Meridian
notes of the survey thereof
Surveyor General
Washington D. C.



SEC 24, T92N-R61W

SEC 12, T92N-R60W

NW CORNER SEC 12, T92N-R60W

100 FEET SCALE

N

DIVERSION POINT

1650'

POINT OF DIVERSION
Pump site


92-61

92-60


KENT A. BUHLER
Natural Resources Engineer
SD Dept of Water & Natural Resources
Division of Water Rights

Map No 3733-3 Appl. 4509-3
MAP No 1851-3 APPL No 2483-3

NOT TO SCALE



SW 1/4, SEC. 12, T92N-R6W



KENT A. BUHLER
Natural Resources Engineer
SD Dept of Water & Natural Resources
Division of Water Rights



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 29, 2007

4509-3

Robert Tjeerdsma
14421 W Gunsight Dr
Sun City West AZ 85375-2843

Dear Sir:

Enclosed is a "Notice" dated October 19, 2007 concerning the 2007 irrigation questionnaire. The notice was originally mailed to 31735 SD Hwy 37, Springfield SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

October 29, 2024

4509-3

Robert J Tjeerdsma
31735 SD HWY 37
Springfield SD 57062

Dear Mr. Tjeerdsma:

Enclosed is a "Notice" dated October 23, 2024, concerning the 2024 Irrigation Questionnaires.

The notice was originally mailed to 14421 W Gunsight Dr, Sun City West AZ 85375. The post office notified our office that your address has changed, and your records have been updated accordingly.

This is a time sensitive matter. Please complete and return the enclosed questionnaires or submit your reports online at <https://danr.sd.gov/iq/> using this password *BKTOEQ*.

If this change of address is in-correct, please contact our office immediately to update your contact information.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures

RETURN TO SENDER 114142418818/23/24
WESTERN SLOPE HIGHWAY 37
PIERRE SD 57501-3182
RETURN TO SENDER
114142418818/23/24

4509-3

RECEIVED

NOV 21 2024

11-18-24

OFFICE OF
WATER

Amanda Dewell -

Hello. I am Natali Vollmer
and I have been receiving my
father's mail. I would like to
report to your department that
my father is deceased as of
11-18-24.

— Robert Tjeerdsma
31735 SD Hwy 37
Springfield, SD 57062

Robert / our family does still
own the farm land however,
we are not involved with the
farming or irrigation. My dad
rented the farm ground for many
years to:
Percy Tjeerdsma 605-464-1789

I believe that Percy irrigates
other properties so you might have
his contact information on file.

If you have any questions or
need additional information from me,
I can be reached at 605-661-1968.

Thank you,

Natalie Vollmer



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: PERCY TJEERDSMA, 41175 309TH ST, SPRINGFIELD, SD 57062

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 4509-3, 4132-3, 2492-3 & 3576-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 6413-3 & 8388-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 5, 2025 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 6413-3 & 8388-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 4509-3, 4132-3, 2492-3 & 3576-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: ROHZOB**

**cc: ROBERT TJEERDSMA ESTATTE, C/O NATALIE VOLLMER, 31735 SD HWY 37,
SPRINGFIELD SD 57062**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

2492-3, 3576-3, 4132-3
4509-3, 6413-3, 8388-3

Percy Tjeerdsma
41175 309th St
Springfield SD 57062

Dear Mr. Tjeerdsma:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2492-3, 3576-3, 4132-3, 4509-3, 6413-3 & 8388-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

cc: ROBERT TJEERDSMA ESTATE, C/O NATALIE VOLLMER, 31735 SD HWY 37,
SPRINGFIELD SD 57062

WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

DATE: 10-7-2025

RE: Real Estate Appraiser Questions (NW 1/4 SW 1/4 Section 12-T92N-R61W)

COMMENTS:

I was contacted by a real estate appraiser who inquired about permitting that would cover the development of irrigation by Percy Tjeerdsma in the NW 1/4 SW 1/4 Section 12-T92N-R61W.

In reviewing permits/rights in the area, it was determined that Percy operates under 4509-3, which is actually owned by other members of the Tjeerdsma family. Aerial imaging shows an obvious pivot system located in the SW 1/4 SW 1/4 Section 12-T92N-R61W, as authorized by 4509-3; however, there is no evidence of development in the NW 1/4 SW 1/4, at this time.

I will attempt to contact Percy to determine if develop^{ment} of that property is on his radar.

Amanda Dewell

Amanda Dewell
Water Rights Program



Ha, this will not
scan well but to
the naked eye
there are pivot
lines in the SWSW
+ are not in the NWSW.

AD

MUNGER, REINSCHMIDT & DENNE, L.L.P.

ATTORNEYS AT LAW

STANLEY E. MUNGER
DAVID L. REINSCHMIDT*

Of Counsel
JAY E. DENNE

600 FOURTH STREET
SUITE 300 · HO-CHUNK CENTRE
BOX 912
SIOUX CITY, IA 51102

E-MAIL: DREINSCHMIDT@MRDLAW.NET
TELEPHONE (712) 233-3635
FAX (712) 277-7386

4509-3

* ALSO ADMITTED IN SOUTH DAKOTA
ALL ATTORNEYS ADMITTED IN IOWA

November 4, 2025

Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

RE: Notice of Transfer of Ownership
No. 4509-3

Dear Chief Engineer:

Enclosed please find a signed Notice of Transfer of Ownership signed by Jeff Polk and Christy Polk along with our check no. 2065 in the amount of Fifty Dollars (\$50.00) payable to the South Dakota Department of Agriculture and Natural Resources (DANR) for the filing fee.

Please send receipt in the enclosed self-addressed, stamped envelope.

Sincerely,

MUNGER, REINSCHMIDT & DENNE, L.L.P.



David L. Reinschmidt
For the Firm

DLR/ac

Enclosures

V:\WPM\peterson, cody\letter to water rights.docx

PAID

NOV 07 2025

Ck# 2065

Rec't# _____

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DANR
523 E. Capitol
Pierre, SD 57501-3181

No. 4509-3

Date: October 30, 2025

I/We request that Water Right No. 4509-3

formerly owned by: Robert Tjeerdsma c/o Natalie Vollmer – Springfield SD

be transferred to: (name & address) J & C Polk Holdings, LLC

31753 409th Avenue, Springfield, SD. 57062

Email: jeff@polkauction.comn | polk.christy@gmail.com

Telephone No. Jeff: 574-453-7205
Christy: 574-549-2802

Title to the following described land(s)/property has been transferred as described above:

212 acres located in portions of Section 13-T92N-R61W: NE ¼, NW ¼, N ½ SE ¼

I/We understand that the validity of Water Right No. 4509-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We J & C Polk Holdings, LLC, the new owner, certify that the above information is true and correct.

 Christy Polk
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM South Dakota Department of Agriculture and Natural Resources

Date November 18th, 2025

RECEIVED OF J&C Polk Holdings LLC 31753 409th Ave Springfield SD 57062

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form <u>#4509-3</u>	<u>\$50.00</u>
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	TOTAL
	<u>\$50.00</u>

By Mark Mayhew
Chief Engineer



4509-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: J&C POLK HOLDINGS, LLC, JEFF & CHRISTY POLK, 31753 409TH AVENUE,
SPRINGFIELD, SD 57062

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire has not been submitted for Permit No(s) 4509-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 4509-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: GCVH71**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 3, 2026

4509-3

Jeff & Christy Polk
31753 409th Avenue
Springfield, SD 57062

Dear Jeff & Christy Polk

I am writing to acknowledge receipt of your 2025 irrigation questionnaire(s).

You may disregard the January 20, 2026, "Notice" concerning irrigation reporting requirements for your water permit/right(s). The information was received in our office prior to the Water Management Board meeting, and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Shannon Konst
Water Rights Program
605 773-8204
Shannon.konst@state.sd.us