

1. Considered 1/28 19 81
2. Name of Applicant Jerry Kleingasser
3. Post Office Address R.R. 3, Huron 57350
4. Amount of Water Claimed 2.28
5. Source of Water Supply 90' DEEP WELL
6. Water to be used for Irrigation
7. Acres to be irrigated 160 maximum acre feet
8. Water to be diverted and used in Beadle County about 3 miles EAST of HURON
9. PROOF OF PUBLICATION Received ☒ 1-27-81  
 Not Received \_\_\_\_\_  
 APPLICATION Approved 1/28/81  
 Subject to WT IQ  
 Not Approved \_\_\_\_\_  
 Action deferred \_\_\_\_\_

Priority \_\_\_\_\_ Date Received 12/30/80 Application Complete yes \_\_\_\_\_ no \_\_\_\_\_ FEE 250.00  
 Remarks need log and map

WATER QUALITY \_\_\_\_\_ Date information and/or fee or corrected Application received \_\_\_\_\_  
 Period of Annual use May - September  
 received yes 12/17/80 APPROVED/CONDITIONAL (Circle one) xx  
 Wi-1 Description same as application yes x no \_\_\_\_\_ Remarks \_\_\_\_\_

Disapproved \_\_\_\_\_

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |

Returned \_\_\_\_\_  
 Diversion Point NE 1/4 SE 1/4 10-110-61  
 Lands to be irrigated SE 1/4, Section 10-T110N-R61W

WELL LOG

Remarks \_\_\_\_\_  
 Driller Reverend Dr. R. L. L. Licensed ☒ yes \_\_\_\_\_ no \_\_\_\_\_  
 Depth 90' deep

Water Right No. \_\_\_\_\_

MAP Map No. 3814-3 Map located in Water Right xx Map file \_\_\_\_\_  
 Type of Map Amended Prepared by ASCS

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 1/28/80

B. J. [Signature]  
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes \_\_\_\_\_ no \_\_\_\_\_ Remarks \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_

REMARKS Date \_\_\_\_\_  
 F.F. & C Final Decision, including F.F. & C of Law were adopted \_\_\_\_\_  
 OF LAW, Date \_\_\_\_\_  
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision  
 DECISIONS was adopted \_\_\_\_\_  
 ETC.

Remarks \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

No. 4596-3Map No. 3814-3 Water Division No. 3 JAMES RIVER DistrictAbove for Office Use 10160006

## APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right ☐ Future Use ☐Change in Diversion ☐ Additional Diversion ☐Change in Acreage ☐ Additional Acreage ☐

1. Name of Applicant Jerry Kleinsasser Phone No. 352-5870  
 Post Office Address RR 3 Huron State SD 57350  
(Street, R.R. or Box) (Town) (Zip Code)

If a corporation show date and place of incorporation \_\_\_\_\_

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract3. Name of diversion work Kleinsasser irrigation project4. Amount of water claimed (cubic feet per second) 2.285. Source of water supply Groundwater6. Location of point of diversion NE corner, SE 1/4 10-110-61County Beadle7. Annual period or periods during which water is to be used May - Sept.8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation9. For irrigation use, Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

| Land Description               | No. Acres Irr. | Land Description | No. Acres Irr. |
|--------------------------------|----------------|------------------|----------------|
| <u>NE 1/4 SE 1/4 10-110-61</u> | <u>44</u>      |                  |                |
| <u>N 1/2 SE 1/4 10-110-61</u>  | <u>40</u>      |                  |                |
| <u>SE 1/4 SE 1/4 10-110-61</u> | <u>40</u>      |                  |                |
| <u>SW 1/4 SE 1/4 10-110-61</u> | <u>40</u>      |                  |                |

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use \_\_\_\_\_ years.

11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Huron Daily Plainsman

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source

Well

B. Works proposed to transport water to place of use.

Pipeline

C. Works proposed to apply water to beneficial use

Center PivotEstimated Total Cost \$ 65,000

Attachments Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA )  
 County of Beadle ) ss.

I, \_\_\_\_\_ the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Sig. ed

Subscribed and sworn to before me this 29th day of December 1980

Notary Public (or other qualified officer)

# WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4596-3

Jerry Kleinsasser

(Applicant)

.R.R. #3, Huron

(Post Office Address)

South Dakota 57350

(State)

With the following qualifications

The irrigation well (s) approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application DECEMBER 30, 1980

Date of return to applicant for correction, amendments or changes required \_\_\_\_\_, 19\_\_\_\_

Date of receipt of corrected application \_\_\_\_\_, 19\_\_\_\_

Approved JANUARY 28, 1981, Recorded in Book 22 Page 121

WATER RIGHT PERMIT NO. 4596-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4596-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 30, 1980
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 28, 1982
3. The whole of said work is to be completed on or before JANUARY 28, 1983
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 28, 1983
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 28, 1983; said water to be used during the following describe 1 annual period: MAY - SEPTEMBER

Witness my hand this 24th day of FEBRUARY, 1981

THE WATER MANAGEMENT BOARD

By

John H. H. H.  
Chief Engineer, Water Rights

Certificate of Construction Issued \_\_\_\_\_, 19\_\_\_\_

Water License Issued \_\_\_\_\_, 19\_\_\_\_

234567  
 JUL 18 1981  
 WASHINGTON  
 PLEASANT

D Well Information

- (1) Drill Hole. Diameter \_\_\_\_\_, Depth \_\_\_\_\_
- (2) Casing. Type \_\_\_\_\_, Diameter \_\_\_\_\_, Thickness \_\_\_\_\_  
(wood, concrete, steel, etc )
- (3) Screen. Type \_\_\_\_\_, Diameter \_\_\_\_\_, Length \_\_\_\_\_
- (4) Gravel Pack. Thickness \_\_\_\_\_, Length of gravel pack \_\_\_\_\_

E. Dugout Information or Estimate.

- (1) Surface dimensions, \_\_\_\_\_, Depth \_\_\_\_\_

F Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material \_\_\_\_\_

Depth to bottom of water bearing material \_\_\_\_\_

Depth to water (ground surface to water level) \_\_\_\_\_


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property \_\_\_\_\_ rds.

On property owned by others \_\_\_\_\_ rds.

G Water Storage Dams


If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard \_\_\_\_\_
- 2a Crest width \_\_\_\_\_ b. length \_\_\_\_\_
3. Height of Dam \_\_\_\_\_
4. Outlet dimensions:  
Pipe diameter \_\_\_\_\_  
Spillway width \_\_\_\_\_
- X & Y slope:  
Upstream \_\_\_\_\_  
Downstream \_\_\_\_\_  
Surface area of impoundment \_\_\_\_\_  
Drainage area above dam \_\_\_\_\_

*[Signature]*  
Signature of Applicant

SOIL/WATER COMPATIBILITY APPLICATION FORM  
STATE CONSERVATION COMMISSION  
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE



OWNERS NAME: Jerry Kleinsasser OWNERS ADDRESS: Rural Route 3  
Huron, S.D. 57350  
COUNTY LAND LOCATED IN: Beadle PHONE: 352-5870  
TENANT'S NAME AND ADDRESS: (If Other Than Owner) 2630-60

In accordance with State Law SDCL 46-5-6.5, if a water right is granted with a conditional permit (Soil/Water Compatibility), a copy of such conditional permit must be filed with the County Register of Deeds.  
This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres.)


1. WELL LOCATION OR DIVERSION POINT: Northeast corner of SE 1/4 10-110-61
2. SURFACE WATER SOURCE Well
3. LOCATION OF AREA TO BE IRRIGATED: SE 1/4 10-110-61
4. INDICATE NON-IRRIGATED AREAS AND (APPROX.) ACRES ON MAP: (Farmstead, shelterbelts, wetlands, etc.)

TYPE OF IRRIGATION: (Show approximate acres under each type of system)

5. GRAVITY      TOWLINE      CENTER PIVOT X GUN      OTHER (Specify)
6. CROPS TO BE IRRIGATED Corn, alfalfa
7. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED:       
LAND:       
IN WHAT NAME:

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

8. SAMPLE NUMBER: 80-876 *Indicates Sample # 80-1253*
9. SALINITY (EC X 10<sup>6</sup>) 1630 *1543*
10. SODIUM (SAR) 0.75 *0.42* ADJUSTED (SAR) 2.10 *1.19*



I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see back) were followed, and that the sample was taken at 9:30 A.M./P.M., on September 30, 1980, at the following location: Northeast corner of SE 1/4 10-110-61, by applicant (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I also hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Beadle County Conservation District, County Extension Office or Soil Conservation Service; and further, that the legal description for the location of the well and land to be irrigated is true and correct.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS  
22 DAY OF October, 1980.

Sandra Q. Harding  
(NOTARY PUBLIC)

Jerry P. Kleinsasser  
APPLICANT'S SIGNATURE  
Stan W. Smith  
Director, Division of Conservation  
\_\_\_\_ APPROVED  
\_\_\_\_ DISAPPROVED  
X CONDITIONALLY APPROVED

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application.

In all cases a WATER RIGHT must be obtained from the State Water Rights Commission.

**SOUTH DAKOTA**  
**Department of**  
**Water & Natural Resources**  
Joe Foss Building Division of Water Rights  
Pierre, South Dakota 57501 (605) 773-3352

December 19, 1980

Jerry Kleinsasser  
RR 3  
Huron SD 57350

Dear Mr. Kleinsasser:

We have received the Soil/Water Compatibility permit approval to irrigate  
lands in Beadle County from groundwater.

As of this date we have not received your application. In order to ad-  
vertise for the Jan 28 & 29, 1981 Board meeting, your application with  
all required data must be received before January 2, 1981.

If you have any questions, Please contact this office.

Sincerely,

BETTY WESTLUND  
Water Rights Specialist

BW: kw

enclosures: Form 7 & 21  
instruction sheet

*Equal Opportunity Employer*

Confidential

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE  
DIVISION OF CONSERVATION

NAME OF APPLICANT Jerry D. Kleinsasser

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED

RECOMMENDED MANAGEMENT:

Water should not be applied more than 3 to 4 times during the irrigation season.

Each uninterrupted application should be of at least 2 to 3 inches of water.

Surface drainage suggested on any area that tends to pond water.

Occasional use of deep tillage should be planned with heavy fall application of irrigation water.

Quadrangle quad sheet elevations indicate there is very little natural surface drainage away from the SW Section 10; therefore, we will have to contend with excess rainfall and irrigation runoff.


To keep the flat area and/or depressions area in the northeast portion from being a bog area for your tractor wheels and to prevent or discourage water logged conditions, it may be feasible to excavate an area on the northeast corner outside of the pivot circle for the accumulation of excess water which in turn could be moved through your system as the need arises.

Form 8 - Proof of Publication - Notice of  
Intent to Appropriate Water

No. 4596-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA )  
County Beadle ) ss.



I, Linda Schlotter hereby  
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice  
herein after stated, has been and is printed and published in the \_\_\_\_\_

City \_\_\_\_\_ of Huron

County of Beadle and State of South Dakota;  
that the said notice was published in said newspaper on the following  
two dates:

January 16, 1981

January 23, 1981

Linda Schlotter  
(Signature)

bookkeeper  
(Title)

1-23-81  
(Date Signed)

F.P. 1-16-81 L.P. 1-23-81  
NOTICE OF HEARING  
ON APPLICATION TO  
APPROPRIATE WATER  
Pierre, South Dakota 57501  
January 8, 1981

Notice is hereby given that Jerry Kleinsasser, whose post office address is Huron, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-7, 46-1-14; 46-2-9 thru 46-2-11; 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22; 46-5-41; 46-6-3; 46-6-3.1; 46-6-5; 46-6-7.1; 46-6-10; 46-6-14 and Board Rules ARSD 52:01:01-01 thru 52:01:01:13, for a permit to appropriate for beneficial use 2.28 cubic feet of water per second of time from ground water (one well) through

the Kleinsasser Irrigation Project, the point of diversion of which is to be located in the NE 1/4 SE 1/4 of Section 10, Twp. 110N, Range 61W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SE 1/4, Section 10, T110N, R61W.  
This Application No. 4596-3 will be considered by the Water Management Board at Meeting Room No. 1, Kneip Building, Church & Illinois, Pierre, S.D., upon the 28th day of January, 1981 at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross examine witnesses according to SDCL 1-76 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre, S.D., prior to the hearing date for assistance to assure access to the hearing.

Water Management Board  
Betty Westlund  
Water Rights Specialist  
No. 23 (adv.)

No. 4596-3

Publish first publication, on or before January 16, 1981

NOTICE OF HEARING ON  
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 8, 1981

Notice is hereby given that Jerry Kleinsasser whose post office address is Huron, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 2.28 cubic feet of water per second of time from ground water (one well) through the Kleinsasser Irrigation/ Project, the point~~xx~~ of diversion of which is (xxx) to be located in the NE 1/4 SE 1/4

of Section 10, Twp. 110N, Range 61W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SE 1/4, Section 10, T110N, R61W

This Application No. 4596-3 will be considered by the Water Management Board at Meeting Room #1, Knelp Building, Church & Illinois Pierre, SD upon the 28th day of January, 1981

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWRN, Joe Ross Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Jerry Kleinsasser  
RR #3, Huron, SD 57350

BETTY WESTLUND  
Water Rights Specialist

# RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7862

PIERRE, December 20, 1980

RECEIVED OF Jerry Kleinsasser, RR 3, Huron, SD 57350

the following amount in fees for services rendered as provided for by law:

|                                                                                                                |     |    |
|----------------------------------------------------------------------------------------------------------------|-----|----|
| Fee for Application for Permit to Appropriate Water No. 4596-3 (examination, processing, recording and filing) | 250 | 00 |
| Fee for Inspecting Construction, and Issuing Cert. of Construction No.                                         |     |    |
| Fee for Inspecting Beneficial Use, and Issuing Water License No.                                               |     |    |
| Fee for Issuing Location Certificate-Dry Draw, No.                                                             |     |    |
| Fee for filing                                                                                                 |     |    |
| Fee for certified copy of                                                                                      |     |    |
| Fee for Print copy of map                                                                                      |     |    |
| Fee for Certifying                                                                                             |     |    |
| Fee for (any other work as provided by law)                                                                    |     |    |
| TOTAL                                                                                                          | 250 | 00 |

WATER RIGHTS COMMISSION

By: *(Signature)*  
Chief Engineer, Executive Officer  
JOHN HATCH



# Department of Water & Natural Resources

Joe Foss Building Water Rights Division  
Pierre, South Dakota 57501

(605) 773-3352

June 16, 1982

Jerry Kleinsasser  
RR 3  
Huron SD 57350

Dear Mr. Kleinsasser:

The inspection of your water use system and inspection of the extent of your application of water to beneficial use, as developed under your Water Right No. 4596-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

You will also receive the Certificate of Construction as required by statute.

Sincerely,

PAREN SCHLAAK  
Administrative Secretary

NOTE: On form of payment, please include the number of the water permit.  
This insures proper handling of the fee.

WNR-814-7/79

Notification of Water License Ready for Issuing (\$50.00)

Permit No. 4596-3Water Division 3 JAMES RIVER Water DistrictREPORT OF EXAMINATION OF WORKS  
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by JERRY KLEINEASER of HURON holder of Permit No. 4596-3, bearing date of priority of DECEMBER 30, 1980 authorizing the diversion of 4596-3 cu. ft. per second of the waters of GROUNDWATER for IRRIGATION purposes, in BEADLE County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

## A. Works used to divert the water:

90' DEEP WELL WITH 16" FIBREGLAS CASING - 20' FIBREGLAS SCREEN  
WESTERN LAND ROLLER 8" PUMP 4-12 KRH, POWERED BY  
50 HP US ELECTRIC MOTOR @ 1765 RPM

## B. Works used to transport water to place of use,

1200' OF 8" BURIED PVC TO CENTER OF PIVOT

## C. Works used to apply water to beneficial use.

7 TOWER ZIMMATIC CENTER PIVOT - 1300' WITH  
NELSON #150 END GUN

The system is in the following condition: GOOD

The point of diversion is located 1200' W & 200' S OF THE E 1/4 CORNER,  
SECTION 10, T11N, R61W

The works are capable of diverting and conveying to the place of use 1.88 (850 GPM)  
cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows:

FOR IRRIGATING A 132 ACRE CIRCLE IN THE  
SE 1/4, SECTION 10, T11N, R61W

comprising a total of 132 acres of land.

Date MAY 5, 1982  
[Signature]  
(Signature)

## STATE OF SOUTH DAKOTA

## WATER LICENSE NO. 4596-3

(1) WHEREAS, On the 30th day of December A. D. 19 80  
Jerry Kleinsasser

made Water Right Application No. 4596-3 for a permit to use 2.28 cubic feet per second of the waters  
of groundwater (one well)

County of Beadle State of South Dakota, for Irrigation

\_\_\_\_\_ purposes; and  
(2) WHEREAS, On the 28th day of January A. D. 19 81

Permit No. 4596-3, with a date of priority of December 30, 1980

was issued to said applicant \_\_\_\_\_ for the diversion of said water, and provided for the completion of construction of the water  
supply system therein described on or before the 28th day of January A. D. 19 82 and for the  
application to beneficial use of said water on or before the 28th day of January A. D. 19 83

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota  
relating to completion of the construction of the water supply system and is entitled to divert 1.88 cubic feet  
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota  
relating to the application of water to beneficial use of the following extent,

for irrigating a 132 acre circle in the SE $\frac{1}{4}$ , Section 10, T110N, R61W

(5) NOW, THEREFORE, by the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Jerry Kleinsasser

\_\_\_\_\_ of Huron  
the holder \_\_\_\_\_ and owner \_\_\_\_\_ of said permit No. 4596-3 a water right, dating from December 30, 1980  
\_\_\_\_\_ to use of 1.88 cubic feet per second of the waters  
of groundwater (one well)

in the County of Beaule and State of South Dakota or so much thereof as may be necessary for the  
purposes hereinbelow mentioned, to be diverted at a point 1200'W and 200'S of the E $\frac{1}{2}$  Corner, Section 10,  
T 110N, R 61W

and conducted to and upon a 132 acre circle in the SE $\frac{1}{4}$ , Section 10, T110N, R61W

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 4596-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota  
this 1st day of July A. D.  
Nineteen Hundred and Eighty-Two

WATER MANAGEMENT BOARD

By:

John Hatch  
Chief Engineer, Executive Officer

Permit No. 4596-3

Water Diversion No. 3 James River Water District

10160006

### CERTIFICATE OF CONSTRUCTION

This is to Certify, That Jerry Kleinsasser

\_\_\_\_\_ the holder \_\_\_\_\_ of  
Permit No. 4596-3, issued upon Application No. 4596-3, bearing date of priority of \_\_\_\_\_  
December 30, 1980 authorizing the diversion of 2.28 cu. ft. per second of the waters of \_\_\_\_\_  
groundwater (one well) County of Beadle, State of South Dakota at \_\_\_\_\_  
a point 1200'W and 200'S of the E4 Corner, Section 10, T10N, R61W

\_\_\_\_\_, for Irrigation

\_\_\_\_\_, has \_\_\_\_\_ complied with the provisions of the laws of the State of South Dakota relating to proof of  
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory  
condition for diverting and conveying to the place of intended use 1.83 cu. ft. per second of water.

Date July 1, 1982

John Hatch  
JOHN HATCH, Chief Engineer  
Water Rights Division

# RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 8880

June 30

1952

Kleinsasser, Farms, Ervin Kleinsasser PIERRE, S.D. 57350

RECEIVED OF

the following amount in fees for services rendered as provided for by law:

|                                                                                                                    |           |           |
|--------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| Fee for Application for Permit to Appropriate Water No. .... (examination, processing, recording and filing) ..... |           |           |
| Fee for inspecting Construction, and Issuing Cert. of Construction No. 4596-3                                      | 50        | 00        |
| Fee for inspecting Beneficial Use, and issuing Water License No. 4596-3                                            |           |           |
| Fee for issuing Location Certificate-Dry Draw, No. ....                                                            |           |           |
| Fee for filing .....                                                                                               |           |           |
| Fee for certified copy of .....                                                                                    |           |           |
| Fee for Print copy of map .....                                                                                    |           |           |
| Fee for Certifying .....                                                                                           |           |           |
| Fee for .....                                                                                                      |           |           |
| (any other work as provided by law)                                                                                |           |           |
| <b>TOTAL</b>                                                                                                       | <b>50</b> | <b>00</b> |

WATER RIGHTS COMMISSION

By ( ) J. L. 5/1/52  
Chief Engineer, Executive Officer  
John W. 5/1/52

**South Dakota Department of  
Water & Natural Resources**

Joe Foss Building  
523 East Capitol  
Pierre, South Dakota 57501-3181

February 8, 1989

JERRY KLEINSASSER  
RP #3  
HURON, SD 57350

**NOTICE**

RE: Violation of Water Permit No(s). 4596-3

Our records indicate that the 1988 Irrigation Questionnaire has not been submitted for Permit No(s). 4596-3. The request for the Questionnaire was dated October 26, 1988. The Water Management Board had directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4596-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at 9:45 am, March 1, 1989 at the Howard Johnson's, Roosevelt Room, I-90 at LaCrosse, Rapid City SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 4596-3 until the 1988 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Postpone any action,
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 1st hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,  
  
JOHN HATCH, Chief Engineer  
Water Rights Division  
605 773-3352





# Department of Water & Natural Resources

Joe Foss Building  
523 East Capitol  
Pierre, South Dakota 57501-3181

February 24, 1989

4596-3

Jerry Kleinsasser  
RR #3  
Huron, SD 57350

Dear Mr. Kleinsasser:

I am writing to acknowledge receipt of your 1988 irrigation questionnaire for Water Permit No. 4596-3. You may disregard the February 8, 1989, Notice of failure to submit the 1988 irrigation questionnaire. With receipt of the questionnaire your name has been deleted from the March Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Very truly yours,

A handwritten signature in black ink that reads "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer  
Water Rights Division



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

JERRY KLEINSASSER  
RR #3 BOX 110  
HURON SD 57350

NOTICE

RE: Violation of Water Permit No(s) 4596-3

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 4596-3. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4596-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4596-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. There and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


If the questionnaire(s) is(are) received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV  
Water Rights Division  
605 773-3352



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES  
JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181



JERRY KLEINSASSER  
RR #3 BOX 110  
HURON, SD 57350

4596-3

Handwritten notes and date: 1-28-92

Is your **RETURN ADDRESS**  
completed on the reverse side?

Sample Return Receipt for Mail  
Do not write on this form. Write on the reverse side.

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

3. Article Addressed to:

JERRY KLEINSASSER  
RR #3 BOX 110  
HURON, SD 57350

5. Signature (Addressee)

6. Signature (Agent)

PS Form 3811, November 1990 U.S. SPS: 1991-287-066

**DOMESTIC RETURN RECEIPT**

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

4b. Article Number

PA06 557 711

4a. Service Type

☐ Registered ☐ Insured

☒ Certified ☐ COD

☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using  
Return Receipt Service.



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

February 18, 1992

NOTICE

TO: Jerry Kleinsasser, RR #3 Box 110, Huron, SD 57350

FROM: Ron Duvall, Natural Resources Engineer  
for JOHN HATCH, Chief Engineer  
Water Rights Division

SUBJECT: Unclaimed Certified Mail

The attached notice was sent certified mail, return-receipt requested. The post office has returned the certified mail return-receipt requested envelope to our office marked "unclaimed". The envelope indicated the post office notified you January 29 and February 5, 1992 to pick up and sign for the certified mail.

If you have any questions, please contact Genny McMath, (605) 773-3352.

enclosure

CERTIFICATION

I hereby certify that on February 18, 1992, I have personally deposited with the U.S. Mail, postage prepaid envelopes containing a Notice dated February 18, 1992, regarding Unclaimed Certified Mail addressed to:


- Ben Wipf, Rockport Colony, RR 2 Box 26, Alexandria, SD 57311
- Donna Bowen, HCR 351 Box 45, Pierre, SD 57501
- Kendall and Kerry Smith, HCR 531 Box 45, Pierre, SD 57501
- Jerry Kleinsasser, RR 3 Box 110, Huron, SD 57350

*Jaci R. Konop*

JACI R. KONOP  
Senior Secretary

STATE OF SOUTH DAKOTA )  
COUNTY OF HUGHES ) SS

Sworn to, before me, this 17<sup>th</sup> day of February, 1992.



*John Hatch*  
Notary Public



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES  
JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181

February 27, 1992

4596-3

Jerry Kleinsasser  
RR #3 Box 110  
Huron, SD 57350

Dear Mr. Kleinsasser:

I am writing to acknowledge receipt of your 1991 irrigation questionnaire for Water Permit No. 4596-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaire was received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

Genny McMath  
Natural Resources Analyst  
Water Rights Division



January 30, 1996

NOTICE

4596-3

DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181

TO: JERRY KLEINSASSER, RR #3 BOX 110, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer  
for John Hatch, Chief Engineer  
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4596-3

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4596-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4596-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4596-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES**

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501 3181

February 20, 1996

**NOTICE**

TO: Jerry Kleinsasser, RR 3 Box 110, Huron, SD 57350

FROM: Ron Duvall, Natural Resources Engineer  
for JOHN HATCH, Chief Engineer  
Water Rights Program

SUBJECT: Unclaimed Certified Mail Concerning Violation of Water Permit No. 4596-3

The attached notice was sent certified mail, return-receipt requested. The post office has returned the certified mail return-receipt requested envelope to our office marked "unclaimed". The envelope indicated the post office notified you January 31 and February 5, 1996, to pick up and sign for the certified mail.

If you have any questions, please contact Genny McMath, (605) 773-3352.

enclosure

## CERTIFICATION

I hereby certify that on February 20, 1996, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 20, 1996, along with the Notices that were originally sent out by "Certified Mail" dated January 30, 1996, regarding Unclaimed Certified Mail Concerning Violation of Water Permits, addressed as stated below:


W.P. #685-3: Jerome & Julie Schroeder, RR 2, Box 87A, Wheaton, MN 56296.

W.P. #5295-3: Bill & Jim Scott, 2578 360th St., Rock Valley, IA 51247.

W.P. #4596-3: Jerry Kleinsasser, RR 3, Box 110, Huron, SD 57350.

Notice was also sent regarding Unclaimed Certified Mail Concerning Violation of the Requirements to Submit the 1995 Irrigation Questionnaire for Water Permit No. 3255-3, to the individual listed below:

Terry & Peggy Reynolds, HC 75, Box 33, Hitchcock, SD 57348.

  
Cheryl F. Frost  
Secretary

STATE OF SOUTH DAKOTA       )  
                                          )     SS  
COUNTY OF HUGHES        )


Sworn to, before me, this 21st day of February, 1996

Notary Public



DEPARTMENT OF ENVIRONMENT  
and NATURAL RESOURCES  
JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE SOUTH DAKOTA 57501-3181


ADDRESS CORRECTION REQUESTED




**CERTIFIED**

Z 161 984

**MAIL**



JERRY KLEINSASSER  
RR #3 BOX 110  
HURON SD 57350



LN  
1-31-96  
2-5  
2-15

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your return address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee): ☒

- ☐ Addressee's Address
- ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

JERRY KLEINSASSER  
RR #3 BOX 110  
HURON SD 57350

4a. Article Number

2161984053

4b. Service Type

- ☐ Registered ☒ Certified  
☐ Express Mail ☐ Insured  
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X

8. Addressee's Address (Only if requested and fee is paid)

Domestic Return Receipt

PS Form 3811, December 1994

Thank you for using Return Receipt Service.

Printed on the reverse side?

Is your RETURN?



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES  
JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181

March 7, 1996

NOTICE OF ONE YEAR SUSPENSION OF WATER PERMIT

TO: JERRY KLEINSASSER, RR #3 BOX 110, HURON, SD 57350

FROM: JOHN HATCH, Chief Engineer  
Water Rights Program  
(605) 773-3352

SUBJECT: One Year Suspension of Water Permit No. 4596-3

Pursuant to the provisions of the notice dated January 30, 1996, and following the hearing of March 6, 1996, the Water Management Board has ordered:

**That Water Permit No. 4596-3 be suspended until December 31, 1996.  
Suspension of the water permit does not excuse the water right holder from  
the requirement to submit the 1995 Irrigation Questionnaire.**

Suspension of a water right or permit means water may not be pumped during the 1996 irrigation season. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Please contact Genny McMath at (605) 773-3352, if you have any questions.

**WATER RIGHTS PROGRAM  
FILE DOCUMENTATION**

**NAME OF PERSON OR FILE:** Mrs Jerry Kleinsasser

**ADDRESS:** RR 3 Box 110, Huron, SD 57350

**COUNTY:** Beadle

**DATE:** December 10, 1996


**RE:** suspension of water right

**COMMENTS:**

Mrs. Kleinsasser called to inquire what they had to do to be able to irrigate in 1997. She knew they had been suspended for 1996 and wondered if they had to call in or write to us or something. I told her the water right was suspended for the 1996 season only. They were allowed to irrigate in 1997.

She wondered why they did not receive a questionnaire for 1996 to report that they did not irrigate. I explained to her that questionnaires are not mailed for suspended water rights because the water right holder does not irrigate during the time they are suspended.

I told her they would be receiving a 1997 irrigation questionnaire in October of 1997. She indicated they would take care of it when they received it.



Genny McMath  
Environmental Scientist



4596  
DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181  
www.state.sd.us/denr

January 22, 1999

NOTICE

TO: JERRY KLEINSASSER, RR 3 BOX 110, HURON, SD 57350  
FROM: Ron Duvall, Natural Resources Engineer  
for John Hatch, Chief Engineer  
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaire(s)

Our records indicate that the 1998 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4596-3. The request for the Questionnaire was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4596-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4596-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

4596-3

Is your RETURN ADDRESS completed on the reverse side?

**SENDER:**

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

**3. Article Addressed to:**

JERRY KLEINSASSER  
RR 3 BOX 110  
HURON SD 57350

**4a. Article Number**

2119-141582

**4b. Service Type**

- |                                                         |                                               |
|---------------------------------------------------------|-----------------------------------------------|
| <input type="checkbox"/> Registered                     | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail                   | <input type="checkbox"/> Insured              |
| <input type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD                  |

**7. Date of Delivery**

1-23-99

**5. Received By: (Print Name)**

**6. Signature: (Addressee or Agent)**

*[Signature]*

**8. Addressee's Address (Only if requested and fee is paid)**

Thank you for using Return Receipt Service.

PS Form 3841, December 1994

102595-97-E-0179

Domestic Return Receipt



DEPARTMENT OF ENVIRONMENT  
and NATURAL RESOURCES

JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3181  
[www.state.sd.us/denr](http://www.state.sd.us/denr)

February 17, 1999

4596-3

Jerry Kleinsasser  
RR 3 Box 110  
Huron, SD 57350

Dear Mr. Kleinsasser:

I am writing to acknowledge receipt of your 1998 irrigation questionnaire. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Right No. 4596-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath  
Environmental Scientist  
Water Rights Program  
(605) 773-3352

NOT TO SCALE

128.5

4

Hazel Ave

35.7

19.1

378-79R

4  
Lehigh Valley

91.0

10

1200'

148.7

Clarence H. Hart

144.6

AS DRIVED

8" P.C.

WELL OUT

110-61

Mid-  
Som

BEADLE COUNTY A.S.C.S.

Huron, S.D. 57350

B. Smith

App# 4596-3