

1. Considered 1-28-1981
2. Name of Applicant David Pankonin
3. Post Office Address Elkton, South Dakota 57026
4. Amount of Water Claimed 2.0
5. Source of Water Supply 35' and 37' wells
6. Water to be used for IRR
7. Acres to be irrigated 140 maximum acre feet
8. Water to be diverted and used in Brookings County
about 1 W, 1 N miles of Bushnell
9. PROOF OF PUBLICATION Received 1-20-81
Not Received _____
- APPLICATION Approved 1/29/81
Subject to WI-1 Q
Not Approved _____
Action deferred _____

Priority _____ Date Received 12/17/80 Application Complete yes ☒ no _____ FEE 250.00

Remarks _____

Date information and/or fee for corrected Application received 12/29/80
Period of Annual use April through October

WATER
QUALITY

Received yes 1/8/81 no _____ (APPROVED) CONDITIONAL (Circle one)

WI-1 Description same as application yes ☒ no _____ Remarks _____

Disapproved _____

Returned _____

				*	
				A	
				13	

Diversion Point _____

Two wells in the SE 1/4 NW 1/4

13-110-49

Lands to be irrigated _____

NW 1/4, 13-110-49

WELL
LOG

Remarks _____

Driller Grimshaw Licensed yes ☒ no _____

Depth 35 and 37' deep wells

MAP Map No. 3818-3 Map located in Water Right xx Map file _____
 Type of Map aerial Prepared by Wiersma

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 1-28-81.


Betty Wiersma
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
 F.F. & C Final Decision, including F.F. & C of Law were adopted _____
 OF LAW, Date
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision
 DECISIONS was adopted _____
 ETC.

Remarks _____



No. 4600-3
 Map No. 3818-3 Water Division No. 3 BIG SIOUX District

Above for Office Use 10170202

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right ☐ Future Use ☐

Change in Diversion ☐ Additional Diversion ☐

Change in Acreage ☐ Additional Acreage ☐

1. Name of Applicant David Parkkonen Phone No. 542-3831
 Post Office Address Elkton State South Dakota 57026
(Street, RR, or Box) (Town) (Zip Code)

If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor

3. Name of diversion work David Parkkonen Irrigation Project #1

4. Amount of water claimed (cubic feet per second) 2.0

5. Source of water supply 2 wells

6. Location of point of diversion Well #1 - 1860' N 135° E of NW corner Sec 13-110-49

Well #2 - 2380' N 146° E of NW corner Sec 13-110-49

2-SE 4 NW 4 County Brookings

7. Annual period or periods during which water is to be used April through October

8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation

9. For irrigation use, Total number of acres to be irrigated 140

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW 1/4 of NW 1/4 Sec 13-110-49	3.3
NE 1/4 of NW 1/4 Sec 13-110-49	3.3
SW 1/4 of NW 1/4 Sec 13-110-49	3.3
SE 1/4 of NW 1/4 Sec 13-110-49	3.3

Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use Three years.

11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Brookings Register

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

2 wells with turbine pumps.

B. Works proposed to transport water to place of use.

closed conduit

C. Works proposed to apply water to beneficial use.

center pivot irrigation machine

Estimated Total Cost \$ 60,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
) ss.
 County of Brookings)

I, David Parkkonen, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Sig. David Parkkonen

Subscribed and sworn to before me this 12 day of Dec, 1980

John S. W. W. W.
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4600-3

DAVID PANKONIN
(Applicant)

LLKTOIS

(Post Office Address)

SOUTH DAKOTA 57026
(State)

With the following qualifications

The irrigation well(s) approved under this permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application DECEMBER 17, 1980

Date of return to applicant for correction, amendments or changes required DECEMBER 19, 1980

Date of receipt of corrected application JANUARY 8, 1981

Approved JANUARY 29, 1981, Recorded in Book 22 Page 15

WATER RIGHT PERMIT NO. 4600-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4600-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 17, 1980
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 29, 1983
3. The whole of said work is to be completed on or before JANUARY 29, 1986
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 29, 1989
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 29, 1989; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 24th day of FEBRUARY, 1981

THE WATER MANAGEMENT BOARD

By

John Hatch
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

GRIMSHAW DRILLING CO.

P.O. BOX 81
CHESTER S.D. 57016

LARRY WOLD
(605) 489-2182

DRILLING
LOG

JAY VAN LIERE
(605) 489-2427

Name DAVE PANKOWSKI Date 12-2-80

Address _____

County BROOKINGS Sec 13 Twp 11C Range 49

NO. FT.	DIA	RATE	CASING	TOTAL

BALANCE DUE

0 ft. to 2 ft. Topsoil
2 ft. to 10 ft. Sandy Brown Clay
10 ft. to 20 ft. Brown Sand & Gravel
20 ft. to 35 ft. Grey sand
35 ft. to 60 ft. Brown & Blue Clay
 _____ ft. to _____ ft. _____
 _____ ft. to _____ ft. In Middle of Quarter
 _____ ft. to _____ ft. _____
 _____ ft. to _____ ft. _____

STATIC WATER LEVEL 10 ft.

REMARKS:

Samy M. Wold
DRILLER

GRIMSHAW DRILLING CO.

P.O. BOX 81
CHESTER, S.D. 57016

LARRY WOLD
(605) 489-2182

DRILLING
LOG

JAY VAN LIERE
(605) 489-2427

Name DAVE PANKOWSKI Date 12-2-80

Address Elkton S.D.

County BROOKINGS Sec 13 Twp 11C Range 49

NO. FT.	DIA	RATE	CASING	TOTAL

42
BALANCE DUE

0 ft. to 3 ft. Topsoil
3 ft. to 8 ft. Brown Clay
8 ft. to 18 ft. Brown Sand & Gravel
18 ft. to 37 ft. Good Grey Sand
37 ft. to 50 ft. Brown & Blue Clay
 _____ ft. to _____ ft. _____
 _____ ft. to _____ ft. [660' S. of middle]
 _____ ft. to _____ ft. _____
 _____ ft. to _____ ft. _____

STATIC WATER LEVEL 8' ft.

REMARKS:

Samy M. Wold
DRILLER

2 nearly identical wells

D Well Information

(1) Drill Hole, Diameter 24", Depth 111 - 37'
(2) Casing, Type PVC, Diameter 16", Thickness 3/8"
(3) Screen, Type Coat Slat, Diameter 16", Length 10'
(4) Gravel Pack, Thickness 4", Length of gravel pack 20'

E Dugout Information or Estimates

(1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 18'
Depth to bottom of water bearing material well #1 - 35'
well #2 - 37'
Depth to water (ground surface to water level) 111 - 8'


(2) Distance to nearest existing household or livestock watering well.

On same owner's property 140 - 500 ft rds.

On property owned by others 2 - 100 rds

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



- Freeboard _____
- Crest width a, length _____
- Height of Dam _____
- Outlet dimensions:
Pipe diameter _____
Spillway width _____
- X & Y slope:
Upstream _____
Downstream _____
Surface area of impoundment _____
Drainage area above dam _____

David Parbony
Signature of Applicant

Approved _____

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT David Pankonin

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED



RECOMMENDED MANAGEMENT:

The Hecla and Lamoure soils have a high water table at times during
the year. Caution should be taken when irrigating these soils.
Management should include leaving enough crop cover to prevent blowing,
along with application rates that prevent waterlogging and ponding
on the lower soils and also prevent runoff and erosion in the wheel
tracks on the more sloping soils.

SOIL/WATER COMPATIBILITY APPLICATION FORM
STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

OWNERS NAME: David R. Kanning OWNERS ADDRESS: Fiklan
COUNTY LAND LOCATED IN: Brookings PHONE: 605-388-1111 605-388-1111
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, if a water right is granted with a conditional permit (Soil/Water Compatibility), a copy of such conditional permit must be filed with the County Register of Deeds.
This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres.)

1. WELL LOCATION OR DIVERSION POINT: 200 ft. from center of well 66' S of center
2. SURFACE WATER SOURCE: Brookings River
3. LOCATION OF AREA TO BE IRRIGATED: 1/4 Sec 13 - T100N - R49E
4. INDICATE NON-IRRIGATED AREAS AND (APPROX.) ACRES ON MAP: (Farmstead, shelterbelts, wetlands, etc.)
- TYPE OF IRRIGATION: (Show approximate acres under each type of system)
5. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____ OTHER (Specify) _____
6. CROPS TO BE IRRIGATED Corn & soybeans
7. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____
LAND: _____
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

8. SAMPLE NUMBER: 80-1109; 80-1110
9. SALINITY (EC x 10⁶) 105.3; 100.1
10. SODIUM (SAR) 0.30; 0.30 ADJUSTED (SAR) 0.75; 0.70


I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see back) were followed, and that the sample was taken at 4:00 A.M. / P.M. on Dec. 12, 1980, at the following location: At well
by David R. Kanning (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I also hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Brookings Conservation District, County Extension Office or Soil Conservation Service; and further, that the legal description for the location of the well and land to be irrigated is true and correct.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS
1st DAY OF Dec, 1980.

John S. Anderson
(NOTARY PUBLIC)



IMPORTANT

David R. Kanning
APPLICANT'S SIGNATURE
John M. V. [Signature]
Director, Division of Conservation
☒ APPROVED
☐ DISAPPROVED
☐ CONDITIONALLY APPROVED

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application.

In all cases a WATER RIGHT must be obtained from the State Water Rights Commission.

Affidavit of Publication

State of South Dakota

County of Brookings

Demain D. Koenders

of said county, being first duly sworn, on oath, says: That he is one of the editors of THE BROOKINGS REGISTER, a daily newspaper printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that he has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least four hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year next prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed in the office maintained at said place of publication; and that the

Legal No. 23

64 Lines x .367

a printed copy of which, taken from the paper in which the same was published, is hereto attached marked Exhibit "A," and is made a part

of this affidavit, was published in said newspaper for

successive week...., to-wit:

January 14, 19...
January 15, 19...
January 16, 19...
January 17, 19...
January 18, 19...

That the full amount of the fee charged for the publication of said Exhibit "A" inures to the sole benefit of the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Twenty-three dollars and 00/100 Dollars

Subscribed and sworn to before me this 21st day of

January 19...

Notary Public in and for the County of Brookings, South Dakota.

My Commission expires September 1985

Exhibit "A"

Legal No. 23, 2x, Jan. 14, 21 No. 4600-3

NOTICE OF HEARING ON APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 8, 1981

Notice is hereby given that David Pankonin whose post office address is Elkton, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-14; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-10, 46-6-14 and Board Rules AR 12:01:01:01 thru 12:01:01:13, for a permit to appropriate for beneficial use 2.0 cubic feet of water per second of time from ground water (two wells) through the Pankonin Irrigation Project No. 1, the point(s) of diversion of which (are) to be located in the SE 1/4 NW 1/4 of Section 13, Twp. 110N, Range 49W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NW 1/4, Section 13, T110N, R49W.

This Application No. 4600-3 will be considered by the Water Management Board at Meeting Room No. 1, Knelp Building, Church & Illinois, Pierre, SD upon the 28th day of January, 1981 at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing. The hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

Betty Westlund

BETTY WESTLUND

Water Rights Specialist

cc: David Pankonin
Elkton, SD 57023
WNR-806A-7 79
GROUNDWATER

No. 4600-3

Publish first publication, on or before January 16, 1981

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 8, 1981

Notice is hereby given that David Pankonin whose post office address is Elkton, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 2.0 cubic feet of water per second of time from ground water ^{#1} (two wells) through the Pankonin Irrigation Project, the point(s) of diversion of which ~~xxx~~(are) to be located in the SE 1/4 NW 1/4

of Section 13, Twp. 110N, Range 49W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

NW 1/4, Section 13, T110N, R49W

This Application No. 4600-3 will be considered by the Water Management Board at Meeting Room #1, Knelp Building, Church & Illinois, Pierre, SD upon the 28th day of January, 1981

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: David Pankonin
Elkton, SD 57026

BETTY WESTLUND
Water Rights Specialist

WNR-806A-7/79
GROUNDWATER

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7853

RECEIVED OF David Pankonin, Elkton, SD 57026 PIERRE, December 29, 1980
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. <u>4600-5</u> (examination, processing, recording and filing)	250.	00
Fee for Inspecting Construction, and issuing Cert. of Construction No. _____		
Fee for Inspecting Beneficial Use, and issuing Water License No. _____		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	250.	00

WATER RIGHTS COMMISSION

By (John Hatcher)
Chief Engineer, Executive Officer
JOHN HATCHER

David Pankonin

38.4

28

3-94

David Pankonin
Irrigation Project
Elkton, South Dakota

1860
1850
1840
1830
1820
1810
1800
1790
1780
1770
1760
1750
1740
1730
1720
1710
1700
1690
1680
1670
1660
1650
1640
1630
1620
1610
1600
1590
1580
1570
1560
1550
1540
1530
1520
1510
1500
1490
1480
1470
1460
1450
1440
1430
1420
1410
1400
1390
1380
1370
1360
1350
1340
1330
1320
1310
1300
1290
1280
1270
1260
1250
1240
1230
1220
1210
1200
1190
1180
1170
1160
1150
1140
1130
1120
1110
1100
1090
1080
1070
1060
1050
1040
1030
1020
1010
1000
990
980
970
960
950
940
930
920
910
900
890
880
870
860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670
660
650
640
630
620
610
600
590
580
570
560
550
540
530
520
510
500
490
480
470
460
450
440
430
420
410
400
390
380
370
360
350
340
330
320
310
300
290
280
270
260
250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
0

Well #1

15.0

47 41

David Pankonin
Irrigation Project
Elkton, South Dakota
Acres 17.0
Water class 7.2

34.7

51.1

12-12


9.2

11-19

30-11
301.3

11/1/94 3515-23
app # 9100-23

South Dakota



GREAT FACES. GREAT PLACES

DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

December 10, 1990

4600-3

David Pankonin
Box 11
Elkton, SD 57026

Dear Mr. Pankonin:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 4600-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

 SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
November 2, 1990

Kaiser Well Drilling
ATTN: Ronald G. Kaiser
405 8th St SE
Watertown, SD 57201

Dear Mr. Kaiser:

Our records indicate that you drilled a well for David Pankonin of Elkton, SD. The well is located in NW1/4 of Section 13-T110N-R49W, I have not been able to find the as complete well log for the production well. I would appreciate it if you would check your files for the well log and then send any information you have concerning this to me.

If you need any additional information feel free to contact me.

Sincerely,



Mark D. Rath
Natural Resources Engineer II
Water Rights Division
(605) 773-3352


Keat,

The locals on Darrel Jorgelings
wells are: S⁴-W⁴-Section 30-Township
114-Range 51-Homlin County

On Falks well: Gravel or Bentonite
was used to fill annulus within
20' of surface, then neat cement
to surface.

As to Mr. Rath's letter on
David Pawlonis well by Bushnell,
I haven't been able to find any
spgs. on it. I'll have to go
through my billings and see
if I can find them that way.

Yours truly,
Gene Davis



Permit No. 4600-3Big Sioux Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system instructed by DAVID PANKONIN
 of ELKTON SD holder of
 Permit No. 4600-3, bearing the priority of DECEMBER 17 1981 authorizing
 the diversion of 2.0 cu. ft. per second of the waters of GROUND WATER
 for IRRIGATION purposes, in BROOKINGS County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water: A 12" VALLEY PUMP WITH AN 800 GPM CAPACITY
POWERED BY A GE 40 HP ELECTRIC MOTOR

B. Works used to transport water to place of use: 300' OF 8" PUC PIPE

C. Works used to apply water to beneficial use: A 1300' ZIMMATIC CENTER PIVOT
WITH SENECA NOZZLES

The system is in the following condition GOOD

The point of diversion is located FROM THE NW CORNER OF SECTION 13-T10N-R49W
1320' EAST AND 1020' SOUTH

The works are capable of diverting and conveying to the place of use 1.78

cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows: ALL LANDS LOCATED IN SECTION

13-T10N-R49W NW 1/4 NW 1/4 - 32 ac

NE 1/4 NW 1/4 - 34 ac

SE 1/4 NW 1/4 - 34 ac

SW 1/4 NW 1/4 - 32 ac

comprising a total of 132 acres of land and the license should be issued for 1.78 cfs

Applicable permit qualifications have been complied with X Yes No

Exceptions to compliance are: Date 7/15/90

Mark A. H. H.
 CHIEF ENGINEER

LICENSE FOR PERMIT NUMBER 4600-3

1. Legal location of wells: 1320' EAST AND 1020' SOUTH OF THE
NW CORNER OF SECTION 13-T110N-R49W
dams & structures: _____

2. Well Information: Well Drilling Firm KAISER

Completion Report Yes ___ No X No. of Wells 1 Depth 60'
Casing a) diameter 14" Screen a) type STAINLESS
b) length 50' b) length 10
c) type STEEL Static Water Level ~
Pump a) make VALLEY Motor a) make GE
b) model 12A1E1A1B14U1342 b) model No. 5K6237X501F
c) size 12" c) horsepower rating 40
d) capacity 800 gpm
e) turbine pump - no. of stages —
f) operating PSI 50

3. Distribution lines or canals

a) size 8"
b) type PVC
c) length 300'

4. Dam Information:

a) height to crest _____ m) Outlet tubes:
b) height to primary spillway _____ 1) diameter _____
c) height to secondary spillway _____ 2) type _____
d) crest width _____ 3) valved (Y/N) _____
e) crest length _____ 4) valve type _____
f) spillway length _____ 5) location on structure _____
g) spillway width _____
h) approx. storage _____ n) Category of Dam _____
i) approx. storage to crest _____
j) date constructed _____
k) inspection sheet completed (Y/N) _____
l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make ZIMMATIC
- 2) number of towers 7
- 3) distance between towers _____
- 4) overall length 1300
- 5) end gun (Y/N) Y
- 6) high or low pressure HIGH
- 7) make & size of nozzles SEVEN 6's
- 8) capacity (GPM) 800

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
<u>X</u>	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	---	2. Special qualifications to permit being abided by?
<u>X</u>	---	3. All structures, wells and lands on map?
<u>X</u>	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	<u>X</u>	5. Is chemigation used?
---	<u>X</u>	6. If yes, does equipment comply with chemigation rules?

REMARKS:

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 4600-3

(1) David Pankonin of Box 11, Elkton, SD 57026 made Application No. 4600-3, December 17, 1980 for a water permit to appropriate 2.0 cubic feet of water per second from groundwater, Brookings County, South Dakota for irrigation purposes. Permit No. 4600-3 with a priority date of December 17, 1980 was approved January 29, 1981 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before January 29, 1986 and for the application to beneficial use of said water on or before January 29, 1989.


(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet of water per second for beneficial use. The location of the diversion point is: 1320'E and 10'0'S of the NW corner of Section 13, T110N, R49W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T110N, R49W Section 13	NW1/4NW1/4	32	acres
	NE1/4NW1/4	34	"
	SE1/4NW1/4	34	"
	SW1/4NW1/4	32	"

Total 132 acres

(4) Pursuant to Section 46-5-30.1 David Pankonin of Box 11, Elkton, SD 57026 the holder(s) and/or owner(s) of Water Permit No. 4600-3 is issued a license to appropriate water, the right to use 1.78 cubic feet of water per second from groundwater (one well) with a priority date of December 17, 1980 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 4600-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

MAR 27 1991



MAR 27 1991

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

4600-3

David Pankonin
Box 11
Elkton, SD 57026

Dear Mr. Pankonin:

Enclosed is Water License No. 4600-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412462 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4600-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, Dec 20 1920

RECEIVED OF David Hamel, Box 11, Union St. 57020

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____

Fee to retain Future Use Permit No. _____ after period of seven years. _____

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 20002-5 _____

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for Certified Copy of _____

Fee for Print Copy of Map _____

Fee for Certifying _____

Fee for _____

(Any Other Work Provided by Law)

Total

50 00

By John H. H. H.

Chief Engineer



January 9, 1998

NOTICE

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

TO: DAVID PANKONIN, BOX 11, ELKTON, SD 57026
FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 4600-3, 3876-3. The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3876-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4600-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4600-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3876-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 23, 1998

3876-3

4600-3

David Pankonin
Box 11
Elkton, SD 57026

Dear Mr. Pankonin:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit Nos. 3876-3 and 4600-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4600-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: DAVID PANKONIN, 21285 US HWY 14, ELKTON, SD 57026
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaires

Our records indicate that the 2002 Irrigation Questionnaires have not been submitted for Permit Nos. 4600-3, 3876-3. The request for the Questionnaires was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3876-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4600-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4600-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3876-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2003

3876-3
4600-3

David Pankonin
21285 US Hwy 14
Elkton SD 57026

Dear Mr. Pankonin:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right Nos. 3876-3 and 4600-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



4600-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: DAVID PANKONIN, 21285 US HWY 14, ELKTON, SD 57026
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaires

Our records indicate that the 2004 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3876-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4600-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4600-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3876-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 25, 2005, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



4600-3

Track & Confirm

Current Status

You entered 2301 0370 0000 7541 4913

Your item was delivered at 10:30 am on January 22, 2005 in ELKTON, SD 57026. The item was signed for by D PANKONIN.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7541 4913

DAVID PANKONIN
21285 US HWY 14
ELKTON SD 57026

Postmark
Here

mailing.

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

☐

Priority Mail

☐

Package Services

(See Reverse)

PS Form 153, February 2001



4600-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2005

3876-3
4600-3

David Pankonin
21285 US Hwy 14
Elkton SD 57026

Dear Mr. Pankonin:

I am writing to acknowledge receipt of your 2004 irrigation questionnaires. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right Nos. 3876-3 and 4600-3.


The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE



Dave Pankonin

138.4

28.5

3-94

David Pankonin
Irrigation Project
Elkton South Dakota

1860
N 135° E

Well #1

2380
N 135° E

95.0

47	41
----	----

Land in Brookings County

Land irrigated

Acres irrigated 140

Water class 1 2 cfs

34.1

151.1

12-12-80

John S. [unclear]

110-49

Boyl
Boyl 3

Map # 3818-3

appl # 4600-3

138.4

28.5

3-94

David Pankonin
Irrigation Project #1
Elkton South Dakota

1860'
N 135° E

2380'
N 146° E

Well #1

Well #2

15.0

Land in Brookings County

Land irrigated - NW 1/4 sec 2

Acres irrigated - 140

Water claim - 2 cfs

34.1

151.1

12-12
John

110-40

304.1

301.3

map # 3818-3

appl. 4600-3

[illegible]

E13

301.3
T2183

Dave Pankonin

138.4

28.5

3-94

David Pankonin
Irrigation Project
Elkton South Dakota

1860
N 135° E

Well #1

2380
N 135° E

95.0

47	41
----	----

Land in Brookings County

Land irrigated

Acres irrigated 140

Water class 1 2 cfs

34.1

151.1

12-12-80

John L. Pankonin

110-49

Bo. 3

Map # 3818-3

app # 4600-3

138.4

28.5

3-94

David Pankonin
Irrigation Project #1
Elkton South Dakota

1860'
N 135° E

2380'
N 146° E

Well #1

Well #2

15.0

Land in Brookings County

Land irrigated - NW 1/4 sec 2

Acres irrigated - 140

Water claim - 2 cfs

34.1

151.1

12-12
John

110-40

304.1
301.3

map # 3818-3
appl. 4600-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

November 3, 2008

3876-3
4600-3

David Pankonin
PO Box 263
Elkton SD 57026-0263

Dear Mr. Pankonin:

Enclosed is a "Notice" dated October 24, 2008 concerning the 2008 irrigation questionnaires. The notice was originally mailed to 21285 US Hwy 14, Elkton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

4600-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 28, 2013

3876-3
4600-3

David Pankonin
21247 US Hwy 14
Elkton SD 57026 6702

Dear Mr. Pankonin:

Enclosed is a "Notice" dated October 18, 2013 concerning the 2013 irrigation questionnaires.

The notice was originally mailed to PO Box 263, Elkton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DEPARTMENT OF ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov



RECEIVED

JAN 05 2015

WATER RIGHTS
PROGRAM

December 24, 2014

David Pankonin
21247 US Hwy 14
Elkton SD 57026

Dear Mr. Pankonin:

I am writing in regard to a well driller's report filed by Steffl Drilling & Pump Inc. The report shows a new well was completed for you on August 1, 2014.

A review of our files indicates Water Right No. 4600-3 was licensed for 800 gallons per minute (gpm) from one well, approximately 60 feet deep located in the approximate center of the NW 1/4 Section 13-T1110N-T49W to irrigate 132 acres.

Mr. Pankonin, is this a replacement well or an additional well which does not increase the total appropriation of 800 gpm? If the authorized diversion rate is increased, a new water permit will need to be obtained. Once we know this information, we can determine what additional action, if any, needs to be taken to ensure the water right accurately reflects your irrigation system.

Please contact Eric Gronlund or me regarding the status of this well or if you have any questions.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

old well failed. Replaced it.
cemented old well shut. No
increase in GPM.

Date: 10-31-14

3876-3
4600-3

21247 Hwy 14
Elkton, SD 57026

Water Management Board
Joe Foss Building
523 East Capitol
Pierre, SD 57501

RECEIVED
OCT 29 2015
WATER RIGHTS
PROGRAM

Dear Board:

This year is the first year I have ran short of water the wells were sucking air. We even drilled a new well and it sucked air even with a smaller pump. I have one of the oldest permits in this area. You have allowed to much development of pivots around me. Your job is to protect the earliest permits from overdevelopment. I would suggest you should stop all irrigation put in in the last 10 yrs. and then slowly allow them back on in order of their seniority. til we are affected again.

The development south of Elkton was way to fast and of to large a scope.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

November 6, 2015

David Pankonin
21247 US Hwy 14
Elkton, SD 57026-6702

Dear Mr. Pankonin:

This is in response to your letter to the Water Management Board included with the 2015 Irrigation Questionnaires. I appreciate your quick return of the questionnaires and taking the time to write with your concerns.

I asked Ken Buhler, an engineer on my staff, to look into your concerns. He tells me there are 57 water rights/permits pumping water from the Big Sioux: Aurora aquifer, which is the same aquifer you pump from. Half of the water rights/permits were approved after your water right was approved and are junior to yours, and half were approved before and are senior to yours.


The premise of South Dakota water law is to maximize water use while insuring withdrawals from an aquifer do not exceed recharge on an average annual basis, giving preference to senior water rights in regard to adverse impacts between users. Every new water permit application is thoroughly evaluated to ensure there is water available, withdrawal will not exceed recharge, and existing water users will not be unlawfully impaired

One of the most valuable tools we have is an observation well network consisting of dedicated observation wells that allows us to measure water levels in the aquifers. The Water Rights Program monitors 15 observation wells completed into the Big Sioux:Aurora aquifer; four of these observation wells are located within two and one-half miles of your well. The enclosed map shows the well locations and water level history (hydrographs) of each well. The observation well data shows some seasonal water level fluctuations and fluctuations of the water table due to wet and dry cycles and well pumping. However, the data indicates the water levels always recover from dry weather and pumping. It shows us the aquifer is not over appropriated.

I also asked Ken to check into why your well pumped air if the water levels were stable. Ken contacted your well driller and irrigation system representative. We understand your old well failed because of a hole in the well screen. We were also told you put in a new irrigation system set up for a pumping rate higher than what your well will produce. I suggest you work with your pivot system dealer to get the maximum efficiency of your investment based on the physical capabilities of your well.

Thank you again for taking the time to write. If you have any questions, feel free to contact to contact Ken Buhler at (605)773-3352.


Sincerely,

A handwritten signature in black ink, appearing to read "Jeanne Goodman". The signature is fluid and cursive, with the first name "Jeanne" being more prominent than the last name "Goodman".


Jeanne Goodman, Chief Engineer
SD DENR-Water Rights Program

enclosures


**WATER RIGHTS' OBSERVATION WELL
BG-63D**




**WATER RIGHTS' OBSERVATION WELL
BG-77T**




**WATER RIGHTS' OBSERVATION WELL
BG-79C**




**WATER RIGHTS' OBSERVATION WELL
BG-79E**



**WATER RIGHTS' OBSERVATION WELL
BG-89A**



**WATER RIGHTS' OBSERVATION WELL
BG-77I**





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: DAVID PANKONIN, 21247 US HWY 14, ELKTON, SD 57026 6702
FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaires

Our records indicate your 2022 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3876-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4600-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4600-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3876-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: LPRUNF**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 25, 2023

3876-3
4600-3

David Pankonin
21247 US Hwy 14
Elkton SD 57026 6702

Dear Sir:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right Nos. 3876-3 and 4600-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us