


- 1. Considered MAR. 25 1981
- 2. Name of Applicant DONALD D. WYNIA
- 3. Post Office Address RR 1, Box 18, TYNDALL 57066
- 4. Amount of Water Claimed 3.14
- 5. Source of Water Supply SIX WELLS ALL APPROX 150' DEEP
- 6. Water to be used for IRR.
- 7. Acres to be irrigated 220 maximum acre feet
- 8. Water to be diverted and used in BON HOMME County about 5 miles NORTH of SPRINGFIELD
- 9. PROOF OF PUBLICATION Received 3-6-81

Not Received _____
APPLICATION Approved 3/25/81
Subject to W.I. - I.R.
Not Approved _____
Action deferred _____

Priority Date
12-29-80 Received 12-29-80 Application Complete yes - no - FEE 275.00
Remarks added lands & wells received all info 2/4/80

WATER QUALITY Date information and/or fee or corrected Application received _____
Period of Annual use MAY THRU OCTOBER
Received yes 2/12/81 no _____ APPROVED/CONDITIONAL (Circle one)
WI-1 Description same as application yes no _____ Remarks _____

Disapproved _____ Returned _____
Diversions Point 5 two wells in NE⁴NW⁴, one well in NW⁴NW⁴, one in SW⁴NW⁴ and two in NW⁴SW⁴ 25-94-60
Lands to be irrigated NW⁴ and N¹/₂SW⁴ 25-94-60



WELL LOG
Remarks _____
Driller WORM Licensed yes ✓ no _____
Depth 150 Ft.

MAP Map No. 3842-3 Map located in Water Right D Map file _____

Type of Map AERIAL Prepared by SCS

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 3/26/81

Betty Westlund
(Signed)


+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
F.F. & C Final Decision, including F.F. & C of Law were adopted _____
OF LAW, Date
FINAL Final Decision mailed to parties and/or parties notified that Final Decision
DECISIONS was adopted _____
ETC.

Remarks _____

Form 2 - Application for Permit to Appropriate Water-Original (Includes Approval and Permit)

No. 4626-3Map No. 3842-3 Water Division No. 3 MISSOURI RIVER DistrictAbove for Office Use 16170101

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following.

New ☒ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant Donald D. Wynia Phone No. 605-589-3713Post Office Address RR 1, Box 18 Tyndall State S.D. 57066
(Street, RR, or Box) (Town) (Zip Code)

If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & direct labor3. Name of diversion work Wynia #1 thru #64. Amount of water claimed (cubic feet per second) 3.145. Source of water supply ground water, six wells6. Location of point of diversion #1-SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$; #2-NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$; #3-NW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$;
#4 and #5-NW $\frac{1}{4}$ SW $\frac{1}{4}$ and #6 SW $\frac{1}{4}$ NW $\frac{1}{4}$, all in Section 25-T94N-R60WCounty Bon Homme7. Annual period or periods during which water is to be used May thru October8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation9. For irrigation use, Total number of acres to be irrigated 220

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
NW $\frac{1}{4}$ NW $\frac{1}{4}$	40
SW $\frac{1}{4}$ NW $\frac{1}{4}$	40
SE $\frac{1}{4}$ NW $\frac{1}{4}$	40

Land Description	No. Acres Irr.
N $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$	40
N $\frac{1}{2}$ SE $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$	20
All in Section 25-T94N-R60W	

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 3 years. Additional time required to complete application of water to the proposed beneficial use 2 years.11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Tyndall Tribune

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Wells and pumps

B. Works proposed to transport water to place of use.

buried plastic pipe

C. Works proposed to apply water to beneficial use.

sprinkler

Estimated Total Cost \$ 80,000

Attachments. Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Bon Homme) ss.I, Donald D. Wynia the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Donald D. WyniaSubscribed and sworn to before me this 29 day of December, 1980(Signature)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4626-3

Donald D. Wynia

RR 1, Box 18, Tyndall

(Applicant)

(Post Office Address)

South Dakota 57066

(State)

With the following qualifications

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See also 4779-3

Date of first receipt of application DECEMBER 29 ~~FEBRUARY 4~~, 1980

Date of return to applicant for correction, amendments or changes required DECEMBER 30, 1980

Date of receipt of corrected application FEBRUARY 12, 1981

Approved MARCH 25, 1981, Recorded in Book 22 Page 75

WATER RIGHT PERMIT NO. 4626-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4626-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 29 ~~FEBRUARY 4~~, 1980
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 25, 1982
3. The whole of said work is to be completed on or before MARCH 25, 1984
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 25, 1986
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.14 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied

for irrigation on or before MARCH 25, 1986 said water to be used during the following described annual period: MAY THRU OCTOBER

Witness my hand this 20TH day of APRIL, 1981

THE WATER MANAGEMENT BOARD

By: John Hatch
Chgo Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

12. Principal Features of the Proposed Water Supply System (continued)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 36", Depth 145'
- (2) Casing, Type PVC Sch 40 (wood, concrete, steel, etc), Diameter 16", Thickness 11/16" 12.11'
- (3) Perforated Screen.
Type PVC 1/2 slot, Diameter 16", Length 20"
- (4) Gravel Pack, Thickness 7", Length of gravel pack 145'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Chalk & Sand

Depth to top of water bearing material 125'

Depth to bottom of water bearing material 145'

Thickness of water bearing material 20'

Depth to water (ground surface to water level) 95'

- (2) Distance to nearest existing household or livestock watering wells. Min. distance of any
the three proposed wells
- On same owner's property 84 rds. On property owned by others 85 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Donald D. Whinn
Signature of Applicant

1

DRILLER'S LOG OF WELL

For Receipt No.

4-78581-1-243

Location of Well: N/E 144 1 Section 25 Township 44N Range 60WWell to be drilled for: Don D. Wynia Tyndall S. Dak 57066Owner of land (if other than above): RR1 - 187 18Date well drilling started 12/10/80 finished 12/11/80Purpose of well irrigation
(domestic, irrigation, municipal, industrial, other)

Diameter	Inches	Feet	Describe kind of materials drilled through (add layers or back of form if necessary)	Ground Surface Elevation: _____ (if Available)
3			Top Soil	
		40	yellow clay	Kind and thickness of casing to be installed: <u>PCV</u>
		135	Blue Clay	Size of casing to be installed: <u>126</u> feet of <u>16</u> inches diameter
		200	Chalk shale	_____ feet of _____ inches diameter
				_____ feet of _____ inches diameter
				Type of Seal between casing sizes: _____

				Kind of perforated screen to be installed: _____
				Material <u>PCV</u> (steel, wood, concrete, etc.)
				Size of Screen: _____
				Diameter: <u>16</u> inches
				Length: <u>20</u> feet
				Size openings: <u>10056-t</u> inches
			Water bearing material	Depth below ground surface to which water rises _____
				in well <u>95</u> feet.

Loss of some Cir. from
135 to 180 - gained some
back from 180-200

Emil Worn
Driller no. 234
Box 17 Lebanon SD



D Well Information #2

(1) Drill Hole, Diameter 30", Depth 150 Ft.

(2) Casing, Type P/35 etc, Diameter 16", Thickness 1/4" Weld
(wood, concrete, steel, etc)

(3) Screen, Type P/25 etc, Diameter 16", Length 20 Ft

(4) Gravel Pack, Thickness 12", Length of gravel pack 150 Ft

E. Duqout Information or Estimates

(1) Surface dimensions, _____, Depth _____

F Fill out for Either a Well or a Dugout

(1) Water Bearing Materials. (Attach a copy of test well log) Log^{ft} on file

Depth to top of water bearing material 130'

Depth to bottom of water bearing material 150'

Depth to water (ground surface to water level) 96'


(2) Distance to nearest existing household or livestock watering well.

On same owner's property 150 rds.

On property owned by others 100 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a. Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
 - Pipe diameter _____
 - Spillway width _____
- X & Y slope:
 - Upstream _____
 - Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Ronald R. Wynia
Signature of Applicant

D Well Information #3

- (1) Drill Hole, Diameter 30", Depth 150 Ft.
 (2) Casing, Type: Plastic (wood, concrete, steel, etc), Diameter 16", Thickness 1 1/2" 4211
 (3) Screen, Type Plastic, Diameter 16", Length 20 Ft.
 (4) Gravel Pack, Thickness 12", Length of gravel pack 150'

E Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 130'

Depth to bottom of water bearing material 150'

Depth to water (ground surface to water level) 96'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 150 rds.

On property owned by others 170 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
 2a Crest width _____ b. length _____
 3. Height of Dam _____
 4. Outlet dimensions:
 Pipe diameter _____
 Spillway width _____
 X & Y slope:
 Upstream _____
 Downstream _____
 Surface area of impoundment _____
 Drainage area above dam _____

Donald D. Nynia
 Signature of Applicant

D Well Information

- (1) Drill Hole, Diameter 30" Depth 150'
- (2) Casing, Type Plastic Diameter 16" Thickness 1/2" wall
(wood, concrete, steel, etc)
- (3) Screen, Type Plastic Diameter 16" Length 20'
- (4) Gravel Pack, Thickness 12" Length of gravel pack 150 Ft

F. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F Fill out for Either a Well or a Dugout

- (1) Water Bearing Materials (Attach a copy of test well log)

Depth to top of water bearing material 130'

Depth to bottom of water bearing material 150'

Depth to water (ground surface to water level) 16'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 100 rds.

On property owned by others 120 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____

2a Crest width _____ b. length _____

3. Height of Dam _____

4. Outlet dimensions:

Pipe diameter _____

Spillway width _____

X & Y slope:

Upstream _____

Downstream _____

Surface area of impoundment _____

Drainage area above dam _____

Donald D. Zepka
Signature of Applicant

D Well Information #15

- (1) Drill Hole, Diameter 30", Depth 150'
- (2) Casing, Type Plastic (wood, concrete, steel, etc), Diameter 16", Thickness Hvy well
- (3) Screen, Type Plastic, Diameter 16", Length 20'
- (4) Gravel Pack, Thickness 12", Length of gravel pack 1.50

E Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F Fill out for Either a Well or a Dugout

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 130'

Depth to bottom of water bearing material 150'

Depth to water (ground surface to water level) 96'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 68 rds.

On property owned by others 148 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
 - Pipe diameter _____
 - Spillway width _____
- X & Y slope:
 - Upstream _____
 - Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Donald R. Wiggins
Signature of Applicant

D. Well information

- (1) Drill Hole, Diameter 30", Depth 150'
- (2) Casing, Type Plastic, Diameter 16", Thickness 1/2"
- (3) Screen, Type Plastic, Diameter 16", Length 150'
- (4) Gravel Pack, Thickness 12", Length of gravel pack 150'

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout

- (1) Water Bearing Materials (Attach a copy of test well log)

Depth to top of water bearing material 130'

Depth to bottom of water bearing material 150'

Depth to water (ground surface to water level) 96'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 68 rds.

On property owned by others 140 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



- Freeboard _____
- Crest width _____, length _____
- Height of Dam _____
- Outlet dimensions:
 - Pipe diameter _____
 - Spillway width: _____
- X & Y slope:
 - Upstream _____
 - Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Donald D. Vapnick
Signature of Applicant

SOIL/WATER COMPATIBILITY APPLICATION FORM

STATE CONSERVATION COMMISSION

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

OWNERS NAME: Don Wynia OWNERS ADDRESS: Box 18
COUNTY LAND LOCATED IN: Ben Hur PHONE: 584-3713 Tyndall 52066
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, if a water right is granted with a conditional permit (Soil/Water Compatibility), a copy of such conditional permit must be filed with the County Register of Deeds.
This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres.)

1. WELL LOCATION OR DIVERSION POINT: SW 1/4 NW 1/4 Sec 25 T94N R60W
2. SURFACE WATER SOURCE: 60 wells - sec. map - all in NW 1/4 of Sec. 25
3. LOCATION OF AREA TO BE IRRIGATED: NW 1/4 Sec. 25 T94N R60W
4. INDICATE NON-IRRIGATED AREAS AND (APPROX.) ACRES ON MAP: (Farmstead, shelterbelts, wetlands, etc.)
TYPE OF IRRIGATION: (Show approximate acres under each type of system)

5. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____ OTHER (Specify) _____
6. CROPS TO BE IRRIGATED Corn Alfalfa Milo Soybeans
7. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____
LAND: _____
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

8. SAMPLE NUMBER: 80-1132
9. SALINITY (EC X 10⁶) 3599
10. SODIUM (SAR) 1.60 ADJUSTED (SAR) 4.85 5.40

RECEIVED

DEC 31 1980

South Dakota
Division of Conservation

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see back) were followed, and that the sample was taken at 3:00 A.M. (P.M.), on Dec 15, 1981, at the following location: SW 1/4 NW 1/4 E 1/2 NW 1/4 Sec 25 T94N R60W by Don Wynia (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I also hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Ben Hur Conservation District, County Extension Office or Soil Conservation Service; and further, that the legal description for the location of the well and land to be irrigated is true and correct.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS
25th DAY OF December, 1981.

Robert B. Anderson
(NOTARY PUBLIC)


Don Wynia
APPLICANT'S SIGNATURE

Jack McCallister
Director, Division of Conservation

APPROVED

DISAPPROVED

☒ CONDITIONALLY APPROVED



IN PRESENT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application.

In all cases, a WATER RIGHT must be obtained from the State Water Rights Commission.

Conditional

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Don Wanta

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED

RECOMMENDED MANAGEMENT:

Water should not be applied more than 2-3 times during the irrigation season.

Each uninterrupted application should be of at least 3-4 inches of water.

Heavy fall application of irrigation water may be beneficial.

If traction problems occur on the Crosslain and Tetonka soils, they should
be returned to grass.

Publish first publication, on or before February 25, 1991NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 17, 1991Notice is hereby given that Donald D Wynla whose post officeaddress is Tyndall, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 3.14 cubic feet of water per second of time from ground water(six wells) through the Wynla #1 thru #6, the point(s) of diversion of which ~~xx~~(are) to be located ~~xxxxxx~~ as follows; two wells in NE $\frac{1}{4}$ NW $\frac{1}{4}$, one well in NW $\frac{1}{4}$ NW $\frac{1}{4}$, one well in SW $\frac{1}{4}$ NW $\frac{1}{4}$ & two wells in NW $\frac{1}{4}$ SW $\frac{1}{4}$, all in~~xx~~ Section 23, Twp. 94N, Range 60W. Said water to be used for the purpose of providing irrigation on portions of the following described land:NW $\frac{1}{4}$ & N $\frac{1}{4}$ SW $\frac{1}{4}$, Section 25, T94N, R60WThis Application No. _____ will be considered by the Water Management Board at the Holiday Inn, Sandy Shore Room Watertown, SD upon the 25th day of March, 1991at 1:00 P.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Donald D Wynla
RR #1, Box 13, Tyndall, SD 57066BETTY WESTLUND
Water Rights Specialist

No. 4626-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brahan) ss.

I, Wayne L. Bertrand here

certify that I have annexed printed copy of Notice of Intent to Appropriate Water was taken from the Tyndall Tribune & Register

A newspaper which during the whole time of publication of said not herein after stated, has been and is printed and published in the

City of Tyndall
County of Brahan and State of South Dakota
that the said notice was published in said newspaper on the following two dates:

Feb. 25, 1981
March 4, 1981

Wayne L. Bertrand
(Signature)

Publisher
(Title)

3-4-81
(Date Signed)

NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER
Pierre, S.D. 57501
February 17, 1981


Notice is hereby given that Donald D. Wynia whose post office address is Tyndall, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 3.14 cubic feet of water per second of time from ground water (six wells) through the Wynia No. 1 thru No. 6, the point(s) of diversion of which (are) to be located as follows; two wells in NE 1/4 NW 1/4, one well in NW 1/4 NW 1/4, one well in SW 1/4 NW 1/4 and two wells in NW 1/4 SW 1/4, all in Section 25, Twp. 94N, Range 60W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NW 1/4 and N 1/2 SW 1/4, Section 25, T94N, R60W. This Application No. 4626-3 will be considered by the Water Management Board at the Holiday Inn, Sandy Shore Room, Watertown, SD, upon the 25th day of March 1981 at 1:00 p.m. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeit-

ed if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre, SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT
Water Management Board
Betty Westlund
Water Rights Specialist
cc: Donald D. Wynia
RR No. 1, Box 18
Tyndall, SD 57066
(Feb. 25 & March 4)



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7858

December 29 1930

PIERRE, _____, 19

RECEIVED OF Donald D. Wynia, RR 1, Box 18, Tyndall, SD 57066

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4626-3 (examination, processing, recording and filing) -----	250.	00
Fee for inspecting Construction, and issuing Cert. of Construction No.-----		
Fee for inspecting Beneficial Use, and issuing Water License No.-----		
Fee for issuing Location Certificate-Dry Draw, No.-----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for -----		
(any other work as provided by law)		
TOTAL	250.	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7958

January 30 1981

PIERRE, _____, 19

RECEIVED OF Donald D Wynia, Tyndall, SD 57066

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4626-3 (examination, processing, recording and filing) -----	25	00
Fee for inspecting Construction, and issuing Cert. of Construction No.-----		
Fee for inspecting Beneficial Use, and issuing Water License No.-----		
Fee for issuing Location Certificate-Dry Draw, No.-----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for -----		
(any other work as provided by law)		
TOTAL	25	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer

JOHN HATCH *dy'*

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE R.R. Box 18Post Office Tyndall, S.D. 57066Date 18 July 1983TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to maximum extent it is going to be used, not exceeding the amounts as specified in Water Right No.

4626-3.

Water Right Permit No. 4626-3 states that the diversion system is to be constructed by 25 March 1984, and that the water is put to beneficial use by 25 March 1986.

The diversion system was completed on 1 Aug 1981. Applying the water to beneficial use was completed on 1 Aug 1981.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Donald D. Thompson
(Signature)



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

APR 25 1988

4779-3

Donald D. Wynia
PR #1 Box 16
Tyndall, SD 57066


Dear Mr. Wynia:

Enclosed is Water License No. 4779-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412161 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4779-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures


NOTE: The applicable portions of Water Permit No. 4626-3 have been incorporated into this license.

NOT TO SCALE

NW 1/4-25-94-60 1978

312.6-~~farm~~


317



Map # 38423 Appl 4626-3

NOT TO SCALE

Wb 25-94-60



Estimated Points
of Diversion
Mary LaCompte
District Conservationist
1-29-81

~~Map # 2842-3~~
appl. 4626-3