

need WI-1 and (\$250.00 fee)

Water Right No. 9633-3

1. Considered 3-25 19 81
2. Name of Applicant Richard Poppen
3. Post Office Address Reed De Smet, 57231
4. Amount of Water Claimed 2.0
5. Source of Water Supply 71' well
6. Water to be used for IRR
7. Acres to be irrigated 140 maximum acre feet
8. Water to be diverted and used in Kinsbury County
about 5 1/2 E, 2 miles NORTH of BANCROFT
9. PROOF OF PUBLICATION Received (initials) 3-18-81

Not Received _____

APPLICATION

Approved 3/25/81

Subject to WI - I O

Not Approved _____

Action deferred _____

Priority

Date

Received 9/26/80 Application Complete yes no FEE 250.00

2-20-81

Remarks need fee \$250.00

Date information and/or

fee or corrected Application received 2-20-81

Period of Annual use April thru October

WATER
QUALITY


Received (yes) 11/24/80 no no APPROVED (CONDITIONAL) (Circle one)

WI-1 Description same as application (yes) no no Remarks _____

Disapproved _____

Returned _____

Diversion Point _____



In the approximate center of NE 1/4

Section 11-112N-R57W

Lands to be irrigated _____

NE 1/4, Section 11-112-57

WELL
LOG

Remarks _____

Driller Kaisers Well Works licensed yes xxx no no

MAP Map No. 3849-3 Map located in Water Right X Map file _____
 Type of Map Aerial Prepared by John Weersma P.E.

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 3-25-81.

Billy Westlund
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
 F.F. & C Final Decision, including F.F. & C of Law were adopted _____
 OF LAW, Date
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision
 DECISIONS was adopted _____
 ETC.

Remarks _____

No. 4633-3Map No. 3849-3 Water Division No. 3 VERMILLION RIVER DistrictAbove for Office Use 10170103

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant Richard PoppenPost Office Address De Smet St # 1

(Street, RR, or Box)

(Town)

State South Dakota 57231

(Zip Code)

If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor3. Name of diversion work Richard Poppen Irrigation Project #14. Amount of water claimed (cubic feet per second) 2.05. Source of water supply well6. Location of point of diversion 1660' N 135° W of NE corner ofSec 11 - 112 - 57County Kingsbury7. Annual period or periods during which water is to be used April through October8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation9. For irrigation use, _____ Total number of acres to be irrigated 140

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>NW 1/4 of NE 1/4 of Sec 11 - 112 - 57</u>	<u>36</u>
<u>NE 1/4 of NE 1/4 of Sec 11 - 112 - 57</u>	<u>34</u>
<u>SW 1/4 of NE 1/4 of Sec 11 - 112 - 57</u>	<u>36</u>
<u>SE 1/4 of NE 1/4 of Sec 11 - 112 - 57</u>	<u>34</u>

Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 3 years.11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water De Smet Paper

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well with deep well turbine

B. Works proposed to transport water to place of use.

closed conduit

C. Works proposed to apply water to beneficial use.

center pivot irrigation machineEstimated Total Cost \$ 53,000

Attachments. Attach Form 2A if diversion from a well or digout, or if storage of water, is proposed. Attach map (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Brookings) ss.I, Richard Poppen, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed R. L. O. PoppenSubscribed and sworn to before me this 21 day of Sept, 1980

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Board of Water Management hereby approves Water Right Application No. 4633-3

RICHARD POPPEN
(Applicant)

RT 1 - DESMET

SOUTH DAKOTA 57231
(State)

(Post Office Address)

With the following qualifications.

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application SEPTEMBER 26, 1980
Date of return to applicant for correction, amendments or changes required SEPT. 29 & NOV. 24, 1980
Date of receipt of corrected application FEBRUARY 20, 1981
Approved MARCH 25, 1981, Recorded in Book 22 Page 73

WATER RIGHT PERMIT NO. 4633-3

The Board of Water Management hereby grants and issues this Water Right Permit No. 4633-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 20, 1981
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 25, 1983
3. The whole of said work is to be completed on or before MARCH 25, 1986
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 25, 1989
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 25, 1989; said water to be used during the following described annual period: APRIL - THRU OCTOBER

Witness my hand this 20TH day of APRIL, 1981

THE BOARD OF WATER MANAGEMENT

By:

John H. H. H.
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

IRRIGATION-TESTING-DRILLED-STOCK AND DOMESTIC BORED WELLS

Ph. 854-3744

Location Exhibit 12

Township Pinet Lake

Section 71.2.57 No. 8 of 10

4/21/80

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

Data

Top soil	0 - 1'
Yellow clay	1 - 32
Blue clay	32 - 53
Gravel	53 - 71
Blue clay	71 - 80

Data

Driller: Robert J. [unclear]
500 - 3' 8"

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to Form 2)

12. Principal Features of the Proposed Water Supply System (continued).

D. Well Information

- (1) Drill Hole, Diameter 20", Depth 71'
- (2) Casing, Type PVC (wood, concrete, steel, etc.), Diameter 12", Thickness 3/8"
- (3) Screen, Type Continuous Slot, Diameter 12", Length 15'
- (4) Gravel Pack, Thickness 3", Length of gravel pack 30'

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 53'

Depth to bottom of water bearing material 71'

Depth to water (ground surface to water level) 38'


(2) Distance to nearest existing household or livestock watering well.

On same owner's property 90 rds.

On property owned by others 100 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
2. Crest width _____
3. Height of Dam _____
4. Outlet dimensions:
- Pipe diameter _____
- Spillway width _____
- X & Y slope:
- Upstream _____
- Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Richard E. Pappas

Signature Applicant

Conditional

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Richard Poppen

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED unless surface drained

Cavour soils, approximately 5 acres in northeast quadrant.
(dense compact subsoil that contains excessive amounts of
sodium.)

RECOMMENDED MANAGEMENT:

Surface drainage suggested on flat area in the northeast quadrant.


Deep tillage, occasional used, may be beneficial.

You may want to do some dirt work for the wheel tracks that will
cross the small area of Cavour soils in the northeast quadrant.

Any part of this soil that would pond water from either irrigation
or excess precipitation will tend to water log unless it is
surface drained.



SOIL/WATER COMPATIBILITY APPLICATION FORM
STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE



OWNERS NAME: Richard Poppen OWNERS ADDRESS: Desmet, SD
COUNTY LAND LOCATED IN: Kingsbury PHONE: 605-854-3067
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

2613-KG

In accordance with State Law SDCL 46-5-6.5, if a water right is granted with a conditional permit (Soil/Water Compatibility), a copy of such conditional permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres.)

1. WELL LOCATION OR DIVERSION POINT: Center of NE 1/4 Sec 11-112-57
2. SURFACE WATER SOURCE: well
3. LOCATION OF AREA TO BE IRRIGATED: NE 1/4 Sec 11-112-57
4. INDICATE NON-IRRIGATED AREAS AND (APPROX.) ACRES ON MAP: (Farmstead, shelterbelts, wetland, etc.)
5. TYPE OF IRRIGATION: (Show approximate acres under each type of system)
 - GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____ OTHER (Specify) _____
 - CROPS TO BE IRRIGATED Corn, alfalfa
 - SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____ LAND: none IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

1. SAMPLE NUMBER: 80-884
2. SALINITY (EC x 10⁶) 1025
3. SODIUM (SAR) 0.20 ADJUSTED (SAR) 0.50 (35)

RECEIVED

NOV 03 1980

South Dakota
Division of Conservation

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see back) were followed, and that the sample was taken at 6:00 AM P.M., on Sept 19, 1980, at the following location: _____

by Applicant (Individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I also hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Kingsbury Conservation District, County Extension Office or Soil Conservation Service; and further, that the legal description for the location of the well and land to be irrigated is true and correct.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS
18 DAY OF Sept, 1980.

John S. Williams
(NOTARY PUBLIC)

Richard Poppen
APPLICANT'S SIGNATURE

Keith L. Harner
Director, Division of Conservation

APPROVED

DISAPPROVED

☒ CONDITIONALLY APPROVED

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application.

In all cases a WATER RIGHT must be obtained from the State Water Right Commission.

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57007

Submitted by: Richard Feyron
 Address: Box 1
Brookings, SD 57007

Date Rec'd: October 6, 1980
 Sample No.: 80-834
 Identification: 011
Net, Sec. 11, T 112N, R 57W

WATER ANALYSIS

Calcium (Ca)	116	ppm*	5.80	me/l**
Magnesium (Mg)	46	ppm	3.74	me/l
Sodium (Na)	9	ppm	0.39	me/l
Potassium (K)	3	ppm	0.03	me/l
Sulfate (SO ₄)	177	ppm	3.63	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	6	ppm	0.17	me/l
Bicarbonate (HCO ₃)	354	ppm	5.30	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	290	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1025	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.20	Adjusted SAR	0.50	0.35
Sodium	3.90	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.10			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 10.01 me/l
 Total anions 9.65 me/l

RECEIVED

NOV 3 1980

South Dakota
 Division of Conservation

By: Shirley Witten

Service Performed

Amount Due

Irrigation analysis

\$15.00


Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 80-834

Amount Enclosed \$

Signed



No. 4633-3

Publish first publication, on or before March 1, 1981

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 24, 1981

Notice is hereby given that Richard Poppen whose post office

address is DeSmet, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 2.0 cubic feet of water per second of time from groundwater

(one well) through the Poppen Irrigation Project at the point (XX) of diversion of which is (XXXX) to be located in the approximate center of the NE 1/4

of Section 11, Twp. 112N, Range 57W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

NE 1/4, Section 11 - T112N - R57W

This Application No. 4633-3 will be considered by the Water Management Board at the Holiday Inn, Sandy Shore Room, Watertown, South Dakota upon the 25th day of March 1981

at 1:00 PM. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Richard Poppen
Atty. Gen.
DeSmet, SD 57231

BETTY WESTLUND
Water Rights Specialist

WNR-806A-7/79 Notice of Intent to Appropriate Water
GROUNDWATER

No. 4633-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Kingsbury) ss.

I, Dale Blegen hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the De Smet News

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City De Smet of De Smet

County of Kingsbury and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 4, 1981

March 11, 1981

Dale Blegen
(Signature)

Public
(Title)

March 17, 1981
(Date Signed)



NOTICE OF HEARING
ON APPLICATION
TO APPROPRIATE WATER

Pierre, South Dakota 57501
February 24, 1981

Notice is hereby given that Richard Poppen whose post office address is De Smet, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-14, 46-2-1 thru 46-2-18, 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-6, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01 thru 52:01:01:18, for a permit to appropriate for beneficial use 2.0 cubic feet of water per second of time from ground water (one well) through the Poppen Irrigation Project #1, the point of diversion of which is to be located in the approximate center of the NE 1/4 of Section 11, Twp. 112N, Range 67W, Sd. 13E, NE 1/4, Section 11, T112N, R67W, S13E. This Application No. 4633-3 will be considered by the Water Management Board at the Holiday Inn, Sandy Shore Room, Watertown, South Dakota, upon the 25th day of March 1981 at 1:00 P.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing. This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law. Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNR Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

Betty Westlund

Water Rights Specialist

cc: Richard Poppen

Rt. #1

De Smet, SD 57231

3-4-2wc-3-11

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7996

PIERRE, February 19, 19 81

RECEIVED OF Richard Poppen, DeSmet, SD 57231

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4633-3 (examination, processing, recording and filing)	250.00
Fee for inspecting Construction, and issuing Cert. of Construction No.	
Fee for inspecting Beneficial Use, and issuing Water License No.	
Fee for issuing Location Certificate-Dry Draw, No.	
Fee for filing	
Fee for certified copy of	
Fee for Print copy of map	
Fee for Certifying	
Fee for (any other work as provided by law)	
TOTAL	250.00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH / CE

Dear Sir,

We felt it appropriate to inform you folks
of the completion of the investigation well by
Pullman Dullin, Walsby in February, 1984.

Our permit is 4633-3. We have ordered
a pivot from the man delegation of
Henderson and anticipate completion of
project in June, 1984.

Sincerely,

Richard E. Pyper
R1 Box 115

De Smedt, SD
57231



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Richard Popper,
RR 1, Box 115
De Smet, SD 57231

Dear Mr. Poppen:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,


for JOHN HATCH, Chief Engineer
Water Rights Division



4633A-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

JUN 11 1993

4633A-3

Richard E. Poppen
RR 1, Box 115
DeSmet, SD 57231


Dear Mr. Poppen:

Enclosed is Water License No. 4633A-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413493 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4633A-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 771-3352

cc
enclosures

NOTE: The applicable portions of Water Permit No. 4633-3 have been incorporated into this Water License No. 4633A-3.