

Water Right No. 4768-3

3979-3

1. Considered JULY 29 19 81
2. Name of Applicant NORBERT & MARY ARBACH
3. Post Office Address Rt #1, Box 48, HOVEN 575480
4. Amount of Water Claimed No ADD'L (1.3)
5. Source of Water Supply 57' WELL ADD'L WELL
6. Water to be used for IRR.
7. Acres to be irrigated 95 (29 ADD'L) ^{maximum} acre feet
8. Water to be diverted and used in POTTER County
about 1 1/2 miles NORTH of TOLSTOY
9. PROOF OF PUBLICATION Received 6-19-81

Not Received _____

APPLICATION

Approved 7-29-81

Subject to WT-IR

Not Approved _____

Action deferred _____

Priority

Date Received 6-1-81 Application Complete yes no FEE _____

Remarks need Log

portions of this land covered under Permit 4449-3

appl proposing a second well & adding acreage to accomodate

Date information and/or fee or corrected Application received Log Rec 6/8/81 ^{Center Point} from EA 6/9/81

Period of Annual use APRIL THRU OCTOBER

WATER
QUALITY

Received yes 6/11/81 no _____ APPROVED CONDITIONAL (Circle one)

WI-1 Description same as application yes no Remarks _____

Disapproved _____

Returned _____

add'l
Diversion Point _____

SW 4 SE 4 3-120-73

Lands to be irrigated _____

W 1/2 SE 4 3-120-73

add add'l acreage to
an existing permit

WELL
LOG

Remarks _____

Driller WATSON Licensed (yes) no _____

Depth 57' deep

MAP Map No. 3979-3 & Map located in Water Right 1 Map file _____
Type of Map 3678-3 Aerial Prepared by SCS

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 7/5-81

Betty Howard
(Signed)

+++++

PROTESTS Letters/Petitions in file - yes no Remarks _____

REMARKS Date
F.F. & C Final Decision, including F.F. & C of Law were adopted _____
OF LAW, Date
FINAL Final Decision mailed to parties and/or parties notified that Final Decision
DECISIONS was adopted _____
ETC.

Remarks _____

3979-3
 Map No. 3678-3 Water Division No. 3 No. 4768-3 MISSOURI RIVER District
 Above for Office Use 10130106



APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New _____ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion XChange in Acreage X Additional Acreage X

1. Name of Applicant Norbert & Mary Arbach Phone No. 948-2286
 Post Office Address Rt #1, Box 48 Hoven SD 57548
 (Street, RR, or Box) (Town) State (Zip Code)
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) _____
3. Name of diversion work Arbach Addition
4. Amount of water claimed (cubic feet per second) 1.3 (no additional)
5. Source of water supply groundwater
6. Location of point of diversion a point in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 3, T120N, R73W

County Potter

7. Annual period or periods during which water is to be used April thru October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 95

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
for irrigating a 95 acre	
circle in the SE $\frac{1}{4}$, Sec 3,	
T120, R73W	95
(29 acres additional)	

Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 3 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water HOVEN REVIEW
Hoven SD
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

well, pump & motor

B. Works proposed to transport water to place of use.

mainline

C. Works proposed to apply water to beneficial use.

center pivot

Portions of this land, (E $\frac{1}{2}$ SE $\frac{1}{4}$) are covered under Permit No. 4449-3. Applicant proposes second well rather than piping water from original well, and to add acreage in W $\frac{1}{2}$ SE $\frac{1}{4}$ to accommodate pivot system.

Estimated Total Cost \$ _____

Attachments. Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Pughes) ss.

Norbert Arbach

I, _____ the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Norbert ArbachSubscribed and sworn to before me this 1st day of June, 1981Karen Wernsmann

Notary Public (or other qualified officer)

KAREN WERNSMANN, Administrative Secretary

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4768-3
NORBERT & MARY ARBACH Rt # 1 Box 48 Hoven
(Applicant) (Post Office Address)
SOUTH DAKOTA 57548 With the following qualifications.
(State)

The Irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The Irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

Portions of lands covered under this Permit are also covered under Permit No. 4449-3. Combinations of diversions under the two permits shall not exceed the Statutory limit of 1 c.f.s. for each 70 acres of land to be irrigated.

Date of first receipt of application JUNE 1, 1981
 Date of return to applicant for correction, amendments or changes required JUNE 1, 1981
 Date of receipt of corrected application JUNE 11, 1981
 Approved JULY 29, 1981, Recorded in Book 22 Page 254

WATER RIGHT PERMIT NO. 4768-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4768-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JUNE 1, 1981
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 29, 1983
3. The whole of said work is to be completed on or before JULY 29, 1984
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JULY 29, 1986
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed NO ADD'L cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied

for irrigation on or before JULY 29, 1986; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 4th day of AUGUST, 1981

THE WATER MANAGEMENT BOARD

By John Hatfield
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

D Well Information

- (1) Drill Hole, Diameter 30", Depth 65'
 (2) Casing, Type Jet Stream well casing, Diameter 16", Thickness 1/8"
 (wood, concrete, steel, etc.)
 (3) Screen, Type Steel, Diameter 16", Length 10'
 (4) Gravel Pack, Thickness 7", Length of gravel pack 65'

E Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)


Depth to top of water bearing material 5'
 Depth to bottom of water bearing material 57'
 Depth to water (ground surface to water level) 5'

- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 400' 300 rds.
 On property owned by others 1300 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.




1. Freeboard _____
- 2a Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
 - Pipe diameter _____
 - Spillway width _____
- X & Y slope:
 - Upstream _____
 - Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

WELL DRILLERS REPORT
Division of Water Rights
Department of Water & Natural Resources

Well Owner: Robert A. Beck
Name Robert A. Beck
Address Home

Mark location
with an "X"



County _____
 _____ & _____ 1/4 Sec. 3 Twp 12 S Rg. 73

☐ Domestic ☐ Municipal ☒ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling: ☐ Forward Rotary ☒ Bored ☐ Jetted
☐ Reverse Rotary ☐ Cable ☐ Other

Diameter of Hole 4 1/4
Depth 6.0
Casing ☐ Steel ☐ Concrete
☒ Plastic ☐ Other
If other, specify _____

Was casing end left open	<u>3/4" -</u>
Was a well screen installed	<u>yes</u>
Describe Well Screen	<u>Plastic</u>
Diameter <u>2 in</u>	Material <u>Plastic</u>
Slot size <u>1/8 in</u>	
Was well gravel packed	<u>yes</u>
Was well grouted	<u>yes</u>
Was water sample taken	<u>yes</u>

Static water level _____ below land surface
If flowing: closed in pressure _____ PSI
rate of flow _____ GPM

Controlled by: ☒ Valve ☒ Reducers ☐ Other
If other; specify _____

☐ Pumped _____
☐ Bailed Describe: _____
☐ Other _____

ft. After		Hrs. pumped		GPM
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

[illegible]


(Use Back if Necessary)

Date Completed: 4/6/81

Driller John C. Boring Co 234
Driller's or Firm's Name License NO
Takoma Park D.C.
Address

Address

Signed By Henry H. Williams Date 4/9/81



Conditional

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Norbert Arbach

SOIL RESTRICTIONS:


THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:

THE SOIL(S) LISTED BELOW CAN BE IRRIGATED WITH THE FOLLOWING RESTRICTIONS:

The soils indicated by red hatch marks may tend to pond water under irrigation.

These soils should be kept in permanent vegetation if problems with ponding occur.

RECOMMENDED MANAGEMENT



SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM

STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

Office Use Only

2906-PT

OWNERS NAME: Herbert H. H. H. OWNERS ADDRESS: 171 2nd St.
Hoton, S. Dak.

COUNTY LAND LOCATED IN: P. H. H. PHONE: 747-2206

TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, if a water permit is granted with a conditional Soil/Water Compatibility permit, a copy of such conditional soil/water compatibility permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water permit within 6 months of receipt of such water permit.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)

1. WELL LOCATION OR DIVERSION POINT: SW 1/4 SECTION 3, T120N, R73E

2. SURFACE WATER SOURCE: _____

3. LOCATION OF AREA TO BE IRRIGATED. NOTE: SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)

Legal Description	Acres	Legal Description	Acres
<u>THIS APPL WILL ADD</u>	<u>29</u>		
<u>29 ACRES IN THE W 1/4</u>			
<u>TO ACCOMMODATE A CENTER</u>			
<u>PIVOT SYSTEM - E 1/2 IS COVERED</u>			

4. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: X GUN: _____ OTHER: _____ (Specify)

5. CROPS TO BE IRRIGATED: _____

6. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____

LEGAL DESCRIPTION: _____
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 79-663
8. SALINITY (EC X 10⁶): 1610
9. SODIUM (SAR): .90
10. ADJUSTED (SAR): 2.57 X .7 = 1.75

RECEIVED

JUN 01 1981

South Dakota
Division of Conservation

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at _____ a.m./p.m., on _____, 19____, at the following location: _____

by _____ (Individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

1 DAY OF June, 1981

Monty H. H.
(NOTARY PUBLIC)

IMPORTANT

Action by the Department of Agriculture and the State Conservation Commission is not the final action on any application. In all cases a WATER PERMIT must be obtained from the Board of Water Management.


APPLICANT'S SIGNATURE

Director, Division of Conservation

APPROVED

DISAPPROVED

CONDITIONALLY APPROVED



No. 4768-3

Publish first publication, on or before June 18, 1981

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

June 12, 1981

Notice is hereby given that Norbert & Mary Arbach whose post office address is Hoven, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use no add'l cubic feet of water per second of time from groundwater Arbach Addition to add through the an additional the point on an existing permit of diversion of which is (are) to be located in the SW 1/4 SE 1/4

of Section 3, Twp. 120N, Range 73W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

W 1/2 SE 1/4, Section 3, T120N, R73W, adding additional acreage on an existing permit

This Application No. 4768-3 will be considered by the Water Management Board at Civil Defense Meeting Room, State Capitol Building, Pierre SD upon the 29th day of July, 1981

at 10 A. M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

cc: Norbert & Mary Arbach
Rt#1, Box 48
Hoven SD 57548

BETTY WESTLUND
Water Rights Specialist

WNR-806A-7/79 Notice of Intent to Appropriate Water
GROUNDWATER

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. _____

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Patterson) ss.

I, Lenna Wayne, hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Heaven Review

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

State of South Dakota

County of Patterson and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

6-18-81

6-24-81

Lenna Wayne
(Signature)

Owner
(Title)

6-18-81
(Date Signed)

Cost of Printing: \$38.08

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER
Pierre, South Dakota 57501
June 12, 1981

Notice is hereby given that Norbert and Mary Arbach, whose post office address is Hoven, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14, 46-2-9, 46-2-11, 46-2-13, 46-5-1 thru 46-5-8, 45-5-10, 46-5-22, 46-5-41, 46-6-3, 46-6-3-1, 46-6-5, 46-6-6-1, 46-6-10, 46-6-14, and Board Rules ARSD 52-01-01-01 thru 52-01-01-13, for a permit to appropriate for beneficial use to add cubic feet of water per second of time from groundwater (one well) through the Arbach Addition to add an additional, the point on an existing permit of diversion of which is to be located in the SW 1/4 SE 1/4 of Section 3, Twp. 120N, Range 73W; Said water to be used for the purpose of providing irrigation on portions of the following described land: W 1/2 SE 1/4, Section 3, T120N, R73W, adding additional acreage on an existing permit.

This Application No. 4768-3 will be considered by the Water Management Board at Civil Defense Meeting Room, State Capitol Building, Pierre, SD upon the 29th day of July, 1981 at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.


This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNR, Joe Foss Building, Pierre, SD, prior to the hearing date for assistance to assure access to the hearing.

Water Management Board
Betty Westlund
Water Rights Specialist

cc: Norbert and Mary Arbach
Rt. No. 1, Box 48
Hoven, SD, 57450

[Published in the Heaven Review, June 18 and 25, 1981]



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 8244

PIERRE, June 1, 1931

Norbert & Mary Arbach, Rt#1, Box 48, Hoven, SD 57548

RECEIVED OF the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4768-3 (examination, processing, recording and filing)	150	00
Fee for Inspecting Construction, and Issuing Cert. of Construction No.		
Fee for Inspecting Beneficial Use, and Issuing Water License No.		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filling		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	150	00

WATER RIGHTS COMMISSION

By (J. H. Hatch)
Chief Engineer, Executive Officer
JOHN HATCH / C.E.

4768-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

September 14, 1992

Norbert Arbach
Rt 1, Box 48
Hoven, SD 57548

Dear Mr. Arbach:

Please find enclosed a partially completed application and instruction sheet for 6 additional acres in the SW 1/4 of Section 3, T120N, R73W. You will not have to provide a map, as I have already prepared one. Soil/Water will not be necessary, it has been done for both wells and the S 1/2 of Section 3, T120N, R73W.

Also enclosed is a copy of the map that I have prepared. Please make any corrections if there are any.

The 6 acres are located as described on the application. Lands in the NE 1/4 and the SE 1/4 were not listed on Permit No. 4449-3, nor on Permit No. 4768-3; therefore, a new application must be made to cover such lands. The fee for such application will be \$150.00, as per number 6 on the instruction sheet.

After the application has been sent in and approved, the permits will be licensed, as per number 9 on the instruction sheet.

If you have any questions, please feel free to contact me.

Sincerely,

Lynn Beck
Natural Resources Engineer
Water Rights Division
(605) 773-3352

encl

PLEASE COMPLETE
ENTIRE FORM

WELL DRILLERS REPORT
Division of Water Rights
Department of Water & Natural Resources

6/60

Well Owner:

Name

Harbert Arnes


Address

Haven

Well Location:

North

Mark location
with an "X"



County

Paffin

Sec. 3 Twp. 126 Rg. 73

Proposed Use:



Domestic



Municipal



Test

Holes



Irrigation



Industrial



Stock

Method of Drilling:



Forward Rotary



Bored



Jetted



Reverse Rotary



Cable



Other

Well Construction:

Diameter of Hole

30

Depth

50

Casing



Steel



Concrete



Plastic



Other

If other, specify

Was casing end left open

Yes

Was a well screen installed

Yes

Describe Well Screen

Cluster

1

Material

Steel

Slot size

1/2"

Was well gravel packed

Yes

Was well grouted

Yes

Was water sample taken

Yes

Water Level Information:

Static water level 10 ' below land surface

If flowing: closed in pressure PSI

rate of flow GPM

Controlled by:



Valve



Reducers



Other

If other, specify

Well Test Data:



Pumped



Bailed

Describe:



Other

Pumping Level Below Land Surface

10 ft. After 40 min. pumped 130 GPM

10 " " " " " "

10 " " " " " "

Well Log:

Formation	Depth	
	From	To
<u>Top Soil</u>	<u>0</u>	<u>1</u>
<u>Clay</u>	<u>2</u>	<u>8</u>
<u>Gravelly clay</u>	<u>20</u>	<u>20</u>
<u>Layer of clay</u>	<u>24</u>	<u>24</u>
<u>Gravelly clay</u>	<u>23</u>	<u>40</u>
<u>Clay</u>	<u>50</u>	<u>50</u>

(Use Back If Necessary)

Date Completed:

Sept 1-81

Driller:

Robert E. Brown

Drilling or Firm's Name

234

License No.

50

Robert E. Brown

Signed By

Date

Remarks:



4768-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

JUN 12 1997

5725-3

Norbert and Mary Arbach
RR 1, Box 48
Hoven, SD 57450-9753

Dear Mr. and Ms. Arbach:

Enclosed is Water License No. 5725-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413796 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5725-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOTE: The applicable portions of Water Permit Nos. 4449-3 and 4768-3 are incorporated into Water License No. 5725-3.

NOT TO SCALE

