

1. Considered: Dec 2, 1981 Water Right No. 4835-3
2. Name of Applicant ROY M. HILL
3. Post Office Address RD # 2 - Box 70 - Washington 52791
4. Amount of Water Claimed 1.85 maximum acre feet
5. Source of Water Supply 148' WELL
6. Water to be used for IRR acres to be irrigated 1.30
7. County HAND about _____ miles or _____
8. PROOF OF PUBLICATION: Received 10/13-4-81 Not Received _____
- APPLICATION: Approved 12/13/81 Subject to 1/11-1.0
- Not Approved _____ Action Deferred _____

PRIORITY

Dated Received 10-15-81 Application complete yes no _____ FEE 250.00

Remarks _____

Corrected Application received _____ Period of Annual Use 3/1 To 11/1

WATER
QUALITY

Received yes 5/81 no _____ APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as application yes no _____ Remarks _____

Disapproved _____ Returned _____

Diversion Point _____

SE⁴ SE⁴ 26-111-66

Land to be irrigated _____

SE⁴ 26-111-66

WELL LOG

Driller Sharon Dill Licensed - yes no _____

Depth 148 feet deep

Remarks _____

MAP Map No. 4033-3 Map located in Water Right ✓ Map file _____
 Type of Map Aerial Prepared by SCS - Ryzak

REVIEWED This Application was received within 30 days of the date received, accepted as complete, Number assigned and written up for advertisement before the Board on:

November 6, 1981

Betty Westlund
 (Signed)

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date _____
 F.F. & C. Final Decision, including F.F. & C. of Law were adopted _____
 OF LAW, Date _____
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision was
 DECISIONS adopted _____
 ETC. Remarks _____

No. 4825-3Map No. 4033-3 Water Division No. 3 JAMES RIVER DistrictAbove for Office Use 10160006

APPLICATION FOR PERMIT To Appropriately Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant Roy Mehling Phone No. (605) 458-2432
 Post Office Address R.R.# 2, Box 70 Wessington State South Dakota 57381
(Street, RR, or Box) (Town) (Zip Code)
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract3. Name of diversion work Roy Mehling - Unit # 14. Amount of water claimed (cubic feet per second) 1.85 MAX ALLOWABLE5. Source of water supply Ground Water6. Location of point of diversion NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$ -26-111-66County Hand7. Annual period or periods during which water is to be used March - November8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation9. For irrigation use, _____ Total number of acres to be irrigated 160 (130)

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ -26-111-66	<u>40 (15)</u> *	ACREAGE CUT BY SEC. 20	
SE $\frac{1}{4}$ of SE $\frac{1}{4}$ -26-111-66	<u>40</u>	WATER/SEAL APPROVAL	
NW $\frac{1}{4}$ of SE $\frac{1}{4}$ -26-111-66	<u>40 (35)</u> *		
SW $\frac{1}{4}$ of SE $\frac{1}{4}$ -26-111-66	<u>40</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.

11. Choice of county newspaper for publication of Notice of Intent to Appropriately Water MILLER PRESS Daily Plainsman12. Principal Features of the Proposed Water Supply System. Huron, SD - 57350

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
)ss.
 County of Beadle)

I, Roy Mehling the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Roy MehlingSubscribed and sworn to before me this 12th day of October, 19 81Donna A. O'Leary

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4825-3
 Roy Mehling RR #2, Box 79, Wessington

South Dakota (Applicant) 57381 (Post Office Address)

With the following qualifications
 The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application OCTOBER 15, 1981
 Date of return to applicant for correction, amendments or changes required _____, 19____
 Date of receipt of corrected application NOVEMBER 6, 1981
 Approved DECEMBER 3, 1981, Recorded in Book 22 Page 320

WATER RIGHT PERMIT NO. 4825-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4825-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 15, 1981
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JUNE 3, 1984
3. The whole of said work is to be completed on or before DECEMBER 3, 1986
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is DECEMBER 3, 1988
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.85 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before DECEMBER 3, 1988; said water to be used during the following described annual period: MARCH 1st to NOVEMBER 1st

Witness my hand this 8th day of DECEMBER, 1981

THE WATER MANAGEMENT BOARD

By: John Hatch
 Chief Engineer, Water Rights JOHN HATCH

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

PAGE NO.

John Guilford

FOREMAN



D. Well Information

- (1) Drill Hole, Diameter 30', Depth 148'
- (2) Casing, Type Plastic (wood, concrete, steel, etc), Diameter 16", Thickness .500
- (3) Screen, Type Slotted, Diameter 16", Length 20'
- (4) Gravel Pack, Thickness 7", Length of gravel pack Top to Bottom

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 40'

Depth to bottom of water bearing material 148'

Depth to water (ground surface to water level) 40'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 560 rds.

On property owned by others 160 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
Pipe diameter _____
Spillway width _____
- X & Y slope
Upstream _____
Downstream _____
Surface area of impoundment _____
Drainage area above dam _____

Roy Muehling
Signature of Applicant

CONDITIONAL APPROVAL

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT Roy Mehling

SE# 26-111-66

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:


LIA = LaBelle - Lamoure = These are somewhat poorly drained soils that should be left in permanent vegetation if problems with ponding or traction occur. These soils are indicated by red hatch marks.

THE SOIL(S) LISTED BELOW CAN BE IRRIGATED WITH THE FOLLOWING RESTRICTIONS:

RECOMMENDED MANAGEMENT

Roy MEHLING
HAND COUNTY CONSERVATION DISTRICT

118 EAST SECOND STREET
MILLER, SOUTH DAKOTA



- HHA - Deep, dark-colored, friable, nearly level soil. This soil was formed from glacial till and is well drained. 0-2% slopes.
- HhB - Deep, dark colored, friable, well drained soil formed from glacial till. 3-5% slopes.
- LbA - Deep, dark colored, friable soil formed from water-deposited material, moderately well drained to well drained. 0-2% slopes.
- LIA - Deep, dark-colored, nearly level soil formed from water-deposited material. Somewhat poorly drained. 0-2% slopes.

LDR-SCS
Miller, South Dakota.

CONSERVATION COMMISSION
WATER FORM
3/80

Office Use Only
2976

SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM
STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

OWNERS NAME: Roy Mehling OWNERS ADDRESS: Box 2, Box 70
Washington, So. Dak. 57381
COUNTY LAND LOCATED IN: Mund PHONE: (605) 458-2437
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, If a water permit is granted with a conditional Soil/Water Compatibility permit, a copy of such conditional soil/water compatibility permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water permit within 6 months of receipt of such water permit.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)


1. WELL LOCATION OR DIVERSION POINT: NE 1/4 of SE 1/4 of SE 1/4-26-111-66
2. SURFACE WATER SOURCE: Ground Water
3. LOCATION OF AREA TO BE IRRIGATED. NOTE: SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)

Legal Description	Acres	Legal Description	Acres
NE 1/4 of SE 1/4-26-111-66	40 15		
SE 1/4 of SE 1/4-26-111-66	40		
NW 1/4 of SE 1/4-26-111-66	40 35		
SW 1/4 of SE 1/4-26-111-66	40		

4. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: 130 CENTER PIVOT: X GUN: _____ OTHER: _____ (Specify)
5. CROPS TO BE IRRIGATED: Corn, Alfalfa, Small Grain
6. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____
LEGAL DESCRIPTION: _____
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 81-1255
8. SALINITY (EC X 10⁶): 850
9. SODIUM (SAR): 1.34
10. ADJUSTED (SAR): 3.25



I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at 3:30 a.m./p.m., on Sept. 12, 1981, at the following location: _____ by John Gullford (Individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

12 DAY OF October, 1981.

James A. Giesberg
(NOTARY PUBLIC)

Roy Mehling
APPLICANT'S SIGNATURE

John M. Gullford
Director, Division of Conservation

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application. In all cases a WATER PERMIT must be approved by the Board of Water Management.

APPROVED _____
DISAPPROVED _____
X CONDITIONALLY APPROVED

November 2, 1961



Roy Mehling
Rt. 2, Box 70
Wessington, SD 57381

Dear Mr. Mehling:

Enclosed is your copy of the laboratory report of analysis for water sample No. 81-1255.

I have plotted the approximate quality of your water by means of a red cross in the chart located on the back cover of the accompanying AES pamphlet #13.

Sample No. 81-1255 is classified as a medium to high saline, low sodic water. It is suitable as a source for irrigation.

The light saline load carried by this sample is dominated by calcium and sodium salts. This is an extraordinary high quality water considering the depth of well (148 feet).

The LaDalle and Houdek loams found in the SE 1/4 of Section 26-111-66 are compatible with the quality of your water. However, the LaDalle-Lamoure silt loams located in the drainageway in the NE 1/4 of the SE 1/4 may pond under irrigation. Persistent wet spots in this area should be maintained in grass or a grass and water tolerant alfalfa (Agate) mixture.

If a rising water table should become a problem on the Lamoure silty clay loam, please contact your county extension agent or this office for assistance.

The WI-1, soils information, and a copy of the water analysis are being forwarded to the Division of Conservation for their action.

Sincerely yours,

Michael H. Sanders
Water Quality Lab
Division of Conservation

MHS:ckb
Enclosures
cc: Division of Conservation
D. Pahl, Extension Service
Division of Water Rights

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

Name: ROY, HEHLING Date Rec'd Oct 16 1981
Address RT 2, BOX 70 Sample No. 81-1255
WESSINGTON SD Identification WELL- 148.00ft.
cc: HURON DRILLING INC 112N 66W 26 d

WATER ANALYSIS

Calcium (Ca)	88	ppm*	4.39	me/l**
Magnesium (Mg)	24	ppm	1.97	me/l
Sodium (Na)	55	ppm	2.39	me/l
Potassium (K)	6	ppm	0.15	me/l
Sulfate (SO4)	121	ppm	2.52	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	12	ppm	0.34	me/l
Bicarbonate (HCO3)	376	ppm	6.16	me/l
Carbonate (CO3)	0	ppm	0.00	me/l
Iron (Fe)		ppm		me/l
Flouride (F)		ppm		me/l
Manganese (Mn)		ppm		me/l
Boron (B)		ppm		
Hardness (EDTA asCaCO3)		ppm		
Total solids		ppm		g.p.g.***
Total Cations		ppm		
Total Anions			8.91	me/l
Alkalinity (Methyl Orange)			9.02	me/l
Alkalinity (Phenolphthalein)	308	ppm(as CaCO3)		
Electrical Conductivity	0	ppm(as CaCO3)		
Sodium Adsorption Ratio	850	micromhos per cm at 25 C		
Sodium	1.34	Adjusted SAR	3.25	
Residual sodium carbonate	26.84	% of Cations		
pH	0.00	me/l		
Others:	7.63			

*ppm=parts per million
**me/l=millequivalents per liter
***g.p.g.=grains per gallon

COMMENTS

By: Shirley Mittan

Service Performed:

Amount Due:

Irrigation Analysis

\$29.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 81-1255

Amount Enclosed \$
Signed

No. 4825-3

Publish first publication on or before November 19, 1981

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota, 57501

November 9, 1981

Notice is hereby given that Roy Mehling whose post office address is RR #2, Box 70, Wessington, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-25, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 1.85 cubic

(one well)
feet of water per second of time from ground water through the Roy Mehling

Unit #1, the point(s) of diversion of which is ~~(are)~~ to be located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 26, Twp. 111N, Range 66W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SE $\frac{1}{4}$, Section 26, T111N, R66W

This Application No. 4825-3 will be considered by the Water Management Board at Howard Johnson's, 3300 W Russell, Sioux Falls, SD upon the 2nd day of December, 1981

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNR, Joe Foss Building, Pierre, SD, prior to the hearing date for assistance to assure access to the hearing.

For the Water Management Board

cc: applicant

BETTY WESTLUND, Water Rights Specialist

WHR-806A-10/81 Notice of Intent to Appropriate Water
GROUNDWATER

1W-55

RECEIPT

WATER RIGHTS COMMISSION

No 4 8525

State of South Dakota

PIERRE, October 15, 1961

RECEIVED OF Roy Mehling, RR#2, Box 70, Wessington, SD 57381

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 4P2503 (examination, processing, recording and filing) -----	250	00
Fee for inspecting Construction, and issuing Cert. of Construction No. -----		
Fee for inspecting Beneficial Use, and issuing Water License No. -----		
Fee for issuing Location Certificate-Dry Draw, No. -----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for ----- (any other work as provided by law)		
TOTAL	250	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH/61

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USEPost Office WassingtonDate July 26 1982TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to maximum extent it is going to be used, not exceeding the amounts as specified in Water Right No.


4825-3.

Water Right Permit No. 4825-3 states that the diversion system is to be constructed by Heron Dilling, and that the water is put to beneficial use by Roy Mehling.

The diversion system was completed on July 1. Applying the water to beneficial use was completed on July 15.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Roy Mehling
(Signature)



STATE OF SOUTH DAKOTA
WATER LICENSE NO. 5228-3

(1) Roy Mehling of RR #2, Box 70, Wessington, South Dakota, 57381 made Application No. 5228-3, August 5, 1988 for a water permit to appropriate 0.42 cubic feet of water per second from groundwater (one existing well), Hand County, South Dakota for irrigation purposes. Permit No. 5228-3 with a priority date of August 5, 1988 was approved December 8, 1988 and issued to applicant(s) for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

Water Permit No. 5228-3 authorizes diversion of 0.42 cfs to irrigate an additional 30 acres from an existing well authorized by Water Permit No. 4825-3. Permit No. 5228-3 also specifies the correct location of the existing well.

The applicable portions of Water Permit No. 4825-3 have been incorporated into this Water License No. 5228-3. A priority date of October 15, 1981 (Permit No. 4825-3) is retained for 1.36 cfs and a priority date of August 5, 1988 (Permit No. 5228-3) is retained for 0.42 cfs. Priority dates as they pertain to the land irrigated are specified in (3) of this license.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet of water per second for beneficial use. The location of the diversion point is: in the center of the SE1/4 of Section 26, T111N, R66W.


(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 26, T111N, R66W	NW1/4 SE1/4	37.5 acres*
	NE1/4 SE1/4	37.5 acres*
	SE1/4 SE1/4	37.5 acres
	SW1/4 SE1/4	37.5 acres

Total 150.0 acres

* 30 of the acres in the N1/2 SE1/4 have a priority date of August 5, 1988 (Permit No. 5228-3). The remaining acres in the N1/2 SE1/4 and all of the S1/2 SE1/4 have a priority date of October 15, 1981 (Permit No. 4825-3).

(4) Pursuant to Section 46-5-30.1 Roy Mehling of RR #2, Box 70, Wessington, SD 57381 the holder(s) and/or owner(s) of Incorporated No. 5228-3 is issued a license to appropriate water, the right to use 1.78 cubic feet of water per second from groundwater (one well) with priority dates of August 5, 1988 (for 0.42 cfs) and October 15, 1981 (for 1.36 cfs) from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated No. 5223-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

SEP 14 1989

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501 3181

October 1, 1990

4825-3


Craig Carson
Farm Credit Services
PO Box 1987
Aberdeen, SD 57401-1987

Dear Mr. Carson:

Enclosed is a copy of Water Permit No. 4825-3, listed in the name of Roy Mehling. The applicable portions of this permit were incorporated into Water License No. 5228-3 on September 14, 1989.

If you have any questions concerning the enclosed information, please contact me.

Sincerely,



Genny McMath
Natural Resources Analyst
(605) 773-3352

enclosure

**Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

October 1, 1990

4825-3

Craig Carson
Farm Credit Services
PO Box 1987
Aberdeen, SD 57401-1987

Dear Mr. Carson:

Enclosed is a copy of Water Permit No. 4825-3, listed in the name of Roy Mehling. The applicable portions of this permit were incorporated into Water License No. 5228-3 on September 14, 1989.

If you have any questions concerning the enclosed information, please contact me.

Sincerely,

Genny McMath

Genny McMath
Natural Resources Analyst
(605) 773-3352

enclosure