

1. Considered: February 3, 19 81 Water Right No. 4843-3
2. Name of Applicant KOA KAMPGROUND
3. Post Office Address Drawer M, Sioux Falls 57101
4. Amount of Water Claimed 0.15 maximum acre feet
5. Source of Water Supply 43 ft. well
6. Water to be used for COMMERCIAL acres to be irrigated
7. County MINNEHAHA about NE OF SIOUX FALLS CITY LIMITS miles 01
8. PROOF OF PUBLICATION: Received (P) 1-19-82 Not Received
APPLICATION: Approved 2-11-82 Subject to 1.1
Not Approved Action Deferred

PRIORITY Dated Received 12/16/81 Application complete-yes x no FEE 150.00
Remarks

Corrected Application received Period of Annual Use continuously

WATER Received yes no APPROVED/CONDITIONAL (Circle one)
QUALITY WI-1 Description same as application-yes no Remarks

Disapproved Returned

Diversion Point
NW¼ SW¼ 27-102-49

Land to be Irrigated

WELL LOG Driller Lacy and sons Licensed - yes XX no
Depth 43' deep
Remarks 20 year old well no log available, Lacy sent in a log
from memory.

Water Right No. _____

MAP Map No. 4843-3 Map located in Water Right XX Map file _____
 Type of Map drawn Prepared by Registered Land
Surveyor, Dan Naughton


REVIEWED This Application was received within 30 days of the date received, accepted as complete, Number assigned and written up for advertisement before the Board on:

12/16/81

Betty Westlund
 (Signed)

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
 F.F. & C. Final Decision, including F.F. & C. of Law were adopted _____
 OF LAW, Date
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision was
 DECISIONS adopted _____
 ETC. Remarks _____

No. 4843-3Map No. 4049-3 Water Division No. 3 BIG SIOUX RIVER District
Above for Office Use 10/70203

APPLICATION FOR PERMIT To Appropriately Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant KOA Campgrounds of Sioux Falls Phone No. 332-9987
 Post Office Address Drawer M Sioux Falls State South Dakota 57101
(Street, RR, or Box) (Town) (Zip Code)
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) _____

3. Name of diversion work KOA Campground Well No. 14. Amount of water claimed (cubic feet per second) 0.155. Source of water supply Well6. Location of point of diversion NW 1/4 Section 27-102-49

(See attached map of said SW 1/4)

County Minnehaha7. Annual period or periods during which water is to be used 12 months/year8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Commercial/Domestic9. For irrigation use, Total number of acres to be irrigated N/A

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.

Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 0 years. Additional time required to complete application of water to the proposed beneficial use 0 years.11. Choice of county newspaper for publication of Notice of Intent to Appropriately Water Minnehaha

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

Underground distribution system

C. Works proposed to apply water to beneficial use.

N/AEstimated Total Cost \$ N/AAttachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(see instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Minn. ss.I, Duane Spader the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and correct and agree to comply with the necessary construction.Signed [Signature]Subscribed and sworn to before me this 14th day of Dec., 1981Notary Public or other qualified officer, [Signature]

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4843-3

KOA CAMPGROUND
(Applicant)

DRAWER M - SIOUX FALLS
(Post Office Address)

SOUTH DAKOTA 57101 With the following qualifications

The ~~well~~ well approved under this Permit will be located near domestic wells and other ~~wells~~ wells which may obtain water from the same aquifer. The ~~well owner~~ well owner, under this Permit, shall control his ~~withdrawals~~ withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in ~~wells~~ wells having prior water rights.

Date of first receipt of application DECEMBER 16, 1981

Date of return to applicant for correction, amendments or changes required _____, 19____

Date of receipt of corrected application _____, 19____

Approved FEBRUARY 4, 1982, Recorded in Book _____ Page _____

WATER RIGHT PERMIT NO. 4843-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4843-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 16, 1981
2. The equivalent of at least one-fifth of the work above specified is ~~to be completed on or before~~ _____, 19____
3. The whole of said work is ~~to be completed on or before~~ _____, 19____
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is COMPLETED, 19____
5. The water appropriated shall be used for the purpose of COMMERCIAL-CAMPGROUND USE

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .15 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water ~~needed for beneficial uses served and if for irrigation purposes said appropriation must be limited to not more than 2 acre foot per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied~~ USED FOR CAMPGROUND OPERATION

~~for irrigation~~ on or before THIS DATE, 19____; said water to be used during the following described

annual period: CONTINUOUSLY

Witness my hand this 18TH day of MARCH, 1982

THE WATER MANAGEMENT BOARD

By: John Hatch
Civil Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

ATTACHMENT - SHEET 23

APPLICATION FOR PERMIT TO APPROPRIATE WATER

Well History

Age: 20 years ±

Depth: 43 feet

Well Log: (As received verbally and by memory from driller)

0' - 6'	Loamy Fine Sand
6' - 22'	Fine Sand
22' - 24'	Cemented Gravel
24' - 43'	Coarse Sand and Gravel (Water Bearing)

Driller: Lacey and Sons

Well Capacity: 300 - 400 gpm (estimate)

D Well Information (Well log unavailable - For specifics see Sheet 2B attached)

- (1) Drill Hole, Diameter _____, Depth 43 feet
- (2) Casing, Type Steel (wood, concrete, steel, etc), Diameter 18", Thickness _____
- (3) Screen, Type Not Recorded, Diameter _____, Length _____
- (4) Gravel Pack, Thickness Not Recorded, Length of gravel pack _____

E Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material 24' ±

Depth to bottom of water bearing material 43'

Depth to water (ground surface to water level) 20' ±


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property N/A rds.

Or, property owned by others 42 ± rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
Pipe diameter _____
Spillway width _____
- X & Y slope:
Upstream _____
Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

No. 4843-3

Publish first publication on or before January 8, 1982

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota, 57501

December 16, 1981

Notice is hereby given that KOA Kampground whose post office address is Drawer H, Sioux Falls, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-25, 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 0.15 cubic

feet of water per second of time from groundwater (one well) through the KOA Kampground

Well No. 1, the point(x) of diversion of which is(xxx) to be located in the _____

NH& SW&

of Section 27, Twp. 102N, Range 49 W. Said water to be used for the purpose of providing ~~irrigation or portions of the following described land~~

water supplies for commercial use

This Application No. 4843-3 will be considered by the Water Management Board at Meeting Room #1, Kneip Building, Illinois & Church Street, Pierre, SD 57501 upon the 3rd day of February 1982

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR, Joe Foss Building, Pierre, SD, prior to the hearing date for assistance to assure access to the hearing.

For the Water Management Board

BETTY WESTLUND, Water Rights Specialist

cc: applicant

WNR-806A-10/81 Notice of Intent to Appropriate Water
GROUNDWATER

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

NO 4 8592

PIERRE, December 16, 1981

RECEIVED OF KOA Campgrounds of Sioux Falls, Drawer H, Sioux Falls, SD 57101
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to appropriate Water No. 4843-3 (examination, processing, recording and filing) -----	150.00
Fee for inspecting Construction, and issuing Cert. of Construction No. -----	
Fee for inspecting Beneficial Use, and issuing Water License No. -----	
Fee for issuing Location Certificate-Dry Draw, No. -----	
Fee for filing -----	
Fee for certified copy of -----	
Fee for Print copy of map -----	
Fee for Certifying -----	
Fee for ----- (any other work as provided by law)	
TOTAL	150.00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH / CV

Permit No. 4843-3Big Sioux River Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by KOA Campground of Drawer M Sioux Falls, SD 57101 holder of Permit No. 4843-3, bearing the priority of December 16, 1981 authorizing the diversion of 0.15 cu. ft. per second of the waters of Big Sioux Aquifer - Sioux Falls for domestic/commercial purposes, in Minnehaha County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

One well - 43' deep with unknown length of 18" steel casing and unknown length of screen
Sumo submersible pump, Model No. 7CL41, 3" 67 GPM @ 75 PSI, 5 HP motor

B. Works used to transport water to place of use:


8' of 3" Aluminum pipe and 2880' of 3" PVC and -1000' of 1" PVC

C. Works used to apply water to beneficial use:

Water distribution system to KOA Campground - Includes water to 89 camp sites, 4 cabins,
pool, managers residence and 7 water faucets located throughout the campground

The system is in the following condition good. The point of diversion is located 2065'
North and 750' East of the SW corner of Section 27-T102N-R49W. The works are capable of
diverting and conveying to the place of use 0.15 cu. ft. per second of water which is to
be used for domestic and commercial purposes. Water has been put to beneficial use.

The license should be issued for 0.15 cfs.Applicable permit qualifications have been complied with X Yes NoExceptions to compliance are: None Date 5/12/92


Gregory C. Johnston
Natural Resources Engineer
DENR, Water Rights Division

4843-3

REPORT ON INSPECTION OF PERMIT NUMBER 4843-3

DATE 5/12/92

Other permit(s) associated with the project None

DIVERSION POINT LEGAL LOCATION: 2065'N and 750'E of the SW corner of Section 27-T102N-R43W, Minnehaha County, SD

WELL INFORMATION: Well Drilling Firm Lacey

No. of Wells 1 Depth(s) 43 feet

- a) Casing: 1) diameter 18 inches b) Screen: 1) type Unknown
2) length Unknown feet 2) length Unknown feet
3) type Steel c) Pump 1) make Submersible Sumo Pump
d) Static Water Level 20 feet 2) model 7CL41
e) Motor: 3) size 3 inches
1) make Sumo 4) capacity 67 GPM
2) model No. 7CL41 5) turbine pump - No. of stages unknown
3) horsepower rating 5 hp 6) operating pressure 75 PSI

DISTRIBUTION LINES OR CANALS:

- a) type 8' of 3" Aluminum, 2880 feet of 3" PVC and ~1000 feet of 1" PVC

System Type:

- a) Water distribution system to KOA Campground - Includes water to 89 camp sites, 4 cabins, pool, managers residence and 7 water faucets.

CHEMIGATION EQUIPMENT:

- a) Does chemigate N (Y/N)

PERMIT QUALIFICATIONS AND REGULATIONS:

- a) Soil and water permit lands agree with lands being irrigated and lands listed on permit N/A (Y/N)
b) Special qualifications to permit being abided by Y (Y/N)
c) All structures, wells and lands on map Y (Y/N)
d) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period N/A (Y/N)



4843-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

July 9, 1992

4843-3

KOA Campground
Drawer M
Sioux Falls, SD 57101

Dear Sirs:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 4843-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

NOTE: On check or money order, please specify your permit number.
This will insure proper handling of the fee.

THE *Spader* Companies
P.O. BOX M • SIOUX FALLS, SD 57101

P.O. BOX M • SIOUX FALLS, SD 57101

[illegible]

Cheryl Frost
Dept. of Environment &
Natural Resources
523 East Capitol
Pierre, SD 57501-3181

Enclosed you will find a check for \$50.00 for the inspection and issuance of the Water License.

Sincerely,

110

Noel J. Lais

NJL/jkp

enclosure

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

418021

Pierre, July 22, 1992

RECEIVED OF Spaders - FOA of Sioux Falls, Box 963, Sioux Falls, SD 57101
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years, _____		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>1913-3</u>	5000	
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	5000

By John Hatch
Chief Engineer JOHN HATCH

gill

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 4843-3

(1) KOA Kampground of Drawer M, Sioux Falls, SD 57101 made Application No. 4843-3, December 16, 1981 for a water permit to appropriate 0.15 cubic feet of water per second from groundwater (one well), Minnehaha County, South Dakota for commercial purposes. Permit No. 4843-3 with a priority date of December 16, 1981 was approved February 4, 1982 and issued to applicant(s) for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.15 cubic feet of water per second for beneficial use. The location of the diversion point is: 2065'N and 750'E of the SW corner of Section 27, T102N, R49W (NW 1/4 SW 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use. The water distribution system includes water to 89 campsites, 4 cabins, a pool, the manager's residence and 7 water faucets located throughout the campground.

(4) Pursuant to Section 46-5-30.1 KOA Kampground of Drawer M, Sioux Falls, SD 57101 the holder(s) and/or owner(s) of Water Permit No. 4843-3 is issued a license to appropriate water, the right to use 0.15 cubic feet of water per second from groundwater (one well) with a priority date of December 16, 1981 from the location specified in (2) of this license. The water is to be used for commercial purposes at the KOA Kampground. This license is subject to any limitations or qualifications listed in Water Permit No. 4843-3 and subject to South Dakota State Law.

 NOV 24 1992
JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources

South Dakota

4843-3

GREAT FACES. GREAT PLACES.

NOV 24 1992

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

4843-3

KOA Kampground
Drawer M
Sioux Falls, SD 57101

Dear Sirs:

Enclosed is Water License No. 4843-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413331 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4843-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.


As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOT TO SCALE



CLIFF AVE.
U.S. HWY. 77

---972'---

BLK. 1A

ROBUR DRIVE

WELL

20'

87'

BLOCK 1

BLK.
2

BLK.
3

BLOCK 4

T.M. JARC'S SUBD.

OFF-RAMP

INTERSTATE 90

---2088.1'---

SECTION LINE

SCALE: 1"=300'

I hereby certify that this survey, plan, or
report was prepared by me or under my
direct supervision and that I am a duly
Registered Land Surveyor under the laws of
the State of South Dakota

Dan Naughton
Date 10/22/81 Reg. No. 2221

SW CORN.
SEC. 27-102-49

SECTION LINE

S. 1/4 CORN.

~~1777 B. 40443~~ Appl. 4843-3