

1. Considered: 10-7, 1982 Water Right No. 4919-3
2. Name of Applicant TOWN OF LANGFORD
3. Post Office Address Box 191 57454
4. Amount of Water Claimed .27 (60 GPM EA.
WELL) maximum acre feet
5. Source of Water Supply 2 WELLS, 1000' & 1050' (DAKOTA)
6. Water to be used for MUN acres to be irrigated -
7. County MARSHALL about miles of IN CITY LIMITS
8. PROOF OF PUBLICATION: Received 1st 9-7-82 Not Received
- APPLICATION: Approved 10-7-82 Subject to DWO
- Not Approved Action Deferred

PRIORITY 8-19-82 Dated Received 8-19-82 Application complete (yes) no FEE N/A

Remarks

Corrected Application received Period of Annual Use CONTINUOUSLY

WATER QUALITY Received yes no APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as application - yes no Remarks

Disapproved Returned

			30	29	
				X	

Diversion Point

SW⁴SW⁴ SEC 29 & SE⁴SE⁴

SEC. 30 BOTH IN T125N-R58W

Land to be irrigated

WELL LOG Driller Independent DRL Co Licensed - (yes) no

Depth 1000' & 1050'

Remarks DRILLED in '66 & '75

MAP Map No. 4119-3 Map located in Water Right X Map file _____
 Type of Map CITY PLAT Co. Hwy map Prepared by City

REVIEWED This Application was received within 30 days of the date received, accepted as complete, Number assigned and written up for advertisement before the Board on:

8/20/82

Deety W. Selving
 (Signed)

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date _____
 F.F. & C. Final Decision, including F.F. & C. of Law were adopted _____
 OF LAW, Date _____
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision was
 DECISIONS adopted _____
 ETC. Remarks _____



No. 4919-3
 Map No. 4119-3 Water Division No. 3 JAMES RIVER District
 Above for Office Use 10160005

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New ☒ Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant TOWN OF LANGFORD Phone No. (605) 493-6772Post Office Address Box 191 LANGFORD State S. D. 57454
 (Street, RR, or Box) (Town) (Zip Code)

If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) N/A3. Name of diversion work CITY OF LANGFORD4. Amount of water claimed (cubic feet per second) 144,000 GALS PER DAY PER WELL
 (60 GPM EACH WELL .27 CFS)5. Source of water supply ARTESIAN WELLS (TWO)6. Location of point of diversion SW 1/4 WELL #1 LOT 12 BLOCK 19
TOWN OF LANGFORD, SD
SE 1/4 of SECTION 30, TOWN OF LANGFORD
SE 1/4 of SECTION 30, TOWN OF LANGFORD
 County MARSHALL7. Annual period or periods during which water is to be used ALL YEAR CONTINUOUSLY8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) MUNICIPAL9. For irrigation use, N/A Total number of acres to be irrigated CITY USE

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.

Land Description	No. Acres Irr.

Attach sheet if more space is needed

1-1966 # 2 1976

10. Time required to complete construction of water supply system COMPLETED years. Additional time required to complete application of water to the proposed beneficial use _____ years.11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water LANGFORD

12. Principal Features of the Proposed Water Supply System.

BUGLE

A. Works proposed to divert water from its natural source.

PUMP

B. Works proposed to transport water to place of use.

CITY DISTRIBUTION SYSTEM

C. Works proposed to apply water to beneficial use.

MUNICIPAL USEEstimated Total Cost \$ N/A

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Marshall) ss.I, Town of Langford the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Finance Officer
Town of Langford
Subscribed and sworn to before me thisSigned Sherman L. Olson
Sherman L. Olson
day of August, 1982
Notary Public
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 4919-3

TOWN OF LANGEFORD (Applicant) Box 191 (Post Office Address)
SOUTH DAKOTA (State) 57454 With the following qualifications.

The wells approved under this Permit are located near domestic wells which may obtain water from the same aquifer. The well owner, under this Permit, shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells.

Date of first receipt of application August 19, 1982
 Date of return to applicant for correction, amendments or changes required _____, 19____
 Date of receipt of corrected application _____, 19____
 Approved October 7, 1982, Recorded in Book _____ Page _____

WATER RIGHT PERMIT NO. 4919-3

The Water Management Board hereby grants and issues this Water Right Permit No. 4919-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is August 19, 1982
2. The equivalent of at least one-fifth of the work above specified is ~~to be completed on or before~~ 10
3. The whole of said work is ~~to be completed on or before~~ 10
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is completed, 10
5. The water appropriated shall be used for the purpose of MUNICIPAL USE
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 0.27 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for ~~beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied~~ Used for municipal purposes ~~for irrigation~~ on or before THIS DATE XMX; said water to be used during the following described annual period: January 1 to December 31

Witness my hand this 13th day of October, 1982

THE WATER MANAGEMENT BOARD

By: John Hatch
 Chief Engineer, Water Rights JOHN HATCH

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

4919-3

D. Well Information

WELL #1 8" CASING Depth #1 1000'
 (1) Drill Hole, Diameter #2 8" CASING Depth #2 1050'
 (2) Casing, Type #1 8" CASING Diameter #2 8" CASING Thickness
 (wood, concrete, steel, etc.)
 (3) Screen, Type #2 8" CASING Diameter #2 1050' Length
 (3) SCREEN 136' 8" 4" NOM S.S. #25 SLOT PACKED W/43 CU.FT. SILICA
 (4) Gravel Pack, Thickness Length of gravel pack

E. Dugout Information or Estimates

(1) Surface dimensions, Depth

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Attach a copy of test well log) WELL #2

Depth to top of water bearing material 901'

Depth to bottom of water bearing material

Depth to water (ground surface to water level)


(2) Distance to nearest existing household or livestock watering well.

On same owner's property rds.

On property owned by others rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard
 2a Crest width b. length
 3. Height of Dam
 4. Outlet dimensions:
 Pipe diameter
 Spillway width
 X & Y slope:
 Upstream
 Downstream
 Surface area of impoundment
 Drainage area above dam

Sherman L. Olson
 Signature of Applicant

Sherman L. Olson
 Finance Officer
 Town of Langford

*Sherman Olson
called 8-13-82 re appl.
for City of Langford.*

Well #2

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: 1/4 1/4 SE Section 29 Township 125 Range 58
Well owner: City of Langford Langford, South Dakota
(Name) (Address)
Date well drilling completed: 12-7-75 Purpose of well: Municipal
(domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer
<u>575</u>	<u>Greenhorn</u>	<u>901</u> ft.
<u>901</u>	<u>Dakota</u>	<u>65</u> ft.
		Name of producing aquifer (if known): <u>Dakota</u>
		Total depth of drill hole: <u>1042</u> ft.
		Depth to bottom of casing: <u>901</u> ft.
		Casing information in the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.
		<u>901' of 8" Sched 40 T&C Blk</u>
		<u>Grouted w/350 sacks 6 x 1 mix in 12 1/2" hole</u>
		Screen information in the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.
		<u>136' - 8" 4" Nom. S.S. #25 slot</u>
		<u>packed w/43 cu. ft. silica</u>
		<u>20' 4" Stainless Steel Extension tube into 8"</u>
		If a flowing well, flow of completed well: _____ S.P.R.

Attach sheet if more space is needed

Independent Drilling Company

Name of Drilling Contractor


(2) PUMP INSTALLATION

Company name and size of pump: _____ HP _____
Type of pump: _____ Capacity of installed pump: _____ G.P.M.
Depth of pump placement: _____ ft., Date of pump installation: _____

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required. See Section 46.406 of Chapter 46-4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed: _____ ft., tube diameter: _____
tube material: _____



STATE WATER RIGHTS COM.
SIOUX FALLS, SOUTH DAKOTA

Name of Pump Installation Contractor

*City of Langford apple
when received*

Water Rights Division
605 773-3352

August 16, 1982

Sherman Olson
City of Langford
Langford SD 57454

Dear Mr. Olson:

In answer to your phone call August 13th, we have on file the log of the well drilled in 1975. The well is located in the SE 1/4, Section 29, T125N, R58, drilled by Independent Drilling Co. You may want to contact them for information on the older well.

If you have any further questions feel free to contact this office.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW:ks

Publish first publication, on or before September 1, 1982NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 20, 1982Notice is hereby given Town of Langford whose post office

address is Box 191, Langford, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-12 thru 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-25, 46-5-41 (ground) 46-6-3 thru 46-6-5, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, (future use) 46-5-38; (transfer lands) 46-5-33 thru 46-5-35 and Board Rules ARSD 74:02:01:01 thru 74:02:01:15, (future use) 74:02:01:23 thru 74:02:01:26 (10,000 AFA) 74:02:07:01 thru 74:02:07:03, for a permit to appropriate for beneficial use

0.27 cubic feet of water per second of time from groundwater (two wells)

through the City of Langford Wells, the point (s) of diversion which
is (are) ~~to be located in the~~ as follows: Well #1 - SW1/4, Section 29 and Well #2

SE1/4, Section 30 both in

~~of Section~~ Section, Twp. 125N, Range 58W. Said water to be used for purpose of providing ~~irrigation on portions of the following described land:~~

water supplies for municipal use.

This Application No. 4919-3 will be considered by the Water Management Board at
meeting room #1, Knelp Building, Church & Illinois/ ^{Pierre, SD} upon the 7th day of October, 1982

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNRR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

For the Water Management Board

cc: applicant

BETTY WESTLUND, Water Rights Specialist

WNR-806-2/82

No. 4919-3

PROOF OF PUBLICATION

Legal Notice

STATE OF SOUTH DAKOTA)
County Marshall) ss.

2T(Aug. 25-Sept. 1)

No. 4919-
Sept. 1, 1982

I, Charles L. Card hereby

NOTICE OF HEARING
ON APPLICATION TO
APPROPRIATE WATER

certify that the annexed printed copy of Notice of Intent to Appropriate

Notice is hereby given Town of Langford whose post office address is Box 191, Langford South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-12 thru 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-8, 46-5-10 thru 46-5-22; 46-5-25, 46-5-41, 46-6-3 thru 46-6-5; 46-6-6.1, 46-6-10, 46-6-13, 46-6-14 and Board Rules ARS 74:02:01:01 thru 74:02:01:15, for a permit to appropriate for beneficial use 0.27 cubic feet of water per second of time from groundwater (two wells) through the City of Langford Wells, the point (s) of diversion which are located as follows: Well No. 1 - SW 1/4 SW 1/4, Section 29 and Well No. 2 - SE 1/4 SE 1/4, Section 30 both in Twp. 125N, Range 58W. Said water to be used for purpose of providing: water supplies for municipal use.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNR, Joe Foss Building, Pierre, SD, prior to the hearing date for assistance to assure access to the hearing.

For the Water Management Board
Betty Westlund,
Water Rights Specialist

Water was taken from the Langford Bugle

A newspaper which during the whole time of publication of said notice herein after stated, has been and is printed and published in the

Town of Langford

County of Marshall and State of South Dakota; that the said notice was published in said newspaper on the following two dates:

August 25, 1982

September 1, 1982


Charles L. Card
(Signature)

Publisher
(Title)

Sept. 2, 1982
(Date Signed)

Cost of Printing: \$ 20.47

This Application No. 4919-3 will be considered by the Water Management Board at meeting room No. 1, Kneip Building, Church & Illinois, Pierre, SD upon the 7th day of October, 1982 at 10 a.m. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

August 22, 2002

Blair Healy
Utility Manager
Town of Langford
PO Box 191
Langford SD 57454-0191

Dear Blair Healy:

I talked to you on July 22 about the Town of Langford's wells. You told me that the town no longer uses Well #2. I am enclosing Well Construction Standard 74:02:04:67 Requirements for plugging wells or test holes completed into confined aquifers or encountering more than one aquifer. If you have any questions on this standard, please contact Jim Goodman or Ken Buhler at (605) 773-3352.

If you need further assistance, do not hesitate to contact me at (605) 773-3352 or via email at stacy.johnson@state.sd.us.

Sincerely,

Stacy J. Johnson
Natural Resources Project Engineer

Enclosure (1)

74:02:04:67. Requirements for plugging wells or test holes completed into confined aquifers or encountering more than one aquifer. All abandoned or forfeited wells or test holes that are completed into confined aquifers or that encounter more than one aquifer must be plugged with bentonite grout if the weight of the bentonite grout column is sufficient to overcome the bottom hole pressure or must be plugged with cement grout placed from the bottom of the well or hole to within eight feet of the ground surface. Cement grout must be placed from eight feet below ground surface to within three feet of the ground surface. The top three feet may be filled with native material. If a pipe cannot be lowered inside the well casing to place grout from the bottom to the top, the well may be plugged by making a tight connection to the top of the casing and pumping a volume of cement grout, sufficient to fill the well, under pressure into the well. Bentonite grout may not be used if the well must be plugged by making a tight connection to the top of the casing and pumping the grout in under pressure. If it cannot be verified that a well's casing was grouted in accordance with this chapter, an effort must be made to plug the annulus from the bottom of the annulus up to the ground surface with the same type of material or materials required for plugging inside the casing.

Source: 12 SDR 50, effective September 29, 1985; 13 SDR 129, 13 SDR 141, effective July 1, 1987; 18 SDR 224, effective July 16, 1992.

General Authority: SDCL 46-2-5, 46-6-6.1, 46-6-9, 46-6-20, 46-6-27.

Law Implemented: SDCL 46-2-9, 46-6-6.1, 46-6-10, 46-6-14, 46-6-18, 46-6-20, 46-6-27, 46-6-28.

Note: Bentonite manufactured for use as a drilling fluid does not meet the requirements for bentonite grout. Bentonite grout may be used to plug wells at depths greater than eight feet. The driller should be aware of the limitations inherent in bentonite grout. The low density of bentonite grout may make it inappropriate for use as a plug when higher hydrostatic pressure is required.

Permit No. 4919-3
James River - Water District

Other permit/license(s) associated with project: none

Contact Person & Address: Blair Healy, PO Box 191, Langford SD 57454-0191

Report Of Examination Of Works

On, July 22, 2002, I made a thorough examination of the water use system constructed by Town of Langford of PO Box 191, Langford SD 57454-0191 holder of Permit No. 4919-3, bearing the priority of August 19, 1982, authorizing the diversion of 0.27 cu. ft. per second of water from the Dakota Aquifer two wells for municipal purposes, in Marshall County.

The system is in the following condition good. The point of diversion is located Well: from the SW corner it is 150 feet east and 67 feet north of Section 29 T125N-R58W with a longitude of -97.834302 and a latitude of 45.6027120. The works are capable of diverting and conveying to the place of use 0.13 cu. ft. per second of water that is to be used for back up purposes. The license should be issued for 0.13.

Review of Permit Qualifications And Regulations:

- 1) Special qualifications to permit being abided by yes
- 2) All structures, wells and lands on map yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period NA
- 4) Exceptions to compliance are: yes

Report On the Specifics of the System

Diversion Point Information:

- 1) Well Drilling Firm: Independent Drilling Co.
- 2) No. of Wells 1
- 3) Depth(s) 1000 feet
- 4) Well log is available none

Casing:

- 1) Diameter 8 inches
- 2) Length unknown feet
- 3) Type unknown

Screen:

- 1) Type unknown
- 2) Length unknown feet
- 3) Static water level unknown feet

Pump\ Motor:

- 1) Pump Make unknown
- 2) Pump Model unknown

3) Capacity 60 GPM

4) Motor Make unknown

5) Motor Model No. unknown

6) Horsepower rating unknown hp

Distribution System:

1) Type PVC 2) Size 4 to 2 inches 3) Length unknown feet

COMMENTS: Town of Langford is hooked up to BDM RWS. Will use well for back up purposes. Well #2 is not working and is not going to be fixed. I will send Town of Langford well construction standards for plugging well.

Stacy J. Johnson

Stacy J. Johnson

Natural Resources Project Engineer

DENR, Water Rights Program


9-24-08

Date

Water Permit No. 4919-3



Samuel R. Roberts



9-24-02

Stacy J. Johnson

Stacy J. Johnson
Natural Resources Project Engineer
SD DENR Water Rights Program

0.5 0 0.5 1 Miles



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

4919-3

Town of Langford
Dorothy Ask, Finance Officer
PO Box 191
Langford SD 57454-0191

Dear Ms. Ask:

On July 22, 2002 the investigation of the Town's water use system, including the extent of application of water to beneficial use, as developed under Water Permit No. 4919-3, was completed by Stacy Johnson, a staff engineer with our program. Your final water right document, the water license, can now be issued.

State law requires that we charge a \$50.00 fee for the investigation and issuance of the water license. Upon receipt of the \$50.00 fee, we will complete processing the water license. The check or money order for the fee should be made payable to the "Water Rights Program".

The licensed water right will be similar to a property right that can not be lost as long as the water use continues and the Town abides by the permit requirements.

If you have any questions regarding the water permit, investigation of the water use system or payment of the fee, please contact Genny McMath with our program at (605) 773-3352.

Sincerely,

Karen Schlaak

Karen Schlaak
Water Rights Program
(605) 773-3352

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date October 10, 20 07

RECEIVED OF Town of Bangford, PO Box 191, Bangford SD 57454-C191

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>4919-13</u>		
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50.00

No. 000005

By Darlene Fubler

Chief Engineer gm



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

OCT 25 2002

4919-3

The Town of Langford
Dorothy Ask, Finance Officer
PO Box 191
Langford SD 57454-0191

Dear Ms. Ask:

Enclosed is Water License No. 4919-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 00313 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4919-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 4919-3

(1) The Town of Langford, PO Box 191, Langford SD 57454-0191 made Application No. 4919-3, August 19, 1982 for a water permit to divert 0.27 cubic feet of water per second from groundwater (two wells), Marshall County, South Dakota for municipal purposes. Permit No. 4919-3, with a priority date of August 19, 1982 was approved October 7, 1982 and issued to the applicant for diversion of water with construction of the described water supply system completed and the application to beneficial use of water completed.


(2) The water supply system has been completed and water applied to beneficial use in accordance with South Dakota State Law. Pursuant to South Dakota Codified Law 46-5-30.1, the holder and/or owner of Water Right No. 4919-3 is issued a license, bearing a priority date of August 19, 1982, to appropriate 0.13 cubic feet of water per second from groundwater (one well). The water is diverted for municipal purposes from the following location:

150 feet east and 67 feet north of the southwest corner of Section 29-T125N-R58W (SW ¼ SW ¼)

The Town is supplied water by the Brown Day Marshall Rural Water System. This well is a back up water source for the town.

(3) This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Permit No. 4919-3 including the following qualification:


The well approved under this Permit will be located near domestic wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells.



Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

OCT 25 2002

date



CITY MAP
LANGFORD

MARSHALL COUNTY · SOUTH DAKOTA
T 125 N — R 58 W

SCALE
0 300 FT.
POP. 328 (1970)
1971

DEPARTMENT OF HIGHWAYS
RESEARCH AND PLANNING DIVISION

ALL STREET RIGHT OF WAY 66 FT.
ALLEYS 20 FT.
(UNLESS OTHERWISE INDICATED)
UNOFFICIAL EDITION



Wells

#1	#2	Date
1966	1976	
1000'	1050'	Depth
8"	8"	Dia.
60	60	GPM-varies according to demand & if one or both are in service

APPROXIMATELY
48' SOUTH
144' WEST
OF CHESTNUT &
BRITTON STS

LEGAL DESCRIPTION
WELL #2
1.24 ACRES
SE 1/4 of Section 38
TOWN OF LANGFORD
WELL #1

LOTS 12, BLOCK 19
TOWN OF LANGFORD
IN CENTER OF LOT
APPROX 40' FROM
MAIN ST,


~~Appl # 449-3~~ Appl # 449-3

CITY MAP
LANGFORD

MARSHALL COUNTY • SOUTH DAKOTA
T 125 N—R 58 W

SCALE
0 300 FT
POP. 328 1970
1971

DEPARTMENT OF HIGHWAYS
RESEARCH AND PLANNING DIVISION
ALL STREET RIGHT OF WAY 66 FT
ALLEYS 20 FT
(UNLESS OTHERWISE INDICATED)
(UNOFFICIAL EDITION)



Wells

#1	#2	Date
1966	1976	
1000'	1050'	Depth
8"	8"	Dia.
60	60	GPM-varies
		according to demand
		& if one or both
		are in service

APPROXIMATELY
48' SOUTH
44' WEST
OF CHESTNUT &
RITTON STS

LEGAL DESCRIPTION
WELL #2

1.24 ACRES
SE 1/4 of Section 38
TOWN OF LANGFORD
WELL #1
LOTS 12, BLOCK 19
TOWN OF LANGFORD
IN CENTER OF LOT
-APPROX 40' FROM
14TH ST.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 6, 2024

4819-3

Ronald Frankenstein
39198 180th St
Redfield SD 57469

Dear Mr. Frankenstein:

I write to you today in response to the 2024 Irrigation Questionnaire information submitted for Water Right No. 4819-3.

Water Right No. 4819-3 (copy enclosed) authorized diversion of 1.44 cubic feet of water per second (650 gpm) from one well completed into the near fully appropriated Tulare: Western Spink Hitchcock Aquifer for irrigation of 121.1 acres located within the SW ¼ Section 11, T115N, R63W.

On this year's questionnaire you reported the irrigation of 132 acres. If an additional 11 acres have been developed for irrigation, you have exceeded what is authorized by your water right.

Please contact me to either revise your 2024 Irrigation Questionnaire or discuss possibilities for additional permitting.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
Amanda.Dewell@state.sd.us
(605) 773-3352

enclosure