

Considered: _____

WATER PERMIT NO. * 5024-3

MAP No. 5024-3

Name of Applicant Ernest J. Larson

Post Office Address 7408 W Shore Drive, Mpls, Minn 55435

Amount of Water Claimed 1.14 Total Acres 80.00

Source of Water Supply 59' well

Water to be used for IRR County Turner

About 4N 2½ miles west of Hurley.

PROOF OF PUBLICATION: Received 1/25 Not Received _____

APPLICATION: Approved 12-5-84 Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY 7/13/84 Date Received 5/2/84 Fee 225.00 Remarks irrigation
wq rec. using the same well as under W/P 3955-3


Corrected Application Received 7/13/84 Period of Annual Use 4/1 to 11/1

WATER QUALITY APPROVAL RECEIVED 7/13/84 APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES XX NO _____ REMARKS _____

Diversion Point _____
approximate center of NE¼ Sec. 5-98N-53W

Land to be Irrigated _____
N½ NE¼, Sec. 5-98N-53W



Well Log: Driller Ed Lacey Licensed YES X NO _____

Depth of Well 59' REMARKS well covered under W/P 3955-3


Type of Map aerial PREPARED BY JW Rezek Soil Cons. District
assigned on 7/16/84 Reviewed and the Number _____

By Betty Westlund
Betty Westlund NRA III

cc Nelson

No. 5024-3 Hydrologic Unit 10170102
Map No. 5024-3 Basin VR
Newspaper New ERA, Bx 577, PARKER SD 57053 wed**Application For Permit To Appropriate Water Within The State Of South Dakota**

Type of Application: Check one or more of the following:

New ☒ Vested Right ☐ Future Use ☐☐ Application to amend Permit No. _____ with old priority date retained☐ Change diversion point(s) ☐ Add diversion point(s) ☐ Change acreage ☐ Other ☐☐ Application to: ☐ Change use ☐ Change diversion point(s) ☐ Add diversion point(s)☐ Add Acreage ☐ Increase diversion rate ☐ Other _____ See Permit No. _____☐ Application to: ☐ Use ☐ Transfer water reserved by Future Use Permit No. _____1. Name of Applicant ERNEST J LARSON JR. OWNER Phone No. 619 922-2335
MINNEAPOLISPost Office Address 7408 W SHORE DRIVE- MINNEAPOLIS State MINNESOTA
(Street, RR or Box) Zip Code 554352. Amount of water claimed (c.f.s.) 1.14 Total acres irrigated 803. Source of Water supply WELL4. Location of point of diversion 80 ROD WEST 800 ROD SOUTH OF NE SEC 5
T 98 R 53County TURNER5. Counties where water will be used TURNER6. Annual period during which water is to be used APRIL THROUGH NOVEMBER

7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>N 1/2 OF NE SEC 5</u>	<u>80</u>
<u>T 98 R 53</u>	


Land Description	No. Acres Irr.

Attach sheet if more space is needed

8. Give a brief description of proposed project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)

ELEC PUMP BUREAU PIPE SPRINKLER
SYSTEM

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map (see instruction)

STATE OF ~~SOUTH DAKOTA~~ Minnesota
County of Hennepin ssI, Ernest J. Larson, Jr. the applicant, certify that I have read the foregoing application, have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Ernest J. Larson, Jr.Subscribed and sworn to before me this 20 day of April 19 84Aileen L. Knudson
Notary Public (or other qualified officer)

WATER PERMIT

The Water Management Board hereby approves Water Permit Application No. 5024-3

Ernest J. Larson (Applicant) 7408 W. Shore Drive Mpls (Post Office Address)
Minnesota (State) 55435 (Zip Code) With the following qualifications.

The irrigation well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

This permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application May 2, 1984

Date of return to applicant for correction, amendments or changes required —, 19—

Date of receipt of corrected application —, 19—. Approved December 5, 1984

The Water Management Board hereby approves this Water Permit No. 5024-3 authorizing the construction of the water use system and the placing of water to beneficial use as stated in the Application and as qualified in the Water Permit approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is July 13, 1984
2. One-fifth of the work is to be completed on or before June 5, 1987
3. The whole of said work is to be completed on or before December 5, 1989
4. The time limit for proof of beneficial use of water is December 5, 1993
5. The water appropriated shall be used for the purpose of irrigation
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be unlawfully impaired by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.14 cubic feet per second; neither shall it exceed the capacity of the above described water supply system nor shall it exceed the amount of water needed for beneficial uses served. For irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before December 5, 1993; said water to be used during the following described annual period: April 1 To Nov. 1

WATER MANAGEMENT BOARD

By: John Hatch
 Chief Engineer

Division of Water Rights
 Dept. of Water and Natural Resources

January 4, 1985

Supplemental Information

(type or print in ink)

SAME AS

RUSSELL WIRT

WEND

PERMIT 3995-3

1. Well Information - Proposed construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack Thickness _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth of Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:
- On applicants property _____ On property owned by others _____

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Outlet Dimensions:
 Pipe diameter _____

Spillway width _____


f) X & Y Slope
 Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT

APPLICATION NO. 5024-3

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5024-3, Ernest J. Larson, Jr., 7408 West Shore Drive, Minneapolis, Minnesota.

The Chief Engineer is recommending APPROVAL of Application No. 5024-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

The irrigation well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See the attached report for additional information.



JOHN HATCH, Chief Engineer
August 15, 1984

REPORT ON APPLICATION NO. 5024-3

Ernest J. Larson

August 13, 1984

Application No. 5024-3, Ernest J. Larson, proposes to irrigate 80 acres in the N $\frac{1}{2}$ of NE $\frac{1}{4}$ Section 5, T98N, R52W. A well authorized by permit No. 3955-3 will provide 1.14 cubic feet per second of ground water. The water will be withdrawn from the Parker-Centerville aquifer (PAC). The one hundred foot well is presently utilized to irrigate the S $\frac{1}{2}$ NE $\frac{1}{4}$ Section 5, T98N, R52W. Permit No. 3955-3 has a priority date of April 19, 1977 and is held by Russell Wirt. If No. 5024-3 is approved there will be two separate priorities on the water from the well.

The Parker-Centerville aquifer is a shallow glacial sand and gravel outwash with saturated thicknesses ranging from 0 to 100 feet. The PAC overlays the Upper-Vermillion aquifer which in turn overlays bedrock. Bedrock in this area is either Niobrara chalk, Sioux quartzite or shale.

An initial estimate of the amount of recoverable water in the PAC in Turner County was completed by Hedges in 1983. This report estimated that the aquifer had a surface area of 38,300 acres and 114,900 acre feet of recoverable water. The amount of recoverable water was calculated using a specific yield value of 0.15. I constructed a saturated thickness map from domestic well logs, observation well logs, permit well logs, and topographic maps. Using this map a surface area of 45,050 acres was used and a volume of 246,180 acre feet of recoverable water was calculated. A value of 0.15 for specific yield was used in this calculation. Comparing the well log data and samples with similar areas where aquifer tests have been completed and specific yields were calculated indicate that 0.15 is very conservative. The value for specific yield is probably 0.20 to 0.25 which would increase the amount of water by a minimum of 25 percent.

The PAC is generally under water-table conditions. The aquifer is recharged by direct infiltration of precipitation and from probable in-flow from the Niobrara Chalk in the western part of the county. The chalk connection is indicated by cross-sections from available data.

The Division of Water Rights maintains and monitors 22 observation wells in the PAC aquifer in Turner county. These wells have shown the seasonal fluctuations of precipitation, evapotranspiration, and withdrawal of water by high capacity wells. Water levels in the PAC aquifer and most shallow aquifers in eastern South Dakota are at an all time recorded high. Attached are water level readings and hydrographs for four observation wells located close to the proposed application. The wells characterize the water levels in the PAC aquifer.

There are 116 permits for irrigation for the PAC aquifer in Turner county. The amount of appropriated water and water use values are as follows:

Year	<u>Appropriated (Acre feet)</u>	<u>% of Recoverable Water</u>	<u>Water Reported Used (Acre feet)</u>	<u>% of Recoverable Water</u>
1979	39669	16	7388	3
1980	39669	16	7474	3
1981	44221	18	9319	4
1982	49051	20	6343	3
1983	49911	20	5571	2
1984	50771	21	Not Available	--

The above values indicate that at the full utilization of the 2 or 3 acre feet allowed by law, the PAC aquifer is approaching full appropriation. The water use values indicate that additional permits can be issued as the available 2 or 3 acre feet allowed by law is not utilized.

Conclusions

1. The amount of recoverable water in the Parker-Centerville aquifer as reported by Hedges is very conservative. Water Rights Division information indicates that the PAC covers a minimum of 45,050 acres and contains a minimum of 246,180 acre feet of recoverable water.
2. Water use values show that a maximum of 4% of the recoverable water is being reported as used in any given year.
3. Observation well records show that the water in the aquifer is not being depleted.
4. Based on available data, unappropriated water is available for this application.



Gale N. Selken, P.E.
Hydrologist

References

- DWNR, Division of Water Rights, Observation Well files (computerized and microfiche), water right files, irrigation questionnaire files, and well log files. unpublished.
- Hedges, Birch, Iles, Evaluation of Ground Water Resources Eastern South Dakota and Upper Big Sioux River South Dakota and Iowa, Average Annual Water Use by Aquifer, 1983.
- Hedges, Burch, Iles, Evaluation of Groundwater Resources Eastern South Dakota and Upper Big Sioux River South Dakota and Iowa, 1983.
- Tipton and Rothrock, Special Report on Parker-Centerville Outwash, SDGS, 1957.

OBSERVATION WELL WATER LEVELS

11:28 MONDAY, JULY 30, 1984

1

OBS_WELL	LOCATION	DATE	READING
TU-79A	099N-53W-28DDDD	08/16/79	26.9
TU-79A	099N-53W-28DDDD	08/30/79	26.9
TU-79A	099N-53W-28DDDD	09/20/79	26.7
TU-79A	099N-53W-28DDDD	10/16/79	26.7
TU-79A	099N-53W-28DDDD	11/16/79	26.5
TU-79A	099N-53W-28DDDD	03/13/80	26.7
TU-79A	099N-53W-28DDDD	05/27/80	26.9
TU-79A	099N-53W-28DDDD	06/09/80	26.6
TU-79A	099N-53W-28DDDD	06/23/80	26.9
TU-79A	099N-53W-28DDDD	07/07/80	27.1
TU-79A	099N-53W-28DDDD	07/21/80	27.2
TU-79A	099N-53W-28DDDD	08/04/80	27.3
TU-79A	099N-53W-28DDDD	08/20/80	27.4
TU-79A	099N-53W-28DDDD	09/04/80	27.3
TU-79A	099N-53W-28DDDD	09/17/80	27.3
TU-79A	099N-53W-28DDDD	10/23/80	27.5
TU-79A	099N-53W-28DDDD	01/29/81	28.1
TU-79A	099N-53W-28DDDD	03/26/81	28.1
TU-79A	099N-53W-28DDDD	05/07/81	28.6
TU-79A	099N-53W-28DDDD	06/01/81	28.5
TU-79A	099N-53W-28DDDD	06/26/81	28.7
TU-79A	099N-53W-28DDDD	07/06/81	28.6
TU-79A	099N-53W-28DDDD	07/30/81	28.6
TU-79A	099N-53W-28DDDD	08/10/81	28.5
TU-79A	099N-53W-28DDDD	08/27/81	28.7
TU-79A	099N-53W-28DDDD	09/15/81	28.8
TU-79A	099N-53W-28DDDD	10/29/81	29.1
TU-79A	099N-53W-28DDDD	12/10/81	29.2
TU-79A	099N-53W-28DDDD	03/04/82	28.3
TU-79A	099N-53W-28DDDD	05/04/82	28.8
TU-79A	099N-53W-28DDDD	06/02/82	27.5
TU-79A	099N-53W-28DDDD	06/16/82	28.3
TU-79A	099N-53W-28DDDD	06/29/82	28.7
TU-79A	099N-53W-28DDDD	07/14/82	28.9
TU-79A	099N-53W-28DDDD	07/27/82	28.9
TU-79A	099N-53W-28DDDD	08/11/82	29.3
TU-79A	099N-53W-28DDDD	08/23/82	29.1
TU-79A	099N-53W-28DDDD	09/10/82	29.2
TU-79A	099N-53W-28DDDD	10/07/82	28.7
TU-79A	099N-53W-28DDDD	11/06/82	28.4
TU-79A	099N-53W-28DDDD	12/16/82	27.8
TU-79A	099N-53W-28DDDD	02/28/83	26.7
TU-79A	099N-53W-28DDDD	04/20/83	24.6
TU-79A	099N-53W-28DDDD	05/19/83	23.0
TU-79A	099N-53W-28DDDD	06/01/83	22.7
TU-79A	099N-53W-28DDDD	06/15/83	22.2
TU-79A	099N-53W-28DDDD	06/28/83	18.5
TU-79A	099N-53W-28DDDD	07/14/83	12.5
TU-79A	099N-53W-28DDDD	07/26/83	13.3
TU-79A	099N-53W-28DDDD	08/09/83	14.4
TU-79A	099N-53W-28DDDD	08/22/83	15.3
TU-79A	099N-53W-28DDDD	09/14/83	17.7
TU-79A	099N-53W-28DDDD	10/17/83	20.0
TU-79A	099N-53W-28DDDD	11/17/83	20.7
TU-79A	099N-53W-28DDDD	04/10/84	18.8
TU-79A	099N-53W-28DDDD	05/09/84	8.5

OBSERVATION WELL WATER LEVELS

11:28 MONDAY, JULY 30, 1984 2

OBS_WELL	LOCATION	DATE	READING
TU-79A	099N-53W-28DDDD	05/24/84	8.3
TU-79A	099N-53W-28DDDD	06/06/84	7.5
TU-79A	099N-53W-28DDDD	07/04/84	3.2
TU-79A	099N-53W-28DDDD	07/19/84	5.6

N=60

11:28 MONDAY, JULY 30, 1984 3

 $\ominus \cdot \ominus \quad +$ $2.5 +$

5.0 +

7.5 +

$$10.0 \quad +$$

12.5 +

READING

15.0 +

$$17.5 +$$

20.0 +

22.5 +

25.0 +

27.5 +

30.0 +

DATE _____

NOTE: 9 OBS HIDDEN

OBSERVATION WELL WATER LEVELS

11:30 MONDAY, JULY 30, 1984

1

OBS_WELL	LOCATION	DATE	READING
TU-79C	098N-53W-05CCDD 1	08/16/79	10.2
TU-79C	098N-53W-05CCDD 1	08/30/79	10.4
TU-79C	098N-53W-05CCDD 1	09/20/79	10.7
TU-79C	098N-53W-05CCDD 1	10/15/79	11.2
TU-79C	098N-53W-05CCDD 1	11/16/79	11.1
TU-79C	098N-53W-05CCDD 1	03/13/80	11.6
TU-79C	098N-53W-05CCDD 1	05/27/80	11.1
TU-79C	098N-53W-05CCDD 1	06/09/80	10.5
TU-79C	098N-53W-05CCDD 1	06/23/80	10.6
TU-79C	098N-53W-05CCDD 1	07/07/80	11.0
TU-79C	098N-53W-05CCDD 1	07/21/80	11.4
TU-79C	098N-53W-05CCDD 1	08/04/80	11.8
TU-79C	098N-53W-05CCDD 1	08/20/80	12.0
TU-79C	098N-53W-05CCDD 1	09/04/80	12.2
TU-79C	098N-53W-05CCDD 1	09/17/80	12.5
TU-79C	098N-53W-05CCDD 1	10/23/80	12.9
TU-79C	098N-53W-05CCDD 1	01/29/81	14.0
TU-79C	098N-53W-05CCDD 1	03/26/81	14.0
TU-79C	098N-53W-05CCDD 1	05/07/81	14.5
TU-79C	098N-53W-05CCDD 1	06/01/81	14.6
TU-79C	098N-53W-05CCDD 1	06/26/81	14.7
TU-79C	098N-53W-05CCDD 1	07/06/81	14.6
TU-79C	098N-53W-05CCDD 1	07/30/81	15.1
TU-79C	098N-53W-05CCDD 1	08/10/81	15.3
TU-79C	098N-53W-05CCDD 1	09/15/81	16.1
TU-79C	098N-53W-05CCDD 1	10/29/81	16.2
TU-79C	098N-53W-05CCDD 1	12/10/81	14.5
TU-79C	098N-53W-05CCDD 1	03/04/82	15.9
TU-79C	098N-53W-05CCDD 1	05/05/82	15.5
TU-79C	098N-53W-05CCDD 1	09/09/82	16.1
TU-79C	098N-53W-05CCDD 1	10/07/82	15.7
TU-79C	098N-53W-05CCDD 1	02/28/83	9.2
TU-79C	098N-53W-05CCDD 1	04/20/83	4.7
TU-79C	098N-53W-05CCDD 1	05/19/83	4.9
TU-79C	098N-53W-05CCDD 1	06/01/83	6.0
TU-79C	098N-53W-05CCDD 1	06/15/83	6.8
TU-79C	098N-53W-05CCDD 1	06/28/83	3.2
TU-79C	098N-53W-05CCDD 1	07/14/83	5.5
TU-79C	098N-53W-05CCDD 1	07/26/83	6.5
TU-79C	098N-53W-05CCDD 1	08/09/83	7.6
TU-79C	098N-53W-05CCDD 1	08/22/83	9.6
TU-79C	098N-53W-05CCDD 1	09/14/83	11.1
TU-79C	098N-53W-05CCDD 1	10/17/83	11.3
TU-79C	098N-53W-05CCDD 1	11/16/83	11.4
TU-79C	098N-53W-05CCDD 1	04/10/84	5.7
TU-79C	098N-53W-05CCDD 1	05/09/84	3.9
TU-79C	098N-53W-05CCDD 1	05/24/84	5.6
TU-79C	098N-53W-05CCDD 1	06/06/84	5.2
TU-79C	098N-53W-05CCDD 1	06/20/84	3.2
TU-79C	098N-53W-05CCDD 1	07/04/84	5.4
TU-79C	098N-53W-05CCDD 1	07/19/84	6.3

N=51


OBSERVATION WELL WATER LEVELS
OBS_WELL=TU-79C

11:30 MONDAY, JULY 30, 1984 2

PLOT OF READING*DATE SYMBOL USED IS *

READING

2 +
3 +
4 +
5 +
6 +
7 +
8 +
9 +
10 +
11 +
12 +
13 +
14 +
15 +
16 +
17 +
18 +



DATE

NOTE: 2 OBS HIDDEN

OBSERVATION WELL WATER LEVELS

11:36 MONDAY, JULY 30, 1984

1

OBS_WELL	LOCATION	DATE	READING
----------	----------	------	---------

TU-79D	098N-53W-05CCDD 2	08/16/79	9.2
TU-79D	098N-53W-05CCDD 2	08/30/79	8.7
TU-79D	098N-53W-05CCDD 2	09/20/79	9.2
TU-79D	098N-53W-05CCDD 2	10/15/79	9.9
TU-79D	098N-53W-05CCDD 2	11/16/79	9.1
TU-79D	098N-53W-05CCDD 2	03/13/80	10.1
TU-79D	098N-53W-05CCDD 2	05/27/80	9.5
TU-79D	098N-53W-05CCDD 2	06/09/80	8.4
TU-79D	098N-53W-05CCDD 2	06/23/80	9.2
TU-79D	098N-53W-05CCDD 2	07/07/80	9.8
TU-79D	098N-53W-05CCDD 2	07/21/80	10.4
TU-79D	098N-53W-05CCDD 2	08/04/80	11.3
TU-79D	098N-53W-05CCDD 2	08/20/80	11.3
TU-79D	098N-53W-05CCDD 2	09/04/80	11.4
TU-79D	098N-53W-05CCDD 2	09/17/80	11.7
TU-79D	098N-53W-05CCDD 2	10/23/80	12.0
TU-79D	098N-53W-05CCDD 2	01/29/81	13.0
TU-79D	098N-53W-05CCDD 2	03/26/81	13.0
TU-79D	098N-53W-05CCDD 2	05/07/81	13.2
TU-79D	098N-53W-05CCDD 2	06/01/81	13.3
TU-79D	098N-53W-05CCDD 2	06/26/81	13.2
TU-79D	098N-53W-05CCDD 2	07/06/81	13.2
TU-79D	098N-53W-05CCDD 2	07/30/81	14.3
TU-79D	098N-53W-05CCDD 2	08/10/81	14.6
TU-79D	098N-53W-05CCDD 2	09/15/81	14.1
TU-79D	098N-53W-05CCDD 2	10/29/81	14.6
TU-79D	098N-53W-05CCDD 2	03/04/82	13.9
TU-79D	098N-53W-05CCDD 2	05/04/82	13.3
TU-79D	098N-53W-05CCDD 2	06/01/82	17.6
TU-79D	098N-53W-05CCDD 2	06/16/82	13.4
TU-79D	098N-53W-05CCDD 2	06/29/82	12.8
TU-79D	098N-53W-05CCDD 2	07/14/82	12.7
TU-79D	098N-53W-05CCDD 2	07/27/82	13.0
TU-79D	098N-53W-05CCDD 2	08/11/82	13.2
TU-79D	098N-53W-05CCDD 2	08/23/82	13.4
TU-79D	098N-53W-05CCDD 2	09/09/82	13.6
TU-79D	098N-53W-05CCDD 2	10/07/82	13.2
TU-79D	098N-53W-05CCDD 2	11/07/82	12.1
TU-79D	098N-53W-05CCDD 2	02/28/83	10.2
TU-79D	098N-53W-05CCDD 2	04/20/83	9.2
TU-79D	098N-53W-05CCDD 2	05/19/83	9.0
TU-79D	098N-53W-05CCDD 2	06/01/83	9.3
TU-79D	098N-53W-05CCDD 2	06/15/83	9.6
TU-79D	098N-53W-05CCDD 2	06/28/83	9.2
TU-79D	098N-53W-05CCDD 2	07/14/83	9.0
TU-79D	098N-53W-05CCDD 2	07/26/83	9.1
TU-79D	098N-53W-05CCDD 2	08/09/83	9.5
TU-79D	098N-53W-05CCDD 2	08/22/83	10.0
TU-79D	098N-53W-05CCDD 2	09/14/83	10.4
TU-79D	098N-53W-05CCDD 2	10/17/83	10.6
TU-79D	098N-53W-05CCDD 2	11/16/83	10.6
TU-79D	098N-53W-05CCDD 2	04/10/84	9.3
TU-79D	098N-53W-05CCDD 2	05/09/84	9.0
TU-79D	098N-53W-05CCDD 2	05/24/84	9.1
TU-79D	098N-53W-05CCDD 2	06/20/84	8.1
TU-79D	098N-53W-05CCDD 2	07/04/84	7.5

OBSERVATION WELL WATER LEVELS

11:36 MONDAY, JULY 30, 1984 2

OBS_WELL

LOCATION

DATE

READING

TU-79D

098N-53W-05CCDD 2

07/19/84


7.8

N=57

OBSERVATION WELL WATER LEVELS
OBS_WELL=TU-79D

11:36 MONDAY, JULY 30, 1984 3

PLOT OF READING*DATE SYMBOL USED IS *



NOTE: 4 OBS HIDDEN

OBSERVATION WELL WATER LEVELS

12:38 MONDAY, JULY 30, 1984

1

OBS_WELL	LOCATION	DATE	READING
TU-80D	099N-53W-27DDDD	09/17/80	17.5
TU-80D	099N-53W-27DDDD	10/23/80	17.7
TU-80D	099N-53W-27DDDD	01/28/81	17.6
TU-80D	099N-53W-27DDDD	03/26/81	17.4
TU-80D	099N-53W-27DDDD	05/07/81	17.9
TU-80D	099N-53W-27DDDD	06/01/81	18.1
TU-80D	099N-53W-27DDDD	06/26/81	18.4
TU-80D	099N-53W-27DDDD	07/06/81	18.6
TU-80D	099N-53W-27DDDD	07/30/81	19.3
TU-80D	099N-53W-27DDDD	08/10/81	19.6
TU-80D	099N-53W-27DDDD	08/27/81	20.1
TU-80D	099N-53W-27DDDD	09/15/81	19.9
TU-80D	099N-53W-27DDDD	10/29/81	19.7
TU-80D	099N-53W-27DDDD	12/10/81	19.2
TU-80D	099N-53W-27DDDD	03/04/82	18.8
TU-80D	099N-53W-27DDDD	05/04/82	18.3
TU-80D	099N-53W-27DDDD	06/02/82	17.9
TU-80D	099N-53W-27DDDD	06/16/82	16.8
TU-80D	099N-53W-27DDDD	06/29/82	16.7
TU-80D	099N-53W-27DDDD	07/14/82	16.8
TU-80D	099N-53W-27DDDD	07/27/82	18.0
TU-80D	099N-53W-27DDDD	08/11/82	19.0
TU-80D	099N-53W-27DDDD	08/23/82	19.6
TU-80D	099N-53W-27DDDD	09/10/82	16.6
TU-80D	099N-53W-27DDDD	10/07/82	18.9
TU-80D	099N-53W-27DDDD	11/06/82	17.4
TU-80D	099N-53W-27DDDD	12/16/82	15.6
TU-80D	099N-53W-27DDDD	02/28/83	14.9
TU-80D	099N-53W-27DDDD	04/20/83	10.0
TU-80D	099N-53W-27DDDD	05/19/83	9.2
TU-80D	099N-53W-27DDDD	06/01/83	9.7
TU-80D	099N-53W-27DDDD	06/15/83	10.0
TU-80D	099N-53W-27DDDD	06/28/83	8.4
TU-80D	099N-53W-27DDDD	07/14/83	7.8
TU-80D	099N-53W-27DDDD	07/26/83	8.3
TU-80D	099N-53W-27DDDD	08/09/83	8.7
TU-80D	099N-53W-27DDDD	08/22/83	9.4
TU-80D	099N-53W-27DDDD	09/14/83	10.9
TU-80D	099N-53W-27DDDD	10/17/83	11.5
TU-80D	099N-53W-27DDDD	11/17/83	11.5
TU-80D	099N-53W-27DDDD	04/10/84	9.5
TU-80D	099N-53W-27DDDD	05/09/84	6.7
TU-80D	099N-53W-27DDDD	05/24/84	7.1
TU-80D	099N-53W-27DDDD	06/06/84	7.2
TU-80D	099N-53W-27DDDD	06/20/84	4.7
TU-80D	099N-53W-27DDDD	07/04/84	5.6
TU-80D	099N-53W-27DDDD	07/19/84	6.5

N=47


OBSERVATION WELL WATER LEVELS
OBS_WELL=TU-80D

12:38 MONDAY, JULY 30, 1984 2

PLOT OF READING*DATE SYMBOL USED IS *

READING

4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20



DATE

NOTE: 3 OBS HIDDEN

CONSERVATION COMMISSION
WI#1
9/81

SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM

STATE CONSERVATION COMMISSION

Office Use Only

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

4079

OWNERS NAME: Ernest J. Larson, Jr. OWNERS ADDRESS: 7408 W. Shore Drive
Minneapolis, MN 55435

COUNTY LAND LOCATED IN: Turner PHONE: n/a


TENANT'S NAME AND ADDRESS: Gary Schriever
RR, Parker, S. D. 57053

In accordance with State Law SDCL 46-5-6.5, if a water permit is granted with a conditional Soil/Water Compatibility permit, A COPY OF SUCH CONDITIONAL SOIL/WATER COMPATIBILITY PERMIT MUST BE FILED WITH THE COUNTY REGISTER OF DEEDS. THIS ACTION MUST BE TAKEN BY THE HOLDER OF A WATER PERMIT WITHIN 6 MONTHS OF RECEIPT OF SUCH WATER PERMIT.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)

1. WELL LOCATION Approximate center of the NE 1/4 5-98-53 on Russel Wirt farm (See Wirt Permit No. 3955-3)
2. SURFACE WATER SOURCE AND DIVERSION LOCATION: n/a

Legal Description	Acres	Legal Description	Acres
<u>NE 1/4 5-98-53</u>	<u>40*</u>		
<u>NW 1/4 5-98-53</u>	<u>40*</u>		
<u>*ASCS aerial photo lists total of 71 ac.</u>			



3. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED none

LEGAL DESCRIPTION: _____

IN WHAT NAME: _____

4. LOCATION OF AREA TO BE IRRIGATED NOTE: **SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)**

5. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: ☒ GUN: _____ OTHER: _____ (Specify) _____

6. CROPS TO BE IRRIGATED: Corn, Soybeans, Alfalfa

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 81-299
8. SALINITY (EC X 10⁶): 1700
9. SODIUM (SAR): 9.07
10. ADJUSTED (SAR): 1.99

Note: Approved well on the Russel Wirt farm will provide water for area to be irrigated.

"Larry Hanson
#1 Sample"

I hereby certify that I personally obtained or that I personally observed that taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at _____ a.m./p.m., on _____, 19____, at the following location: _____

by (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

14th DAY OF May, 1984

(NOTARY PUBLIC)

APPLICANT'S SIGNATURE

Director, Division of Conservation

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application. In all cases a WATER RIGHT must be obtained from the Board of Water Management, Foss Building, Pierre.

____ APPROVED
____ DISAPPROVED
☒ CONDITIONALLY APPROVED

7-12-84

#4099

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION

NAME OF APPLICANT: Ernest J. LarsonLEGAL DESCRIPTION: N $\frac{1}{2}$ NW $\frac{1}{4}$ 5-98-53 = 80 acresSOIL RESTRICTIONS:THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:THE SOILS(S) LISTED BELOW CAN BE IRRIGATED
WITH THE FOLLOWING RESTRICTIONS:


The drainageways found in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ shall remain in grass and/or alfalfa to prevent erosion.

In our review of the soils information we have found soils mapped in complex (Bonilla and Davison) which are subject to perched water tables. Under irrigation the water tables may remain perched, should this occur adequate internal drainage will be required ie tile drains.

RECOMMENDED MANAGEMENT:

We recommend the use of conservation tillage to control and conserve moisture.

We also recommend that the area mapped as Tetonka (Te) remain in grass to address the wetness problem of this depressional soil. Some irrigators have had success by using rippers in these areas to improve drainage.


SIGNATURE7-12-84
DATE



Department of Agriculture

DIVISION OF CONSERVATION

Anderson Building, Room 322 • Pierre, South Dakota 57501
Phone 605/773-3258

May 16, 1984

Ernest J. Larson
7408 W Shore Drive
Minneapolis, MN 55435

Dear Mr. Larson:

In reviewing your soil and water compatibility application for the N1/2 NE1/4 5-98-53 = 80 acres, the Irrigation Staff is recommending a Conditional Approval of your application to the State Conservation Commission at their July 12, 1984 meeting. The Conditional Approval recommendation is based on the water quality of the area and clay contents of the soil. The Restrictions and Management Recommendations are as follows:

RESTRICTIONS

The drainageways found in the NW1/4 NE1/4 shall remain in grass or alfalfa to prevent erosion.

In our review of the soils information we have found soils mapped in complex (Bonilla and Davison) which are subject to perched water tables. Under irrigation the water tables may remain perched, should this occur adequate internal drainage will be required ie tile drains.

MANAGEMENT RECOMMENDATIONS:

We recommend the use of conservation tillage to control erosion and conserve moisture.

We also recommend that the area mapped as Tetonka (Te) remain in grass to address the wetness problem of this depressional soil. Some irrigators have had success by using rippers in these areas to improve drainage.

If you have any questions concerning your application please feel free to contact this office.

Sincerely,

Jim Stukel
Irrigation Program Administrator

cf

Received 5/18/84
BW

WELL DRILLERS REPORT
Division of Water Rights
Department of Water & Natural Resources

Well Owner: Russel Wirt
Name: RR Parker SD
Address:

County Texas
N. 14 E. 14 Sec. 5 Twp. 98 Rg. 53

☐ Domestic ☐ Municipal ☐ Test
☒ Irrigation ☐ Industrial ☐ Holes
Stock

☐ Forward Rotary ☐ Bored ☐ Jetted
☐ Reverse Rotary ☐ Cable ☐ Other

Diameter of Hole 14"
Depth _____
Casing ☒ Steel ☐ Concrete
☐ Plastic ☐ Other
If other, specify _____

Was casing and left open	<u>NO</u>
Was a well screen installed	<u>YES</u>
Describe Well Screen	
Diameter <u>14"</u>	Material <u>SS</u>
Slot size <u>100</u>	
Was well gravel packed	<u>YES</u>
Was well grouted	<u>YES</u>
Was water sample taken	<u>YES</u>

Static water level 15 below land surface
If pumping: closed in pressure _____ PSI
rate of flow _____ GPM

Controlled by: ☒ Valve ☐ Reducers ☐ Other
If other; specify _____

☒ Pumped
☐ Sailed
☐ Other

Describe: _____

Pumping Level Below Land Surface
30 ft. After 3 Hrs. pumped 900 GPM
 " " " " " "
 " " " " " "

[illegible]

Date Completed: 5-27-81

Driller: Ed H. Hays & Son 111
Driller's or Firm's Name License No.
PO 796 Trent Sp
Address
Samuel Hays 11-2-81
Signed By Date

RECEIPT

Division of Water Rights

No 4 9656

South Dakota Department of Water and Natural Resources

Pierre, May 3, 1984

RECEIVED OF Ernest J. Larson, Jr., 7408 W. Shore Drive, Minneapolis, MN 55435

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. 5024-3 to Appropriate Water, to construct works and to put water to beneficial use	225.	00
Fee for Application for Permit No. to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No.		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for		
(Any Other Work Provided by Law)		
Total	225	00

By John Hatch
Chief Engineer

JOHN HATCH/ms



Department of Water & Natural Resources

Joe Foss Building
623 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

January 4, 1985

Ernest J Larson
7408 W Shore Drive
Minneapolis MN 55435

Dear Mr. Larson:

Enclosed herewith is your Water Permit No. 5024-3 as approved by the Water Management Board authorizing you to construct your water diversion system and the water to beneficial use, not exceeding the limits as specified in said Water Permit No. 5024-3.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that your Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

enclosure

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period-i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

WNR-809-5/83

NOT TO SCALE

147.5


Area To Be Irrigated:

The N $\frac{1}{2}$ NE $\frac{1}{4}$ 5-98-53 - 80 ac. More or Less

Owner: Ernest J. Larson, Jr.
7408 W. Shore Drive
Minneapolis, MN. 55435

71.0

11-R



74.3

Irrigation Well

Note: Well located on the Russel Wirt farm and will be used to water both 80's. See Wirt Permit No. 3955-3 for water sample information, etc.

5

67.8

~~131.3~~

65.2

Prepared by
[Signature]

30.0

18.7

82.9

98-53

68.3

78.0

48.9

11-R

A/M# 5024-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE 7408 West Shore Dr.

Post Office EDINA-MN 55425

Date 2-19-85

TO: Water Rights
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to maximum extent it is going to be used, not exceeding the amounts as specified in Water Right No. 5024-3.

Water Right Permit No. 5024-2 states that the diversion system is to be constructed by _____, and that the water is put to beneficial use by _____.

The diversion system was completed on _____. Applying the water to beneficial use was completed on _____.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

(Signature)

This is an existing system. The irrigation on my 80 acres started in 1984 but the systems owner - Mr. Wint - has been irrigating his 80 for several years. The point is on the line between his 80 and my 80.

*Sincerely
E. J. Larson*

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 29, 1988

ERNEST J LARSON
7408 W SHORE DR
MINNEAPOLIS, MN 55435

NOTICE

Re: Violation of Water Permit No(s). 5024-3

Our records indicate that the 1987 Irrigation Questionnaire has not been received for Permit No(s). 5024-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearings(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing(s) will be at 9:00 am, March 2, 1988, Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 5024-3 until either the 1987 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 12, 1988

5024-3


Ernest Larson
7408 W Shore Drive
Minneapolis MN 55435

Dear Mr. Larson:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 5024-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 7, 1990

5024-3

Ernest J Larson
7408 W Shore Drive
Minneapolis, MN 55435

Dear Mr. Larson:

The inspection of your water use system and the inspection of the extent of the application of water to beneficial use, as developed under your Water Permit No. 5024-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMATH". The signature is written in dark ink and is positioned below the word "Sincerely,".

GENNY MCMATH
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412004

Pierre, February 15, 1, 1990

RECEIVED OF Ernest Larson Farm Account, Stockholm, WI 54769

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____ Water Permit No. 5024-3	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch Jones
Chief Engineer

Permit No. 5024-3Vermillion River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Ernest J. Larson
_____ of 7408 W Shore Drive, Minneapolis, MN holder of
Permit No. 5024-3, bearing the priority of July 13 19 84 authorizing
the diversion of 1.14 cu. ft. per second of the waters of groundwater
for irrigation purposes, in Turner County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

One well - 59 feet deep, unknown length of steel casing, unknown length of stainless steel screen

Valley pump, 10 HH04A 14-11234, Code L-81, 40 psi, 800 GPM

High Thrust U.S. Electric Motor, Id# R-6229-04-146R2147486, 40 HP

B. Works used to transport water to place of use:

12 feet of 8 inch Aluminum pipe

C. Works used to apply water to beneficial use:

Zimmatic center pivot, 7 towers with end gun, low pressure, 800 GPM

The system is in the following condition goodThe point of diversion is located at a point 1,305 feet east and 1,270 feet north of the center of
Section 5, T98N R53WThe works are capable of diverting and conveying to the place of use 1.78cu. ft. per second of water which is to be used for irrigationWater has been put to beneficial use to the maximum extent as follows: all in Section 5, T98N R53W30.5 acres in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ 30.5 acres in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ comprising a total of 61 acres of land and the license should be issued for 0.87 cfsApplicable permit qualifications have been complied with X Yes NoExceptions to compliance are: _____ Date July 13, 1988

David D. Brown
(signature)

LICENSE FOR PERMIT NUMBER 5024-3 Ernest J. Larson

1. Legal location of wells: at a point located 1,305 feet east and 1,270 feet north of
the center of Section 5, T98N R53W
dams & structures: _____

2. Well Information: Well Drilling Firm Ed H. Lacey and Son

Completion Report	Yes <u>X</u>	No _____	No. of Wells	<u>1</u>	Depth	<u>59 feet</u>
Casing	a) diameter	<u>14 inch</u>	Screen	a) type	<u>stainless steel</u>	
	b) length	<u>unknown</u>		b) length	<u>unknown</u>	
	c) type	<u>steel</u>	Static Water Level	<u>16 feet</u>		
Pump	a) make	<u>Valley</u>	Motor	a) make	<u>High Thrust U. S. Electric</u>	
	b) model	<u>10 HH04A 14-11234</u>		b) model No. / ID#	<u>R-6229-04-146R2147486</u>	
	c) size	<u>Code L-81</u>		c) horsepower rating	<u>40 HP</u>	
	d) capacity	<u>800</u> gpm				
	e) turbine pump - no. of stages	<u>unknown</u>				
	f) operating PSI	<u>40 psi</u>				

3. Distribution lines or canals

a) size	<u>8 inch</u>
b) type	<u>Aluminum</u>
c) length	<u>12 feet</u>

4. Dam Information:

a) height to crest _____	m) Outlet tubes:
b) height to primary spillway _____	1) diameter _____
c) height to secondary spillway _____	2) type _____
d) crest width _____	3) valved (Y/N) _____
e) crest length _____	4) valve type _____
f) spillway length _____	5) location on structure _____
g) spillway width _____	
h) approx. storage _____	n) Category of Dam _____
i) approx. storage to crest _____	
j) date constructed _____	
k) inspection sheet completed (Y/N) _____	
l) Name of Contractor _____	

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of
sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of
sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make Zimatic
- 2) number of towers 7
- 3) distance between towers 170 feet
- 4) overall length 1280 feet
- 5) end gun (Y/N) yes
- 6) high or low pressure low (40 psi)
- 7) make & size of nozzles _____
- 8) capacity (GPM) 800 GPM

g) siphons

- 1) size _____
- 2) number _____

NOTE:


For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project 3955-3

Yes	No	Check Items
<u>X</u>	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	---	2. Special qualifications to permit being abided by?
<u>X</u>	---	3. All structures, wells and lands on map?
<u>X</u>	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
<u>X</u>	---	5. Is chemigation used? Inspected prior to chemigation rules being in effect.
---	---	6. If yes, does equipment comply with chemigation rules?

REMARKS:

NOT TO SCALE



Instruction to Newspaper - Publish first publication of the following Notice on or before October 17, 1984 with 2nd publication 1 week later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5024-3 to Appropriate Water
and/or to Amend Water Permit or Water Rights No.

Notice is hereby given that Ernest J Larson whose mailing address is
7408 W Shore Drive, Minneapolis MN, South Dakota has made an application for a permit

to appropriate 1.14 cubic feet per second of water from one well, 59 feet deep in the Parker-Centerville Aquifer. The diversion point is an existing well (Water Permit No. 3955-3), located in the approximate center of NE $\frac{1}{4}$, Section 5, T98N, R53W. The water will be used to irrigate 80 acres in the N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 5, T98N, R53W.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends Approval of Application No. 5024-3 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota, December 5 19 84 at 10:00 am.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to make a determination on this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the Applicant and the Chief Engineer by November 23, 1984. The petition may be informal, but it must include a statement describing the petitioners interest in the application, the reason for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17, 46-5-1 thru 46-5-16, 46-5-24, 46-5-25, 46-5-30.2, 46-5-31; 46-2A-1 thru 46-2A-10, 46-2A-12; ~~(ground)~~ 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; ~~(future use) 46-5-38 thru 46-5-40; (transfer lands) 46-5-30.4, 46-5-33 thru 46-5-35; (10,000 AFA) 46-5-20.1, 46-5-8.1; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15; (future use) 74:02:01:24 thru 74:02:01:25; (10,000 AFA) 74:02:01:15:02 thru 74:02:01:15:05.~~

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWNr, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by November 23, 1984.

NOTICE OF HEARING
on Application No. 5024-3
to Appropriate Water

Notice is hereby given that Ernest J. Larson, whose mailing address is 7408 W. Shore Drive, Minneapolis, MN, 55435, has made an application for a permit to appropriate 1.14 cubic feet per second of water from one well, 59 feet deep in the Parker-Center-ville Aquifer. The diversion point is an existing well (Water Permit No. 3955-3), located in the approximate center of NE¼, Section 5, T98N, R53W. The water will be used to irrigate 80 acres in the N½ NE¼, Section 5, T98N, R53W.

Pursuant to SDCL 46-2-A-2 the Chief Engineer of the Water Rights Division recommends Approval of Application No. 5024-3 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at Room 216, Joe Foss Building, 523 E. Capitol, Pierre, South Dakota, December 5, 1984, at 10:00 a.m.

Editor

To Appropriate Water, re: E. J. Larson,
a printed copy of which is hereto attached, was printed and published in the
said newspaper for two times; that said notice
was published in the issues of said newspaper on the dates as follows, to-wit:

The recommendation of the Chief of Engineer is not final or binding upon the Board and the Board is authorized to make a determination on this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the Applicant and the Chief Engineer by November 23, 1984. The petition may be informal, but it must include a statement describing the petitioner's interest in the ap-

Received Payment, YES!

Notary Public, Turner County, South Dakota.

HARRY L. BIRATH
Notary Public, Turner County, S. Dak.
My Commission Expires Sept. 14, 1990

**PRINTER'S AFFIDAVIT OF
PUBLICATION**

IN _____ COURT
STATE OF SOUTH DAKOTA)
COUNTY OF TURNER) ss.

Filed in the _____
day of _____ 19__ on the _____

Attorney for _____

Publication Fee - - - - \$ _____
Notary Fee - - - - \$ _____
Total - - - - \$ _____
Received Payment: _____

plication, the reason for the petitioner's opposition to ~~the~~ support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17, 46-5-1 thru 46-5-16, 46-5-24, 46-5-25, 46-5-30.2, 46-5-31; 46-2A-1 thru 46-2A-10, 46-2A-12; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWNr, Joe Foss Bldg., Pierre, SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by November 23, 1984.

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5024-3

(1) Ernest J Larson of Stockholm WI 54769 made Application No. 5024-3, May 2, 1984 for a water permit to appropriate 1.14 cubic feet of water per second from groundwater (one well), Turner County, South Dakota for irrigation purposes. Permit No. 5024-3 with a priority date of July 13, 1984 was approved December 5, 1984 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before December 5, 1989 and for the application to beneficial use of said water on or before December 5, 1993.


(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.87 cubic feet of water per second for beneficial use. The location of the diversion point is: at a point 1,305 feet east and 1,270 feet north of the center of Section 5, T98N, R53W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T98N, R53W Section 5	NW 1/4 NE 1/4	30.5 acres
	NE 1/4 NE 1/4	30.5 "

TOTAL 61.0 acres

(4) Pursuant to Section 46-5-30.1 Ernest J Larson of Stockholm WI 54769 the holder(s) and/or owner(s) of Water Permit No. 5024-3 is issued a license to appropriate water, the right to use 0.87 cubic feet of water per second from groundwater (one well) with a priority date of July 13, 1984 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5024-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

APR 6 1990



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

APR 6 1990

5024-3

Ernest J. Larson
Stockholm WI 54769

Dear Mr. Larson:

Enclosed is Water License No. 5024-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412084 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5024-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 1, 1991

ERNEST J LARSON
STOCKHOLM WI 54769

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s). 5024-3

Our records indicate that the 1990 chemigation report(s) has not been received for Permits No(s) 5024-3. The request for the chemigation report(s) was dated January 21, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1990 chemigation report(s) be given notice of violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of South Dakota general rule 74:02:09:02(3) requiring chemigation users to report the dates and hours of chemical application.

The hearing(s) will be held at 9:15 am, on February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.

The hearing(s) will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 5024-3 until either the 1990 chemigation report(s) is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is received in this office before the February 27th hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.
Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge)
2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: Ernest J Larson Stockholm, 54769 54769 WI	4. Article Number P997 218 526 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise Always obtain signature of addressee or agent and <u>DATE DELIVERED</u> .
5. Signature — Addressee X	8. Addressee's Address (ONLY if requested and fee paid) 7408 W SHORE DR. EDINA MN 55435
6. Signature — Agent X <i>Mrs Ernest Larson</i>	
7. Date of Delivery 2/12/91	

PS Form 3811, Apr. 1989

★ U.S.G.P.O. 1989-238-815

DOMESTIC RETURN RECEIPT



5024-3

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 25, 1991

RUSSEL WIRT
RR 1 BOX 19
PARKER SD 57053

Dear Mr. WIRT:

I am writing to acknowledge receipt of your 1990 chemigation report for Water Right No.(s) 5024-3. You may disregard the February 1, 1991, Notice of failure to report chemical use for 1990. With receipt of the chemigation report, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Regan Fanning at (605) 773-3352.

Sincerely,

Ron Duvall,
Natural Resources Engineer IV
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

ERNEST LARSON
7408 W. SHORE DRIVE
EDINA MN 55435

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s) 5024-3

The first notice to file chemigation report(s) for Permit No(s) 5024-3 was dated October 18, 1991. Our records indicate that we have not received the 1991 chemigation report for Permits No(s) 5024-3. The Water Management Board has directed that owners of water permits who have not submitted the 1991 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearings will be held at 9:15 am, on March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre SD, and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

RON DUVALL, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 4, 1992 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.

ERNEST LARSON, STOCKHOLM, WI 54769



GREAT FACES. GREAT PLACES.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 30, 1992

ERNEST LARSON
7408 W. SHORE DRIVE
EDINA MN 55435

Dear Mr. LARSON:

I am writing to acknowledge receipt of your 1991 chemigation report for Water Right No.(s) 5024-3. You may disregard the February 1, 1991, Notice of Failure to Report Chemical Use for 1991. With receipt of the chemigation report, your name has been deleted from the March 4, 1992 Water Management Board meeting agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

DON FRYE, Natural Resources Analyst
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: ERNEST J LARSON
7408 W SHORE DR
EDINA MN 55435

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Water Permit No(s) 5024-3

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 5024-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

3. Article Addressed to:

ERNEST J LARSON
7408 W SHORE DR
EDINA MN 55435

5. Signature (Addressee)
Ernest J Larson

6. Signature (Agent)
[Signature]

4a. Article Number
P 906 560 105

4b. Service Type
☐ Registered
☒ Certified
☐ Express Mail

7. Date of Delivery
2/1/93

8. Addressee's Address (Only if requested and fee is paid)

1. ☐ Addressee's Address
2. ☐ Restricted Delivery
Consult postmaster for fee.

following fee):

DOMESTIC RETURN RECEIPT

PS Form 3811, December 1991 U.S.G.P.O.: 1992-307-530

Thank you for using Return Receipts

is your RETURN ADDRESS completed on the reverse side?



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: ERNEST LARSON
7408 W. SHORE DRIVE
EDINA, MN 55435

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Failure to Report Chemical Use under Water Permit No(s) 5024-3

The first notice to file chemigation report(s) for Permit No(s) 5024-3 was dated October 16, 1992. Our records indicate that we have not received the 1992 chemigation report for Permits No(s) 5024-3. The Water Management Board has directed that owners of water permits who have not submitted the 1992 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:30 A.M. on March 3, 1993, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 3, 1993 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 22, 1993

5024-3

Ernest J Larson
7408 W Shore Drive
Edina, MN 55435

Dear Mr. Larson:

I am writing to acknowledge receipt of your 1992 irrigation questionnaire. The questionnaire information was obtained following a telephone conversation with Russell Wirt on February 2, 1993. You may disregard the January 29, 1993, **Notice of Violation of Water Permit No. 5024-3.**

The questionnaire was received in our office prior to the Water Management Board meeting, your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 11, 1993


Ernest Larson
7408 W Shore Drive
Edina, MN 55435

Dear Sir:

I am writing to acknowledge receipt of your phone call concerning the 1992 chemigation questionnaire. You may disregard the January 29, 1993 notice of "Failure To Submit Chemigation Questionnaire." I have filled out the questionnaire with the information you provided over the phone and your name is deleted from the Water Management Board agenda.

If you have any questions, please contact me at 605-773-3352.

Sincerely,


Barry A. McLaury
Natural Resources Analyst
Water Rights Division



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3181
NOTICE

TO: ERNEST J LARSON, 7408 W SHORE DR, EDINA, MN 55435

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 5024-3.

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 5024-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

ERNEST J LARSON
7408 W SHORE DR
EDINA MN 55435

4a. Article Number

2161 984 057

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2-1-96

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)


6. Signature: (Addressee or Agent)

X Ernest J Larson

Thank you for using Return Receipt Service.

PS Form 3811, December 1994

Domestic Return Receipt



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: ERNEST J LARSON
7408 W SHORE DR
EDINA MN 55435

FROM: Ron Duvall, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 5024-3

The first notice to file chemigation report(s) for Permit No(s) 5024-3 was dated 10/20/95. Our records indicate that we have not received the 1995 chemigation report for Permits No(s) 5024-3. The Water Management Board has directed that owners of water permits who have not submitted the 1995 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 A.M. on March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before March 1, 1996 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 5, 1996

5024-3

Ernest J Larson
7408 W Shore Drive
Edina, MN 55435

Dear Mr. Larson::

I am writing to acknowledge receipt of your 1995 irrigation questionnaire and chemical use report. You may disregard the January 30, 1996, **Notice of Violation of Water Permit No. 5024-3 and Notice of Failure to Report Chemical Use.**

I completed the above forms for you based on my January 31, 1996, telephone conversation with Russell Wirt. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352



5024-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: RUSSELL WIRT, RR 1 BOX 19, PARKER, SD 57053

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaires

Our records indicate that the 1999 Irrigation Questionnaires have not been submitted for Permit Nos. 5024-3, 3955-3. The request for the Questionnaires was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Fold at line over top of envelope to

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

RUSSELL WIRT
RR 1 BOX 19
PARKER SD 57053

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery
1-18-2000

C. Signature
X *Russell Wirt* ☐ Agent
☐ Addressee

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type
☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number (Copy from service label)

2227 670 300

PS Form 3811, July 1999

Domestic Return Receipt

102595-99-M-1789



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 19, 2000

3955-3
5024-3

Russell Wirt
RR 1 Box 19
Parker, SD 57053

Dear Mr. Wirt:

Thank you for calling in about your 1999 irrigation questionnaires. I completed forms for you based on our January 18th telephone conversation.

You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 3955-3 and 5024-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: RUSSELL WIRT, RR 1 BOX 19, PARKER, SD 57053
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaires

Our records indicate that the 2002 Irrigation Questionnaires have not been submitted for Permit Nos. 5024-3, 3955-3. The request for the Questionnaires was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before **February 28, 2003**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5024-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2003

3955-3

5024-3

Russell Wirt
RR 1 Box 19
Parker SD 57053

Dear Russell:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right Nos. 3955-3 and 5024-3.

I completed questionnaires for you based on our January 21st telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5024-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 9, 2004

3955-3
5024-3

Russell Wirt
27813 454th Ave
Parker SD 57053

Dear Russell:

Thank you for sending in your 2004 irrigation questionnaire. I am returning the form to you for completion. In order for the form to be considered complete, you will need to fill out the back side of it.

I know in the past, you have indicated you irrigated the same as the year before. I can no longer fill them out that way because each year the amount of precipitation received is different. The information obtained from the irrigators is a valuable tool in managing the state's water resources.

Please complete and return the form by December 31st. I have enclosed a postage paid envelope for your convenience.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



5024-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: RUSSELL WIRT, 27813 454TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaires

Our records indicate that the 2007 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 5, 2008

3955-3
5024-3

Russell Wirt
27813 454th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of your 2007 irrigation questionnaires. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right Nos. 3955-3 and 5024-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

As you requested, I am enclosing a form to file an ownership change on Water Right No. 5024-3. You indicated your son now owns the land. I have included a copy of the water right for his review.

The enclosed transfer form will need to be completed and signed by your son. Upon completion, please return the form to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the "Water Rights Program".

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

RECEIVED

MAR 10 2008

WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5024-3

Date: 3-7-08

I/We request that Water Right No. 5024-3

formerly owned by: Ernest J Larson

be transferred to: (name & address)

Randy Wirt
27811 455 Ave J Parker SD 57053

Telephone No. 605 297 3495

Title to the following described land(s)/property has been transferred as described above:

61 acres - N ½ NE ¼ Section 5, T98N, R53W

I/We understand that the validity of Water Right No. 5024-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Randy Wirt, the new owner, certify that the above information is true and correct.

Randy Wirt

(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 12, 2008

5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of the ownership change you submitted for transferring Water Right No. 5024-3. The form was completed however we still need the \$2.50 filing fee as required by statute.

Please remit a total of \$2.50 as soon as possible. The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/17, 20 08

RECEIVED OF Randy Wirt 27811 455th Ave Parker SD 57053


The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2	50
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>5024-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	2 50

No.

03003

By


Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 18, 2008

5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

Thank you for completing the requirements for transferring ownership of Water Right No. 5024-3. The ownership change has been completed. The water right, formerly listed in the name of Ernest J Larson is now listed in your name.

Enclosed is your Receipt No. 03583 in the amount of \$2.50 which you paid for filing the ownership change.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5024-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: RANDY WIRT, OPERATOR, 27811 455TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaires

Our records indicate that the 2008 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2009

3955-3
5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right Nos. 3955-3 and 5024-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5024-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: RANDY WIRT, 27811 455TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaires

Our records indicate your 2014 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 4, 2015** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5024-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 3, 2015

3955-3
5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of the 2014 irrigation questionnaires for the following:

- Water Right No. 5024-3, listed in your name, and
- Water Right No. 3955-3 listed in the name of Russell Wirt

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for these water rights. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

5024-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: RANDY WIRT, OPERATOR, 27811 455TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaires

Our records indicate your 2020 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: AOTUOD**

C: BONNIE WIRT, 27813 454TH AVE, PARKER SD 57053

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5024-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 2, 2021

3955-3
5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of your 2020 irrigation questionnaires.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for Water Right Nos. 3955-3 and 5024-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in blue ink that reads "Genny McMath". The signature is fluid and cursive.

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: RANDY WIRT, OPERATOR, 27811 455TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaires

Our records indicate your 2022 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: TKIJUZ**

c: BONNIE WIRT, 27813 454TH AVE, PARKER SD 57053

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5024-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 23, 2023

3955-3
5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right Nos. 3955-3 and 5024-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

c: Bonnie Wirt

5024-3
3955-3

Dewell, Amanda

From: Dewell, Amanda
Sent: Tuesday, October 29, 2024 8:28 AM
To: Chris Wirt
Subject: RE: [EXT] 2024 IRRIGATION QUESTIONNAIRES

Chris,

[Water Right No. 5024-3](#), held by Randy Wirt is authorized for the irrigation of 61 acres in the N ½ NE ¼ Sec 5-T98N-R53W @ 390 GPM.

[Water Right No. 3955-3](#), held by Bonnie Wirt (operated by Randy) is authorized for the irrigation of 61 acres in the S ½ NE ¼ Sec 5-T98N-R53W @ 390 GPM.

With Randy's passing, a transfer of ownership will be required by the new owner. Do you plan to take over irrigation practices yourself, or will the property be sold? The transfer is a simple form which I would put together and the fee is \$50/transfer.

Amanda Dewell
DANR - Water Rights Program
Permitting Administrator
Main Phone: 605 773-3352
Website: danr.sd.gov



From: Chris Wirt <wirtfarms@gmail.com>
Sent: Tuesday, October 29, 2024 8:06 AM
To: Dewell, Amanda <Amanda.Dewell@state.sd.us>
Subject: Re: [EXT] 2024 IRRIGATION QUESTIONNAIRES

I don't know how many gallons per minute the irrigator uses, and I don't have a report from last year. Would you be able to tell me that? I could figure it out from there.
Thank you for your help with this.

Chris Wirt

On Mon, Oct 28, 2024 at 4:37 PM Dewell, Amanda <Amanda.Dewell@state.sd.us> wrote:

2024 IRRIGATION QUESTIONNAIRE

Annual irrigation questionnaires were mailed out to the address on file, October 23, 2024, and are due December 2, 2024.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: RANDY WIRT, OPERATOR, 27811 455TH AVE, PARKER, SD 57053

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3955-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5024-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5024-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3955-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: ORNNIX**

cc: BONNIE WIRT, 27813 454TH AVE, PARKER SD 57053

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 17, 2025

3955-3 & 5024-3

Randy Wirt
27811 455th Ave
Parker SD 57053

Dear Mr. Wirt:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 3955-3 & 5024-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

cc: BONNIE WIRT, 27813 454TH AVE, PARKER SD 57053



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

December 2nd, 2025

5024-3

Randy Wirt
27811 455th Ave
Parker, SD 57053

Dear Mr. Wirt:

Each year, the State of South Dakota sends out Water Management Irrigation Questionnaires to collect information based on annual water use from our state's waters.

This year we received word that the name on the Irrigation Questionnaire needs to be changed. For your convenience I have enclosed a partially completed "Transfer of Ownership" form for you to complete and return in the pre-paid envelope.

Please return the form with a check for \$50.00 made payable to "SD Water Rights Program" to cover the transfer fee. If you would prefer to pay by card you may call our Fiscal Office at 605.773.5559. This form will still need to be returned even if you are submitting payment over the phone.

If you have any questions or concerns, please give me a call. My direct number is 605.773.8204

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

enclosures

PAID

FEB 06 2026

Ck# 17105

Rec't#

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

Mail to: SD DANR, Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 5024-3

Date:

I/We request that Water Right/Permit No. 5024-3 formerly owned by:

Randy Wirt

be transferred to:

New Owner Name:

Chris (Christine) Wirt

Address:

27811 455th Avenue mobile: 605-366-3541

City, State, Zip

Parker SD 57053

email: wirtfarms@gmail.com

Title to the following described land(s)/property has been transferred as described above:

Section 5, T98N, R53W

61 acres located in the NW1/4 NE1/4 - 30.5 acres

NE1/4 NE1/4 - 30.5 acres

RECEIVED

FEB 06 2026

OFFICE OF
WATER

☒ I understand that the validity of Water Right/Permit No. 5024-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Chris Wirt, the new owner, certify that the above information is true and correct. Christine Wirt

Chris Wirt

(signed by new owner)

Christine Wirt

NOTE: Water permits may be cancelled for nonconstruction after the five-year construction period has expired. Once a water permit is developed, an inspection is conducted to issue a water right license for the project as developed. A water permit/right may be cancelled for one or more of the following reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three-year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM South Dakota Department of Agriculture and Natural Resources


Date February 06, 2026

RECEIVED OF CHRIS (CHRISTINE) WIRT 27811 455TH AVENUE PARKER, SD 57053

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$ _____
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$ _____
Fee for Filing Transfer Form #5024-3 _____	\$50.00
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	TOTAL
	\$50.00

By


Chief Engineer



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 9th, 2026

5024-3

Christine Wirt
27811 455th Avenue
Parker, SD 57053

Dear Ms. Wirt,

The South Dakota Water Rights Program is in receipt of the "Notice of Transfer of Ownership" form and the required fee you submitted for Water Right No. 5024-3. Enclosed is a receipt of payment for your records.

Water Right No. 5024-3, previously held by Randy Wirt, is now listed under your name. I have also updated your contact information in our system.

As a reminder, so long as you use the water beneficially, as stated in the License (copy enclosed), State Water Laws provide that you have a continuing right to use the water. Should the water not be put to beneficial use for a period longer than 3 consecutive years, without legal excuse, the License will be subject to cancellation.

If you have any questions, please contact me.

Sincerely,

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us

NOTE: The validity of Water Right No. 5024-3 has not been determined by this transfer action. Only the Water Management Board has the authority to determine if a water permit/right is valid.

enclosure