

Considered: _____

WATER PERMIT NO. 5075-3

MAP No. Same

Name of Applicant Gary Kriz

Post Office Address RR 3 Sisseton, S.D. 57262

Amount of Water Claimed 97.43 acre feet Total Acres _____

Source of Water Supply Dry Draw

Water to be used for REC, DOM, Wildlife County Roberts

About _____ miles _____ of _____

PROOF OF PUBLICATION: Received LT 11-1-85 Not Received _____

APPLICATION: Approved 12-4-85 Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received 7-19-85 Fee \$150.00 Remarks Fee

7-19-85 received 8-27-85


Corrected Application Received _____ Period of Annual Use Jan. 1 To Dec. 31

WATER QUALITY APPROVAL RECEIVED N.A. APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point SE4 NW4 sec. 11 T126N-R52W

Land to be Irrigated N.A.



Well Log: Driller N.A. Licensed YES _____ NO _____


Depth of Well _____ REMARKS _____

Type of Map Aerial Photo PREPARED BY S. Lawana Reviewed and the Number

assigned on 9-20-85 By R.C. Larson

No. 5075-3

Map No. Same Water Division No. Minnesota 07020001 District
Above for Office Use



APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New X Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant GRAY KRIZ Phone No. _____
Post Office Address RR 3 SISSETON State S. D. 57262
(Street, RR, or Box) (Town) (Zip Code)
If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) DIRECT LABOR

3. Name of diversion work _____

4. Amount of water claimed (cubic feet per second) 43 AFT/SEC 97 acre feet per year

5. Source of water supply RUNOFF

6. Location of point of diversion SE 1/4 NW 1/4 SECTION 11 T 126N R 52W

County ROBERTS

7. Annual period or periods during which water is to be used THROUGHOUT ENTIRE YEAR

8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) RECREAT, LIVESTOCK, FIRE

9. For irrigation use, Total number of acres to be irrigated _____

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
 	
 	
 	
 	

Land Description	No. Acres Irr.
 	
 	
 	
 	

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 4 years.

11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Sisseton Courier

12. Principal Features of the Proposed Water Supply System. N/A

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map. (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
County of ROBERTS)ss.

I, GRAY KRIZ the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Gray Kriz
Subscribed and sworn to before me this 18th day of July, 1985
Marpis Eide
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Management Board hereby approves Water Right Application No. 5075-3

Gary Kriz
(Applicant)

RR 3, Sisseton
(Post Office Address)

South Dakota
(State)

With the following qualifications.

Approval of this Permit authorizes storage of 97 acre feet.

Date of first receipt of application July 19, 1985

Date of return to applicant for correction, amendments or changes required -, 19-

Date of receipt of corrected application -, 19-

Approved December 4, 1985, Recorded in Book - Page -

WATER RIGHT PERMIT NO. 5075-3

The Water Management Board hereby grants and issues this Water Right Permit No. 5075-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is July 19, 1985
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before June 4, 1988
3. The whole of said work is to be completed on or before December 4, 1990
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is December 4, 1994
5. The water appropriated shall be used for the purpose of recreational, Domestic, wildlife

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 97 acre feet per year ~~cubic feet per second~~; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and ~~if for irrigation purposes said appropriation must be limited to not more than 2 acre foot per acre per year and be limited to not more than one sevenieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied~~

for ~~irrigation~~ on or before December 4, 1994; said water to be used during the following described annual period: January 1 to December 31

FEB 11 1986

Witness my hand this _____ day of _____, 19____

THE WATER MANAGEMENT BOARD

By: John Hatch
Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

D. Well Information

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc.)
- (3) Screen, Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Depth to water (ground surface to water level) _____


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property _____ rds.

On property owned by others _____ rds.


G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



- 3' TO EM. SPWY
1. Freeboard 5' TO PRIN. SPWY
- 2a Crest width 14 b. length 520'
3. Height of Dam 21' TO PRIN. SPWY
23' TO EM. SPWY
4. Outlet dimensions:
Pipe diameter 18"
Spillway width 140'
- X & Y slope: 3:1 ABOVE. PRIN. SPWY
Upstream 4:1 Below PRIN. SPWY
Downstream 2.5:1 ALL THE WAY.
- Surface area of impoundment
4 13 AC. AT PRIN. SPWY
EL.
- Drainage area above dam
1550'

* 16 AC. TO EM. SPWY ELEV.


Signature of Applicant

NOT TO SCALE

2.21.51

T-3874

Jessie Orpe

126-52

73.7

①

15.5

①

51.8

②

0-3

Lloyd Schumann

Harry Peterson

3.3

②

T-110

T-3842

47.5

①

Soil Conservation Service
Federal Bldg.
Sisseton SD

57262

8/9/50

Stan E. Carver
District Conservationist

PROPOSED SITE!



68.0

①

Daniel Wilson, East

T-3842

142.0

③

36.6

①

Mayanohan

33.6

①

Harry Krip

1

APP#
5075-3

T-3905

Emma Skellegrove

126-5

T-3850

RECEIPT

Division of Water Rights

No 410164*

South Dakota Department of Water and Natural Resources

Pierre, August 27, 19 85

RECEIVED OF Gary Kriz, Sisseton, SD 57262

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	150 00

By John Hatch
Chief Engineer

JOHN HATCH 

CERTIFICATION STATEMENTS REGARDING STATE WATER LAWS

Practice or Structure DL - Dam - (MULTI-PURPOSE)
Legal Description NW⁴ Sec. 11 T. 126 R. 22
Approximate Location 134 Rods E and 130 rods S
of the NW corner of said section in ROBERTS Co.
Amount of water claimed 1 cubic feet per second,
or 43 acre feet per year.
Source of water supply RUNOFF
Point of diversion (if applicable) NONE
Use of water LIVESTOCK, WILDLIFE - RECREATION - FIRE
Reservoir storage capacity 97 TO PRINC. SKWY CRST. acre-feet.
Reservoir surface area 13 AC. acres.
Watershed area 1550 acres.
Watered or irrigated area — acres.

1. For Stockwater Dams and Dugouts; also for Wildlife Ponds with less than 160 ac. drainage area.

A properly completed Location Notice 1/ will be disturbed and posted according to South Dakota State Water Laws.

Date _____ Signature of Applicant _____

Mailing Address _____

2. For Irrig. Wells, Irrig. Storage Reservoirs; also for Waterspreading, Recreation, and Wildlife Installations which require permits to appropriate water.

A water right application will be (or has been) submitted to the South Dakota Department of Water and Natural Resources.

Date 7-15-85 Signature of Applicant Ray King

Mailing Address SISSETON, S. DAK. 57262

3. For Irrig. Wells, Irrig. Storage Reservoirs; also for waterspreading, Recreation, Wildlife and other installations which require permits to appropriate water.

A permit (No. _____) dated _____ to appropriate _____ cfs and/or store _____ ac.ft. of water has been received from the South Dakota Department of Water and Natural Resources.

Date _____ Signature of Applicant _____

Mailing Address _____

To: Owner or Operator of Water Development facility -
- Dry Draw Location Notices -

State Laws and Regulations require the filing of a Dry Draw Location Notice. Filing of this Notice is the owners/operators responsibility. The following procedure is recommended:

1. Record the information given on opposite side to four copies of the location notice form.
2. You must have these forms notarized by a notary public. Then send all four copies to the local Register of Deeds. The Register of Deeds office charges a small fee for filing this form.

The Register of Deeds will keep one copy and return the other three copies to you.

3. Send one of the returned copies to the Secretary, South Dakota Department of Water and Natural Resources, Pierre, South Dakota, along with \$1000 payable to that office.
4. Keep one copy and post it on the construction site and if cost sharing is involved send one copy to the applicable office listed below:

Soil Conservation Service

STATE WATER LAWS STATE THAT THE LOCATION NOTICE IS TO BE POSTED AT THE SITE BEFORE WORK IS STARTED ON THE PROJECT.

LOCATION NOTICE—DRY DRAW

ROBERTS
County

Dry Draw No.

I, GARY A KRIZ, of
Name

5133 E 70th St
Address & Zip Code

Town

ROBERTS
County

OWNER
owner or operator

Commission of the State of South Dakota and all others concerned that I am exercising my
right under SDCL 46.4, as amended for construction of a Dry Draw dam for the purpose
of STORING flood waters for livestock purposes.
(storing, diverting, or both)

The following data is presented in compliance with Section 61.0138, as amended:

(1) Dates of

(a) This application 7-15-85

(b) Posting at construction site

(2) Legal description of the land upon which the dam is located, SE 1/4 of the NW 1/4 of
Section 11, Township 126, Range 5. The dam is located 134 rods
E and 130 rods S of the NW corner of said Section
(N.S.E.W.) (N.S.E.W.) (NW,NE,SE,SW)

in the County of ROBERTS

The owner of the land is GARY KRIZ, 5133 E 70th St
Name Address


(3) Amount of water claimed for all purposes each year 43 acre feet.

(4) Storage capacity of reservoir 97 acre feet.

(5) Surface area of reservoir 13 acres.

(6) Size of watershed above dam 1550 acres.

(Over)



Two Dollars and fifty cents (\$2.50).

Enclosed herewith is [REDACTED] The Water Rights Commission is requested to file this Location Notice in their official records.

A copy of this Location Notice has been filed (do not record) with the Register of Deeds of Roberts County and has been posted at the structure site in accordance with SDCL 46-4-3, as amended.

[Signature]
Owner

by.....
Locator

STATE OF SOUTH DAKOTA

County of Roberts ss.

On this 18th day of July, 1985, before me
Marpis Eide, a Notary Public
(Notary Public or other Official having a seal)

in and for the County and State aforesaid, personally appeared Dary Kris
to me personally known to be the person who executed the foregoing instrument and acknowledged that — he executed the same for the purposes therein set forth.

Witness my hand and official seal the day and date above written.

Marpis Eide
Name

Notary Public
Title

Commission expires 3/6/88



Water Rights Division
605 773-3352

August 2, 1985

Gary Kriz
Sisseton SD 57262

Dear Mr. Kriz:

This will acknowledge receipt of your water permit application for storage of 43 acre feet of water per year for recreational, livestock, wildlife and fire protection purposes. In order to further process your application, the following will be needed:

- 1) a signed map showing the location of your storage dam (see enclosed instruction sheet for details) a suggestion would be to obtain an aerial photo from your SCS Office;
- 2) a \$150 filing fee (your check in the amount of \$10 is enclosed).

South Dakota Water Law requires that a permit be obtained for any dams larger than 25 acre feet. Upon receipt of the map and correct filing fee, we will proceed with further processing of your application. If you have any questions, please advise.


Sincerely,

Genny McMath
Natural Resources Analyst

GM:ks

enclosure

8/10/85



Allen Garry McMath:

Enclosed is the signed map &
correct fee you requested to complete
my application for a water permit.

Sincerely

GARY Keiz

REPORT ON APPLICATION NO. 5075-3

GARY KRIZ

October 11, 1985

Application No. 5075-3 is for a dry draw dam located in the SE 1/4 NW 1/4 of Section 11, T126N, R52W. The storage capacity of the dam will be 97 acre feet and the water will be used for recreational and domestic purposes.

The dam will be classified as a small size low hazard structure and should be capable of passing the runoff produced from a 50 year flood event. The embankment will be 26 feet high with a 18 inch CMP primary spillway with 5 feet of freeboard and 140 foot wide earth cut secondary spillway with 3 feet of freeboard. The combined spillway capacity will be approximately 1200 cfs. From the USGS Techniques For Estimating Flood Peaks, Volumes, and Hydrographs on Small Streams in South Dakota, the peak discharge for a 50 year flood event is approximately 960 cfs for this drainage area.

A review of the records in the Division of Water Rights produced no location notices or water rights which would be adversely affected by this project. It is recommended that the application be approved.

Timothy G. Schaal/ks

TIMOTHY G SCHAAL

Natural Resources Engineer

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT


APPLICATION NO. 5075-3

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5075-3, Gary Kriz, RR 3, Sisseton SD.

The Chief Engineer is recommending APPROVAL of Application No. 5075-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

Approval of this Permit authorizes storage of 97 acre feet.

See the attached report for additional information.

A handwritten signature in black ink, appearing to read "John Hatch", with a stylized, cursive script.

JOHN HATCH, Chief Engineer
October 17, 1985

No. **5075-3**

Instruction to Newspaper - Publish first publication of the following Notice on or before **October 24, 1985** with 2nd publication 1 week later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. **5075-3** to Appropriate Water
~~and/or to Amend Water Permit or Water Right No. _____~~

Notice is hereby given that **Gary Kriz** whose mailing address is
RR 3, Sisseton, South Dakota has made an application for a permit

to appropriate water from a dry draw for storage in a 97 acre foot storage dam located in the SE1/4 of Section 11, T126N-R52W. Water will be used for recreational, wildlife and domestic purposes.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends

APPROVAL of Application No. **5075-3** because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at **Howard Johnson, Badlands Room, 2211 LaCrosse, Rapid City, SD, December 4** 19 **85** at 10:00 am.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to make a determination on this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the Applicant and the Chief Engineer by **November 22, 1985**. The petition may be informal, but it must include a statement describing the petitioners interest in the application, the reason for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-31; (ground) ~~46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; (future use) 46-5-38 thru 46-5-40; (transfer lands) 46-5-30.4, 46-5-33 thru 46-5-35; (10,000 AFA) 46-5-20.1, 46-5-8.1; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15; (future use) 74:02:01:24 thru 74:02:01:25; (10,000 AFA) 74:02:01:15:02 thru 74:02:01:15:05.~~

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWNR, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by **November 22, 1985**.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County ROBERTS) ss.

I, JACK ADAMS hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the SISSETON COURIER


A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____


CITY of SISSETON

County of ROBERTS and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

OCT. 24, 1985

OCT. 31, 1985


(Signature)
PUBLISHER
(Title)
OCT. 31, 1985
(Date Signed)



Cost of Printing: \$39.10
89 LINES @ 24.4¢, 80% SECOND WEEK

NOTICE OF HEARING
ON APPLICATION NO. 5075-3
TO APPROPRIATE WATER

Notice is hereby given that Gary Kriz, whose mailing address is RR 3, Sisseton, South Dakota has made an application for a permit to appropriate water from a dry draw for storage in a 97 acre foot storage dam located in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 11, T126N-R52W. Water will be used for recreational, wildlife and domestic purposes.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5075-3 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing right, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at Howard Johnson, Badlands Room, 2211 LaCrosse, Rapid City, SD, December 4, 1985 at 10:00 a.m.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to make a determination on this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the Applicant and the Chief Engineer by November 22, 1985. The petition may be informal, but it must include a statement describing the petitioners interest in the application, the reason for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-31; 46-5-20.1, 46-5-8.1; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWR, Joe Foss Bldg, Pierre, SD (605-773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by November 22, 1985.

(Oct. 24-31-2W)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

FEB 11 1986

Gary Kriz
RR 3
Sisseton SD 57262

Dear Mr. Kriz:

Enclosed herewith is your Water Permit No. 5075-3 as approved by the Water Management Board authorizing you to construct your water diversion system and the water to beneficial use, not exceeding the limits as specified in said Water Permit No. 5075-3.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that your Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

enclosure

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period-i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

WNR-809-5/83



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOV 24 1992

5075A-3

Gary Kriz
RR 3, Box 134
Sisseton, SD 57262

Dear Mr. Kriz:

Enclosed is Water License No. 5075A-3 and Receipt No. 413428 for \$50.00 which was assessed for an inspection and issuance of the license. Water License No. 5075A-3 is the final document which completes the process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

NOTE: The applicable portions of Water Permit No. 5075-3 are incorporated into this Water License No. 5075A-3.