

Considered: _____

WATER PERMIT NO. 5287-3

HAP No. same 356-2595

Name of Applicant Craig S. McInerney

Post Office Address Rt 1 Box 208 Elk Point, SD 57025

Amount of Water Claimed 3.42 cfs Total Acres 240 ac

Source of Water Supply groundwater - well

Water to be used for irrigation County Union

About 6 miles N of Elk Point

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received Dec. 21, 1988 Fee \$275⁰⁰ Remarks _____


Corrected Application Received Mar 2, 1989 Period of Annual Use Jun 1 - Sept 30

WATER QUALITY APPROVAL RECEIVED 9/15/88 APPROVED CONDITIONAL (Circle one)

WI-1 Description same as Application YES ☒ NO _____ REMARKS _____

Diversion Point center of SE 1/4 Sect 23, T92N, R50W

Land to be Irrigated SE 1/4 Sect 23, T92N, R50W
and S 1/2 NE 1/4 Sect 23, T92N, R50W




Well Log: Driller Wetmore Licensed YES ☒ NO _____

Depth of Well 140' REMARKS testhole

Type of Map aerial photo PREPARED BY L.E. DeSmet Reviewed and the Number assigned on Mar 8, 1989 By Juanita A. Bowar

(See instructions)

No. 5287-3 Hydrologic Unit 10170203
Basin Big Sioux R.
Newspaper Elk Point Leader-Courier Box 310
57025 (Wed)



Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

- Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. ☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s) ☐ Add Acreage ☐ Increase diversion rate ☐ Other

1. Name of Applicant Craig S. McInerney Phone No. 356-2595
Post Office Address Rt. 1-Box 208 Elk Point State S.D. Zip Code 57025
(Street, RR or Box) (City)

2. Amount of water claimed (c.f.s) 1.4--for 3.42 Total acres irrigated 134-A 240
3. Source of Water supply Well
4. Location of point of diversion Center of SE 1/4 Sec 23-T22N-R50W

County Union
5. Counties where water will be used Union
6. Annual period during which water is to be used June--Sept April 1 - Sept. 30
7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>NE 1/4 of the SE 1/4</u>	<u>33.5 40</u>
<u>NW 1/4 of the SE 1/4</u>	<u>33.5 40</u>
<u>SE 1/4 of the SE 1/4</u>	<u>33.5 40</u>
<u>SW 1/4 of the SE 1/4</u>	<u>33.5 40</u>

Land Description	No. Acres Irr.
<u>SW 1/4 NE 1/4 Sec 23-92-50</u>	<u>40</u>
<u>SE 1/4 NE 1/4 "</u>	<u>40</u>

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: _____ (Specify) _____
9. Crops to be Irrigated: Corn, soybeans, alfalfa, etc.
10. Give a description of proposed project. (Attach sheet if more space is needed)

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Union)^{ss}

I, Craig S. McInerney, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used; and that the matters stated in this application are true and correct.

Signed Craig S. McInerney
Subscribed and sworn to before me this 15th day of December, 1988
Lee Reynolds
Notary Public

My Commission expires: 5-31-93.

**SOUTH DAKOTA
WATER PERMIT No. 5287-3 FOR IRRIGATION**

Date of first receipt of application December 21, 1988.

Date Soil/Water Compatibility Permit received March 13, 1989.

Date of return to applicant for required corrections, amendments or changes December 22, 1989. ¹⁹⁸⁸

Date of receipt of corrected application March 2, 1989.


The Water Management Board approved Water Permit Application No. 5287-3 on May 10, 1989 for Craig S. McInerney, RR #1, Box 208, Elk Point, SD 57025 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5287-3 appropriates 3.42 cubic feet of water per second ^{from} one well (Missouri-Elk Point Aquifer) approximately 140 feet deep to irrigate 240 acres. The well is to be located in the center of the SE1/4 and the irrigated acres are located in the SE1/4, S1/2 NE1/4; all in Section 23-T92N-50W.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year or one-seventieth (1/70) cubic feet of water per second for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 to September 30.
3. The date from which applicant may claim right is March 13, 1988. ¹⁹⁸⁹
4. One-fifth of the construction is to be completed on or before November 10, 1991.
5. All construction is to be completed on or before May 10, 1994.
6. Water is to be put to beneficial use on or before May 10, 1998.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

- 1) The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
- 2) The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- 3) This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

SEP 12 1989

(date)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 26 1989

5287-3

Craig S McInerney
RR #1 Box 208
Elk Point, SD 57025

Dear Mr. McInerney:

Your Water Permit No. 5287-3 issued on September 12, 1989 contained errors in the following:

1. Date of return to applicant for corrections, amendments or changes: December 22, 1989.

The date should have read: December 22, 1988.

2. The date from which applicant may claim right is: March 13, 1988.

The date should have read: March 13, 1989.

Enclosed is a corrected copy of Water Permit No. 5287-3. If you have any questions concerning these changes, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosure



SOUTH DAKOTA
WATER PERMIT No. 5287-3 FOR IRRIGATION

Date of first receipt of application December 21, 1988.

Date Soil/Water Compatibility Permit received March 13, 1989.

Date of return of applicant for correction, amendments or changes required December 22, 1988.

Date of receipt of corrected application March 2, 1989.

The Water Management Board approved Water Permit Application No. 5287-3 on May 10, 1989 for Craig S. McInerney, RR #1, Box 208, Elk Point SD 57025 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5287-3 appropriates 3.42 cubic feet of water per second from one well (Missouri-Elk Point Aquifer) approximately 140 feet deep to irrigate 240 acres. The well is to be located in the center of the SE 1/4 and the irrigated acres are located in the SE 1/4, S 1/2 NE 1/4; all in Section 23-T92N-R50W.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year or one-seventieth (1/70) cubic feet of water per second for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 to September 30.
3. The date from which applicant may claim right is March 13, 1989.
4. One-fifth of the construction is to be completed on or before November 10, 1991.
5. All construction is to be completed on or before May 10, 1994.
6. Water is to be put to beneficial use on or before May 10, 1998.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

- 1) The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
- 2) The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- 3) This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: _____

Chief Engineer, Water Rights Division
Department of Water and Natural Resources

SEP 26 1989

(date)

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter 24 Depth 120
- b) Casing Type Transite Diameter 16" Thickness 1/4"
- c) Screen Type sawed slotted Diameter 16" Thickness 1/4"
- d) Gravel Pack Thickness 8" Length of Gravel Pack 30'
- e) Depth to Top of Water Bearing Material 24'
- f) Depth to Water (ground surface to water level) 24
- g) Distance to nearest existing domestic well:

On applicants property _____ On property owned by others 1/2 mile

Drillers log will be sent when available.

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____

If Pipe, diameter _____

f) Secondary Spillway Capacity _____

Spillway width _____

g) X & Y Slope


Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Gary M. Inerney
Signature of Applicant



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 8, 1988

Craig McInerney
Route 1, Box 208
Elk Point SD 57025

Dear Mr. McInerney:

This letter is in response to an approved soil/water compatibility permit received on September 15, 1988 from the Division of Conservation (copy enclosed).

Two separate permits need to be approved prior to an irrigation project being completed. The first permit to be issued is the soil/water permit which has been approved. The second permit to be obtained is a water permit to appropriate water for irrigation purposes. The Division of Water Rights has not received a water permit application for irrigation of the acreage on the approved soil/water permit.

The water permit needs to be approved prior to the land being irrigated in the SE1/4 section 23-T92N-R50W. Enclosed is an application for a water permit with an instruction sheet. Please complete and return the application to begin the processing of your water permit application.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Ron Duvall". The signature is written in dark ink and is positioned above the typed name and title.

Ron Duvall
Natural Resources Engineer
605 773-3352

enc.





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

December 22, 1988

Craig S. McInerney
Route 1, Box 208
Elk Point, SD 57025

Dear Mr. McInerney:

This is in response to the water permit application received from you on December 21, 1988.

The application is incomplete for the following reason(s):

- (1) The acreage to be irrigated as outlined on the enclosed map is 160 acres. The fee for irrigating 160 acres is \$250, \$25 more than the \$225 fee you submitted (see enclosed instruction sheet). If you do not intend to irrigate the full quarter section, the acreage to be irrigated should be properly outlined. Typical center pivot systems cover around 134 acres, the fee for which is also \$250.
- (2) The amount of water claimed (question no. 2 on the enclosed application form) was omitted. According to South Dakota Water Law, the maximum amount of water that can be claimed for irrigation is 1 cubic foot of water per second for each 70 acres irrigated.
- (3) A driller's log or test hole log, signed by a South Dakota licensed well driller must be submitted.

The Water Management Board cannot consider a water permit application until it is complete. Please correctly identify the acreage to be irrigated on the enclosed map, clarify the acreage and the amount of water claimed on the enclosed application form, and return them, along with any additional fee required and a signed driller's log to begin processing of your water permit application.

Please feel free to contact us if you have any questions.

Sincerely,

Susan A. Bowar
Natural Resources Engineer
Water Rights Division
(605) 773-3352

enclosures



COOPERATIVE EXTENSION SERVICE

South Dakota State University, United States Department of Agriculture and Union County Cooperating



UNION COUNTY

EXTENSION OFFICE
COURTHOUSE BASEMENT

AGRICULTURE
HOME ECONOMICS
4-H AND YOUTH
RESOURCE DEVELOPMENT

ELK POINT, S. D. 57025
P.O. Box 428
Telephone 356-2321

February 9, 1989



Ron Duval
SD Department of Water & Natural Resources
Water Rights Division
Joe Foss Building
Pierre, SD 57501

Dear Ron:

As per our conversation in regard to the water permit application of Craig McInerney, please make the following changes:

1. Add all corners and the $S\frac{1}{2}$ of the $NE\frac{1}{4}$ Sec. 23 T92 R50 to the application. Total acreage - 240 acres.
2. Change the CFS to 3.42.

Enclosed is an areal photo of the $S\frac{1}{2}$ of the $NE\frac{1}{4}$ Sec. 23-T92 R50 outlining the area to be irrigated; a soils map of this area and the additional \$50.00 fee.

If you have any questions concerning this please give me a call.

Thanks for all your help.

Sincerely,

Louie E. DeSmet
Union County Extension Agent

LED7j1

Enclosure

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181



February 16, 1989

Craig S McInerney
Route 1, Box 208
Elk Point SD 57025

Dear Mr. McInerney:

This letter is in response to the revised map and additional application fee received on February 10, 1989 from you and Louie DeSmet.

The additional application fee that is needed is \$25.00 instead of \$50.00. Enclosed is your \$50.00 check. Please send the correct amount which is \$25.00 and contact me if you have any questions.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enc.

\$25⁰⁰ check enclosed!



CONSERVATION COMMISSION MEETING

DATE: March 9, 1989

Page 1 - APPROVED WITH REQUIREMENTS

NAME: Craig S. McInerney	WATER QUALITY: 88-0215
ADDRESS: Rt. 1, Box 208	SALINITY: 1650
ADDRESS: Elk Point, SD 57025	SAR: 1.86
	SODIUM: 21.90
COUNTY: Union	ADJ SAR: 5.27

LEGAL DESCRIPTION: SE1/4; SW1/4 NE1/4; SE1/4 NE1/4; all of Sec. 23-92N-50W = 240 acres.

APPLICATION #: 4334

TYPE OF IRRIGATION: Center pivot

WATER SOURCE: Ground

REQUIREMENTS:

The drainageway found in the NE1/4 be maintained in permanent vegetation to control erosion.

The area mapped as Whitewood Silty clay loam (Wh) is subject to wetness and a high water table, which may remain perched under irrigation. This area shall remain in permanent vegetation or artificially drained, if necessary, ie. tile drainage.

Also see permit No. 4275.

Please be advised that we do not consider Swampbuster in developing our recommendation and we recommend contacting your local conservation district on this matter before draining any area.

MANAGEMENT RECOMMENDATIONS:

We recommend the use of conservation tillage to conserve soil moisture and control erosion.

TYPE OF PERMIT GRANTED AND REASON:

The approved with requirements recommendation is based on the total salt found in the water and the clay contents of the soil.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411659

Pierre, March 2, 1989

RECEIVED OF Craig McInerney, Rte 1, Box 208, Elk Point, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5287-3</u> to Appropriate Water, to construct works and to put water to beneficial use _____	25	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	25 00

By John Hatch/mra
Chief Engineer John Hatch/mra

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411558

Pierre, December 21, 1998

RECEIVED OF Craig McInerney, Rt 1, Box 208, Elk Point SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5287-3</u> to Appropriate Water, to construct works and to put water to beneficial use	225	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for _____		
(Any Other Work Provided by Law)	Total	225 00

By John Hester
Chief Engineer

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411619

Pierre, February 6, 1989

RECEIVED OF Craig McInerney, Rt 1 Box 208, Elk Point, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5287-3</u> to Appropriate Water, to construct works and to put water to beneficial use _____	2500
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____	
Fee to retain Future Use Permit No. _____ after period of seven years.	
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	
Fee for Filing Transfer Form _____	
Fee for Filing Extension Request _____	
Fee for Certified Copy of _____	
Fee for Print Copy of Map _____	
Fee for Certifying _____	
Fee for _____	
(Any Other Work Provided by Law)	
Total	2500

By

John Hatch/mia
Chief Engineer

355-1-3
6014-3
US88-3
Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4275

WR#

OWNERS NAME: Craig McInerney OWNERS ADDRESS: Rt. 1, Box 208
Elk Point, SD 57025

COUNTY LAND LOCATED IN: Union PHONE: 356-2595

LEGAL DESCRIPTION:

1. LOCATION center SE $\frac{1}{4}$ Sec 23-T92N-R50W

☒ Well

☐ Surface

Depth 100'

Legal Description	Acres	Legal Description	Acres
<u>SE$\frac{1}{4}$ Sec-23-T92N-R50W</u>	<u>120</u>		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: X GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: corn, beans, alfalfa, etc.

WATER QUALITY:

4. WATER SAMPLE NUMBER: 88-0215

7. ADJUSTED (SAR): 5.27

5. SALINITY (EC X 10⁶): 1650

8. PERCENT SODIUM 21.90

6. SODIUM (SAR): 1.86

Requirements:

The two drainage-ways which cross the quarter shall be maintained in grass or alfalfa to reduce erosion.

The area mapped as Whitewood Silty Clay Loam (Wh) is subject to wetness and a high water table which may remain perched under irrigation. This area shall remain in permanent vegetation or be artificially drained, if cropped, i.e. tile drains.



X APPROVED
____ DISAPPROVED
____ WAIVER

Keith L. Harner
Director, Division of Conservation

9/12/1988
Date

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT DIVISION OF
Division of Conservation WATER RIGHTS
Pierre, SD

Office Use Only

4334

WR#

OWNERS NAME: Craig S. McInerney OWNERS ADDRESS: Rt. 1, Box 208
Elk Point, SD 57025

COUNTY LAND LOCATED IN: Union PHONE: 356-2595

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION center of SE $\frac{1}{4}$ Sec. 23-T92N-R50W

Depth: _____

Legal Description	Acres	Legal Description	Acres
NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 23-T92N-R50W	40	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 23-T92N-R50W	40
NW $\frac{1}{4}$ SE $\frac{1}{4}$ " "	40	SE $\frac{1}{4}$ NE $\frac{1}{4}$ " "	40
SE $\frac{1}{4}$ SE $\frac{1}{4}$ " "	40		
SW $\frac{1}{4}$ SE $\frac{1}{4}$ " "	40	TOTAL ACRES =	240

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: ☒ GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: corn, soybeans, alfalfa, etc.

WATER QUALITY:

4. WATER SAMPLE NUMBER: 88-0215

7. ADJUSTED (SAR): 5.27

5. SALINITY (EC X 10⁶): 1650

8. PERCENT SODIUM: 21.90

6. SODIUM (SAR): 1.86

Requirements: The drainageway found in the NE $\frac{1}{4}$ be maintained in permanent vegetation to control erosion.

The area mapped as Whitewood Silty clay loam (Wh) is subject to wetness and a high water table, which may remain perched under irrigation. This area shall remain in permanent vegetation or artificially drained, if necessary ie. tile drainage.

Also see permit No. 4275

Please be advised that we do not consider Swampbuster in developing our recommendation and we recommend contacting your local conservation district on this matter before draining any area.

☒ APPROVED ☒ REQUIREMENTS
☐ DISAPPROVED
☐ WAIVER

Director, Division of Conservation

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

Date



WETMORE DRILLING

P.O. BOX 577 · ELK POINT, SOUTH DAKOTA 57025 · (605) 356-3272



Feb. 4, 1989

Craig McInerney
RR1 Box 208
Elk Point, SD 57025

TEST HOLE:

Center SE 1/4 Sec 23 T-92-N R-50-W

0 - 3'	Topsoil
3 - 76'	clay
76 - 140'	Coarse sand & gravel

Wetmore Drilling
PO Box 577
Elk Point, SD 57025

James Wetmore
James Wetmore

NOT TO SCALE



121.8

T616

29.4


53R
72.7

T532

2

18.9

T1068



76.9

North


T455 23

Prepared by
H E Deamlet
Union Co Est apt
12/14/88

10.4

T661

92-50



152.0

T464

148.1

51.2

T563

148.0


53R

T631

90.0

21.2

NOT TO SCALE



Appl. No. 5287-3

Report on Application No. 5287-3
Craig S. McInerney
March 13, 1989

This application proposes to appropriate 3.42 cfs from one well approximately 140 feet deep to irrigate 240 acres. The well is to be located in the center of the SE1/4 and the irrigated acres in the SE1/4, S1/2 NE1/4; all in Section 23, T92N, R50W in Union County.

Aquifer - Missouri - Elk Point (M-EP)

The Missouri-Elk Point (M-EP) in this area is a buried glacial (sand and gravel) aquifer predominantly under water table conditions. However, at specific sites, the aquifer can be under artesian conditions. Test hole data submitted with this application indicates aquifer from 76-140 feet below land surface. The M-EP is hydraulically connected to the M-EP and Lower Vermillion Missouri Aquifers in Clay County, the Dakota Formation which in portions of Union County directly underlies the M-EP and both the Big Sioux and Missouri Rivers.


The Division of Water Rights monitors 28 observation wells completed into the M-EP Aquifer in Union County. One of these wells UN-77K is located about 3/4 miles west of this application. Records for this well are included in this report. In general, the hydrographs for the M-EP aquifer mirror climatic conditions, with water levels rising during wet years and declining during dry years. The affects of pumping are not obvious and the aquifer is easily sustaining the demands of irrigation pumping (Water Rights, 1989).

Review of Existing Water Permits

There are two existing Water Rights Nos. 2925-3 and 3513-3 which are within 1 mile of this application. Interference is not expected to be a problem. There have never been any water availability problems in this area and significant drawdowns do not extend very far from a production well in aquifers like the M-EP. The M-EP is a prolific aquifer with specific capacities normally within a range of 50-100 gpm/ft of drawdown (Well Files, 1989). Also, because the aquifer is thick (64 feet), drawdowns will not affect other water users significantly.

Conclusions

1. Water is available from the M-EP Aquifer.
2. The M-EP is a buried glacial aquifer under water table conditions at this site.
3. Interference is not expected to be a problem because of high capacity of area wells, the great aquifer thickness and the observation well records indicate drawdown is not significant.
4. Hydrographs for the M-EP Aquifer indicate recharge is sufficient to maintain pumping from the aquifer.


JAMES A. GOODMAN
Hydrologist

Bibliography

- Hedges, L.S., 1982, Evaluation of Ground Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DWR, SDGS, Vermillion, SD 57069
- Water Rights, 1989, Records for M-EP Aquifer Observation Wells in Union County, SD DWR, Div. of Water Rights, Joe Foss Bldg, Pierre, SD 57501
- Well Files, 1989, Union County Driller's Logs, SD DWR, Div. of Water Rights, Joe Foss Bldg, Pierre, SD 57501

CSG_WELL	OBSERVATION WELL LOCATION	WATER LEVEL DATE	READING
UN-77K	092N-50W-220000	02/09/78	-99.3
UN-77K	092N-50W-220000	03/15/78	-99.2
UN-77K	092N-50W-220000	05/08/78	-98.8
UN-77K	092N-50W-220000	05/22/78	-99.2
UN-77K	092N-50W-220000	05/05/78	-98.5
UN-77K	092N-50W-220000	05/20/78	-98.5
UN-77K	092N-50W-220000	07/05/78	-98.5
UN-77K	092N-50W-220000	07/21/78	-98.4
UN-77K	092N-50W-220000	08/08/78	-97.5
UN-77K	092N-50W-220000	08/30/78	-98.4
UN-77K	092N-50W-220000	09/22/78	-97.8
UN-77K	092N-50W-220000	10/11/78	-98.2
UN-77K	092N-50W-220000	11/02/78	-97.3
UN-77K	092N-50W-220000	12/05/78	-98.2
UN-77K	092N-50W-220000	04/10/79	-96.7
UN-77K	092N-50W-220000	05/08/79	-97.0
UN-77K	092N-50W-220000	05/05/79	-94.3
UN-77K	092N-50W-220000	05/21/79	-94.5
UN-77K	092N-50W-220000	07/04/79	-95.0
UN-77K	092N-50W-220000	07/17/79	-95.3
UN-77K	092N-50W-220000	07/31/79	-94.7
UN-77K	092N-50W-220000	08/15/79	-94.8
UN-77K	092N-50W-220000	08/30/79	-94.7
UN-77K	092N-50W-220000	09/19/79	-94.2
UN-77K	092N-50W-220000	10/17/79	-94.5
UN-77K	092N-50W-220000	11/14/79	-93.8
UN-77K	092N-50W-220000	01/15/80	-94.1
UN-77K	092N-50W-220000	03/11/80	-93.0
UN-77K	092N-50W-220000	04/23/80	-93.4
UN-77K	092N-50W-220000	05/28/80	-93.0
UN-77K	092N-50W-220000	05/10/80	-93.6
UN-77K	092N-50W-220000	05/25/80	-93.7
UN-77K	092N-50W-220000	07/09/80	-94.5
UN-77K	092N-50W-220000	07/23/80	-95.8
UN-77K	092N-50W-220000	08/05/80	-95.0
UN-77K	092N-50W-220000	08/21/80	-95.5
UN-77K	092N-50W-220000	09/03/80	-95.1
UN-77K	092N-50W-220000	09/17/80	-95.2
UN-77K	092N-50W-220000	10/22/80	-95.3
UN-77K	092N-50W-220000	03/05/81	-95.7
UN-77K	092N-50W-220000	03/24/81	-95.6
UN-77K	092N-50W-220000	05/05/81	-95.2
UN-77K	092N-50W-220000	05/12/81	-95.0
UN-77K	092N-50W-220000	06/24/81	-95.7
UN-77K	092N-50W-220000	07/07/81	-95.9
UN-77K	092N-50W-220000	07/21/81	-96.0
UN-77K	092N-50W-220000	07/29/81	-95.5
UN-77K	092N-50W-220000	08/11/81	-95.0
UN-77K	092N-50W-220000	08/25/81	-95.0
UN-77K	092N-50W-220000	09/16/81	-95.0
UN-77K	092N-50W-220000	10/28/81	-95.7
UN-77K	092N-50W-220000	12/09/81	-97.0
UN-77K	092N-50W-220000	05/04/82	-95.1
UN-77K	092N-50W-220000	05/31/82	-94.8
UN-77K	092N-50W-220000	05/15/82	-95.1

10.11 THURSDAY, MARCH 2, 1993 1

OBS_WELL	OBSERVATION WELL LOCATION	WATER LEVEL DATE	READING
UN-77K	092N-50W-220000	06/23/82	-95.0
UN-77K	092N-50W-220000	07/13/82	-95.3
UN-77K	092N-50W-220000	07/25/82	-95.2
UN-77K	092N-50W-220000	08/10/82	-95.7
UN-77K	092N-50W-220000	08/22/82	-97.0
UN-77K	092N-50W-220000	09/03/82	-95.9
UN-77K	092N-50W-220000	10/05/82	-95.1
UN-77K	092N-50W-220000	11/06/82	-95.9
UN-77K	092N-50W-220000	04/13/83	-99.2
UN-77K	092N-50W-220000	05/18/83	-99.3
UN-77K	092N-50W-220000	05/21/83	-99.5
UN-77K	092N-50W-220000	05/14/83	-89.5
UN-77K	092N-50W-220000	05/27/83	-95.2
UN-77K	092N-50W-220000	07/13/83	-96.9
UN-77K	092N-50W-220000	07/25/83	-95.4
UN-77K	092N-50W-220000	08/09/83	-99.3
UN-77K	092N-50W-220000	08/21/83	-99.4
UN-77K	092N-50W-220000	09/13/83	-99.5
UN-77K	092N-50W-220000	10/18/83	-99.7
UN-77K	092N-50W-220000	11/15/83	-91.2
UN-77K	092N-50W-220000	04/11/84	-97.6
UN-77K	092N-50W-220000	05/09/84	-95.7
UN-77K	092N-50W-220000	05/22/84	-95.5
UN-77K	092N-50W-220000	06/04/84	-95.6
UN-77K	092N-50W-220000	06/18/84	-95.5
UN-77K	092N-50W-220000	07/02/84	-96.1
UN-77K	092N-50W-220000	07/17/84	-95.7
UN-77K	092N-50W-220000	07/30/84	-96.9
UN-77K	092N-50W-220000	08/13/84	-98.0
UN-77K	092N-50W-220000	08/26/84	-98.5
UN-77K	092N-50W-220000	10/03/84	-89.1
UN-77K	092N-50W-220000	11/05/84	-99.0
UN-77K	092N-50W-220000	02/19/85	-91.5
UN-77K	092N-50W-220000	04/29/85	-88.7
UN-77K	092N-50W-220000	05/20/85	-89.2
UN-77K	092N-50W-220000	06/04/85	-99.9
UN-77K	092N-50W-220000	06/12/85	-99.7
UN-77K	092N-50W-220000	06/19/85	-99.1
UN-77K	092N-50W-220000	07/03/85	-99.9
UN-77K	092N-50W-220000	07/16/85	-91.5
UN-77K	092N-50W-220000	07/30/85	-92.0
UN-77K	092N-50W-220000	08/19/85	-91.9
UN-77K	092N-50W-220000	08/13/85	-99.7
UN-77K	092N-50W-220000	10/23/85	-99.5
UN-77K	092N-50W-220000	03/20/86	-99.0
UN-77K	092N-50W-220000	03/31/86	-91.2
UN-77K	092N-50W-220000	04/15/86	-99.9
UN-77K	092N-50W-220000	04/23/86	-99.3
UN-77K	092N-50W-220000	05/25/86	-99.1
UN-77K	092N-50W-220000	06/10/86	-99.6
UN-77K	092N-50W-220000	06/24/86	-99.0
UN-77K	092N-50W-220000	07/09/86	-99.0
UN-77K	092N-50W-220000	07/29/86	-99.0
UN-77K	092N-50W-220000	08/12/86	-91.3
UN-77K	092N-50W-220000	08/27/86	-91.5

10:11 THURSDAY, MARCH 2, 1999 2


CBS_WELL	OBSERVATION WELL LOCATION	WATER LEVELS DATE	READING
UN-77K	092N-50W-220000	09/24/85	-91.0
UN-77K	092N-50W-220000	10/22/85	-90.9
UN-77K	092N-50W-220000	02/25/87	-90.7
UN-77K	092N-50W-220000	05/05/87	-90.7
UN-77K	092N-50W-220000	05/15/87	-90.6
UN-77K	092N-50W-220000	05/23/87	-90.4
UN-77K	092N-50W-220000	05/18/87	-90.8
UN-77K	092N-50W-220000	07/01/87	-90.9
UN-77K	092N-50W-220000	07/15/87	-91.1
UN-77K	092N-50W-220000	07/29/87	-91.4
UN-77K	092N-50W-220000	08/12/87	-92.1
UN-77K	092N-50W-220000	08/25/87	-92.3
UN-77K	092N-50W-220000	09/15/87	-92.5
UN-77K	092N-50W-220000	10/28/87	-92.0
UN-77K	092N-50W-220000	03/23/88	-93.4
UN-77K	092N-50W-220000	05/24/88	-93.7
UN-77K	092N-50W-220000	05/08/88	-93.9
UN-77K	092N-50W-220000	05/22/88	-94.3
UN-77K	092N-50W-220000	07/07/88	-95.1
UN-77K	092N-50W-220000	07/21/88	-95.7
UN-77K	092N-50W-220000	08/04/88	-95.6
UN-77K	092N-50W-220000	08/16/88	-95.5
UN-77K	092N-50W-220000	08/17/88	-95.7
UN-77K	092N-50W-220000	10/04/88	-95.4
UN-77K	092N-50W-220000	12/08/88	-95.6

10:11 THURSDAY, MARCH 2, 1995 2

OBSERVATION WELL WATER LEVELS
 OBS_WELL=CN-77A

10:11 THURSDAY, MARCH 9, 1989 4

PLOT OF READING*DATE SYMBOL USED IS *



NOTE: 15 OBS HIDDEN

***** - END OF DATA SET


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5287-3, Craig S. McInerney

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5287-3, Craig McInerney, Rt 1, Box 208, Elk Point SD.

The Chief Engineer is recommending APPROVAL of Application No. 5287-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
March 22, 1989



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 27, 1989

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

Craig S. McInerney
RR #1, Box 208
Elk Point, SD 57025

Dear Mr. McInerney:

Your Application No. 5287-3 for a permit to appropriate water for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of your intent to appropriate water has been sent to the Publisher of the Leader-Courier printed at Elk Point, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 27, 1989

Leader-Courier
Box 310
Elk Point, SD 57025

Dear Sir:

Enclosed is a Notice of Hearing on Application No. 5287-3 to be published twice. Please publish the first notice on or before April 5, 1989 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Craig S. McInerney, RR #1, Box 208, Elk Point, SD 57025.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Ron Duvall
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper



Instruction to Newspaper - Publish first Notice on or before April 5, 1989 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5287-3 to Appropriate Water

Notice is given that Craig S. McInerney, RR #1, Box 208, Elk Point, SD 57025 has filed an application for a water permit to appropriate 3.42 cubic feet of water per second from one well (Missouri-Elk Point aquifer) approximately 140 feet deep to irrigate 240 acres. The well is to be located in the center of the SE1/4 and the irrigated acres are located in the SE1/4, S1/2 NE1/4; all in Section 23 - T92N-R50W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5287-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board at 523 E. Capitol, Joe Foss Building, Room 216, Pierre, SD on May 10, 1989 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by April 28, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by April 28, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

NOTICE OF HEARING
On Application No. 5282-3
To Appropriate Water

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as

provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by April 28, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-3, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-6-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

RON DUVALL
Natural Resources Engineer
Pub. Mar. 30, Apr. 6.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 12 1989

Craig S. McInerney
RR #1 Box 208
Elk Point, SD 57025

Dear Mr. McInerney:

Enclosed is Water Permit No. 5287-3 as approved by the Water Management Board authorizing you to construct your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.


Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.





NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE

Date Dec. 6, 1989

TO: Water Rights Division, DWNH
Joe Foss Building
Pierre SD 57501-3181

FROM: Craig McInerney RR1 Box 208 Elk Point S.D.
name address city

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5287-3.

Water Permit No. 5287-3 states that the diversion system is to be constructed by May 10, 1994, and that the water it put to beneficial use by May 10, 1998.

The diversion system was completed on May 15, 1989.
Applying the water to beneficial use was completed on May 24, 1989.

You may schedule an inspection so that the Water License may be issued.

Craig McInerney
signature

Permit No. 5287-3

Big Sioux River Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Craig McInerney of RR1 Box 208 Elk Point, SD 57025 holder of Permit No. 5287-3, bearing the priority of March 13, 1989 authorizing the diversion of 3.42 cu. ft. per second and/or the storage of acre-feet of the waters of the Missouri-Elk Point Aquifer for irrigation purposes, in Union County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

1 well - 170' with 170' 16" PVC casing and 80' of 100 slot screen; Fairbanks-Morris 3-stage pump Model#H16FL7100B DF, 10" 1100 GPM @ 80 psi

B. Works used to transport water to place of use:

1320' of 8" Aluminum Pipe

C. Works used to apply water to beneficial use:

Valley 6000 Center Pivot 8 towers 1290' long with End Gun, High pressure Rain Bird Nozzles 1000 GPM

The system is in the following condition Good. The point of diversion is located 1260'E and 1250' S of the center of Section 23-T92N-R50W. The works are capable of diverting and conveying to the place of use 2.22 cu. ft. per second of water and/or storing acre-feet of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All in Section 23-T92N-R50W: NW1/4 SE1/4 = 38 acres; NE1/4 SE1/4 = 38 acres; SE1/4 SE1/4 = 33 acres; SW1/4 SE1/4 = 33 acres; SE1/4 NE1/4 = 33 acres; SW1/4 NE1/4 = 33 acres comprising a total of 208 acres of land and the license should be issued for 2.22 cfs and/or acre-feet of storage.

Application permit qualifications have been complied with ☒ Yes ☐ No

Exceptions to compliance are: None Date 7/29/91


Gregory C. Johnston
Natural Resources Engineer

LICENSE FOR PERMIT NUMBER 5287-3

1. Legal location of wells: 1260' E and 1250' S of the Center of Section 23-T92N-R50W

Dams and Structures none

2. Well Information: Well Drilling Firm Wetmore Drilling

Completion Report? Yes X No No. of Wells 1 Depth(s) 170 feet

Casing a) diameter 16 inches Screen a) type PVC 100 Slot

b) length 170 feet b) length 80 feet

c) type PVC Static Water Level 36 feet

Pump a) make Fairbanks-Morris Motor a) make John Deere

b) model H16FL7100B DF b) model no. T06399T203268

c) size 10" c) horsepower rating 100

d) capacity 1000 GPM d) serial no. Unknown

e) turbine pump - no. of stages 3

f) operating PSI 80

3. Distribution lines or canals

a) size 8" inches

b) type Aluminum

c) length 1320 feet

4. Dam Information:

a) height to crest feet m) Outlet tubes:

b) height to primary spillway feet 1) diameter inches

c) height to secondary spillway feet 2) type

d) crest width feet 3) valved (Y/N)

e) crest length feet 4) valve type

4. Dam Information Continued:

- | | | |
|--------------------------------------|-------|---------------------------|
| f) spillway length | feet | 5) location on structure: |
| g) spillway width | feet | |
| h) approx. storage | AC-FT | n) Category of Dam |
| i) approx. storage to crest | AC-FT | |
| j) date constructed | | |
| k) inspection sheet completed? (Y/N) | | |
| l) name of contractor | | |

5. System Type a) sideroll:

- 1) length feet
- 2) diameter of pipe inches
- 3) make, model & number of sprinklers
- 4) spacing of sprinklers feet
- 5) nozzle size

c)gun:

- 1) make
- 2) nozzle size
- 3) capacity (GPM)
- 4) hose size inches
- 5) hose length feet

e) gated pipe:

- 1) length feet
- 2) diameter inches
- 3) spacing of gates inches

b) towline:

- 1) length feet
- 2) make, model & number of sprinklers
- 3) spacing of sprinklers
- 4) nozzle size

d) center pivot:

- 1) make Valley 6000
- 2) number of towers 8
- 3) distance between towers
- 4) overall length 1290 feet
- 5) end gun (Y/N) Yes
- 6) high or low pressure Hi
- 7) make and size of nozzles:
Rain Birds
- 8) capacity (GPM) 1000

5. System Type Continued:

- | f) portable boom: | g) siphons: |
|-------------------|---------------------|
| 1) make | 1) size inches |
| 2) nozzle size | 2) number |
| 3) capacity (GPM) | |

NOTE: For Permits with additional wells or changes in well locations,
record the following for each well: pumping capacity, date
constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project


- | Yes | No | Check Items |
|------------|----------|--|
| <u>X</u> | | 1. Soil and water permit lands agree with lands being irrigated
and lands listed on permit? |
| <u>X</u> | | 2. Special qualifications to permit being abided by? |
| <u>X</u> | | 3. All structures, wells and lands on map? |
| <u>X</u> | | 4. Irrigation Questionnaires checked to determine if permit
owner started irrigation by end of construction period? |
| | <u>X</u> | 5. Is chemigation used? |
| <u>N/A</u> | | 6. If yes, does equipment comply with chemigation rules? |

REMARKS:

1"=765'

Craig McInerney

NOT TO SCALE



Water License No. 5287-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

GREAT FACES. GREAT PLACES.

August 8, 1991

5287-3

Craig McInerney
RR #1 Box 208
Elk Point, SD 57025

Dear McInerney.

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 5287-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources


412789

Pierre, August 12, 1991

RECEIVED OF Craig or Leona McInerney, Rt 2, Box 430, Elk Point, SD 57025

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5287-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch 
Chief Engineer

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 5287-3

(1) Craig McInerney of RR 1, Box 208, Elk Point, SD 57025 made Application No. 5287-3, December 21, 1988 for a water permit to appropriate 3.42 cubic feet of water per second from groundwater, Union County, South Dakota for irrigation purposes. Permit No. 5287-3 with a priority date of March 13, 1989 was approved May 10, 1989 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before May 10, 1994 and for the application to beneficial use of said water on or before May 10, 1998.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.22 cubic feet of water per second for beneficial use. The location of the diversion point is: 1260'E and 1250'S of the center of Section 23, T92N, R50W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T92N, R50W	Section 23	NW 1/4 SE 1/4	38 Acres
		NE 1/4 SE 1/4	38 Acres
		SE 1/4 SE 1/4	33 Acres
		SW 1/4 SE 1/4	33 Acres
		SE 1/4 NE 1/4	33 Acres
		SW 1/4 NE 1/4	33 Acres
		Total-----	208 Acres

(4) Pursuant to Section 46-5-30.1 Craig McInerney of RR 1, Box 208, Elk Point, SD 57025 the holder(s) and/or owner(s) of Water Permit No. 5287-3 is issued a license to appropriate water, the right to use 2.22 cubic feet of water per second from groundwater with a priority date of March 13, 1989 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5287-3 and subject to South Dakota State Law.


SEP 17 1991
JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



GREAT FACES. GREAT PLACES.

SEP 17 1991

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

5287-3

Craig McInerney
RR 1, Box 208
Elk Point, SD 57025

Dear Mr. McInerney:

Enclosed is Water License No. 5287-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412789 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5287-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 4, 2021

5014-3
5287-3
7904-3

Craig McInerney
411 E Washington St
Elk Point SD 57025-2250

Dear Mr. McInerney:

Enclosed is a "Notice" dated October 22, 2021 concerning the 2021 irrigation questionnaire.

The notice was originally mailed to 47484 317th St, Elk Point. The post office notified us that your address has changed, and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures