

Considered: _____

WATER PERMIT NO. 5333-3

HAP No. same 627-9365

Name of Applicant Vanderwal Farms, Inc. c/o Scott E. Vanderwal

Post Office Address RR 2 Box 1, Volga, SD 57071

Amount of Water Claimed no additional Total Acres 130 (no add'l)

Source of Water Supply groundwater - 1 new well

Water to be used for irrigation County Brookings

About 3 miles 5 of Volga

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F.C.C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received June 6, 1989 Fee \$50.00 Remarks This appl.

adds a div pt to Water Permit No. 2695-3; also, 2 wells are being plugged.

Corrected Application Received _____ Period of Annual Use Apr 1 - Oct 31


WATER QUALITY APPROVAL RECEIVED June 9, 1989 APPROVED CONDITIONAL (Circle one)

WI-1 Description same as Application YES ☒ NO _____ REMARKS _____

Diversion Point proposed well #4 - SE 1/4 Section 3 - T109N-R51W

well #3 - SE 1/4 SE 1/4 " " "

Land to be Irrigated SE 1/4 Section 3 - T109N-R51W



Well Log: Driller Pullman Licensed YES ☒ NO _____

Depth of Well 37' REMARKS test holes

Type of Map aerial PREPARED BY Doris Schumacher Reviewed and the Number



assigned on June 9, 1989 By Susan A. Bowser

2695-3

Mail to: Water Rights Div.
525 E. Capitol
Pierre, SD 57501
(605) 773-3532

No. 5333-3 Hydrologic Unit 10170202
Basin Big Sioux
Newspaper Volga Tribune Box 8 (Thurs)

(See instructions)



Application for Soil/Water Compatibility Permit and Permit To Appropriate Water

- ☐ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☒ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

1. Name of Applicant VanderWal Farms, Inc Phone No. 627-9362
Post Office Address RR 2 Box 1 Volga State SD 57071
(Street, RR or Box) (City) (Zip Code)
2. Amount of water claimed (c.f.s.) 144 2.0 Total acres irrigated 130
3. Source of Water supply Big Sioux Aquifer
4. Location of point of diversion SE corner of SW 40 acres - or - SW corner of SE 40 acres
1/2 in SE 1/4 of Sect. 3 T109N, R51W
County Brookings
5. Counties where water will be used Brookings
6. Annual period during which water is to be used Summer (crop growing season)
7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>SE 1/4 of SE 1/4 of Sect. 3</u>	<u>10</u>
<u>SW 1/4 of SE 1/4 of Sect. 3</u>	<u>40</u>
<u>NE 1/4 of SE 1/4 of Sect. 3</u>	<u>40</u>
<u>NW 1/4 of SE 1/4 of Sect. 3</u>	<u>40</u>

Land Description	No. Acres Irr.

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: ☒ Gun: _____ Other: _____
9. Crops to be Irrigated: Corn + Alfalfa
10. Give a description of proposed project. (Attach sheet if more space is needed)
Center Pivot irrigation system covering approximately 100 acres.
This is a 140 acre field on a quarter section with farm
buildings on the southeast corner of the quarter. This application
proposes to add a diversion point (Well #4) to the 3 wells authorized by Water Permit No.
2695-3 (no additional water). Wells #1 & 2 are to be plugged.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Brookings) ss

I, VanderWal Farms, Inc., the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed VanderWal Farms, Inc.
Scott E. VanderWal

My commission expires and sworn to before me this 2nd day of June 1989
December 21, 1988

Notary Public

SOUTH DAKOTA
WATER PERMIT No. 5333-3 FOR IRRIGATION

Date of first receipt of application June 5, 1989.

Date Soil/Water Compatibility Permit received June 9, 1989.

Date returned to applicant for required corrections, amendments or changes June 6, 1989.

Date of receipt of corrected application June 9, 1989.

The Water Management Board approved Water Permit Application No. 5333-3 on July 26, 1989 for VanderWal Farms, Inc., c/o Scott E. VanderWal, RR #2 Box 1, Volga, South Dakota 57071 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5333-3 adds a diversion point to those authorized by Water Permit No. 2695-3. Water Permit No. 2695-3 authorizes the diversion of 2.0 cubic feet of water per second (cfs) from three wells, all approximately 40 feet deep, located in the SE1/4 SE1/4, NE1/4 SE1/4 Section 3 to irrigate 130 acres in the SE1/4 Section 3; all in T109N-R51W. This permit is to add one well #4 (Big Sioux - Brookings Aquifer) approximately 57 feet deep to be located in the S1/2 SE1/4 Section 3-T109N-R51W. This permit does not authorize any increase in the amount of water appropriated or the number of acres irrigated.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year or one-seventieth (1/70) cubic feet of water per second for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The date from which applicant may claim right is April 14, 1976 (See No. 2695-3).
4. One-fifth of the construction is to be completed on or before January 26, 1992.
5. All construction is to be completed on or before July 26, 1994.
6. Water is to be put to beneficial use on or before July 26, 1998.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. Following completion of Well No. 4 authorized by this Permit, abandoned Wells No. 1 and No. 2 shall be plugged pursuant to Water Management Board Well Construction Rule Section 74:02:04:69.
3. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
4. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: _____


John H. Hatch
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

SEP 12 1989

(date)

Supplemental Information

(type or print in ink)



1. Well Information - Proposed construction

- a Drill Hole Diameter 26 inches Depth 57 feet
- b Casing Type PVC Diameter 16 inches Thickness 1/2 inch
- c Screen Type Stainless Steel Diameter 16 inches Thickness 10' 60 slot
- d Gravel Pack Thickness 5 inch Length of Gravel Pack 55 feet
- e Depth to Top of Water Bearing Material 25 feet
- f Depth to Water (ground surface to water level) 23 feet
- g Distance to nearest existing domestic well:
- On applicants property 600 ft. On property owned by others 1100 ft.

2. Dugout Information Estimates

- a Surface Dimensions _____ Depth _____
- b Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
If Pipe, diameter _____

f) Secondary Spillway Capacity _____
Spillway width _____


g) X & Y Slope
Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Vander Wal Farm, Inc.

Scott E Vander Wal

Signature of Applicant

We are planning to
abandon (seal up) wells
1 and 2 and keep #3.
Well #4 is the new
one.

Scott VanderWal

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, June 5, 1989

RECEIVED OF VanderWall Farms, RR #2, Volga, SD 57071

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5333-3</u> to Appropriate Water, to construct works and to put water to beneficial use _____	5000
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____	
Fee to retain Future Use Permit No. _____ after period of seven years.	
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	
Fee for Filing Transfer Form _____	
Fee for Filing Extension Request _____	
Fee for Certified Copy of _____	
Fee for Print Copy of Map _____	
Fee for Certifying _____	
Fee for _____	
(Any Other Work Provided by Law)	
Total	5000

By John Hatch Jones
Chief Engineer

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4383

WR#

OWNERS NAME: VanderWal Farms, Inc. OWNERS ADDRESS: RR 2, Box 1
Volga, SD 57071

COUNTY LAND LOCATED IN: Brookings PHONE: 627-9365

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION: S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 3-T109N-R51W

Depth: _____

Legal Description	Acres	Legal Description	Acres
<u>S$\frac{1}{2}$ SE$\frac{1}{4}$ Sec. 3-T109N-R51W</u>	<u>10</u>		
<u>SW$\frac{1}{4}$ SE$\frac{1}{4}$ " "</u>	<u>40</u>		
<u>NE$\frac{1}{4}$ SE$\frac{1}{4}$ " "</u>	<u>40</u>		
<u>SE$\frac{1}{4}$ SE$\frac{1}{4}$ " "</u>	<u>40</u>		
		<u>TOTAL ACRES = 130</u>	

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: X GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: corn, alfalfa

WATER QUALITY:

4. WATER SAMPLE NUMBER: 89-0210 7. ADJUSTED (SAR): 2.40
5. SALINITY (EC X 10⁶): 2350 8. PERCENT SODIUM: 9.73
6. SODIUM (SAR): 0.81

Requirements: The drainageways which are mapped as crossable with tillage equipment shall be maintained as necessary to control erosion and runoff, which may include placing them in permanent vegetation.




Arthur Quirk
Director, Division of Conservation

Date

X APPROVED X REQUIREMENTS
____ DISAPPROVED
____ WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.


NOT TO SCALE



PULLMAN DRILLING — DRILLERS LOG

Phone: 1-800-451-4884

JOB NAME		LOCATION		DATE	RIG NO.	FOREMAN
VANDER WALL FARMS		4 South Volga SE. 1/4 Sec. 3 109				
Township 31W						
Hole #1						
Jt No.	DEPTH	TIME	REMARKS			
1	20		0-3 top soil ~~3-20~~ Yellow sand			
2	40		20-40 med to coarse sand			
3	60		40-49 Gray sand 49-60 Yellow clay			
4						
5			Hole #2			
6	20		0-3 top soil 3-20 Yellow sand			
7	40		20-40 Brown sand med to coarse			
8	60		40-43 Gray sand 43-60 Yellow clay			
9						
10			Hole #3			
11	20		0-3 top soil 3-17 Yellow sand 17-20 Blue clay			
12	40		20-25 Blue clay 25-40 Yellow gravel			
13	60		40-57 ~~Gray~~ gravel 57-60 Yellow clay			
14			Gray			
15						
16			New Well			
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31			Ray Pullman			
32						
33						
34						
35						
36						
37						
38						
39						
40						




REMARKS:

SOUTH DAKOTA WATER WELL COMPLETION REPORT

10-85

Twp 26 N 5E Sec 109 Rg 51

County

BrookingsPlease mark well
location with
an "X"Well Completion Date 5-30-89

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Reverse

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
____ LB/FT	<u>16</u> IN	<u>0</u> FT	<u>48</u> FT	<u>24</u> IN
____ LB/FT	____ IN	____ FT	____ FT	____ IN
____ LB/FT	____ IN	____ FT	____ FT	____ IN
____ LB/FT	____ IN	____ FT	____ FT	____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NOTo what depth? 20 FEETWhat is grouting material? Cement & GroutIf cement, number of sacks? 200

Describe grouting procedure

Line

What was grout weight? _____ LB/GAL

SCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 16 IN Length 10 FEETMaterial StainlessSlot Size .060 Set From 48 Feet To 58 Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Other information _____

Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

Was well disinfected upon completion? ☐ YES ☒ NO

Explain _____

Bacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____

Well Owner:

Name

Vander wal Farms

Address

Volga S.P.

Well Log:

Depth

Formation

From

To

Top Soil03yellow clay1717Blue Clay1725yellow gravel2558STATIC WATER LEVEL 23 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped☐ Bailed☐ OtherDescribe: 600 yds

Pumping Level Below Land Surface

____ ft. After ____ Hrs. pumped _____ GPM

____ ft. After ____ Hrs. pumped _____ GPM

____ ft. After ____ Hrs. pumped _____ GPM

REMARKS:

This well was drilled under license # 446

And this report is true and accurate.

Drilling firm

Brillman Well Drilling

Signature of License Representative:

B.S. Kuhl

Signature of Well Owner:

Date

9-21-89



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 6, 1989

Scott E. VanderWal
VanderWal Farms, Inc.
RR 2, Box 1
Volga, SD 57071

Dear Mr. VanderWal:

This is in response to the water permit application received from you on June 5, 1989.

The permit application is incomplete for the following reason(s):

- (1) The enclosed map needs to be signed by a South Dakota Registered Engineer, a South Dakota Licensed Land Surveyor, or by a government employee who normally prepares maps as part of his/her duties (ASCS or SCS — see enclosed instruction sheet).
- (2) Please specify, under question no. 2 on the enclosed application form, the diversion rates for both well #3 and the new well #4. Water Permit No. 2695-3 authorizes the diversion of 2.0 cubic feet of water per second (cfs). In order to retain your priority date, the combined diversion rate from the two wells cannot exceed 2.0 cfs.

In addition, the location of the point of diversion (well #4) will be changed on your application to the S1/2 SE1/4 Section 3-T109N-R51W unless I hear differently from you.

The water Management Board cannot consider a water permit until it is complete and until an approved Soil/Water Compatibility Permit has been received from the Division of Conservation, Department of Agriculture. Please return the enclosed map with the required signature and the enclosed application form with the diversion rates from both wells indicated to begin processing of your water permit application.

Feel free to contact me if you have any questions.

Sincerely,

Susan A. Bowar
Natural Resources Engineer
Water Rights Division
(605) 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

October 4, 1989

Vander Wal Farms
RR
Volga SD 57071

Dear Sirs:

Sound ✓
5333-3 no descript
4014
2695

A well drillers report filed with this office by Pullman Well Drilling indicates you have recently completed a new well. The well driller is required by South Dakota Codified Laws (SDCL 46-6-11) to file a well construction report within 30 days of completion.

The purpose of the enclosed "Summary of South Dakota Water Law and Water Right Information" is to provide general information and to inform you of the responsibilities you have incurred. Specifically:

1. According to South Dakota Water Rights Law (SDCL 46-1-15, 46-5-9, 46-5-10), it is necessary to obtain a water permit to appropriate waters of this state. An exception to this requirement is for water used for domestic purposes. Domestic water uses that do not require a permit are listed under item 5 on the enclosed summary. Those activities that require permits are listed under item 7.
2. If your new well was drilled as a replacement well and if you do not plan to use the old well, the old well is considered abandoned and must be plugged pursuant to SDCL 46-6-27. Other abandoned wells must also be plugged.
3. If the old well is not to be abandoned, or will be used, the well must be sealed or capped at the surface pursuant to SDCL 46-6-27.

Based upon the information we have, you may need a water permit. Since we have no record of a water permit for this well, I am enclosing application forms and an instruction sheet for preparing a water right permit application.




Please complete the application and submit it with the required fee to the "Water Rights Division, Joe Foss Building, 523 E. Capitol, Pierre, SD 57501" by November 15, 1989.

The Centennial Environmental Protection Act (House Bill 1291) as passed by the 1989 Legislature included Section 46 (SDCL 34A-3A-18) which states:

"Following completion of any new well for domestic use, a water quality sample shall be collected and submitted to the department of health laboratory or another laboratory approved by the department. If the well flows or if the well driller installs the pump, the well driller shall collect and submit the water quality sample. If the pump is not installed by the well driller, the owner shall collect and submit the water sample. The completed analysis shall be submitted to the department by the well driller or owner within thirty days after the submittal of well completion report which is filed with the department pursuant to 46-6-11. At a minimum, the water sample shall be analyzed for nitrate, coliform bacteria, sodium, conductivity and sulfate. Other contaminants may be analyzed for at the option of the well owner or driller. The owner or well driller shall pay for the cost of all analyses."

If you have questions or need assistance contact Ron Duvall, Water Rights Division Engineer (605-773-3352).

Very truly yours,



DELVIN D BROSZ, P.E.
Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division

cc: well driller

enclosure

10/15/89

Dear Sirs,

There may have been a mix-up in our water permit number(s), + I would like to make sure everything is OK.

We (Vander Wal Farms, Inc.) obtained permit number 2695-3 through transfer from Prudential Corporation in 1989. This permit was for three (3) wells. We then applied to alter this by installing a new well and closing up 2 existing wells, which has been done.

I was of the understanding that permit # 5333-3 (the new permit) replaced # 2695-3. If this is incorrect, please notify me. I have filed out the questionnaire for permit # 5333-3 which is well number 4. We did not use the remaining original well in 1989.

Also, we recently received a letter stating that we still need a permit after you received the report from Pullman Drilling. This is not the case, as this well is covered by permit # 2695-3.



Sincerely,

Vander Wal Farms, Inc.
Scott E. Vander Wal

REPORT ON APPLICATION NO. 5333-3
VANDERWAL FARMS, INC.
JUNE 9, 1989

This application proposes to add a diversion point (well) to Water Permit No. 2695-3. Water Permit No. 2695-3 authorizes the diversion of 2.0 cfs from 3 wells, all approximately 40 feet deep, located in the SE 1/4 SE 1/4, NE 1/4 SE 1/4 of Section 3 to irrigate 130 acres in the SE 1/4 of Section 3; all in T109N, R51W in Brookings County. This application proposes to add well #4 approximately 57 feet deep and located in the S 1/2 SE 1/4 Section 3, T109N, R51W. This application does not authorize any increase in the amount of water appropriated or in the number of acres irrigated.

Aquifer - Big Sioux-Brookings (BS-B)

The Big Sioux-Brookings Aquifer is a Pliestocene outwash (sand and gravel) which is under water table conditions in this area. The Big Sioux Aquifer underlies 470 mi² and contains 1.9 million acre-feet of water in storage in Brookings County (Hamilton, 1988). The Big Sioux-Brookings is a management unit which underlies 74,500 acres and contains 245,850 acre feet of recoverable water in storage in Brookings County (Hedges, 1982).

The Division of Water Rights monitors 36 observation wells completed into the Big Sioux-Brookings Aquifer in Brookings County. Two observation wells (BG-77Q and BG-77G) are located within 2 miles of this proposed applications. Water level records for these wells do not show the effects of pumping but do fluctuate with precipitation. Wet years mean rising water levels and dry years mean declining water levels (Water Rights, 1989).


Review of Existing Water Permits

There are no other water permits within 1 mile of this application. Interference is not expected to be a problem because of distance to other high capacity wells and typically wells completed into the Big Sioux-Brookings Aquifer do not create significant drawdowns very far from the production well.

Conclusions

1. Water is available from the BS-B Aquifer.
2. The aquifer is under water table conditions and drawdowns resulting from pumping high capacity wells typically are not significant in the BS-B Aquifer. Interference should not be a problem.

3. This is a replacement well. Original wells #1 and #2 will be plugged. Plugging must be done pursuant to 72:02:04:69 of the SD Well Construction Standards. Priority for this permit can remain the same.
4. The well proposed by this application must be completed in accordance with 74:02:04:28 of the SD Well Construction Standards.
5. Studies have shown that agricultural land practices over shallow water table aquifers like the BS-B Aquifer do affect the ground water quality.


JAMES A GOODMAN, P.E.
Hydrologist

Bibliography

Hamilton, L.J., 1988, Major Aquifers in Brookings County, SD,
Inf. Pamphlet No. 40, SDGS, Vermillion SD 57069.

Hedges, L.S., Etal., 1982, Evaluation of Ground Water Resources
Eastern South Dakota and Upper Big Sioux River SD and Iowa, for
US Army Corps of Engineers, DWNr, SDGS, Vermillion SD.

Water Rights, 1989, Observation Well Records For BS-B Aquifer in
Brookings County, SD, SD DWNr, Division of Water Rights, Joe
Foss Building, Pierre SD 57501.


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5333-3, Vanderwal Farms, Inc.

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5333-3, Vanderwal Farms, Inc., c/o Scott E. Vanderwal, RR 2, Box 1, Volga SD.

The Chief Engineer is recommending APPROVAL of Application No. 5333-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. Following completion of Well No. 4 authorized by this Permit, abandoned Wells No. 1 and No. 2 shall be plugged pursuant to Water Management Board Well Construction Rule Section 74:02:04:69.
3. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
4. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
June 13, 1989



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 14, 1989

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

Vanderwal Farms, Inc.
c/o Scott E Vanderwal
RR 2, Box 1
Volga SD 57071

Dear Mr. Vanderwal:

Water Permit Application No. 5333-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Volga Tribune printed at Volga SD. For your information, a copy of the notice is enclosed. The recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 14, 1989

Volga Tribune
Box 8
Volga SD 57071

Dear Sir:

Enclosed is a Notice of Hearing on Application No. 5333-3 to be published twice. Please publish the first notice on or before June 22, 1989 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Vanderwal Farms, c/o Scott E Vanderwal, RR 2, Box 1, Volga SD 57071.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

CUT HERE

FIRST TRANSMITTAL NOTICE

TO: Ron Duvall
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name _____

Newspaper _____



Instruction to Newspaper - Publish first Notice on or before June 22, 1989 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5333-3 to Add a Diversion Point

Notice is given that Vanderwal Farms, Inc. c/o Scott E Vanderwal, RR 2, Box 1, Volga SD 57071 has filed an application for a water permit to add a diversion point to those authorized by Water Permit No. 2695-3. Water Permit No. 2695-3 authorizes the diversion of 2.0 cubic feet of water per second (cfs) from three wells, all approximately 40 feet deep, located in the SE 1/4 SE 1/4, NE 1/4 SE 1/4 Section 3 to irrigate 130 acres in the SE 1/4 Section 3; all in T109N-R51W. This application proposes to add well #4 (Big Sioux-Brookings Aquifer) approximately 57 feet deep to be located in the S 1/2 SE 1/4 Section 3-T109N-R51W. This application, if approved, does not authorize any increase in the amount of water appropriated or the number of acres irrigated.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5333-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water and 3) it is in the public interest. This application will be considered by the Water Management Board at the Hilton Inn, Deerfield Room, 445 Mt. Rushmore Road, Rapid City SD on July 26, 1989 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by July 14, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by July 14, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

No. 5333-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brookings) ss.

I, Mary A. Bjerke hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Volga Tribune

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City _____ of Volga

County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

June 22, 1989

June 29, 1989

Mary A. Bjerke
(Signature)

Bookkeeper
(Title)

6-29-89
(Date Signed)

Cost of Printing: 93 lines @ 43.9¢
\$40.82



NOTICE OF HEARING
on Application No. 5333-3
to Add a Diversion Point

Notice is given that VanderWal Farms, Inc. c/o Scott E. VanderWal, RR 2, Box 1, Volga, SD, 57071 has filed an application for a water permit to add a diversion point to those authorized by Water Permit No. 2695-3. Water Permit No. 2695-3 authorizes the diversion of 2.0 cubic feet of water per second (cfs) from three wells, all approximately 40 feet deep, located in the SE1/4 SE1/4, NE1/4 SE1/4 Section 3 to irrigate 130 acres in the SE1/4 Section 3; all in T109N-R51W. This application proposes to add well #4 (Big Sioux-Brookings Aquifer) approximately 57 feet deep to be located in the S1/2 SE1/4 Section 3-T109N-R51W. This application, if approved, does not authorize any increase in the amount of water appropriated or the number of acres irrigated.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5333-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water and 3) it is in the public interest. This application will be considered by the Water Management Board at the Hilton Inn, Deerfield Room, 445 Mt. Rushmore Road, Rapid City, SD on July 26, 1989 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) deny or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by July 14, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by July 14, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 12 1989

VanderWal Farms, Inc.
Scott E. VanderWal
RR #2 Box 1
Volga SD 57071-9301

Dear Mr. VanderWal:

Enclosed is Water Permit No. 5333-3 as approved by the Water Management Board authorizing you to construct your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in black ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 10/15/89TO: Water Rights Division, DWNH
Joe Foss Building
Pierre SD 57501-3181FROM: VanderWal Farms, Inc RR 2 Box 1 Volga, SD 57071
name address city

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5333-3.


Water Permit No. 5333-3 states that the diversion system is to be constructed by Jan 26, 1992, and that the water it put to beneficial use by July 26, 1998.

The diversion system was completed on 7/5/89.
Applying the water to beneficial use was completed on 7/5/89.

You may schedule an inspection so that the Water License may be issued.

Scott E. VanderWal
signature





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 3, 1992

5333-3

VanderWal Farms, Inc.
317 6th Ave
Brookings SD 57006

Dear Sir:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 5333-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

413046

Pierre, January 31, 19 92

RECEIVED OF Vanderhal Farms, Inc., 511 E. 1st St., Volga, SD 57071
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____	
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____	
Fee to retain Future Use Permit No. _____ after period of seven years.	
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5333-3</u>	50 00
Fee for Filing Transfer Form _____	
Fee for Filing Extension Request _____	
Fee for Certified Copy of _____	
Fee for Print Copy of Map _____	
Fee for Certifying _____	
Fee for _____	
(Any Other Work Provided by Law)	
Total	50 00

By John M. H. H.
Chief Engineer

Please change the address in your records - the booking address is that of our attorney.

Change to:

Vanderhal Farms Inc.
511 E. 1st St.
Volga, SD 57071

Thank you

Permit No. 5333-3

Big Sioux River Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by VanderWal Farms of Volga, SD holder of Permit No. 5333-3 and Water License No. 2695-3, bearing the priority of 4/14/1976 authorizing the diversion of 1.73 cu. ft. per second covered under Water License No. 2695-3 and/or the storage of 0 acre-feet of the waters of ground water for irrigation purposes, in Brookings County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Well 1 - A 10" Western Land Roller Pump with a 200 gpm capacity powered by LP gas 6 cylinder engine. This well is covered under Water License No. 2695-3.

Well 2 - A 10" Western Land Roller Pump with a 525 gpm capacity powered by a Cummins Diesel engine. This well is covered under Water Permit No. 5333-3.

B. Works used to transport water to place of use:

1200' of 6" PVC

C. Works used to apply water to beneficial use: (report of examination of works done by
see report of examination for Water License 2695-3 Thomas Brandner, June 29, 1988, filed
with Water Right No. 2695-3)

The system is in the following condition good. The point of diversion is located from the SE corner of Section 3-T109N-R51W: Well 1 - 580'N 430'W, Well 2 - 1350'W 100'N. The works are capable of diverting and conveying to the place of use 1.17 cu. ft. per second of water in addition to the 0.44 cfs from the well covered by Water License 2695-3 for a total of 1.61 cfs and/or storing 0 acre-feet of water which is to be used for irrigation.

Water has been put to beneficial use to the maximum extent as follows:

see report of examination of works for Water License No. 2695-3 by Thomas M. Bradner, 6/29/1988

comprising a total of 121 acres of land and the license should be issued for 1.61 cfs and/or 0 acre-feet of storage.

Applicable permit qualifications have been complied with ☒ Yes No

Exceptions to compliance are: none Date 8/6/1991

A handwritten signature in black ink, appearing to read 'Mark D. Rath', with a stylized flourish at the end.

Mark D. Rath
Natural Resources Engineer II
DENR, Water Rights Division

LICENSE FOR PERMIT NUMBER 5333-3

1. Legal location of wells: from the SE corner of Section 3-T109N-R51W: 1350'W 100'N

Dams and Structures

2. Well Information: Well Drilling Firm Pullman (well #2)

Completion Report? Yes x No No. of Wells 1 Depth(s) 58 feet

Casing a) diameter 16 inches Screen a) type stainless steel

b) length 48 feet b) length 10 feet

c) type plastic Static Water Level 23 feet

Pump a) make Western Land Roller Motor a) make Cummins

b) model 8307833 b) model no. Diesel

c) size 10 c) horsepower rating 95

d) capacity 525 GPM d) serial no.

e) turbine pump - no. of stages 4

f) operating PSI 35

3. Distribution lines or canals

a) size 6 inches

b) type PVC

c) length 1200 feet

NOTE: For Permits with additional wells or changes in well locations,
record the following for each well: pumping capacity, date
constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project 2695-3

Yes No Check Items

Y 1. Soil and water permit lands agree with lands being irrigated
and lands listed on permit?


Y 2. Special qualifications to permit being abided by?

- Y 3. All structures, wells and lands on map?
- Y 4. Irrigation Questionnaires checked to determine if permit
- owner started irrigation by end of construction period?
- N 5. Is chemigation used?
- NA 6. If yes, does equipment comply with chemigation rules?

REMARKS: This well replaces well #2 listed on report of examination of works for Water
License No. 2695-3.

NOT TO SCALE

2695-3



Mark D. Hall
NATURAL RESOURCES ENGINEER II
WATER RIGHTS DIVISION

5333-3

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5333-3

(1) VanderWal Farms, Inc. of 511 E. 1st St., Volga, SD 57071 made Application No. 5333-3, June 5, 1989 for a water permit to appropriate no additional cubic feet of water per second from groundwater (one additional well), Brookings County, South Dakota for irrigation purposes. Permit No. 5333-3 with a priority date of April 14, 1976 was approved July 26, 1989 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before July 26, 1994 and for the application to beneficial use of said water on or before July 26, 1998.

The permit holder submitted a "Notice of Completion of Works and Application of Water to Beneficial Use", October 18, 1989. the "Notice" stated the diversion system was completed July 5, 1989.

Water Permit No. 5333-3 was obtained to add a diversion point to Water Right No. 2695-3. No. 5333-3 did not authorize additional acreage or an increase in diversion rate developed under No. 2695-3.


The applicable portions of Water Right No. 2695-3 are incorporated into this Water License No. 5333-3.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.61 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 580'N and 430'W of the SE corner and Well #2 - 1350'W and 100'N of the SE corner, both in Section 3, T109N, R51W (#1 - SE 1/4 SE 1/4 and #2 - SW 1/4 SE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T109N, R51W Section 3	NW 1/4 SE 1/4	35 Acres
	NE 1/4 SE 1/4	35 Acres
	SE 1/4 SE 1/4	17 Acres
	SW 1/4 SE 1/4	34 Acres
	Total-----	121 Acres

(4) Pursuant to Section 46-5-30.1 VanderWal Farms, Inc. of 511 E. 1st St., Volga, SD 57071 the holder(s) and/or owner(s) of Incorporated Water Permit No. 5333-3 is issued a license to appropriate water, the right to use 1.61 cubic feet of water per second from groundwater (two wells) with a priority date of April 14, 1976 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Permit No. 5333-3 and subject to South Dakota State Law.



AUG 5 1992

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

AUG 5 1992

5333-3

VanderWal Farms, Inc.
511 E. 1st Street
Volga, SD 57071

Dear Sirs:

Enclosed is Water License No. 5333-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413046 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5333-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Right No. 2695-3 are incorporated into this Water License No. 5333-3.



5333-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: VANDERWAL FARMS, INC, SCOTT VANDERWAL, 730 N SAMARA AVENUE, VOLGA,
SD 57071 2203

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5333-3. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5333-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5333-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5333-3

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

VANDERWAL FARMS, INC
SCOTT VANDERWAL
730 N SAMARA AVENUE
VOLGA SD 57071 2203

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

Scott Vanderwal 1-17-02

C. Signature

X *Scott Vanderwal* ☐ Agent ☐ AddresseeD. Is delivery address different from item 1? ☐ YesIf YES, enter delivery address below: ☐ No

3. Service Type

☐ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.
4. Restricted Delivery? (Extra Fee) ☐ Yes

7001 2510 0004 4797 3749



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2002

5333-3

Scott VanderWal
VanderWal Farms Inc
730 N Samara Ave
Volga SD 57071 2203

Dear Mr. VanderWal:

I am writing to acknowledge receipt of your 2001 irrigation questionnaire. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right No. 5333-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

November 6, 2018

5333-3

Scott Vanderwal
Vanderwal Farms Inc
408 Jackson Ave
Volga SD 57071-8501

Dear Mr. Vanderwal:

Enclosed is a "Notice" dated October 30, 2018 concerning the 2018 irrigation questionnaire.

The notice was originally mailed to 730 N Samara Ave, Volga SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures