

Considered: _____

WATER PERMIT NO. 5339-3

HAP No. same 796-4914

Name of Applicant Douglas Swenson

Post Office Address RR 3, Box 118, Woonsocket SD 57385

Amount of Water Claimed 0.22 cfs Total Acres 25

Source of Water Supply ground water 2 wells

Water to be used for irrigation County Sanborn

About 5 miles SW of Woonsocket.

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received June 30, 1989 Fee 150⁰⁰ Remarks _____

Corrected Application Received Aug 1, 1989 Period of Annual Use May 1-Sept 30

WATER QUALITY APPROVAL RECEIVED ☒ APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES ☒ NO _____ REMARKS _____

Diversion Point 2 wells: NE 1/4 SE 1/4 section 7-

T106N-R62W

Land to be Irrigated E 1/2 SE 1/4 section 7-

T106N-R62W



Well Log: Driller sandpoint(s) driven by owner Licensed YES _____ NO _____


Depth of Well 19 feet REMARKS _____

Type of Map aerial photo PREPARED BY Gordon Ferguson Reviewed and the Number assigned on August 1, 1989 By Ron D. Duvall

Mail to: Water Rights Div.
525 E. Capitol
Pierre, SD 57501
605 778-3352

(See instructions)

No. 5339-3 Hydrologic Unit 10160011
Basin James River
Newspaper Woonsocket News, Box 218 (Thurs)
57385



Application For Soil/Water Compatibility Permit and Permit To Appropriately Use Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion points ☐ Add diversion points
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

1. Name of Applicant Douglas Swenson Phone No. 605 796-4919
Post Office Address Woonsocket State SD Zip Code 57385
(Street, RR or Box) (City)

2. Amount of water claimed (c.f.s.) 0.22 Total acres irrigated 25

3. Source of Water supply Sanborns (2)

4. Location of point of diversion Center of Sanborns NW 1/4 of Sec 7 S 1/4 E 1/4 of T16N R6E
County Sanborn

5. Counties where water will be used Sanborn

6. Annual period during which water is to be used _____

7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
<u>NW 1/4 of Sec 7 T16N R6E</u>	<u>22</u>
<u>SE 1/4 of SE 1/4</u>	<u>3</u>

Land Description	No. Acres Irr.

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: _____ Gun: _____ Other: trickle
(Specify)

9. Crops to be Irrigated: _____

10. Give a description of proposed project. (Attach sheet if more space is needed)

Water right for irrigation of 25 acres of land in Sanborn County, SD.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of _____)

I, Douglas Swenson, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Douglas Swenson

Subscribed and sworn to before me this 28 day of June 19 89

Donald D. Duse
Notary Public

SOUTH DAKOTA

WATER PERMIT No. 5339-3 FOR IRRIGATION

Date of first receipt of application June 30, 1989.

Date Soil/Water Compatibility Permit received August 1, 1989.

Date of receipt of corrected application July 14, 1989
Date of return to applicant for corrections, amendments or changes July 6, 1989.

Date of receipt of corrected application July 14, 1989.

The Water Management Board approved Water Permit Application No. 5339-3 on September 28, 1989 for Douglas Swenson, RR 3, Box 118, Woonsocket SD 57385 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5339-3 appropriates 0.22 cubic feet of water per second from two wells approximately 19 feet deep to irrigate 25 acres. The 2 wells are to be located in the NE1/4 SE1/4 and the location of the acreage to be irrigated is in the E1/2 SE1/4; all in section 7-T106N-R62W.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 - September 30.
3. The date from which applicant may claim right is June 30, 1989.
4. One-fifth of the construction is to be completed on or before March 28, 1992.
5. All construction is to be completed on or before September 28, 1994.
6. Water is to be put to beneficial use on or before September 28, 1998.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. Approval of Permit No. 5339-3 issues a variance to Sections 74:02:04:28 and 74:02:04:31 of Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: [Signature]
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

NOV 20 1989

(date)

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter 2" sandpoint Depth 19'
- b) Casing Type Steel Diameter 2" Thickness 40 mil steel
- c) Screen Type Stainless Steel Diameter 2" Thickness _____
- d) Gravel Pack Thickness 0 Length of Gravel Pack 0
- e) Depth to Top of Water Bearing Material 6'
- f) Depth to Water (ground surface to water level) 6'
- g) Distance to nearest existing domestic well: 400'
- On applicants property 400' On property owned by others 2000'

2. Dugout Information Estimates

- a) Surface Dimensions 11' x 11' Depth 3'
- b) Depth to water (ground surface to water level) 4.5'

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
If Pipe, diameter _____

f) Secondary Spillway Capacity _____
Spillway width _____


g) X & Y Slope
Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Signature of Applicant _____

**SOUTH Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

July 6, 1989

Douglas Swenson
RR 3, Box 118
Woonsocket SD 57385

Dear Mr. Swenson:

This letter is in response to your water permit application received on June 30, 1989. The following information is needed to complete your application:

- 1) The application fee to irrigate 25 acres with a pumping rate greater than 0.1 cubic feet of water per second (45 gpm) is \$150.00. Enclosed is your check for \$50.00. Please remit the correct application fee.
- 2) The amount of water requested 0.2 cfs probably can not be obtained from a 2 inch sandpoint well. You may be able to obtain approximately 45 gpm maximum from a sandpoint well in a good aquifer.
- 3) A test hole log signed by a licensed well driller is also needed as part of your water permit application.
- 4) Approximately 3 acres of the 25 acres to be irrigated are not located within the NE1/4 SE1/4 as described on the application. The 3 acres are located within the SE1/4 SE1/4 as shown on the enclosed map. I will make the correction on your application unless you specify otherwise.

The water permit application can not be considered by the Water Management Board until the application is complete and the soil/water compatibility permit is approved by the Department of Agriculture. Please remit the correct application fee and a test hole log to complete the application.

If you have any questions, please contact me.

Sincerely,



Ron Duvall
Natural Resources Engineer
605 773-3352

enc.



Woonsocket S.D.
July 12, 1989



Ron Durall
Natural Resources Engineer

Dear Ron,

This letter is in response to your letter Douglas received dated July 6th on information needed to complete ~~his~~ application. I Charles his father is responding, for him.

Question 1. Find enclosed \$150.00 for correct application Fee for 0.1 Cubic feet of water per second.

Question 2. Find map enclosed with second sandpoint for ~~his~~ request of approx 100 gal per minute, with each sand point at approx. 45 gpm.

Question 3. A Test hole log on a 16' sandpoint by a Certified well driller is tough - Very Costly! When ~~we~~ know ~~it~~ is in Sand to its entire depth. The point was driven by hand - we stopped driving the instant the driving force increased dramatically which was when point entered blue clay at 16' depth. Water in sand point came to 6' of Surface. 100' to the east of sandpoint I have a dragline dug hole for livestock and this is also what I found - Sand 18 to 20' deep and blue clay 6' and deeper, hope this will suffice.

Question 4 - The 3 acres are in the SE 1/4 of SE 1/4
I stand corrected.
Thank you,

Sincerely Charles Swenson
Woonsocket, S.D.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, July 14, 1989

RECEIVED OF Charles Swenson, RR #3 Box 118, Woonsocket, SD 57385-9163

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5339-3</u> to Appropriate Water, to construct works and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for _____		
(Any Other Work Provided by Law)	Total	150 00

By John Hatch
Chief Engineer

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4392

WR#

OWNERS NAME: Douglas Swanson OWNERS ADDRESS: RR 3, Box 118
Woonsocket, SD 57385

COUNTY LAND LOCATED IN: Sanborn PHONE: 605-796-4914

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7-T106-R62

Depth _____

Legal Description	Acres	Legal Description	Acres
<u>NE$\frac{1}{4}$ SE$\frac{1}{4}$ Sec. 7-T106-R62</u>	<u>22</u>		
<u>SE$\frac{1}{4}$ SE$\frac{1}{4}$ Sec. 7-T106-R62</u>	<u>3</u>		



2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: _____ GUN: _____ (Specify) X Trickle

3. CROPS TO BE IRRIGATED: Melons and other vegetables

WATER QUALITY:

4. WATER SAMPLE NUMBER: 89-310 7. ADJUSTED (SAR): 0.47
5. SALINITY (EC X 10⁶): 900 8. PERCENT SODIUM 3.96
6. SODIUM (SAR): 0.19

Requirements:

The staff has determined that under good management no long term hazard should develop.

The maximum allowable limits of salt and sodium buildup in the profile at the root zone (upper 12 inches of the soil profile) at the beginning of the growing season apply. They become applicable upon the issuing of a soil-water compatibility permit by the division or the commission.

Director, Division of Conservation

Date 7/28/89

☒ APPROVED _____ REQUIREMENTS

DISAPPROVED

WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

NOT TO SCALE

106-62

34.4

109-R
F1

66.0

42.9

T1074

24.6

40.1

7

11.3

T1093

49.5

38.0

12.5
Rotation 1970
* 1989
12.5

8.1

106-62

10.6

3


2.5

David B. Jensen - Sanborn Co. P.S.C.S. CED

Appl No 5339-3



Injector Venturi



CONNECTION PORTS
FOR MAZZIE INJECTOR


PLAN View

3/4"

100% Stop/Check Valve

Garden Hose Connector
From Farm Well

3/4" PVC



⊕ FILTER - INJECTOR ASSY DETAIL

NO SCALE:

1 1/2" Lay Flat header
To Drip laterals.

Designed by
Plastic Plumbing Inc.
17005 Manchester Road
Grove, Mo. 63040
Phone. (314) 458-2226

⑧ Valves (open for Injector)
②④ Throttle Valve for Injector Venturi

Report on Application No. 5339-3
Douglas Swenson
August 2, 1989

Water Permit Application No. 5339-3 was submitted for Douglas Swenson of Woonsocket, South Dakota to appropriate 0.22 cubic feet of water per second (cfs) from 2 existing 2 inch diameter sand point wells approximately 19 feet deep to irrigate 25 acres of speciality crops. The 2 wells are located in the NE1/4 SE1/4 and the acreage to be irrigated in the E1/2 SE1/4; all in Section 7, T106N, R62W (Sanborn County).

Aquifer - Pleistocene Series-Unknown (PSU)

The 2 wells are sand points which have been hand driven by the well owner. According to the applicant, the wells were driven through sand from near the surface to the 16 foot depth. The static water level was about 6 feet, and the aquifer appears to be under watertable conditions (WRD Permit Files, 1989). The water is derived from a shallow glacial aquifer composed of sand and gravel outwash material. The sands and gravels may be hydraulically connected to the underlying Warren Aquifer (Steece, 1967). Because of the small diversion rate (0.22 cfs) and aquifer characteristics, water should be available for this application. The Water Rights Division does not have any observation wells in the area.

Existing Water Rights

There are no other water permits in the area of the applicant's well. Other area domestic wells may be located in the shallow aquifer. No interference is expected with any adequately constructed wells.


Conclusions

1. Permit Application No. 5339-3 requests 0.22 cfs from two existing 2 inch diameter 19 foot deep sand point wells to irrigate 25 acres.
2. The wells were driven into a shallow glacial outwash aquifer that may be connected to the underlying Warren Aquifer. Unappropriated water is available.
3. No other permits are located in the vicinity of the applicant's well and well interference will not be a problem.
4. Sandpoint wells may not be an adequate or reliable source of water.



Thomas M. Brandner
Natural Resources Engineer

Approved by:


James A. Goodman
Hydrologist

References

Steece, Fred V., 1967, Glacial Drift Aquifers in Sanborn County South Dakota, SDGS Water Information Circular 3, Vermillion, SD.

Water Rights Division, 1989, Permit Files, DWNR, Joe Foss Bldg., Pierre, SD.


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5339-3, Douglas Swenson

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5339-3, Douglas Swenson, RR 3, Box 118, Woonsocket SD.

The Chief Engineer is recommending APPROVAL of Application No. 5339-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. Approval of Permit No. 5339-3 issues a variance to Sections 74:02:04:28 and 74:02:04:31 of Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See the attached report for additional information.



JOHN HATCH, Chief Engineer
August 11, 1989



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
August 17, 1989

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

Douglas Swenson
RR #3, Box 118
Woonsocket, SD 57385

Dear Mr. Swenson:

Water Permit Application No. 5339-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Woonsocket News printed at Woonsocket SD. For your information, a copy of the notice is enclosed. Copies of the report and the Chief Engineer's recommendation are also enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
August 17, 1989

Woonsocket News
Box 218
Woonsocket, SD 57385

Dear Sir:

Enclosed is a Notice of Hearing on Application No. 5339-3 to be published twice. Please publish the first notice on or before August 24, 1989 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Douglas Swenson, RR #3, Box 118, Woonsocket, SD 57385.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Ron Duvall
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name _____

Newspaper _____



Instruction to Newspaper - Publish first Notice on or before August 24, 1989 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5339-3 to Appropriate Water

Notice is given that Douglas Swenson, RR #3, Box 118, Woonsocket, SD 57385 has filed an application for a water permit to appropriate 0.22 cubic feet of water per second from 2 wells approximately 19 feet deep to irrigate 25 acres. The 2 wells are to be located in the NE1/4 SE1/4 and the acreage to be irrigated in the E1/2 SE1/4; all in Section 7-T106N-R62W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5339-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in Room 216 of the Joe Foss Building at 523 E. Capitol, Pierre, SD on September 27, 1989 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by September 15, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by September 15, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County Sanborn) ss.I, Gerald W. Hoascertify that the attached printed Notice was taken
from the Woonsocket NewsA newspaper which during the whole time of publication of
said notice herein after stated, has been and is printed and
published in the _____City of WoonsocketCounty of Sanborn and State of South Dakota;
that the said notice was published in said newspaper on the
following two dates:August 24, 1989August 31, 1989Gerald W. Hoas


(Signature)

Publisher

(Title)

Aug. 31, 1989

(Date Signed)

Cost of Printing: \$36.27

NOTICE OF HEARING ON **Application No. 5339-3 to** **Appropriate Water**

Notice is given that Douglas Swenson, RR No. 3, Box 118, Woonsocket, SD 57385 has filed an application for a water permit to appropriate 0.22 cubic feet of water per second from 2 wells approximately 19 feet deep to irrigate 25 acres. The 2 wells are to be located in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ and acreage to be irrigated in the E $\frac{1}{2}$ SE $\frac{1}{4}$; all in Section 7-T106N-R62W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5339-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in Room 216 of the Joe Foss Building at 523 E. Capitol, Pierre, SD on September 27, 1989 at 10:00 am. The Chief Engineer's recommendation is not

final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by September 15, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre, SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by September 15, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; Board Rules ARSD 74:02:01:01 thru 74:02:01:15. W48-21



Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

NOV 20 1989

Douglas Swenson
RR 3, Box 118
Woonsocket SD 57385

Dear Mr. Swenson:

Enclosed is Water Permit No. 5339-3 as approved by the Water Management Board authorizing you to construct your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 6-9-92TO: Water Rights Division, DWNR
Joe Foss Building
Pierre SD 57501-3181FROM: Douglas Swenson RR1 Woonsocket
name address city

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5339-3.

Water Permit No. 5339-3 states that the diversion system is to be constructed by Sep 28 1994, and that the water it put to beneficial use by Sep 28 1994.

The diversion system was completed on May 1990.
Applying the water to beneficial use was completed on May 1990.

You may schedule an inspection so that the Water License may be issued.

Douglas Swenson
signature by Charles J Swenson


DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181



February 1, 1991

DOUGLAS SWENSON
RR 3 BOX 118
WOONSOCKET SD 57385

NOTICE

RE: Violation of Water Permit No(s) 5339-3

Our records indicate that the 1990 Irrigation Questionnaire has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s) 5339-3 until the 1990 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the February 27th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,



Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.
Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: DOUGLAS SWENSON RR 3 BOX 118 PO BOX 352 WOONSOCKET SD 57385	4. Article Number P 694 057 404 Type of Service: <table> <tr> <td>☐ Registered</td> <td>☐ Insured</td> </tr> <tr> <td>☒ Certified</td> <td>☐ COD</td> </tr> <tr> <td>☐ Express Mail</td> <td>☐ Return Receipt for Merchandise</td> </tr> </table> Always obtain signature of addressee or agent and DATE DELIVERED.	☐ Registered	☐ Insured	☒ Certified	☐ COD	☐ Express Mail	☐ Return Receipt for Merchandise
☐ Registered	☐ Insured						
☒ Certified	☐ COD						
☐ Express Mail	☐ Return Receipt for Merchandise						
5. Signature — Addressee X	8. Addressee's Address (ONLY if requested and fee paid) PO BOX 352 WOONSOCKET SD 57385						
6. Signature — Agent X <i>Douglas Swenson</i>							
7. Date of Delivery FEB 8 1991							



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 26, 1991

5339-3
5335-3

Douglas Swenson
Box 352
Woonsocket, SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 1990 irrigation questionnaires for Water Permit Nos. 5335-3 and 5339-3. You may disregard the February 1, 1991, Notice of failure to submit the 1990 irrigation questionnaire. With receipt of the questionnaires, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 772-2252.

Sincerely,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

DOUGLAS SWENSON
RR 3 BOX 118
WOONSOCKET SD 57385

NOTICE

RE: Violation of Water Permit No(s) 5339-3

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

DOUGLAS SWENSON
RR 3 BOX 118
WOONSOCKET, SD 57385

4a. Article Number

P906557748

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

1-31-92

5. Signature (Addressee)

Douglas Swenson

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

To Whom it may Conserve;



5339-3

I Am very Sorry for Not having
these Done on time for you people.

My Father Charles Svenson has Got
Ill this Fall With M.S. AND

I have Been very Short on Time
Trying to get every thing Done.

I appreciate your cooperation and
hope this is satisfactory, Thank you.

Douglas Svenson,



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

DOUGLAS SWENSON
BOX 352
WOONSOCKET SD 57385

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s) 5339-3

The first notice to file chemigation report(s) for Permit No(s) 5339-3 was dated October 18, 1991. Our records indicate that we have not received the 1991 chemigation report for Permits No(s) 5339-3. The Water Management Board has directed that owners of water permits who have not submitted the 1991 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearings will be held at 9:15 am, on March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre SD, and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

RON DUVALL, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 4, 1992 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 9, 1992

Douglas Swenson
RR 3 Box 118
Woonsocket, SD 57385

Dear Mr. Swenson:

This letter is in regard to an inspection of Water Permit No. 5339-3 conducted on June 9, 1992 by myself along with Charles Swenson. During that inspection, I found that your chemigation equipment installed did not comply completely with the chemigation regulations. Before we can continue with the licensing process of your water permit, this office requires that you submit the engineering design of your chemigation equipment setup and a request for a chemigation equipment variance. Once this office receives the design and request, it will be determined if a variance is to be granted. Once a variance is granted, the license process will continue.

If you have any questions, feel free to contact me.

Sincerely,

Norma C. Job
Natural Resources Engineer II
Division of Water Rights
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 27, 1992

DOUGLAS SWENSON
RR 3, BOX 118
WOONSOCKET SD 57385

Dear Mr. SWENSON:

I am writing to acknowledge receipt of your 1991 chemigation report for Water Right No (s). 5339-3. You may disregard the January 27, 1992 Notice of Failure to Report Chemical Use for 1991. With receipt of the chemigation report(s), your name has been deleted from the March 4, 1992 Water Management Board meeting agenda for failure to report chemigation, however your name still remains on the agenda for failure to return the irrigation questionnaire.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

DON FRYE, Natural Resources Analyst
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 2, 1992

5335-3

5339-3

Charles & Douglas Swenson
RR #2 Box 580
Woonsocket, SD 57385

Dear Sirs:

I am writing to acknowledge receipt of your 1991 irrigation questionnaires for Water Permit Nos. 5335-3 and 5339-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaires were received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division

Permit No. 5339-3
James River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Douglas Swenson of RR² Box 558, Woonsocket, SD 57385 holder of Permit No. 5339-3, bearing the priority of June 30, 1989 authorizing the diversion of 0.22 cu. ft. per second of the waters of groundwater for irrigation purposes, in Sanborn County.

I have to report on the conditions of the same as follows:

- A. Works used to divert the water:
A 2 inch Pacer Model No. SE2CLPE pump with a 5 hp Century motor Model No. Part 6-341247-40 capable of 28 gpm.
- B. Works used to transport water to place of use:
30,240 feet of 4 1/2 inch PVC piping
- C. Works used to apply water to beneficial use:
Uses drip tubing in 48 rows pumping 24 rows at a time.

The system is in the following condition good. The point of diversion is located 1320 feet S and 790 feet W of the East corner in Section 7-T106N-R62W. The works are capable of diverting and conveying to the place of use 0.06 cu. ft. per second of water of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

NE 1/4 SE 1/4 19 Acres SE 1/4 SE 1/4 4 Acres
comprising a total of 23 acres of land and the license should be issued for 0.06 cfs.

Applicable permit qualifications have been complied with: Yes No X

Exceptions to compliance are: needs a variance for the chemigation equipment used on the mello patch.

Date: 6/9/1992



Norma C. Job
Natural Resources Engineer II
DENR, Water Rights Division

REPORT ON INSPECTION OF PERMIT NO. 5339-3

DATE: 6-9-92

Other permit(s) associated with the project:

DIVERSION POINT LEGAL LOCATION: SE 1/4 SE 1/4 Section 7-T106N-R62W

WELL INFORMATION:

- 1) Well Drilling Firm: Chase
- 2) No. of Wells 1
- 3) Depth(s) 16 feet
- 4) Well log is available N
- 5) Comment: Sandpoint well, received a letter from the applicant stating that they dug the well themselves, variance was received on the well construction standards.

Casing:

- 1) Diameter 5 inches
- 2) Length 12 feet
- 3) Type pvc

Screen:

- 1) Type perforated
- 2) Length 4 feet
- 3) Static water level 6 feet

Pump:

- 1) Make Pacer
- 2) Model SE2CLPE
- 3) Size 2
- 4) Capacity 28 GPM

Motor:

- 1) Make Century
- 2) Model No. Part 6-341247-40
- 3) Horsepower rating 5 hp

DISTRIBUTION LINES OR CANALS:

- 1) Type PVC 2) Size 1 1/2 inches 3) Length 30,240 feet

SYSTEM TYPE:

Drip Tubing

48 rows of pipe 630 feet long each. Pumps on 24 rows at one time.

24 gal/hr/100 feet of pipe

CHEMIGATION EQUIPMENT:

- 1) Does chemigate N

11) Comments : The system is set up for an Injector Ventury, however the irrigator has only chemigated once, in 1990, and does not chemigate anymore. See system schematic for layout.

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Soil and water permit lands agree with lands being irrigated and lands listed on permit Y
2) Special qualifications to permit being abided by Y
3) All structures, wells and lands on map Y
4) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

Water Rights Division - DENR

Conversation or File Documentation

Name of Person: Charles Swenson File No. 5339-3

Address: RR3, Box 118, Woonsocket, SD 57385 County: Sandborn

Date: 1-7-94 Telephone: (605) 796-4914

RE: Chemigation variance for venturi siphon.

Comments:

I called Douglas Swenson but spoke with Charles Swenson, Douglas's father, in regard to a letter sent to Douglas Swenson dated February 9, 1993. The letter was in regard to an inspection of Water Right No. 5339-3 conducted on June 9, 1992 by Norma Job, along with Charles Swenson.

During that inspection it was found that the chemigation system was a Venturi Siphon which didn't comply with the chemigation regulations. The letter stated that a variance request and the design of the chemigation system needed to be sent to this office. To date we have not received the design or variance request.

Charles Swenson told me to send him a letter regarding what is needed and he would take care of it.



Lynn Beck
Natural Resources Engineer

NOT TO SCALE

106-62

34.4

109-R
F1

66.0

T1074

42.9

24.6

map prepared by
Norma C. Job
Natural Resources Eng. II
Division of Water Rights
2-9-1993

40.1

11.3

T1093

49.5

38.0

NE 1/4 SE 1/4
19 Acres

1320'

790'

10.6 SE 1/4 SE 1/4
3 4 Acres

8.1

106-62

2.5

5339-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 10, 1994

Charles Swenson
RR 3, Box 118
Woonsocket, SD 57385

Dear Mr. Swenson:

I am writing in regards to a letter dated February 9, 1992, which was sent to Douglas Swenson. This letter was in reference to an inspection of Water Permit No. 5339-3 conducted on June 9, 1992, by Water Rights staff and yourself. During that inspection, it was found that the chemigation equipment did not comply with chemigation regulations.

Before we can continue with the licensing process of Water Permit No. 5339-3, this office requires that you submit the design of your chemigation equipment setup, and a request for a chemigation equipment variance. If a variance is to be granted, the license process will continue.

If you have any question, please feel free to contact me.

Sincerely,

Lynn Beck
Natural Resources Engineer III
Water Rights Division
(605) 773-3352

Feb. 10, 1994



Sirs;

Find enclosed Check for license on water Permit No. 5335-3 in amount of \$50.00 as requested.

As also requested, if I injected Chemicals through the system? It has a Mazzie Injector, (a Venturi-Siphon) system. Max. cap. From 0 to 12 gal. Per Hour. I have only injected diazinon one year in 1990 for Cut worm infestation. That was the only time I used it.

I Broadcast dry fertilizer preplant, top spray for beetles with Malathion ~~at~~ at dark so I don't harm Honey bees.

^{this} Hope ^{this} answers your questions. Am sending a Detailed Assy of the system for Drip Irrigation. This system is taken down & set up each year.

Sincerely

Charles Swenson
RR 2 Box 580
Woonsocket, S.D. 57385

Note: My address
change
RR 2 & Box 580



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 1, 1994

5339-3

Douglas Swenson
RR 2, Box 580
Woonsocket, SD 57385

Dear Mr. Swenson:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 5339-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

414078

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ March 8 _____, 19 94

RECEIVED OF Swenson Melson, Charles Swenson, RR 2 Box 580, Woonsocket, SD 57385-0163
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5339-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By *John Hatch*
Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5339-3 FOR IRRIGATION

(1) Douglas Swenson of RR 2, Box 580, Woonsocket SD 57385 made Application No. 5339-3, June 30, 1989 for a water permit to appropriate 0.22 cubic feet of water per second from groundwater (two wells), Sanborn County, South Dakota for irrigation purposes. Permit No. 5339-3, with a priority date of June 30, 1989 was approved September 28, 1989 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before September 28, 1994 and for the application to beneficial use of said water on or before September 28, 1998.


The permit holder submitted a "Notice of Completion of Works and Application of Water to Beneficial Use" on June 9, 1992. The "Notice" stated the diversion system was completed in May, 1990 and the water placed to beneficial use in May, 1990.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.06 cubic feet of water per second for beneficial use. The location of the diversion point is 1320 feet S and 790 feet W of the East corner of Section 7-T106N-R62W (NE 1/4 SE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 7-T106N-R62W	NE 1/4 SE 1/4	19 acres
	SE 1/4 SE 1/4	4 acres
	Total	23 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Douglas Swenson of RR 2, Box 580, Woonsocket SD 57385 the holder and/or owner of Water Permit No. 5339-3 is issued a license to appropriate water, the right to use 0.06 cubic feet of water per second from groundwater (one well) with a priority date of June 30, 1989 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5339-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and Natural Resources

NOV 14 1994

date



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOV 14 1994

5339-3

Douglas Swenson
RR 2, Box 580
Woonsocket, SD 57385

Dear Mr. Swenson:

Enclosed is Water License No. 5339-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 414078 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License. A conditional variance from the chemigation rules is also enclosed.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5339-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

rd
enclosures



NOV 14 1994

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

**CONDITIONAL VARIANCE FROM CHEMIGATION RULES
CHAPTER 74:02:09**

Douglas and Charles Swenson
RR 2, Box 580
Woonsocket SD 57385

Permit No. 5339-3

Dear Mr. Swenson:

On February 15, 1994, a diagram of the chemical injection system used to apply chemicals to acreage irrigated under Water Permit No. 5339-3 was received by the Water Rights Division. This information was requested by Lynn Beck, staff engineer, via letter dated January 10, 1994, to determine whether a variance could be granted from the requirements of the chemigation rules Chapter 74:02:09.

A variance may only be granted if the chemigation equipment you are using provides protection to ground and surface water equivalent to the protection afforded by the chemigation rules. After review of your chemigation diagram, this letter will serve as a variance provided the following two conditions are met:

1. The nonsiphon check valve (No. 27 on diagram) is also a vacuum relief valve and no portion of the entire drip irrigation system is at a higher elevation than the check/vacuum relief valve.
2. The water flow and chemical injection must be interlocked so that if the flow of water stops, the flow of chemical also stops.

If these conditions can not be met, then no chemigation may occur until the conditions are met or the drip irrigation system is modified to comply with the chemigation rules (copy enclosed).

If you have any questions concerning this variance, please contact Ron Duvall, staff engineer, at 605 773-3352.

Very truly yours,

John Hatch, Chief Engineer
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1995

CHARLES & DOUGLAS SWENSON
RR 2 BOX 580
WOONSOCKET SD 57385

NOTICE

RE: Violation of Water Permit No(s) 5335-3 & 5339-3.

Our records indicate that the 1994 Irrigation Questionnaire has not been submitted for Permit No(s) 5335-3 & 5339-3. The request for the Questionnaire was dated November 3, 1994. The Water Management Board has directed that owners of water permits who have not submitted the 1994 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 5335-3 & 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 8, 1995 in the Crown Room, 3rd Floor, Kings Inn Best Western Convention Center, 200 S Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5335-3 & 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 3, 1995, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

CHARLES & DOUGLAS SWENSON
RR 2 BOX 580
WOONSOCKET, SD 57385

4a. Article Number

P757 566 325

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☐ Insured |
| ☒ Certified | ☐ COD |
| ☐ Express Mail | ☐ Return Receipt for Merchandise |

7. Date of Delivery

2-08-95

5. Signature (Addressee)

Connie A. Swenson

6. Signature (Agent)

Connie R. Swenson

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991 ★U.S. GPO: 1993-352-714

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1995

NOTICE

TO: DOUGLAS SWENSON
RR 2, BOX 580
WOONSOCKET, SD 57385

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Failure to Report Chemical Use under Water Permit No(s) 5339-3

The first notice to file chemigation report(s) for Permit No(s) 5339-3 was dated November 3, 1994. Our records indicate that we have not received the 1994 chemigation report for Permits No(s) 5339-3. The Water Management Board has directed that owners of water permits who have not submitted the 1994 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:30 A.M. on March 8, 1995, in the Crown Room, 3RD Floor, Kings Inn Best Western Convention Center, 220 South Pierre Street, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to March 3, 1995, contact the Water Rights Division, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to March 3, 1995, you will no longer be in violation and your name will be deleted from the Board agenda.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 27, 1995

5335-3

5339-3

Douglas & Charles Swenson
RR #2 Box 580
Woonsocket, SD 57385

Dear Sirs:

I am writing to acknowledge receipt of your 1994 irrigation questionnaires. The questionnaire for No. 5339-3 (Douglas Swenson) indicated chemicals were not applied through the system. Based on this information, a chemical reporting form was completed. **You may disregard the February 7, 1995, Notice of Violation of Water Permit Nos. 5335-3 & 5339-3 and the Notice of Failure to Report Chemical Use under Water Permit No. 5339-3.**

The questionnaires were received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 9, 1998

NOTICE

TO: DOUGLAS SWENSON, RR 2 BOX 580, WOONSOCKET, SD 57385 9163

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaire(s)

Our records indicate that the 1997 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

DOUGLAS SWENSON
RR 2 BOX 580
WOONSOCKET SD 57385 9163

4a. Article Number

119 141 507

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

1-16-97

5. Received By: (Print Name)

Darren Swenson

6. Signature: (Addressee or Agent)

X [Signature]

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

1105-95-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 21, 1998

5339-3

Douglas Swenson
RR 2 Box 580
Woonsocket, SD 57385-9163

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 1997 irrigation questionnaire. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 5339-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5339-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 22, 1999

NOTICE

TO: DOUGLAS SWENSON, RR 2 BOX 580, WOONSOCKET, SD 57385 9163

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaire(s)

Our records indicate that the 1998 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESSEE indicated on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

DOUGLAS SWENSON
RR 2 BOX 580
WOONSOCKET SD 57385 9163

4a. Article Number

2119141614

4b. Service Type

- | | |
|---|------------------------------------|
| ☐ Registered | ☐ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

1-23-99 RBW

5. Received By: (Print Name)

Douglas Swenson

6. Signature: (Addressee or Agent)

Douglas Swenson

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

102595-97-B-0179

Domestic Return Receipt

Thank you for using Return Receipt Service.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 24, 1999

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket, SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 1998 irrigation questionnaire. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Permit No. 5339-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

5339-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

www.state.sd.us/denr

January 17, 2003

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5-339-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7541 4210

Your item was delivered at 4:27 pm on January 28, 2003 in
WOONSOCKET, SD 57385. The item was signed for by K SWENSON.

[Shipment History >](#)[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7541 4210

DOUGLAS SWENSON
23358 396TH AVE
WOONSOCKET SD 57385

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS Form 153, February 2001



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 6, 2003

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2002 irrigation questionnaire. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right No. 5339-3.

I completed a questionnaire for you based on our February 6th telephone conversation. The questionnaire will indicate that you did not irrigate in 2002. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5339-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

[Home](#) | [Help](#)**Track & Confirm**

Track & Confirm

Search Results

Label/Receipt Number: **2303 2160 0000 0799 6347**
Status: **Delivered**

Your item was delivered at 2:50 PM on January 27, 2007 in
WOONSOCKET, SD 57385. The item was signed for by D SWENSON.

[Additional Details >](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

United States Postal Service [®] Signature Confirmation [™] Receipt	
SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 6347	DOUGLAS SWENSON 23358 396TH AVE WOONSOCKET SD 57385
	Waiver of Signature ☐ YES ☐ NO
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For inquiries: Access internet web site at www.usps.com [®] or call 1-800-222-1811
	☐ Priority Mail [™] Service ☐ First-Class Mail [®] parcel ☐ Package Services parcel
U.S. Form 3800, May 2002 (See Reverse)	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2007

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2006 irrigation questionnaire. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right No. 5339-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5339-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 3615
Status: **Delivered**

Your item was delivered at 12:02 PM on January 22, 2008 in
WOONSOCKET, SD 57385. The item was signed for by D SWENSON.

[Additional Details >](#) [Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA



United States Postal Service



United States Postal Service

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 3615	
DOUGLAS SWENSON 23358 396TH AVE WOONSOCKET SD 57385	
Waiver of Signature ☐ YES ☐ NO	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811
Postmark Here	☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2008

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2007 irrigation questionnaire. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right No. 5339-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5339.3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5639.0

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7491
Status: **Delivered**

Your item was delivered at 1:52 PM on January 24, 2009 in
WOONSOCKET, SD 57385. The item was signed for by P SWENSON.

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

U.S. Postal Service Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 7491

DOUGLAS SWENSON
23358 396TH AVE
WOONSOCKET SD 57385

Waiver of Signature ☐ YES ☐ NOPostmark
Here**POSTAL CUSTOMER:**

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

- ☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2009

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 5339-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq/asp>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.


[Home](#) | [Help](#) | [Sign In](#)
[Track & Confirm](#)
[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 9471

Service(s): **Signature Confirmation™**Status: **Delivered**

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Your item was delivered at 8:03 AM on February 16, 2010 in PIERRE, SD 57501 to CENTRAL MAIL SERVICE. The item was signed for by B PRYESS.

Detailed Results:

- Delivered, February 16, 2010, 8:03 am, PIERRE, SD 57501
- Unclaimed, February 08, 2010, 3:45 pm, WOONSOCKET, SD
- Notice Left, January 23, 2010, 2:41 pm, WOONSOCKET, SD 57385
- Out for Delivery or Available at PO Box, January 23, 2010, 8:41 am, WOONSOCKET, SD 57385
- Sorting Complete, January 23, 2010, 8:11 am, WOONSOCKET, SD 57385
- Arrival at Post Office, January 23, 2010, 7:06 am, WOONSOCKET, SD 57385

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)


*Received by first class
mail 2/17/10
Jm*

[Site Map](#)
[Customer Service](#)
[Forms](#)
[Gov't Services](#)
[Careers](#)
[Privacy Policy](#)
[Terms of Use](#)
[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 17, 2010

NOTICE

TO: Douglas Swenson, 23358 396th Ave, Woonsocket SD 57385

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Division 

SUBJECT: Unclaimed Mail Concerning Violation of Water Right No. 5339-3

The attached notice was to you "Signature Confirmation" requested on January 22, 2010. The post office has returned the mail to our office marked "unclaimed". The package indicated the post office notified you January 23rd and January 28th to pick up and sign for the notice. Since that time, they have returned the package to us.


The enclosed "Notice" contains time sensitive material, please read and respond as soon as possible.

If you have any questions, please contact Genny McMath, (605) 773-3352.

CERTIFICATION

I hereby certify that on February 17, 2010 I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 17, 2010 regarding unclaimed mail concerning violation of WR No. 5339-3 addressed as stated below:

Douglas Swenson, 23358 396th Ave., Woonsocket SD 57385




Gail Jacobson
Secretary
Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 17th day of February, 20 10.



Karen Schlaak
Notary Public
My Commission expires April 1, 2013





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

March 11, 2010

NOTICE OF ONE YEAR SUSPENSION OF WATER RIGHT

TO: Douglas Swenson, 23358 396th Ave, Woonsocket SD 57385
FROM: Garland Erbele Chief Engineer
Water Rights Program
SUBJECT: One Year Suspension of Water Right No. 5339-3

On March 10, 2010, the Water Management Board ordered:

Effective April 10, 2010, Water Right No. 5339-3 be suspended for the 2010 irrigation season for failure to submit the 2009 irrigation questionnaire.

If the 2009 irrigation questionnaire is received prior to April 10, 2010 the suspension will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2010 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2010 unless the irrigation questionnaire is submitted by April 10th.

After April 10th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2009 irrigation questionnaire and a letter to our office requesting time on the agenda for the Water Management Board meeting scheduled for May 5, 2010 in Pierre, SD. The letter should include your reasons for not completing the 2009 irrigation questionnaire. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

One Year Suspension:

Three Year Suspension:

Cancellation:


Amendment:

Gail Jacobson

[illegible]

Karen Achlaak

My Commission expires April 1, 20





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 22, 2010

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

On March 10th, the Water Management Board ordered Water Right No. 5339-3 to be suspended if the 2009 irrigation questionnaire was not received prior to April 10, 2010. We received your irrigation questionnaire on March 18, 2010.

Since the irrigation questionnaire is on file, no violation has occurred and no suspension will take place. You may irrigate during the 2010 irrigation season.

If you have any questions, please contact Genny McMath at (605) 773-3352.

Sincerely,

A handwritten signature in black ink, appearing to read "Ron Duvall". The signature is fluid and cursive, with the first name "Ron" and last name "Duvall" clearly distinguishable.

Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program



5339-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 9, 2011** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5339-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 0669

Service(s): Signature Confirmation™

Status: Delivered

Your item was delivered at 11:58 am on January 24, 2011 in WOONSOCKET, SD 57385. The item was signed for by D SWENSON.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 24, 2011, 11:58 am, WOONSOCKET, SD 57385
- Notice Left, January 22, 2011, 2:35 pm, WOONSOCKET, SD 57385
- Out for Delivery, January 22, 2011, 7:58 am, WOONSOCKET, SD 57385
- Sorting Complete, January 22, 2011, 7:48 am, WOONSOCKET, SD 57385
- Arrival at Post Office, January 22, 2011, 7:29 am, WOONSOCKET, SD 57385

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 0669

DOUGLAS SWENSON
23358 396TH AVE
WOONSOCKET SD 57385

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 27, 2011

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2010 irrigation questionnaire.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Right No. 5339-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5339-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2013

NOTICE

TO: DOUGLAS SWENSON, 23358 396TH AVE, WOONSOCKET, SD 57385

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2012 Irrigation Questionnaire(s)

Our records indicate that the 2012 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5339-3. The request for the Questionnaire was dated October 12, 2012. The Water Management Board has directed that owners of water permits who have not submitted the 2012 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5339-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **8:30 am, March 7, 2013** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5339-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2013**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2013

5339-3

Douglas Swenson
23358 396th Ave
Woonsocket SD 57385

Dear Mr. Swenson:

I am writing to acknowledge receipt of your 2012 irrigation questionnaire.

You may disregard the January 18, 2013, "Notice" concerning reporting requirements for Water Right No. 5339-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us