

MAP No. same 886-2577

Name of Applicant Milton G Carter,

Post Office Address RR 3, Box 138B, Watertown SD 57201

Amount of Water Claimed 0.88 cfs Total Acres 240

Source of Water Supply groundwater - 1 well

Water to be used for irrigation County Codington

About 3 miles N of Watertown.

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received Jan 6, 1990 Fee 275⁰⁰ Remarks Appl is to add
one well (new source) to supplement Permit No. 5285-3

Corrected Application Received _____ Period of Annual Use Apr 1 - Oct 31

WATER QUALITY APPROVAL RECEIVED _____ APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES NO REMARKS

Diversion Point well: N $\frac{1}{2}$ SE $\frac{1}{4}$ section 21-

T 118N-R52W

Land to be irrigated SE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$ section 21-

T18N-R52W




Well Log: Driller LTP Licensed YES NO

Depth of Well: 30 feet REMARKS _____

Type of Map aerial photo PREPARED BY W Stanley Lamb Reviewed and the Number
assigned on January 12, 1990 By Ron D. Wall

(See instructions)

No. 5379-3 Hydrologic Unit 10170202
Basin Big Sioux River
Newspaper Watertown Public Opinion, P.O. Box 10
57201-0010



Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☒ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____ No. 5285-3

1. Name of Applicant Milton G. Carter Phone No. 896-2577
Post Office Address RR3 Box 1373 Watertown State SD
(Street, RR or Box) (City) Zip Code

2. Amount of water claimed (c.f.s.) .82 cfs Total acres irrigated 240

3. Source of Water supply Groundwater

4. Location of point of diversion N 1/2 of SE 1/4 Sec 21 T118N R32W

County Codington

5. Counties where water will be used Codington

6. Annual period during which water is to be used April 1 - October 31

7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW 1/4 SE 1/4 Sec 21 - T118N R32W	40
SW 1/4 SE 1/4 " "	40
SE 1/4 SE 1/4 " "	40
NE 1/4 SE 1/4 " "	40

Land Description	No. Acres Irr.
SW 1/4 NE 1/4 Sec 21 - T118N R32W	40
SE 1/4 NE 1/4 " "	40

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: _____
(Specify)

9. Crops to be Irrigated: Potatoes, Corn, & Edible Beans

10. Give a description of proposed project. (Attach sheet if more space is needed)

Supplementary well for gravity system irrigating corn, potatoes, beans, & Potatoes

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Codington)^{ss}

I, Milton G. Carter, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Milton G. Carter

Subscribed and sworn to before me this 4th day of January 1990

Joanne Hecht
Notary Public

SOUTH DAKOTA
WATER PERMIT No. 5379-3 FOR IRRIGATION

Date of first receipt of application January 6, 1990.

Date Soil/Water Compatibility Permit received February 15, 1990.

The Water Management Board approved Water Permit Application No. 5379-3 on March 7, 1990 for Milton G. Carter, RR3, Box 138B, Watertown, SD 57201 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5379-3 appropriates water to supplement Water Permit No. 5285-3 from a second groundwater source. Permit No. 5285-3 appropriates 3.42 cubic feet of water per second (cfs) from 2 wells (Prairie Coteau Aquifer) approximately 180 feet deep to irrigate 240 acres. Permit No. 5379-3 appropriates 0.88 cfs from one well, 30 feet deep, in the Big Sioux: North Aquifer as a supplemental water supply to irrigate the same 240 acres. The supplemental well is to be located in the N1/2 SE1/4 and the irrigated acreage is located in the SE1/4, S1/2 NE1/4; all in Section 21-T118N-R52W within the former boundaries of the Sisseton-Wahpeton Indian Reservation.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The date from which applicant may claim right is January 6, 1990.
4. One-fifth of the construction is to be completed on or before September 7, 1992.
5. All construction is to be completed on or before March 7, 1995.
6. Water is to be put to beneficial use on or before March 7, 1999.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

- 1) The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
- 2) The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- 3) This permit is approved subject to the irrigation water use questionnaire being submitted each year.


(continued)

Water Permit No. 5379-3
Page 2

- 4) Approval of Permit No. 5379-3 grants a variance to Water Management Board Rule 74:02:04:28 with approximately 10 feet of grout required.
- 5) The combined diversion rate authorized by Permit No. 5285-3 and Permit No. 5379-3 may not exceed 1.0 cfs for each 70 acres irrigated.

WATER MANAGEMENT BOARD

By: _____


Chief Engineer, Water Rights Division
Department of Water and Natural Resources

JUN 18 1990

(date)

Supplemental Information

(type or print in ink)



1. Well Information - Proposed construction

- a Drill Hole Diameter 12" Depth 30'
- b Casing Type Plastic Diameter 6" Thickness Schedule 40
- c Screen Type Stainless Steel Diameter 12" Thickness
- d Gravel Pack Thickness 2 1/2" Length of Gravel Pack 10'
- e Depth to Top of Water Bearing Material 10'
- f Depth to Water (ground surface to water level) 10'
- g Distance to nearest existing domestic well:
- On applicants property On property owned by others 2700'

2. Dugout Information - Estimates

- a Surface Dimensions Depth
- b Depth to water (ground surface to water level)

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b Freeboard

c Crest Width

Crest Length

d Height

e Primary Outlet Capacity
If Pipe, diameter

f Secondary Spillway Capacity
Spillway width


g X & Y Slope
Upstream

Downstream

Surface Area of Impoundment

Storage acre feet

Drainage area above dam



Milton J. Carr
Signature of Applicant

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181


January 15, 1990

Randy Spevak
Casco Corp.
RR 3, Box 138B
Watertown SD 57201

Dear Mr. Spevak:

Enclosed is your check dated January 6, 1990 for \$600.00. The correct application fee for \$825.00 has been received and the receipts are enclosed.

Sincerely,



Ron Duvall
Natural Resources Engineer
605 773-3352

enc.



RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412030

Pierre, January 12, 19 90

RECEIVED OF Casco Corp., RR #3 Box 138B, Watertown, SD 57201

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____	275	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	275 00

By

Chief Engineer

John Hatch

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4446

WR#

OWNERS NAME: Carter, Milton G. OWNERS ADDRESS: RR3, Box 138B
Watertown, SD 57201

COUNTY LAND LOCATED IN: Codington PHONE: 886-2577

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION N1/2 of SE1/4 21-T118N-R52W

Depth _____

Legal Description	Acres	Legal Description	Acres
NW1/4 SE1/4 21-T118N-R52W	40	SW1/4 NE1/4 21-T118N-R52W	40
SW1/4 SE1/4 21-T118N-R52W	40	SE1/4 NE1/4 21-T118N-R52W	40
SE1/4 SE1/4 21-T118N-R52W	40		
NE1/4 SE1/4 21-T118N-R52W	40		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XX GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: Potatoes, Corn Edible Beans

WATER QUALITY:

4. WATER SAMPLE NUMBER: 90-0011 7. ADJUSTED (SAR): 0.33
5. SALINITY (EC X 10⁶): 360 8. PERCENT SODIUM: 6.81
6. SODIUM (SAR): 0.24

Requirements:

The area mapped La (LaDelle) shall be maintained in permanent vegetation; due to its erosion hazards and high water table. A grassed waterway shall be established.



☒ APPROVED ☒ REQUIREMENTS
☐ DISAPPROVED
☐ WAIVER

[Signature]
Director, Division of Conservation

February 13, 1990
Date

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

NOT TO SCALE

78.7
T613

50.0
T616

T921
67.3

G9



149.7
T877

50.2

21

26.8
T665

12

16.5

79.9
T1966

⊗ Divergent Point

W. Stanley Lamb, CED
12-11-89

118-52R

Appl. No. 5379-3





Box 2131
FARGO, N. DAK. 58107
Phone (701) 232-8928



WELL DRILLING
PUMP SALES & SERVICE

Work done by Fargo office Job No. SD4180IA Commitment date A. S. A. P. Call taken by R. J. P.
Owner CASCO Corporation Telephone 605-886-2577 Date _____
City Watertown County _____ State SD
Well No. 8" Well Location Sec. 21 T118 R52
Well diameter 8 Well depth 31' Year Constructed 1990 Did we drill yes
Screen Diameter 8" P.S. Screen Length 10' Screen Material S.S. Screen Slot 150 Leader none
Static Level 12.4' Pumping Level 18.58 G. P. M. Tested 350 With what? Test Pump
Specific yield, 56.63 G. P. M. per feet of D.D. after 11 hours of pumping _____
Type of well - Filter wall X Naturally developed _____ Filter Sand Size Pea Rock
Additional information pertaining to well _____
Driller Dave Wiederholt Date completed 4-17-90

PUMP AND SYSTEM DATA

Type of Pump - Turbine _____ Submersible X Make Berkeley Model 7720-350 Pump Serial No. _____
Size Motor 20Hp Voltage 460 V Phase 30 Motor Serial No. F89 120058
Type of Column? Turbine _____ Submersible X Length of Column 21' Size of Column 5" Material Black Steel
Size of Line-Shaft _____ Material of Shaft _____ Replacement No. of line shaft bearings _____
What type of System? Pressure X Elevated Tank _____ House _____ Pitless Unit _____
Size Pitless Unit _____ Bury depth of Pitless Unit _____ Total pump setting from intake 24'
Air line length _____ Size _____ Material _____
Amperage under operating conditions - Line 1 _____ Line 2 _____ Line 3 _____
Additional information pertaining to pump and system _____
Date installed 5-4-90 By Company L.T.P. Enterprises, Inc. Operator Al Pulkrabek

Owner CSS
 Well No. 8"
 Location 2 1/2 W of Ravville, SD
 Date started 4-17-90
 Static 14.4' @ 2.0' ABOVE GL

PUMPING TEST




Box 2131 • FARGO, ND 58107 • Phone (701) 232-8928

Time	Time in Minutes	Pumping Level	Drawdown	GPM	Time	Time in Minutes	Pumping Level	Drawdown	GPM
11:15	0	14.4'	0	350					
11:16	1	19.62	5.22		10:15 PM				
11:17	2	19.63	5.23		10:16	1	16.55'	2.15'	0
11:18	3	19.65	5.25		10:17	2	16.56'	2.10'	
11:19	4	19.65	5.25		10:18	3	16.45'	2.08'	
11:20	5	19.67	5.27		10:19	4	16.46'	2.06'	
11:21	6	19.67	5.27		10:20	5	16.44'	2.04'	
11:22	7	19.69	5.28		10:21	6	16.42'	2.02'	
11:23	8	19.70	5.30		10:22	7	16.39'	1.99'	
11:24	9	19.69	5.29		10:23	8	16.37'	1.97'	
11:25	10	19.72	5.32		10:24	9	16.36'	1.96'	
11:27	12	19.74	5.34		10:25	10	16.34'	1.94'	
11:29	14	19.75	5.35		10:30	15	16.25'	1.88'	
11:31	16	19.78	5.38		10:36	20	16.28'	1.88'	
11:33	18	19.79	5.39		10:40	25	16.23'	1.83'	
11:35	20	19.81	5.41		10:45	30	16.20'	1.80'	
11:40	25	19.84	5.44						
11:45	30	19.84	5.44						
11:55	40	19.85	5.45						
12:05 PM	50	19.90	5.50						
12:15	60	19.94	5.54						
12:45	90	20.12	5.72						
1:15	120	20.16	5.76						
2:15	180	20.45	5.95						
3:15	240	20.40	6.00						
4:15	300	20.50	6.10						
5:45	360	20.55	6.15						
6:15	420	20.57	6.17						
7:15	480	20.57	6.17						
8:15	540	20.58	6.18						
9:15	600	20.58	6.18						
10:45	660	20.58	6.18						
11:15	720								

5285

SOUTH DAKOTA WATER WELL COMPLETION REPORT

10-85

Location S 1/4 E 1/4 Sec 21 Twp 118 Rg 52County
CodingtonPlease mark well
location with
an "X"Well Completion Date 8-10-89

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Direct Rotary

CASING DATA:

☐ Steel ☐ Plastic ☒ Other
If other describe Fiberglass

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	<u>12</u> IN	<u>2</u> FT	<u>151</u> FT	<u>18</u> IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUT:

Was the well grouted? ☒ YES ☐ NOTo what depth? 50 FEETWhat is grouting material? Portland CementIf cement, number of sacks? 52Describe grouting procedure Tremie pipeWhat was grout weight? 1512 LB/GALSCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 12 IN Length 22 FEETMaterial Thru-Hole StainlessSlot Size 110 Set From 151 Feet To 173 Feet

Slot Size Set From Feet To Feet

Slot Size Set From Feet To Feet

Other information Packed w/ Blot Rock
15Was a packer or seal used? ☐ YES ☐ NO

If so, what material?

Describe packer(s) and location?

Was well disinfected upon completion? ☒ YES ☐ NOExplain 1" Tric. TabBacteriological analysis ☒ YES ☐ NOLaboratory sent to Bookings by owner

Well Owner:

Name Carter + Spaulk CoAddress Watertown, S.D.

Well Log:

Depth

Formation

From

To

Topsoil	0	2'
Yellow sand	2'	14'
gray coarse sand	14'	35'
Blue clay	35'	57'
yellow clay	57'	78'
yellow clay Rock	78'	100'
yellow clay	100'	109'
Blue clay	109'	150'
gravel coarse	150'	153'
Blue clay	153'	154'
gravel & clay coarse with many boulders	154'	176'
Bottom 3 was very tight.		
Blue clay	176'	180'

STATIC WATER LEVEL 9 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other, specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped☐ BailedDescribe: Turbine☐ Other

Pumping Level Below Land Surface

120 ft. After 24 Hrs. pumped 1000 GPM150 ft. After 72 Hrs. pumped 800 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS: The house well 154 miles to the east drew down an additional 60'. Casco had her pump lowered and she had no more problems. Jim Goodman had figured that this formation might not be too good and it was right.

This well was drilled under license # 337

And this report is true and accurate.

Drilling firm Raiser Well Drilling


Signature of License Representative:

Samuel Lee Raiser

Signature of Well Owner:

2-4-90

Date



REPORT ON APPLICATION NO. 5379-3
for Milton G. Carter
January 16, 1990

This application proposes to appropriate 0.88 cfs from one well approximately 30 feet deep to serve as a supplemental water source for irrigation of 240 acres. This well is to be located in the N 1/2 SE 1/4 and the irrigated acreage is located in the SE 1/4 S 1/2 NE 1/4; all in section 21, T118N R52W in Codington County and within the former boundaries of the Sisseton Wahpeton Indian Reservation. These same lands are also covered by Water Permit No. 5285-3 which authorizes a diversion of 3.42 cfs from 2 wells approximately 180 feet deep completed into the Prairie Coteau aquifer. The combined diversion rate authorized by Permit No. 5285-3 and this application may not exceed 1 cfs for each 70 acres irrigated.

AQUIFER - BIG SIOUX:NORTH (BS:N)

The Big Sioux:North is a Pliocene outwash (sand and gravel) and alluvium which is under water table conditions in this area. The BS:N aquifer underlies 67,300 acres and contains an estimated recoverable 151,430 acre feet of water in Codington County (Hedges, 1982). Recharge can be rapid to the aquifer when precipitation events occur. Estimates of recharge rates range from 2.7 to 6.9 inches per year or 15,100 to 38,700 acre feet per year (Hedges, 1983). The aquifer is also hydraulically connected to the Big Sioux River. Information submitted with this application indicates aquifer from 3 feet to 31 feet below land surface with a static water level of 10 feet below land surface. This is a saturated thickness of 21 feet and it is reasonable to expect a potential diversion of 0.88 cfs from aquifer.

The Division of Water Rights monitors three observation wells (CD-60B, CD-76B and CD-77F) within 3 miles of this proposed diversion. Hydrographs of these wells are included with this report. Water level records indicate seasonal fluctuations of 1-3 feet of decline from spring to fall and also demonstrate the effects of unusually wet and dry years. The climatic conditions very obviously control the water levels in these wells and the effects of pumping high capacity wells in the area are not shown (Water Rights, 1990).


REVIEW OF EXISTING WATER RIGHTS/PERMITS

There are three existing rights/permits within two miles of this diversion which obtain water from the BS:N aquifer. These are Permit Nos. 483-3, 2120-3 and 4822-3 and are all for irrigation. The Big Sioux River is between this application and 483-3 and 4822-3. The nearest existing diversion is 2120-3 which is

approximately one mile to the North. Interference is unlikely because drawdowns caused by pumping do not extend very far from the production wells in aquifers like the BS:N which has a high permeability and is under water table conditions.

CONCLUSIONS

1. Water is available from the BS:N aquifer.
2. Interference is not expected to be a problem. Any drawdowns created by pumping should not adversely affect existing groundwater users.
3. Water level records for this area indicate that climatic conditions are the major reasons for fluctuating water levels.
4. The proposed well must be constructed in accordance with SD well construction standards.
5. There is a growing body of evidence which suggests that agricultural land use practices over a shallow aquifer such as the BS:N aquifer will affect the water quality of that aquifer.
6. The combined diversion rate authorized by this application and Permit No. 5285-3 may not exceed the statutory 1 cfs for each 70 acres irrigated.
7. The irrigation questionnaire qualification is mandatory.


James A Goodman
Natural Resources Engineer IV

BIBLIOGRAPHY

Hedges, 1982, EVALUATION OF GROUND WATER RESOURCES EASTERN SD AND UPPER BIG SIOUX RIVER, SD AND IOWA, for US Army Corps of Engineers, SD DWR, SDGS, Vermillion, SD, 57069.

Hedges, 1983, SAME, TASK 7, GROUND WATER RECHARGE, for US Army Corps of Engineers, SD DWR, Vermillion, SD, 57069.

Water Rights, 1990, UNPUBLISHED RECORDS OF OBSERVATION WELLS FOR CODINGTON COUNTY, BS:N AQUIFER, SD DWR, Div. of Water Rights, Joe Foss Bldg., Pierre, SD, 57501.

NAME	DATE	W/L
CD-60B	06/13/60	-4.0
CD-60B	10/26/60	-7.0
CD-60B	03/03/61	-6.4
CD-60B	07/08/61	-6.2
CD-60B	11/02/61	-6.9
CD-60B	04/12/62	-4.5
CD-60B	07/09/62	-2.7
CD-60B	10/29/62	-5.8
CD-60B	02/21/63	-7.3
CD-60B	07/16/63	-8.0
CD-60B	12/04/63	-6.0
CD-60B	03/24/64	-6.6
CD-60B	07/08/64	-7.0
CD-60B	01/15/65	-7.7
CD-60B	04/12/65	-8.0
CD-60B	08/05/65	-6.8
CD-60B	11/03/65	-5.5
CD-60B	03/30/66	-5.9
CD-60B	07/28/66	-7.3
CD-60B	11/16/66	-6.5
CD-60B	07/13/67	-11.0
CD-60B	03/06/68	-9.0
CD-60B	07/03/68	-5.4
CD-60B	10/30/68	-6.2
CD-60B	04/22/69	-5.0
CD-60B	08/14/69	-6.3
CD-60B	10/29/69	-6.2
CD-60B	04/02/70	-6.4
CD-60B	07/04/70	-7.1
CD-60B	11/25/70	-7.0
CD-60B	03/25/71	-7.3
CD-60B	07/07/71	-6.2
CD-60B	11/02/71	-5.2
CD-60B	04/05/72	-5.5
CD-60B	07/18/72	-6.3
CD-60B	11/21/72	-6.3
CD-60B	05/02/73	-5.5
CD-60B	07/10/73	-8.6
CD-60B	11/27/73	-7.5
CD-60B	04/15/74	-6.2
CD-60B	07/08/74	-8.4
CD-60B	10/31/74	-8.6
CD-60B	05/13/75	-6.3
CD-60B	07/08/75	-7.8
CD-60B	11/14/75	-8.2
CD-60B	05/03/76	-6.5
CD-60B	06/23/76	-8.8
CD-60B	07/02/76	-8.8
CD-60B	07/08/76	-9.0
CD-60B	07/14/76	-9.4
CD-60B	07/22/76	-9.5
CD-60B	07/28/76	-9.8

NAME	DATE	W/L
CD-60B	08/03/76	-9.8
CD-60B	08/11/76	-9.9
CD-60B	08/17/76	-10.0
CD-60B	08/26/76	-10.2
CD-60B	09/08/76	-10.4
CD-60B	09/22/76	-10.6
CD-60B	12/01/76	-10.6
CD-60B	02/08/77	-10.9
CD-60B	04/20/77	-5.9
CD-60B	06/21/77	-5.9
CD-60B	07/06/77	-7.1
CD-60B	07/21/77	-7.3
CD-60B	08/03/77	-8.4
CD-60B	08/17/77	-8.9
CD-60B	09/08/77	-8.2
CD-60B	09/20/77	-8.4
CD-60B	10/19/77	-6.5
CD-60B	12/02/77	-5.3
CD-60B	03/21/78	-7.3
CD-60B	05/02/78	-5.3
CD-60B	05/23/78	-5.7
CD-60B	06/20/78	-6.2
CD-60B	07/08/78	-5.5
CD-60B	08/16/78	-7.3
CD-60B	09/12/78	-5.3
CD-60B	09/28/78	-5.9
CD-60B	10/16/78	-6.1
CD-60B	11/29/78	-6.3
CD-60B	01/23/79	-8.1
CD-60B	03/23/79	-5.7
CD-60B	05/02/79	-5.4
CD-60B	06/01/79	-5.4
CD-60B	06/13/79	-6.1
CD-60B	07/02/79	-6.3
CD-60B	07/17/79	-6.8
CD-60B	07/31/79	-6.4
CD-60B	08/14/79	-6.1
CD-60B	09/05/79	-6.7
CD-60B	09/26/79	-7.4
CD-60B	10/25/79	-6.8
CD-60B	01/17/80	-7.2
CD-60B	03/05/80	-7.4
CD-60B	05/30/80	-6.4
CD-60B	06/09/80	-5.0
CD-60B	06/23/80	-6.6
CD-60B	07/11/80	-6.6
CD-60B	07/25/80	-7.0
CD-60B	08/07/80	-7.4
CD-60B	08/19/80	-6.1
CD-60B	09/10/80	-7.6
CD-60B	10/30/80	-7.3
CD-60B	12/09/80	-7.7

NAME	DATE	W/L
CD-60B	03/09/81	-7.7
CD-60B	04/16/81	-5.7
CD-60B	05/27/81	-6.9
CD-60B	06/08/81	-7.4
CD-60B	06/23/81	-7.3
CD-60B	07/08/81	-8.3
CD-60B	07/21/81	-8.0
CD-60B	08/05/81	-7.5
CD-60B	09/01/81	-8.4
CD-60B	10/19/81	-8.3
CD-60B	04/01/82	-6.0
CD-60B	06/09/82	-5.8
CD-60B	07/09/82	-7.9
CD-60B	08/04/82	-8.2
CD-60B	09/02/82	-9.5
CD-60B	10/26/82	-7.1
CD-60B	02/28/83	-8.6
CD-60B	04/08/83	-6.3
CD-60B	06/08/83	-7.1
CD-60B	07/07/83	-7.4
CD-60B	08/02/83	-8.9
CD-60B	09/08/83	-9.4
CD-60B	10/12/83	-8.6
CD-60B	11/09/83	-7.5
CD-60B	04/11/84	-5.7
CD-60B	05/03/84	-5.6
CD-60B	06/27/84	-5.5
CD-60B	07/25/84	-6.4
CD-60B	08/01/84	-6.9
CD-60B	08/22/84	-6.7
CD-60B	09/26/84	-7.0
CD-60B	04/11/85	-5.7
CD-60B	05/14/85	-6.0
CD-60B	06/11/85	-6.0
CD-60B	07/09/85	-7.7
CD-60B	08/07/85	-6.8
CD-60B	09/11/85	-4.8
CD-60B	10/23/85	-5.6
CD-60B	03/26/86	-4.5
CD-60B	04/09/86	-4.9
CD-60B	05/07/86	-5.6
CD-60B	05/21/86	-5.7
CD-60B	06/03/86	-5.9
CD-60B	06/19/86	-5.7
CD-60B	07/16/86	-6.0
CD-60B	08/06/86	-5.8
CD-60B	08/11/86	-6.0
CD-60B	09/05/86	-5.9
CD-60B	10/29/86	-5.9
CD-60B	04/09/87	-5.3
CD-60B	05/25/87	-6.7
CD-60B	06/24/87	-8.2

NAME	DATE	W/L
CD-60B	07/23/87	-6.9
CD-60B	08/20/87	-6.0
CD-60B	11/19/87	-5.7
CD-60B	04/12/88	-6.7
CD-60B	05/19/88	-6.8
CD-60B	06/16/88	-7.9
CD-60B	07/15/88	-9.1
CD-60B	09/23/88	-9.1
CD-60B	02/16/89	-9.6
CD-60B	04/12/89	-6.8
CD-60B	05/17/89	-6.5
CD-60B	05/31/89	-7.0
CD-60B	06/27/89	-7.4
CD-60B	07/27/89	-9.0
CD-60B	08/23/89	-8.9
CD-60B	10/05/89	-8.9
CD-60B	11/16/89	-8.2

NAME	DATE	W/L
------	------	-----

NAME	LOCATION	DATE	W/L
CD-76B	118N-52W-30CCDD	11/30/76	-10.9
CD-76B	118N-52W-30CCDD	02/08/77	-11.1
CD-76B	118N-52W-30CCDD	04/20/77	-9.9
CD-76B	118N-52W-30CCDD	06/21/77	-9.9
CD-76B	118N-52W-30CCDD	07/06/77	-10.5
CD-76B	118N-52W-30CCDD	07/21/77	-11.4
CD-76B	118N-52W-30CCDD	08/03/77	-10.9
CD-76B	118N-52W-30CCDD	08/17/77	-11.0
CD-76B	118N-52W-30CCDD	09/08/77	-10.9
CD-76B	118N-52W-30CCDD	09/20/77	-11.0
CD-76B	118N-52W-30CCDD	10/19/77	-10.6
CD-76B	118N-52W-30CCDD	05/03/78	-9.1
CD-76B	118N-52W-30CCDD	05/23/78	-9.4
CD-76B	118N-52W-30CCDD	06/08/78	-9.6
CD-76B	118N-52W-30CCDD	07/08/78	-9.7
CD-76B	118N-52W-30CCDD	07/19/78	-10.0
CD-76B	118N-52W-30CCDD	08/15/78	-10.4
CD-76B	118N-52W-30CCDD	09/12/78	-9.5
CD-76B	118N-52W-30CCDD	09/28/78	-9.8
CD-76B	118N-52W-30CCDD	10/17/78	-10.0
CD-76B	118N-52W-30CCDD	11/29/78	-10.2
CD-76B	118N-52W-30CCDD	05/02/79	-9.2
CD-76B	118N-52W-30CCDD	06/01/79	-9.4
CD-76B	118N-52W-30CCDD	06/13/79	-9.8
CD-76B	118N-52W-30CCDD	07/02/79	-10.0
CD-76B	118N-52W-30CCDD	07/17/79	-10.3
CD-76B	118N-52W-30CCDD	07/31/79	-10.3
CD-76B	118N-52W-30CCDD	08/14/79	-10.2
CD-76B	118N-52W-30CCDD	09/05/79	-10.4
CD-76B	118N-52W-30CCDD	09/27/79	-10.6
CD-76B	118N-52W-30CCDD	10/25/79	-10.4
CD-76B	118N-52W-30CCDD	03/05/80	-10.9
CD-76B	118N-52W-30CCDD	04/17/80	-10.6
CD-76B	118N-52W-30CCDD	05/30/80	-10.6
CD-76B	118N-52W-30CCDD	06/09/80	-9.9
CD-76B	118N-52W-30CCDD	06/23/80	-10.5
CD-76B	118N-52W-30CCDD	07/11/80	-10.4
CD-76B	118N-52W-30CCDD	07/25/80	-10.4
CD-76B	118N-52W-30CCDD	08/07/80	-10.4
CD-76B	118N-52W-30CCDD	08/19/80	-10.0
CD-76B	118N-52W-30CCDD	09/10/80	-10.4
CD-76B	118N-52W-30CCDD	10/30/80	-10.3
CD-76B	118N-52W-30CCDD	12/09/80	-10.5
CD-76B	118N-52W-30CCDD	03/09/81	-10.4
CD-76B	118N-52W-30CCDD	04/16/81	-9.9
CD-76B	118N-52W-30CCDD	05/27/81	-10.2
CD-76B	118N-52W-30CCDD	06/04/81	-10.2
CD-76B	118N-52W-30CCDD	06/23/81	-10.2
CD-76B	118N-52W-30CCDD	07/08/81	-10.4
CD-76B	118N-52W-30CCDD	07/22/81	-10.0
CD-76B	118N-52W-30CCDD	08/05/81	-10.0
CD-76B	118N-52W-30CCDD	09/01/81	-10.0
CD-76B	118N-52W-30CCDD	10/19/81	-9.9
CD-76B	118N-52W-30CCDD	04/01/82	-9.8

NAME	LOCATION	DATE	W/L
CD-76B	118N-52W-30CCDD	05/06/82	-9.9
CD-76B	118N-52W-30CCDD	05/26/82	-9.9
CD-76B	118N-52W-30CCDD	06/09/82	-9.8
CD-76B	118N-52W-30CCDD	06/23/82	-10.0
CD-76B	118N-52W-30CCDD	07/09/82	-10.0
CD-76B	118N-52W-30CCDD	07/21/82	-10.3
CD-76B	118N-52W-30CCDD	08/04/82	-10.6
CD-76B	118N-52W-30CCDD	08/18/82	-10.7
CD-76B	118N-52W-30CCDD	09/02/82	-10.7
CD-76B	118N-52W-30CCDD	09/29/82	-10.4
CD-76B	118N-52W-30CCDD	10/26/82	-10.4
CD-76B	118N-52W-30CCDD	02/28/83	-10.7
CD-76B	118N-52W-30CCDD	04/08/83	-10.2
CD-76B	118N-52W-30CCDD	05/25/83	-10.6
CD-76B	118N-52W-30CCDD	06/08/83	-10.6
CD-76B	118N-52W-30CCDD	06/21/83	-10.9
CD-76B	118N-52W-30CCDD	07/07/83	-10.6
CD-76B	118N-52W-30CCDD	07/20/83	-10.8
CD-76B	118N-52W-30CCDD	08/02/83	-11.0
CD-76B	118N-52W-30CCDD	08/19/83	-11.0
CD-76B	118N-52W-30CCDD	09/08/83	-11.2
CD-76B	118N-52W-30CCDD	10/03/83	-11.1
CD-76B	118N-52W-30CCDD	04/11/84	-10.1
CD-76B	118N-52W-30CCDD	05/03/84	-10.0
CD-76B	118N-52W-30CCDD	06/27/84	-11.6
CD-76B	118N-52W-30CCDD	07/11/84	-11.9
CD-76B	118N-52W-30CCDD	07/25/84	-12.2
CD-76B	118N-52W-30CCDD	08/08/84	-10.3
CD-76B	118N-52W-30CCDD	08/22/84	-10.5
CD-76B	118N-52W-30CCDD	09/26/84	-10.6
CD-76B	118N-52W-30CCDD	04/11/85	-8.6
CD-76B	118N-52W-30CCDD	05/14/85	-12.3
CD-76B	118N-52W-30CCDD	05/28/85	-10.5
CD-76B	118N-52W-30CCDD	06/11/85	-10.5
CD-76B	118N-52W-30CCDD	06/25/85	-10.8
CD-76B	118N-52W-30CCDD	07/09/85	-10.9
CD-76B	118N-52W-30CCDD	07/23/85	-10.1
CD-76B	118N-52W-30CCDD	08/07/85	-10.6
CD-76B	118N-52W-30CCDD	08/18/85	-10.6
CD-76B	118N-52W-30CCDD	09/11/85	-9.5
CD-76B	118N-52W-30CCDD	10/23/85	-10.2
CD-76B	118N-52W-30CCDD	04/09/86	-8.7
CD-76B	118N-52W-30CCDD	04/23/86	-8.4
CD-76B	118N-52W-30CCDD	05/07/86	-8.9
CD-76B	118N-52W-30CCDD	05/21/86	-8.1
CD-76B	118N-52W-30CCDD	06/03/86	-9.0
CD-76B	118N-52W-30CCDD	06/19/86	-8.8
CD-76B	118N-52W-30CCDD	07/01/86	-9.4
CD-76B	118N-52W-30CCDD	08/06/86	-9.7
CD-76B	118N-52W-30CCDD	08/13/86	-9.9
CD-76B	118N-52W-30CCDD	09/05/86	-10.1
CD-76B	118N-52W-30CCDD	10/29/86	-10.3
CD-76B	118N-52W-30CCDD	04/09/87	-10.3
CD-76B	118N-52W-30CCDD	05/13/87	-10.7

NAME	LOCATION	DATE	W/L
CD-76B	118N-52W-30CCDD	05/25/87	-10.7
CD-76B	118N-52W-30CCDD	06/10/87	-11.0
CD-76B	118N-52W-30CCDD	07/09/87	-11.0
CD-76B	118N-52W-30CCDD	07/23/87	-11.0
CD-76B	118N-52W-30CCDD	08/06/87	-11.2
CD-76B	118N-52W-30CCDD	08/20/87	-10.7
CD-76B	118N-52W-30CCDD	09/17/87	-11.0
CD-76B	118N-52W-30CCDD	11/19/87	-11.0
CD-76B	118N-52W-30CCDD	04/12/88	-10.9
CD-76B	118N-52W-30CCDD	05/05/88	-10.9
CD-76B	118N-52W-30CCDD	06/02/88	-11.1
CD-76B	118N-52W-30CCDD	06/16/88	-11.3
CD-76B	118N-52W-30CCDD	06/29/88	-11.3
CD-76B	118N-52W-30CCDD	07/15/88	-11.4
CD-76B	118N-52W-30CCDD	07/29/88	-11.4
CD-76B	118N-52W-30CCDD	08/12/88	-11.3
CD-76B	118N-52W-30CCDD	08/25/88	-11.3
CD-76B	118N-52W-30CCDD	09/23/88	-11.2
CD-76B	118N-52W-30CCDD	10/14/88	-11.0
CD-76B	118N-52W-30CCDD	02/16/89	-10.7
CD-76B	118N-52W-30CCDD	04/13/89	-10.5
CD-76B	118N-52W-30CCDD	05/17/89	-10.6
CD-76B	118N-52W-30CCDD	05/31/89	-10.6
CD-76B	118N-52W-30CCDD	06/13/89	-10.6
CD-76B	118N-52W-30CCDD	06/27/89	-10.4
CD-76B	118N-52W-30CCDD	07/11/89	-10.6
CD-76B	118N-52W-30CCDD	07/27/89	-10.6
CD-76B	118N-52W-30CCDD	08/08/89	-10.6
CD-76B	118N-52W-30CCDD	08/23/89	-10.5
CD-76B	118N-52W-30CCDD	10/05/89	-10.3
CD-76B	118N-52W-30CCDD	11/16/89	-10.2

NAME	DATE	W/L
CD-77F	12/02/77	-11.7
CD-77F	05/02/78	-9.5
CD-77F	05/23/78	-9.6
CD-77F	06/08/78	-9.4
CD-77F	06/22/78	-9.8
CD-77F	07/08/78	-10.1
CD-77F	07/19/78	-10.4
CD-77F	08/16/78	-11.0
CD-77F	09/12/78	-11.3
CD-77F	09/28/78	-11.3
CD-77F	10/16/78	-11.4
CD-77F	11/29/78	-11.6
CD-77F	01/23/79	-12.3
CD-77F	03/23/79	-12.2
CD-77F	05/02/79	-10.3
CD-77F	06/01/79	-10.2
CD-77F	06/13/79	-10.8
CD-77F	07/02/79	-10.7
CD-77F	07/18/79	-10.7
CD-77F	07/31/79	-10.8
CD-77F	08/14/79	-10.7
CD-77F	09/27/79	-11.2
CD-77F	10/25/79	-11.5
CD-77F	01/17/80	-11.9
CD-77F	03/05/80	-12.2
CD-77F	04/17/80	-11.9
CD-77F	05/30/80	-12.0
CD-77F	06/09/80	-11.1
CD-77F	06/23/80	-11.0
CD-77F	07/11/80	-11.2
CD-77F	07/25/80	-11.5
CD-77F	08/07/80	-11.6
CD-77F	08/19/80	-11.6
CD-77F	09/10/80	-11.8
CD-77F	10/30/80	-12.2
CD-77F	12/09/80	-12.6
CD-77F	03/09/81	-12.7
CD-77F	04/16/81	-12.5
CD-77F	05/27/81	-12.7
CD-77F	06/04/81	-12.7
CD-77F	06/10/81	-12.8
CD-77F	06/23/81	-12.8
CD-77F	07/08/81	-12.9
CD-77F	07/21/81	-13.0
CD-77F	08/05/81	-13.1
CD-77F	09/01/81	-13.1
CD-77F	10/19/81	-13.3
CD-77F	04/01/82	-13.3
CD-77F	05/06/82	-13.1
CD-77F	05/26/82	-13.4
CD-77F	06/09/82	-12.8
CD-77F	06/23/82	-12.6

NAME	DATE	W/L
CD-77F	07/09/82	-12.5
CD-77F	07/21/82	-12.6
CD-77F	08/04/82	-12.9
CD-77F	08/19/82	-12.9
CD-77F	09/02/82	-13.1
CD-77F	09/29/82	-13.2
CD-77F	10/26/82	-13.0
CD-77F	02/28/83	-13.3
CD-77F	04/08/83	-12.8
CD-77F	05/25/83	-12.2
CD-77F	06/08/83	-12.3
CD-77F	06/21/83	-12.5
CD-77F	07/07/83	-12.3
CD-77F	07/20/83	-12.5
CD-77F	08/02/83	-12.6
CD-77F	08/19/83	-12.8
CD-77F	09/08/83	-13.2
CD-77F	10/12/83	-13.5
CD-77F	11/09/83	-13.5
CD-77F	04/11/84	-12.2
CD-77F	05/03/84	-11.5
CD-77F	06/14/84	-10.6
CD-77F	06/27/84	-9.9
CD-77F	07/11/84	-10.3
CD-77F	07/25/84	-10.5
CD-77F	08/01/84	-10.7
CD-77F	08/08/84	-10.7
CD-77F	08/22/84	-10.9
CD-77F	09/26/84	-11.2
CD-77F	10/30/84	-10.3
CD-77F	05/14/85	-10.3
CD-77F	05/28/85	-10.5
CD-77F	06/11/85	-10.6
CD-77F	06/25/85	-10.9
CD-77F	07/09/85	-11.1
CD-77F	07/23/85	-11.0
CD-77F	08/07/85	-11.3
CD-77F	08/18/85	-11.3
CD-77F	09/11/85	-10.5
CD-77F	10/23/85	-10.5
CD-77F	03/26/86	-10.4
CD-77F	04/09/86	-8.7
CD-77F	04/22/86	-7.9
CD-77F	05/07/86	-8.3
CD-77F	05/21/86	-8.0
CD-77F	06/03/86	-8.3
CD-77F	06/19/86	-8.3
CD-77F	07/01/86	-8.8
CD-77F	07/16/86	-9.0
CD-77F	07/31/86	-9.1
CD-77F	08/06/86	-9.3
CD-77F	08/13/86	-9.4

		W/L
CD-77F	09/05/86	-9.5
CD-77F	10/29/86	-9.6
CD-77F	04/09/87	-9.7
CD-77F	05/13/87	-10.0
CD-77F	05/25/87	-10.1
CD-77F	06/10/87	-10.6
CD-77F	06/24/87	-10.9
CD-77F	07/09/87	-11.0
CD-77F	07/23/87	-11.2
CD-77F	08/06/87	-11.4
CD-77F	08/20/87	-10.7
CD-77F	09/17/87	-11.2
CD-77F	11/19/87	-11.6
CD-77F	04/12/88	-12.1
CD-77F	05/05/88	-12.0
CD-77F	05/19/88	-12.1
CD-77F	06/02/88	-12.0
CD-77F	06/16/88	-12.2
CD-77F	06/30/88	-12.3
CD-77F	07/15/88	-12.6
CD-77F	07/29/88	-12.5
CD-77F	08/25/88	-12.8
CD-77F	09/09/88	-13.0
CD-77F	09/23/88	-13.0
CD-77F	10/14/88	-13.1
CD-77F	02/16/89	-13.5
CD-77F	04/12/89	-12.8
CD-77F	05/17/89	-12.6
CD-77F	05/31/89	-12.6
CD-77F	06/13/89	-12.6
CD-77F	06/27/89	-12.7
CD-77F	07/11/89	-12.8
CD-77F	07/27/89	-13.0
CD-77F	08/08/89	-13.0
CD-77F	08/23/89	-13.2
CD-77F	10/05/89	-13.4
CD-77F	11/16/89	-13.5


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5379-3, Milton G Carter

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5379-3, Milton G Carter, RR 3, Box 138B, Watertown SD.

The Chief Engineer is recommending APPROVAL of Application No. 5379-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.
4. Approval of Permit No. 5379-3 grants a variance to Water Management Board Rule 74:02:04:28 with approximately 10 feet of grout required.
5. The combined diversion rate authorized by Permit No. 5285-3 and Permit No. 5379-3 may not exceed 1.0 cfs for each 70 acres irrigated.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
January 17, 1990

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 18, 1990

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**


Milton G. Carter
RR #3 Box 138B
Watertown, SD 57201

Dear Mr. Carter:

Water Permit Application No. 5379-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Public Opinion printed at Watertown SD. For your information, a copy of the notice is enclosed. Copies of the report and the Chief Engineer's recommendation are also enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,



Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

NOTE: Department of Agriculture needs to approve your soil/water compatability application (SWCA) prior to water permit application No. 5379-3 being considered by the Water Management Board. If the SWCA is not approved prior to the March 7 & 8, 1990 Water Management Board meeting, then Application No. 5379-3 will be removed from the March 7 & 8, 1990 Board meeting agenda. If the SWCA is approved after the March 7 & 8, 1990 Board meeting, then Application No. 5379-3 will need to be readvertised for a later hearing date.

You should also be aware that approval of the SWCA by the Department of Agriculture is subject to review by the Conservation commission. Although not expected, if the conservation Commission reverses approval of the SWCA, then Application No. 5379-3 will not be issued to you if approved at the March 7 & 8, 1990 Board meeting.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 18, 1990

Watertown Public Opinion
Box 10
Watertown, SD 57201

ATTN: Legal Publications:

Enclosed is a Notice of Hearing on Application No. 5379-3 to be published twice. Please publish the first notice on or before January 25, 1990 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Milton G. Carter, RR #3 Box 138B, Watertown, SD 57201.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Ron Duvall
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper



Instruction to Newspaper - Publish first Notice on or before January 25, 1990 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5379-3 to Appropriate Water
to Supplement Water Permit No. 5285-3

Notice is given that Milton G. Carter, RR #3 Box 138B, Watertown, SD 57201 has filed an application for a water permit for a second ground water source to supplement irrigation authorized by Permit No. 5285-3. Permit No. 5285-3 appropriates 3.42 cubic feet of water per second (cfs) from 2 wells (Prairie Coteau Aquifer) approximately 180 feet deep to irrigate 240 acres. This application is to appropriate 0.88 cfs from one well, 30 feet deep in the Big Sioux: North Aquifer as a supplemental water supply to irrigate the same 240 acres. The supplemental well is to be located in the N1/2 SE1/4 and the irrigated acreage is located in the SE1/4, S1/2 NE1/4; all in Section 21-T118N-R52W within the former boundaries of the Sisseton-Wahpeton Indian Reservation. The combined diversion rate authorized by Permit No. 5285-3 and this application may not exceed 1 cfs for each 70 acres irrigated.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5379-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in the Roosevelt - Jefferson Room, Howard Johnson, 2211 LaCrosse, Rapid City, SD on March 7, 1990 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.


Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by February 23, 1990. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by February 23, 1990.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
 County Codington)



I, Monica K. Saathoff
 certify that the attached printed Notice was taken
 from the Watertown Public Opinion

A newspaper which during the whole time of publication of
 said notice herein after stated, has been and is printed and
 published in the _____

_____ city _____ of Watertown

County of Codington and State of S
 that the said notice was published in said new
 following two dates:

January 25th, 1990

February 1st, 1990

Monica K. Saathoff
 (Signature)

Bookkeeper
 (Title)

February 1st, 1990
 (Date Signed)

Cost of Printing: \$96.26

2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by February 23, 1990. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605-773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by February 23, 1990.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

(January 25; February 1, 1990)

12 1/2 @ 3.85 x 2 = 96.26

PIERRE

NOTICE OF HEARING On Application No. 5379-3 to Appropriate Water to Supplement Water Permit No. 5285-3

Notice is given that Milton G. Carter, RR 3, Box 1388, Watertown, SD 57201 has filed an application for a water permit for a second ground water source to supplement irrigation authorized by Permit No. 5285-3. Permit No. 5285-3 appropriates 3.42 cubic feet of water per second (cfs) from 2 wells (Prairie Coteau Aquifer) approximately 180 feet deep to irrigate 240 acres. This application is to appropriate 0.88 cfs from one well, 30 feet deep in the Big Sioux: North Aquifer as a supplemental water supply to irrigate the same 240 acres. The supplemental well is to be located in the N 1/2 SE 1/4 and the irrigated acreage is located in the SE 1/4, S 1/2 NE 1/4; all in Section 21-T118N-R52W within the former boundaries of the Sisseton-Wahpeton Indian Reservation. The combined diversion rate authorized by Permit No. 5285-3 and this application may not exceed 1 cfs for each 70 acres irrigated.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5379-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired; 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in the Roosevelt - Jefferson Room, Howard Johnson, 2211 LaCrosse, Rapid City, SD on March 7, 1990 at 10:00 a.m. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve,



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

JUN 18 1990

Milton G Carter
RR 3, Box 138B
Watertown SD 57201

Dear Mr. Carter:

Enclosed are Water Permit Nos. 5377-3, 5378-3 and 5379-3 as approved by the Water Management Board authorizing you to construct your water diversion systems and put the water to beneficial use, not exceeding the limits as specified in the Water Permits.

Also enclosed are two Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in cursive script that reads "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352


enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

NOT TO SCALE

prepared by
Norma C. Tob
Natural Resources Engineer I
Division of Water Rights
5/21/1991



South Dakota

GREAT FACES. GREAT PLACES.

July 24, 1991

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

Requies

5379-3
5285-3

Milton G Carter
RR #3 Box 138B
Watertown, SD 57201

Dear Mr. Carter:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit Nos. 5285-3 and 5379-3, has been completed. Your final water right document, the Water License, can now be issued. Upon licensing, the applicable portions of Water Permit No. 5285-3 will be incorporated into No. 5379-3.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

SCO

_____ Date	_____ Permit
_____ Amount	_____ Fee
_____ Signature	_____ Signature
_____ Name	_____ Name
_____ Address	_____ Address
_____ City	_____ City
_____ State	_____ State
_____ Zip	_____ Zip
_____ Phone	_____ Phone
_____ Fax	_____ Fax
_____ E-mail	_____ E-mail
_____ Comments	_____ Comments



RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412762

Pierre, July 30, 19 91

RECEIVED OF Casco Corporation, RRR3 Box 138B, Watertown, SD 57201

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5379-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By

Chief Engineer

Johanna Hatch

Big Sioux River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Milton G. Carter
Casco Corp RRB Box 138 B of Watertown SD 57201 holder ofPermit No. 5285-3, bearing the priority of February 27 1989 authorizing
the diversion of 3.42 ⁵³⁷⁴⁻³ " " " " January 6, 1990 of the waters of Prairie Coteau Aquifer
for irrigation purposes, in Codington County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Well #1 1-16" Fairbanks Morse turbine pump 100 HP, Model H16-L7100B DFI
capable of 800 GPM.
Well #2 1-4" ^{Grady's} submersible pump Model # SP4 capable of 400 gpm

B. Works used to transport water to place of use:

300' of steel 8" piping

C. Works used to apply water to beneficial use:

Valley Cornering unit with 7 towers plus a corner unit
with an end gun. The capacity is 1200 gpmThe system is in the following condition goodThe point of diversion is located Well #1 - 1254' North and 1683' East of S 1/4 Corner
Section 21-T118N-R52W(R) Well #2 - 1584' North and 1419' East of S 1/4 Corner
Section 21-T118N-R52W(R)The works are capable of diverting and conveying to the place of use 2.66cu. ft. per second of water which is to be used for irrigationWater has been put to beneficial use to the maximum extent as follows: Section 21-T118N-R52W(R)SW 1/4 NE 1/4 = 8 acres SE 1/4 SE 1/4 = 35 acresSE 1/4 NE 1/4 = 7 acres NE 1/4 SE 1/4 = 40 acresNW 1/4 SE 1/4 = 40 acresSW 1/4 SE 1/4 = ³⁵ acrescomprising a total of 165 acres of land and the license should be issued for 2.35 cfsApplicable permit qualifications have been complied with X Yes NoExceptions to compliance are: Date April 17, 91Priority dates Feb 27, 1989 (Well #1)
Jan 6, 1990 (Well #2)Norma C. Job
(signature)

LICENSE FOR PERMIT NUMBER 5285-3 + 5379-3

4/17/91

1. Legal location of wells: Well #1 - SE 1/4 SE 1/4 + Well #2 NE 1/4 SE 1/4
of Section 21-T118H52(R)

dams & structures: _____

2. Well Information: Well Drilling Firm Kaiser - W#1 LTP Enterprises
Irrigation Supply Co. W#2

Completion Report	Yes <u>X</u> No _____	No. of Wells <u>2</u>	Depth <u>176'</u> <u>31'</u>
Casing	a) diameter <u>Well #1 20" #2 8"</u>	Screen	a) type <u>Stainless Steel</u>
	b) length <u>21</u>		b) length <u>10</u>
	c) type <u>steel</u>	Static Water Level	
Pump	a) make <u>Fairbanks Morse</u> <u>Grundfos Submersible</u>	a) make <u>US Electrical Motors</u>	
	b) model <u>H-16-L7100B DEI</u> <u>SP4</u>	b) model No. <u>A444 UPH</u>	
	c) size <u>16"</u> <u>4"</u>	c) horsepower rating <u>100</u>	
	d) capacity <u>800</u> <u>400 gpm</u>		
	e) turbine pump - no. of stages _____		
	f) operating PSI <u>45</u>		

3. Distribution lines or canals

a) size 8"
b) type steel
c) length 300'

4. Dam Information:

a) height to crest _____	m) Outlet tubes:
b) height to primary spillway _____	1) diameter _____
c) height to secondary spillway _____	2) type _____
d) crest width _____	3) valved (Y/N) _____
e) crest length _____	4) valve type _____
f) spillway length _____	5) location on structure _____
g) spillway width _____	
h) approx. storage _____	n) Category of Dam _____
i) approx. storage to crest _____	
j) date constructed _____	
k) inspection sheet completed (Y/N) _____	
l) Name of Contractor _____	

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of
sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of
sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make Valley Cornering Unit
- 2) number of towers 7+ corner unit
- 3) distance between towers _____
- 4) overall length _____
- 5) end gun (Y/N) Y - Nelson
- 6) high or low pressure _____
- 7) make & size of nozzles
rainbird
- 8) capacity (GPM) 1000+200-300

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
<u>X</u>	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	---	2. Special qualifications to permit being abided by?
<u>X</u>	---	3. All structures, wells and lands on map?
<u>X</u>	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
<u>X</u>	---	5. Is chemigation used?
<u>X</u>	---	6. If yes, does equipment comply with chemigation rules?

REMARKS:

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 5379-3

(1) Milton G. Carter of RR 3, Box 138B, Watertown, SD 57201 made Application No. 5379-3, January 6, 1990 for a water permit to appropriate 0.88 cubic feet of water per second from groundwater (one well), Codington County, South Dakota for irrigation purposes. Permit No. 5379-3 with a priority date of January 6, 1990 was approved March 7, 1990 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before March 7, 1995 and for the application to beneficial use of said water on or before March 7, 1999.

Water Permit No. 5379-3 authorizes diversion of 0.88 cfs from a shallow well to serve as a supplemental water supply for irrigation of land authorized under Water Permit No. 5285-3.

The applicable portions of Water Permit No. 5285-3 are incorporated into this Water License No. 5379-3. Priority dates are as follows:

- 1) February 27, 1989 for Well #1 (176' deep) - established under Permit No. 5285-3.
- 2) January 6, 1990 for Well #2 (40' deep) - established under Permit No. 5379-3.


(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.35 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 1254'N and 1683'E of the S 1/4 corner Section 21 and Well #2 - 1584'N and 1419'E of the S 1/4 corner Section 21, T118N, R52W (R).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T118N, R52W Section 21 (R)*		
SW 1/4 NE 1/4	8 Acres	
SE 1/4 NE 1/4	7 Acres	
NW 1/4 SE 1/4	40 Acres	
SW 1/4 SE 1/4	35 Acres	
SE 1/4 SE 1/4	35 Acres	
NE 1/4 SE 1/4	40 Acres	
Total-----		165 Acres

*The land being irrigated is within the boundaries of the former Sisseton Wahpeton Indian Reservation.

(4) Pursuant to Section 46-5-30.1 Milton G. Carter of RR 3, Box 138B, Watertown, SD 57201 the holder(s) and/or owner(s) of Incorporated No. 5379-3 is issued a license to appropriate water, the right to use 2.35 cubic feet of water per second from groundwater (two wells) with priority dates of February 27, 1989 for Well #1 and January 6, 1990 for Well #2 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated No. 5379-3 and subject to South Dakota State Law.

 SEP 17 1991

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



GREAT FACES. GREAT PLACES.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

SEP 17 1991

5379-3

Milton G. Carter
RR 3, Box 138B
Watertown, SD 57201

Dear Mr. Carter:

Enclosed is Water License No. 5379-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412762 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 4379-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Permit No. 5285-3 are incorporated into this Water License No. 5379-3.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

September 29, 1992

Robert L Carr
Hwy 59 North
Marshall, MN 56258

Dear Mr. Carr:

Enclosed are two partially completed "Notice of Transfer of Ownership" forms for filing an ownership change on Water Right No. 5379-3 and Water Permit No. 5263-3.

Please sign the forms in the presence of a notary. Upon completion, return the forms to our office with a required filing fee of \$2.50 each (total of \$5.00).

I am enclosing the transfer forms you submitted in July. You will note that you had originally submitted three forms and are now only completing and returning two forms. Filing an ownership change on Water Permit No. 5285-3 is no longer necessary. The applicable portions of No. 5285-3 were incorporated into Water License No. 5379-3.

If you have any questions concerning the transfer forms, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

October 6, 1992

5263-3
5379-3

Robert L Carr
Hwy 59 North
Marshall, MN 56258

Dear Mr. Carr:

The "Notice of Transfer" forms you submitted for filing an ownership change on Water Permit No. 5263-3 and Water Right No. 5379-3 have been received.

The forms were completed properly and are ready for processing. However, prior to the transfers being processed, a \$2.50 filing fee is required for each transfer (total of \$5.00).

Please remit a total of \$5.00 to cover the cost of the filing fees. Upon receipt of the fee, Water Permit No. 5263-3 and Water Right No. 5379-3 will be transferred to your name.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5379-3

Date: October 1, 1992



I request that Water Right No. 5379-3

formerly owned by: Milton G Carter

be transferred to: (name & address) Robert L Carr

Hwy 59 N, Marshall, MN 56258

(Telephone No.) (507) 532-2291

Title to the following described land(s)/property has been transferred as described above:

S 1/2NE 1/4 Section 21, SE 1/4 Section 21, T118N, R52W

I understand that the validity of Water Right No. 5379-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)


County of Codington)

I/We Robert L Carr being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Robert L Carr

(Signed)

Subscribed and sworn to before me this 1st day of October, 1992.



Michele M. Rohlik
(Notary Public)

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

413464

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____, October 13, 19 92

RECEIVED OF Robert L Carr, Hwy 59 North, Marshall, MN 56258

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right No. 5379-3</u>	2	50
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	2 50

By John Hatch
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

November 4, 1992

No. 5263-3

5379-3

Robert L. Carr
Hwy 59 North
Marshall, MN 56258

Dear Mr. Carr:

Enclosed are receipts in the amount of \$2.50 each which you paid for the transfer of Water Permit No. 5263-3 and Water Right No. 5379-3.

Our records now show you as the owner of Water Permit No. 5263-3 and Water Right No. 5379-3.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

December 23, 1992

Randy Spevak
CSS Farms
RR #3 Box 138B
Watertown, SD 57201

Dear Mr. Spevak:

On December 18th, you called and inquired about receipt of irrigation questionnaires for Water Permit Nos. 2130-3, 4182-3, 2363-3, 4588-3, 5285-3 and 5130-3. Most of these permits have been incorporated into other Water Licenses and questionnaires are no longer needed for these numbers.

The following is a list of the licenses they were incorporated into to:

- No. 2130-3 was incorporated into Water License No. 4181-3
- No. 2363-3 was incorporated into Water License No. 4182-3
- No. 4588-3 was incorporated into Water License No. 4588-3A
- No. 5285-3 was incorporated into Water License No. 5379-3
- No. 5130-3 was incorporated into Water License No. 5173-3

Enclosed is a set of questionnaires for the above listed licenses. I have included the legal description and owner's name on each. You may already have a form for each of these, if so, just toss this set.

Please try to have the questionnaires back to us within the next couple weeks. If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

enclosures



5379-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: CSS FARMS, MILT CARTER, 3334 9TH AVE SW, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 3229-3, 3782-3, 4180A-3, 4182-3, 4588-3A, 4604-3, 5166-3, 5173-3, 5174-3, 5338A-3, 5376-3, 5377-3, 5378-3, 5379-3, 5586-3, 5723-3 & 5724-3, 2120-3, 3672-3, 4041-3 & 4181-3 and 1996 Irrigation Questionnaire Requirements

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 3229-3, 3782-3, 4180A-3, 4182-3, 4588-3A, 4604-3, 5166-3, 5173-3, 5174-3, 5338A-3, 5376-3, 5377-3, 5378-3, 5379-3, 5586-3, 5723-3 & 5724-3, 2120-3, 3672-3, 4041-3 & 4181-3. The request for the Questionnaires was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2120-3, 3672-3, 4041-3 & 4181-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 3229-3, 3782-3, 4180A-3, 4182-3, 4588-3A, 4604-3, 5166-3, 5173-3, 5174-3, 5338A-3, 5376-3, 5377-3, 5378-3, 5379-3, 5586-3, 5723-3 & 5724-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 3229-3, 3782-3, 4180A-3, 4182-3, 4588-3A, 4604-3, 5166-3, 5173-3, 5174-3, 5338A-3, 5376-3, 5377-3, 5378-3, 5379-3, 5586-3, 5723-3 & 5724-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2120-3, 3672-3, 4041-3 & 4181-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: MILT CARTER
CSS FARMS
3334 9TH AVE SW
WATERTOWN SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 2120-3; 3229-3; 3672-3; 3782-3; 4041-3; 4181-3; 4182-3; 4588-3A; 4604-3; 5166-3; 5173-3; 5174-3; 5332-3; 5338A-3; 5376-3; 5377-3; 5378-3; 5379-3; 5586-3; 5723-3 & 5724-3

The first notice to file chemigation report(s) for Permit No(s) 2120-3; 3229-3; 3672-3; 3782-3; 4041-3; 4181-3; 4182-3; 4588-3A; 4604-3; 5166-3; 5173-3; 5174-3; 5332-3; 5338A-3; 5376-3; 5377-3; 5378-3; 5379-3; 5586-3; 5723-3 & 5724-3 was dated 10/24/96. Our records indicate that we have not received the 1996 chemigation report for any of the above listed permits. The Water Management Board has directed that owners of water permits who have not submitted the 1996 chemigation report(s) be given notice of violation and hearing before the board. The hearing held by the board is to determine what action is to be taken concerning violation of Administrative Rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical applied.

The hearing will be held at 2:30 PM on March 5, 1997, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2120-3; 3229-3; 3672-3; 3782-3; 4041-3; 4181-3; 4182-3; 4588-3A; 4604-3; 5166-3; 5173-3; 5174-3; 5332-3; 5338A-3; 5376-3; 5377-3; 5378-3; 5379-3; 5586-3; 5723-3 & 5724-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before February 28, 1997 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 12, 1997

Milt Carter
CSS Farms
3334 9th Ave SW
Watertown, SD 57201

Dear Mr. Carter:

I am writing to acknowledge receipt of your 1996 irrigation questionnaires and chemical reporting forms. You may disregard the February 4, 1997, **Notices of Violation**.


The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

5379-3



December 12, 2006

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

2120-3
4588-3A
5379-3

Don Endres
919 Christine Ave
Brookings SD 57006

Dear Mr. Endres:

I am contacting you in regard to ownership of land described in Water Right Nos. 2120-3, 4588-3A and 5379-3. Terry Endres has notified us that you now own the land described in these water rights. I have included a copy of each water right for your review.

Enclosed are partially completed Notice of Transfer of Ownership forms for filing the ownership changes. Please review the forms and make any necessary corrections. Upon completion, please sign and return them to our office with a required filing fee of \$2.50 each (total of \$7.50). The check or money order for the fee can be made payable to the Water Rights Program.

You may keep the enclosed copies of the water rights. If I can answer any questions for you regarding the water rights or completion of the transfer forms, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



January 30, 2007

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

Don Endres
919 Christine Ave
Brookings SD 57006

RE: Water Right Nos. 2120-3, 4588-3A, 5379-3, 5968-3 and 6004-3

Dear Mr. Endres:

On December 12th, I forwarded transfer forms to you for filing an ownership change with Water Right Nos. 2120-3, 4588-3A and 5379-3. To date, we have not yet received them from you. Recently, James Carter notified us that Water Right Nos. 5968-3 and 6004-3 should also be listed in your name.

I am sending along additional copies of the transfer forms for Nos. 2120-3, 4588-3A & 5379-3 in the event you no longer have the original set. Also enclosed are partially completed transfer forms for the remaining two water rights along with copies of the respective water rights.

Please review the forms and make any necessary corrections. Upon completion, please sign and return them to our office with a required filing fee of \$2.50 each (total of \$12.50). The check or money order for the fee can be made payable to the Water Rights Program.

You may keep the enclosed copies of the water rights. If I can answer any questions for you regarding the water rights or completion of the transfer forms, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

CSS FARMS, Inc.					
Farm Land with Water Permit #'s					
In CSS Farms, Milt Carter or Other Name					
Please Transfer all Water Permits to Land Owners					
Updated: 1-16-07					
		Permitted	Irrig.		
CSS FARMS, Inc.		Irrig.	Permit	Current	
Field Name	Irrigated Land Legals	Acres	#	Owner	Operator
Codington County:					
Drake	Sec 10 T119N R51W	132	3672-3	Coast Properties Investors LLC	Greg Endres
McElhaney-East	Sec 16 T118N R52W	220	5166-3	John Norgaard etl	Terry Endres
Regnier	Sec 21 T118N R52W	165	5379-3	Don Endres	Terry Endres
Toft-North & South	Sec 16 T118N R52W	190	2120-3	Don Endres	Terry Endres
Grant County:					
Allison	Sec 20 T120N R51W	130	5338A-3	Milton Allison	Greg Endres
Berger- South	Sec 16 T121N R52W	132	6099-3	Endres Family Trust	Greg Endres
Ollman	Sec 17 T121N R52W	132	6030-3	Endres Family Trust	Greg Endres
Kneeland	Sec 9 T121N R52W	132	5968-3	Don Endres	Greg Endres
Loken-East	Sec 10 T120N 52W	70	5378-3	Endres Family Trust	Terry Endres
Loken-West	Sec 9 T120N 52W	174	5377-3	Endres Family Trust	Terry Endres
Meyer-East & South	Sec 28 & 33 T120N R51W	400	3782-3	Robert L. Carr	Greg Endres
Meyer-Middle	Sec 28 T120N R51W	168	5586-3	Robert L. Carr	Greg Endres
Meyer-North & West	Sec 21 & 28 T120N R51W	302	5173-3	Robert L. Carr	Greg Endres
Roberts County:					
Jake 1	Sec 34 T123N R52W	156	4604-3	Endres Family Trust	Greg Endres
Jake 2, 5 & 6	Sec 3 & 4 T122N R52W	393	4041-3	Endres Family Trust	Greg Endres
Jake 3	Sec 3 T122N R52W	132	5724-3	Endres Family Trust	Greg Endres
Jake 4	Sec 10 T122N R52W	132	5723-3	Endres Family Trust	Greg Endres
Richardson	Sec 3 T122N R52W	136	6029-3	Endres Family Trust	Greg Endres
Utne	Sec 33 T121N R52W	136	6004-3	Don Endres	Greg Endres
Total Permitted Acres:		3432.0			
Note: Endres Family Trust--Jim Endres is the contact person					
Coast Properties Investors LLC--Dr. L.A. Sigdestad is the contact person					
Milton Allison	1434 Linden Dr.	Ames, IA 50010-5532			515-232-3389
Robert Carr	506 Washington Ave	Marshall, MN 56258-7661			507-532-2291
Don Endres	108 Half Moon Rd	Brookings, SD 57006-3906			605-690-1385
Jim Endres	17212 460th Ave	Watertown, SD 57201			605-881-0424
Terry Endres	17214 460th Ave	Watertown, SD 57201			605-881-0423
Greg Endres	2011 South Serenity Dr.	Watertown, SD 57201			605-880-1711
John Nordgaard	542 Terrace Dr.	Grand Forks, ND 58201-7661			701-739-3819
Dr. L. A. Sigdestad	2605 S Waterman Ave	San Bernardino, CA 92408			909-709-6200

RECEIVED

JAN 19 2007

WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

RECEIVED

FEB 05 2007

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5379-3 WATER RIGHTS
PROGRAM

Date: 2-1-07

I/We request that Water Right No. 5379-3

formerly owned by: Robert L Carr

be transferred to: (name & address) Don Endres, 919 Christine Ave, Brookings SD 57006

Telephone No.

Title to the following described land(s)/property has been transferred as described above:


165 acres - SE ¼ and S ½ NE ¼ Section 21, T118N, R52W (reservation)

I/We understand that the validity of Water Right No. 5379-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We DONALD L. ENDRES, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date Feb 5, 20 07

RECEIVED OF Don Endres, 919 Christine Ave, Brookings SD 57006

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use		
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right No. 5379-3</u>		2 50
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	2.50

No.

02928

By Garland Erbele
Chief Engineer 

5379-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 6, 2007

Don Endres
919 Christine Ave
Brookings SD 57006

RE: Water Right Nos. 2120-3, 4588-3A, 5379-3, 5968-3 and 6004-3

Dear Mr. Endres:

I am writing to acknowledge receipt of the "Notice of Transfer of Ownership" forms and filing fees for changing ownership on Water Right Nos. 2120-3, 4588-3A, 5379-3, 5968-3 and 6004-3. The ownership changes have been completed. The water rights listed above are now all listed in your name.

Enclosed are your Receipt Nos. 02924, 02925, 02926, 02927 and 02928. The receipts are for the filing fees you paid for each transfer. You may keep these for your records.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



5379-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: TERRY J ENDRES, OPERATOR, 17214 460TH AVE, WATERTOWN, SD 57201
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program
SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaires

Our records indicate that the 2009 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2120-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4588-3A, 5174-3, 5376-3, 5379-3, 5166A-3 & 5166B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4588-3A, 5174-3, 5376-3, 5379-3, 5166A-3 & 5166B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2120-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

cc: DON ENDRES, 919 CHRISTINE AVE, BROOKINGS SD 57006
JOHN NORDGAARD, 542 TERRACE DR, GRAND FORKS ND 58201
NORTHERN CON-AGG, 3231 FERNBROOK LN N, PLYMOUTH MN 55447

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2010

Terry J Endres
17214 460th Ave
Watertown SD 57201

RE: 2009 Irrigation Questionnaires for Water Right or Water Permit Nos. 2120-3, 4588-3A,
5174-3, 5376-3, 5379-3, 5166A-3 and 5166B-3

Dear Endres:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for the above listed water permits or rights.

The information was received in our office prior to the Water Management Board meeting and the issue has been removed from the agenda.

As requested by you and Greg Endres, next year's irrigation questionnaires will be sent out differently. The questionnaire for Water Right No. 4588-3A will be directed to your attention and the remaining forms will be directed to Greg.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: Greg Endres
Don Endres
John Nordgaard
Northern Con-Agg