

Considered: _____

WATER PERMIT NO. 5405-3

PH# 629-6081

HAP No. _____

Name of Applicant Gregory Watt

Post Office Address RR 1 Box 50 White SD 57276

Amount of Water Claimed 2.2 acres (requested) Total Acres 140

Source of Water Supply groundwater

Water to be used for irrigation County Brookings

About 6 miles NW of White

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received 3/14/90 Fee \$250.00 Remarks _____


Corrected Application Received _____ Period of Annual Use _____

WATER QUALITY APPROVAL RECEIVED _____ APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point 1300'S 1300'W of NE corner
of NE 1/4 Section 32-T112N-R49W

Land to be Irrigated NE 1/4 Section 32 T112N R49W



Well Log: Driller Pullman Licensed YES ☒ NO _____

Depth of Well 60' REMARKS _____

Type of Map Aerial PREPARED BY Joe Giguemotton Reviewed and the Number

assigned on March 16, 1990 By Eric Gronlund

FORM 2: Application for irrigation (type or print)
in South Dakota

Mail to: Water Rights Div.
523 E. Capitol
Pierre, SD 57501
(605) 773-3352

(See instructions)

No. 5405-3 Hydrologic Unit 10170202
Basin Big Sioux River
Newspaper White Leader, Box 347 57276

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____



Applicant A Gregory Watt Phone No. 624-6081
Post Office Address RR1 Box 50 White State SD 57276
(Street, RR or Box) (City) Zip Code
140

2. Amount of water claimed (c.f.s) 22 Total acres irrigated _____
3. Source of Water supply Well _____
4. Location of point of diversion 1300' South of 1300' North of NE Corner
NE 1/4 Sec 32 T112N R49W
County Brookings
5. Counties where water will be used Brookings
6. Annual period during which water is to be used Apr - 1 - October 31
7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.
NE 1/4 Sec 32 T112N - R49W

Land Description	No. Acres Irr.
NW 1/4 of NE 1/4 32-T112-R49	40
NE 1/4 of NE 1/4 32-T112-R49	20
SE 1/4 of NE 1/4 32-T112-R49	40
SW 1/4 of NE 1/4 32-T112-R49	40

Attach sheet if more space is needed

Land Description	No. Acres Irr.

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: _____ Gun: ☒ Other: _____
9. Crops to be Irrigated: Corn Wheat Beans Hay Oats
10. Give a description of proposed project. (Attach sheet if more space is needed)

A well supplying a traveling gun OR Towline

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Brookings) ss

I, B Gregory Watt, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed B Greg Watt

Subscribed and sworn to before me this 5th day of February 1990

Beth Kensler

Notary Public

my commission expires Aug 31, 1995

**SOUTH DAKOTA
WATER PERMIT No. 5405-3 FOR IRRIGATION**

Date of first receipt of application February 8, 1990.

Date Soil/Water Compatibility Permit received March 26, 1990.

The Water Management Board approved Water Permit Application No. 5405-3 on May 24, 1990 for A. Gregory Watt, RR 1, Box 50, White, SD 57276 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5405-3 appropriates 2.0 cubic feet of water per second from one well (Big Sioux Unnamed Creek Aquifer) 60 feet deep to irrigate 140 acres. The point of diversion is located in the NE1/4 NE1/4 of Section 32 T112N-R49W. The land to be irrigated is located in the NE1/4 Section 32 T112N-R49W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The date from which applicant may claim right is February 8, 1990.
4. One-fifth of the construction is to be completed on or before November 24, 1992.
5. All construction is to be completed on or before May 24, 1995.
6. Water is to be put to beneficial use on or before May 24, 1999.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.
4. Approval of Permit No. 5405-3 authorizes a maximum diversion rate of 2.0 cfs.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

SEP 12 1990

(date)

Supplemental Information

(type or print in ink)



1. Well Information - Proposed construction

- a) Drill Hole Diameter 26" Depth 60'
- b) Casing Type PVC Diameter 16" Thickness 1/2"
- c) Screen Type PVC Diameter 16" Thickness 1/2"
- d) Gravel Pack Thickness 10" Length of Gravel Pack 25'
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:
 On applicants property 1000' On property owned by others _____


2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address



b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
 If Pipe, diameter _____

f) Secondary Spillway Capacity _____
 Spillway width _____

g) X & Y Slope
 Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____

Dug Watt
 Signature of Applicant

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412082

Pierre, February 8, 1990

RECEIVED OF Gregory Watt, RR #1 Box 50, White, SD 57208

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5405-3</u> to Appropriate Water, to construct works and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	250 00

By

John Hatch (mrs)
Chief Engineer

Dear Ron:

Thanks for taking the time to look over my application. I hope you can make this map fit the application. You can make whatever minor changes needed if its something major please drop me a note.

Thanks again
Suz Watt
R1 Bx 50
White SD
57276



Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4461

WR#

OWNERS NAME: A. Gregory Watt OWNERS ADDRESS: RR 1, Box 50

White, SD 57276

COUNTY LAND LOCATED IN: Brookings PHONE: 605-629-6081

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION 1300' south and 1300' west of NE corner NE 1/4 32-T112N-R49W

Depth: _____

Legal Description	Acres	Legal Description	Acres
<u>NE 1/4 NE 1/4 32-T112N-R49W</u>	<u>40</u>		
<u>NE 1/4 NE 1/4 32-T112N-R49W</u>	<u>20</u>		
<u>SE 1/4 NE 1/4 32-T112N-R49W</u>	<u>40</u>		
<u>SW 1/4 NE 1/4 32-T112N-R49W</u>	<u>40</u>		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: _____ GUN: X (Specify) _____ OTHER: _____

3. CROPS TO BE IRRIGATED: Corn, wheat, beans, hay, oats

WATER QUALITY:

4. WATER SAMPLE NUMBER: 90-0047 7. ADJUSTED (SAR): 0.98
5. SALINITY (EC X 10⁶): 1500 8. PERCENT SODIUM: 5.50
6. SODIUM (SAR): 0.35

Requirements:

The area mapped as Volga silt clay loam, poorly drained, nearly level (Vr) is subject to excessive wetness and contains a drainage. For this reason this area shall be maintained in permanent vegetation and shall not be irrigated.

The area mapped as Volga, somewhat poorly drained (Vp), shall remain in permanent vegetation due to periods of wetness.



X APPROVED

DISAPPROVED

WAIVER

X REQUIREMENTS

[Signature]
Director, Division of Conservation

Date 5/23/90

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

PULLMAN DRILLING — DRILLERS LOG

Phone: 1-800-451-4884

<i>Gregg Wate</i> JOB NAME	<i>N-E 32-112-49</i> <i>Brookings County</i> LOCATION	<i>1-24-90</i> DATE	<i>11</i> RIG NO.	<i>Rayni P.</i> FOREMAN
-------------------------------	---	------------------------	----------------------	----------------------------

Jt No.	DEPTH	TIME	REMARKS
1	<i>20</i>		<i>0-20 yellow med gravel.</i>
2	<i>40</i>		<i>20-40 yellow coarse gravel</i>
3	<i>60</i>		<i>40-50 grayish white gravel</i>
4			<i>50-60 Bls Clay</i>
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			

Rayni Pullman




REMARKS:

SOUTH DAKOTA WATER WELL COMPLETION REPORT

10-85

Location NE 1/4 NE 1/4 Sec 32 Twp 112-N Rg 49-WCounty Brookings

Please mark well location with an "X"



Well Completion Date _____

PROPOSED USE:

- ☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Reverse

CASING DATA:

- ☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
_____ LB/FT	<u>1 1/2</u> IN	<u>0</u> FT	<u>37</u> FT	<u>25</u> IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NOTo what depth? 20 FEETWhat is grouting material? Cement & BentoniteIf cement, number of sacks? 100 cement 6 bags

Describe grouting procedure _____

line to 25 ft.

What was grout weight? _____ LB/GAL

SCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 1 1/2 IN Length 13 FEETMaterial StainlessSlot Size _____ Set From 37 Feet To 50 Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Other information _____

Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

Was well disinfected upon completion? ☒ YES ☐ NO

Explain _____

Bacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____

Well Owner:

Name Gregg WattAddress White, S. Dak 57276

Well Log:

Depth

Formation

From

To

Yellow Medium Gravel040Grayish White Gravel4050TD 50'STATIC WATER LEVEL 6' 6" Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped☐ Bailed

Describe: _____

☐ Other

Pumping Level Below Land Surface

28 ft. After 5 Hrs. pumped 800 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS:

This well was drilled under license # 440

And this report is true and accurate.

Drilling firm Pullman Well Drilling

Signature of License Representative:

R. E. Hake

Signature of Well Owner:

Date

12-20-90

REPORT ON APPLICATION 5405-3
FOR GREG WATT
March 26, 1990

This application proposes to appropriate 2.2 cfs from one well approximately 50 feet deep to irrigate 140 acres. The well is to be located in the NE 1/4 NE 1/4 of section 32 and the land to be irrigated is in the NE 1/4 of section 32 all in T112N R49W in Brookings County.

AQUIFER - BIG SIOUX UNNAMED CREEK (BS-UC)

The Big Sioux Unnamed Creek (BS-UC) is a Pliestocene outwash (sand and gravel) under water table conditions in this area. The BS-UC aquifer underlies 5,800 acres and contains an estimated 13,050 acre feet of recoverable water (Hedges, 1982). These are very conservative estimates. The BS-UC aquifer is hydraulically connected to the Big Sioux Brookings aquifer. The USGS has estimated that the entire Big Sioux aquifer in Brookings County contains 1.9 million acre feet of water in storage (Hamilton, 1988).

The Division of Water Rights monitors one observation well BG-80E completed into the BG-UC aquifer which is approximately 1 1/2 mile east of this application. Water levels in this well show good correlation between wet and dry climatic conditions, that is, rising during wet years (recharge) and gradually declining during dry years. Pumping of nearby irrigation do not significantly affect water levels in the observation wells (Water Rights, 1990).

REVIEW OF EXISTING WATER RIGHTS/PERMITS

The nearest existing water permit is No. 4347-3 and it is over 1 mile to the northeast. Interference is not expected to be a problem. Drawdown caused by pumping high capacity wells will not extend very far from individual production wells in this area. This is shown by the water level record for BG-80E and is well understood for the Big Sioux aquifer in general.

CONCLUSIONS

1. Water is available from the BG-UC aquifer.
2. Interference is not expected to be a problem. The aquifer is under water table conditions at this site. The observation well record indicates drawdowns are not significant.
3. The well authorized by this application if approved must be completed in accordance with SD Well Construction Standards.

4. There is a growing body of evidence which suggest that land use practices over shallow water table aquifers such as the BS-UC will affect the water quality of the aquifer.
5. There is no evidence presented with this application which indicates that a diversion rate greater than 2.0 cfs (the statutory limit) is necessary.


James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

Hamilton, L.J., 1988, MAJOR AQUIFERS IN BROOKINGS COUNTY, SD, SDGS INF. PAMPHLET NO. 40, SD DWR, SDGS, Vermillion, SD, 57069.

Hedges, L.S., 1982, EVALUATION OF GROUND WATER RESOURCES EASTERN SOUTH DAKOTA AND UPPER BIG SIOUX RIVER, SD AND IOWA, for US Army Corps of Engineers, SD DWR, SDGS, Vermillion, SD, 57069.

Water Rights, 1990, OBSERVATION WELL RECORDS FOR THE BS-UC AQUIFER IN BROOKINGS COUNTY, SD DWR, Div. of Water Rights, Joe Foss Bldg., Pierre, SD, 57501.

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5405-3, Gregory Watt

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5405-3, Gregory Watt, RR 1, Box 50, White SD.

The Chief Engineer is recommending APPROVAL of Application No. 5405-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.
4. Approval of Permit No. 5405-3 authorizes a maximum diversion rate of 2.0 cfs.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
April 5, 1990



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 6, 1990

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

Gregory Watt
RR #1 Box 50
White, SD 57276

Dear Mr. Watt:

Water Permit Application No. 5405-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the White Leader printed at White SD. For your information, a copy of the notice is enclosed. Copies of the report and the Chief Engineer's recommendation are also enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

A handwritten signature in cursive script that reads "Eric S. Gronlund".

Eric S. Gronlund
Natural Resources Engineer
605 773-3352

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 6, 1990

White Leader
Box 347
White, SD 57276

ATTN: Legal Publications:

Enclosed is a Notice of Hearing on Application No. 5405-3 to be published twice. Please publish the first notice on or before April 12, 1990 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Gregory Watt, RR #1 Box 50, White, SD 57276.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Eric S. Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric S. Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on or before April 12, 1990 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5405-3 to Appropriate Water

Notice is given that Gregory Watt, RR #1 Box 50, White, SD 57276 has filed an application for a water permit to appropriate 2.2 cubic feet of water per second from one well (Big Sioux Unnamed Creek Aquifer) 60 feet deep to irrigate 140 acres. The point of diversion is located in the NE1/4 NE1/4 of Section 32-T112N-R49W. The land to be irrigated is located in the NE1/4 Section 32-T112N-R49W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5405-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in the Pelican Room, Ramkota Inn, Hwy 212, Watertown, SD on May 23, 1990 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by May 11, 1990. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by May 11, 1990.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brookings) ss.

I, Mary A. Bjerke
certify that the attached printed Notice was taken
from the White Leader

A newspaper which during the whole time of publication of
said notice herein after stated, has been and is printed and
published in the _____

City _____ of White
County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the
following two dates:

April 12, 1990
April 19, 1990

Mary A. Bjerke
(Signature)

White Leader - Bookkeeper
(Title)

April 19, 1990
(Date Signed)

Cost of Printing: \$35.55

No. 10104w, 2x, April 12, 19
NOTICE OF HEARING on Applica-
tion No. 5405-3 to Appropriate Wa-
ter

Notice is given that Gregory Watt,
RR #1 Box 50, White, SD 57276 has
filed an application for a water permit
to appropriate 2.2 cubic feet of water
per second from one well (Big Sioux
Unnamed Creek Aquifer) 60 feet
deep to irrigate 140 acres. The point
of diversion is located in the NE 1/4
NE 1/4 of Section 32-T112N-R49W.
The land to be irrigated is located in
the NE 1/4 Section 32-T112N-R49W.
Pursuant to SDCL 46-2A-2, the Chief
Engineer of the Water Rights Division
recommends APPROVAL of Applica-
tion No. 5405-3 because 1) unappro-
priated water is available, 2) existing
rights will not be unlawfully impaired,
3) it is a beneficial use of water and 4)
it is in the public interest. This appli-
cation will be considered by the Water
Management Board in the Pelican
Room, Ramkota Inn, Hwy 212, Wa-
tertown, SD on May 23, 1990 at 10:00
a.m. The Chief Engineer's recom-
mendation is not final or binding upon
the Board. The Board is authorized to

2) approve with qualifi-
er or 4) deny this appli-
on the facts presented
hearing.
ed person that intends
in the hearing before
presenting evidence or
ing witnesses accord-
1-26, must file a written
BOTH the applicant and
er by May 11, 1990. The

Chief Engineer's address is "Water
Rights Division, Foss Building, 523,
E. Capitol, Pierre, SD 57501 (605-
773-3352)". The petition may be in-
formal, but must include a statement
describing the petitioner's interest in
the application, the petitioner's rea-
sons for opposing or supporting the
application and the signature and
mailing address of the petitioner or
legal counsel if legal counsel is ob-
tained. The applicant need not file a
petition. Contact the Water Rights
Division to request information on this
application or to assure access to the
hearing by the handicapped.

This hearing is an adversary pro-
ceeding. Any person filing petition
and/or the applicant have the right to
be represented by a lawyer. These
and other due process rights will be
forfeited if not exercised. Decisions
of the Board may be appealed to the
Circuit Court and State Supreme Court
as provided by law. The time of the
hearing will also be automatically
delayed for at least twenty days upon
written request to the Chief Engineer
from the applicant or a petitioner. The
request for a delay must be received
by May 11, 1990.

This application is made pursuant to
SDCL 46-1-1 thru 46-1-9, 46-1-12 thru
46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-
2-13, 46-2-17; 46-2A-1 thru 46-2A-10,
46-2A-12, 46-2A-14, 46-2A-15, 46-5-1
thru 46-5-11, 46-5-13 thru 46-5-15, 46-
5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-
5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-
10, 46-6-13, 46-6-14; and Board Rules
ARSD 74:02:01.01 thru 74:02:01.15.



NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate Nov 12 - 1990TO: Water Rights Division, DWR
Joe Foss Building
Pierre SD 57501-3181FROM: A. Gregory Watt R1 Bx 50 White SD 57276
name address city

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5405-3.

Water Permit No. 5405-3 states that the diversion system is to be constructed by licensed well driller, and that the water it put to beneficial use by May 24 - 1999.

The diversion system was completed on Oct 29 - 90.
Applying the water to beneficial use was completed on I haven't used the water yet.

You may schedule an inspection so that the Water License may be issued.

A. Gregory Watt
signature



encl.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181


SEP 12 1990

A. Gregory Watt
RR #1 Box 50
White, SD 57276

Dear Mr. Watt:

Enclosed is Water Permit No. 5405-3 as approved by the Water Management Board authorizing you to construct your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

November 18, 1994

5405-3

Larry Holler
RR #1 Box 50
White, SD 57276

Dear Mr. Holler:

I am contacting you in regard to ownership of land described in Water Permit No. 5405-3. The water permit is currently listed in the name of A Gregory Watt. Mr. Watt has notified our office that he sold the farm to you last spring.

In order to change the name of the water permit from Mr. Watt to you, you will need to file a "Notice of Transfer of Ownership". Enclosed is a partially completed form. Please review the form for accuracy, complete as necessary, and then sign the form in the presence of a notary public. Upon completion, return the form to our office with a required filing fee of \$2.50.

As soon as the completed form and filing fee are received in our office, all pertinent records pertaining to Water Permit No. 5405-3 will be transferred to your name. I have enclosed a copy of the permit for your records.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181



No. 5405-3

Date: Nov 27, 1994

I\We request that Water Permit No. 5405-3

formerly owned by: A Gregory Watt, RR #1 Box 50, White, SD 57276

be transferred to: (name & address) Larry D. Holler Rt1 Box 50
White S.D. 57276 (Telephone No) (605) 679-6081

Title to the following described land(s)/property has been transferred as described above:

140 acres in the NE 1/4 Section 32, T112N, R49W

I\We understand that the validity of Water Permit No. 5405-3 has not been determined by this transfer action. If I\We have any questions on validity, I\We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of _____)

I\We _____ being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Larry D. Holler
(Signed)

Subscribed and sworn to before me this 22nd day of November, 19 94.

John J. Miller
(Notary Public)
Commission Expires July 18, 2002

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

414345

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____, November 22, 19 94

RECEIVED OF Larry Holler, RR 1 Box 50, White, SD 57276

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Permit No. 5405-3</u>	2	50
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	2 50

By John W. Hatch
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 4, 1995

No. 5405-3

Larry D. Holler
Rt 1, Box 50
White, SD 57276

Dear Mr. White:


Enclosed is a receipt in the amount of \$2.50 which you paid for the transfer of Water Permit No. 5405-3.

Our records now show you as the owner of Water Permit No. 5405-3.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

enclosure



57405-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: LARRY D HOLLER, 47387 201ST STREET, WHITE, SD 57276 5313

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s). 5405-3

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 5405-3. The request for the Questionnaire was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 5405-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5405-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

LARRY D HOLLER
47387 201ST STREET
WHITE SD 57276 5313

4a. Article Number

P378 081 442

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2-6-97

5. Received By: (Print Name)

Larry Holler

6. Signature: (Addressee or Agent)

X 

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1997

5405-3

Larry D Holler
47387 201st St
White, SD 57276-5313

Dear Mr. Holler:

I am writing to acknowledge receipt of your 1996 irrigation questionnaire. You may disregard the February 4, 1997, **Notice of Violation of Water Permit No. 5405-3.**

I completed a questionnaire for you based on our February 6th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

REPORT ON INSPECTION OF PERMIT NO. 5405-3

DATE OF INSPECTION: 1/14/98

Other permit(s) associated with the project: none

Contact Person & Address: Larry/Susan Holler, 47387 201st St., White SD 57276-5313

DIVERSION POINT LEGAL LOCATION: NE1/4 Section 32 T112N-R49W

WATER SUPPLY Source: Groundwater

Well Information:

- 1) Well Drilling Firm: Pullman Well Drilling 2) No. of Wells 1
3) Depth(s) 50 feet 4) Well log is available Yes

Casing:

- 1) Diameter 16 inches 2) Length 37 feet
3) Type Plastic

Screen:

- 1) Type Manufactured 2) Length 13 feet
3) Static water level 6.5 feet

Pump:

- 1) Make Fairbanks Morse 2) Model Centrifugal
3) Size 4" 4) Capacity Unknown GPM

Motor:

- 1) Make McCormick-Deering 2) Model No. 122
3) Horsepower rating Unknown hp

DISTRIBUTION LINES OR CANALS:

- 1) Type Aluminum 2) Size 4 and 6 inches 3) Length 1300' of 4", 1600' of 6"

SYSTEM TYPE:

Boom Sprinkler:

- 1) Make Vemeer Model 140 2) Overall length 100 feet

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Special qualifications to permit being abided by Yes
- 2) All structures, wells and lands on map Yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Yes

Permit No. 5405-3
Big Sioux River - Water District

**Report Of Examination Of Works And/Or Application of Water To
Beneficial Use**

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

On, January 14, 1998, I made a thorough examination of the water use system constructed by Larry/Susan Holler of 47387 201st St, White SD 57276-5313 holder of Permit No. 5405-3, bearing the priority of February 8, 1990 authorizing the diversion of 2.0 cu. ft. per second of the waters of Groundwater for irrigation purposes, in Brookings County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Fairbanks Morse centrifugal pump, 50' well
McCormick-Deering model 122 Engine

B. Works used to transport water to place of use:

1300 feet of 4" Aluminum line
1600 feet of 6" Aluminum line

C. Works used to apply water to beneficial use:

Vemeer model 140 Boom Sprinkler


The system is in the following condition Fair. The point of diversion is located Approximately 1300' south and 1250' west of the NE corner of Section 32 T112N-R49W. The works are capable of diverting and conveying to the place of use 1.67 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

<u>All in Section 32 T112N-R49W</u>	<u>NE1/4 NE1/4 19 ac.</u>
	<u>NW1/4 NE1/4 40 ac.</u>
	<u>SE1/4 NE1/4 18 ac.</u>
	<u>SW1/4 NE1/4 40 ac.</u>

comprising a total of 117 acres of land and the license should be issued for 1.67 cfs.

Applicable permit qualifications have been complied with: Yes

Exceptions to compliance are: None




Jeff Shafer

Natural Resources Engineer
DENR, Water Rights Program

3-18-98

Date

NOT TO SCALE



5405-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 24, 1998

5405-3

Larry and Susan Holler
47387 201st St.
White, SD 57276-5313

Dear Mr. And Ms. Holler:

The investigation of your water use system was conducted on January 14, 1998, by Jeff Shafer, staff engineer. The investigation included the extent of application of water to beneficial use, as developed under Water Permit No. 5405-3. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the investigation and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

415766

Pierre, May 18, 19 98

RECEIVED OF Larry D. or Susan W. Holler, 47387 201st St., White, SD 57276-5313
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct
and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. 5405-3

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for _____

(Any Other Work Provided by Law)

Total

50 00

50 00

By _____
Chief Engineer

John Hatch



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

JUN 17 1998

5405-3

Larry D. Holler
47387 201st St.
White, SD 57276-5313

Dear Mr. Holler:

Enclosed is Water License No. 5405-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 415766 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5405-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5405-3

(1) A Gregory Watt, White, SD 57276 made Application No. 5405-3, February 8, 1990 for a water permit to divert 2.00 cubic feet of water per second from ground water (one well – Big Sioux Unnamed Creek Aquifer), Brookings County, South Dakota for irrigation purposes. Permit No. 5405-3, with a priority date of February 8, 1990 was approved May 24, 1990 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before May 24, 1995 and for the application to beneficial use of said water on or before May 24, 1999.

On November 28, 1994, Water Permit No. 5405-3 was transferred from A Gregory Watt to Larry D Holler.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.67 cubic feet of water per second for beneficial use. The location of the diversion point is approximately 1300'S and 1250'W of the NE corner of Section 32, T112N, R49W (NE ¼ NE ¼).

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:


Section 32, T112N, R49W	
NE ¼ NE ¼	19.0 acres
NW ¼ NE ¼	40.0 acres
SE ¼ NE ¼	18.0 acres
SW ¼ NE ¼	40.0 acres
Total	117.0 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Larry D Holler, 47387 201st St, White, SD 57276-5313 the holder and/or owner of Water Permit No. 5405-3 is issued a license to appropriate water, the right to use 1.67 cubic feet of water per second from ground water (one well) with a priority date of February 8, 1990 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5405-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 17 1998

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: LARRY D HOLLER, 47387 201ST STREET, WHITE, SD 57276 5313

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5405-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5405-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5405-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5405-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: **2303 2160 0000 0802 6845**
Status: **Delivered**

Your item was delivered at 2:16 PM on January 24, 2009 in WHITE, SD 57276. The item was signed for by L HOLLER.

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

Signature Required

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 6845

LARRY D HOLLER
47387 201ST STREET
WHITE SD 57276 5313

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 27, 2009

5405-3

Larry D Holler
47387 201st St
White SD 57276-5313

Dear Mr. Holler:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 5405-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us