

Considered: _____

WATER PERMIT NO. 5441-3

HAP No. Ph# 793-2474

Name of Applicant Barry Little

Post Office Address RRI Box 40 Castlewood SD 57223

Amount of Water Claimed 2.4 cfs 2.11 Total Acres 148 acre

Source of Water Supply groundwater (2 wells)

Water to be used for irrigation County Hamlin

About 2 miles NW of Castlewood

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received 2/20/90 Fee 250⁰⁰ Remarks towable

center pivot

Corrected Application Received 4/6/90 Period of Annual Use April 1 - Oct 31

WATER QUALITY APPROVAL RECEIVED 4/30/90 APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point Both wells SW¹/₄ NE¹/₄ Section 22

T115N - R52W

Land to be Irrigated NE¹/₄, SE¹/₄ Section 22

T115N - R52W



Well Log: Driller Huron Drilling Licensed YES X NO _____

Depth of Well 60' REMARKS _____

Type of Map Aerial PREPARED BY Hamlin Co. ASCS Dan Bartoli ?? Reviewed and the Number

assigned on 4/6/90 By Eric Gronlund

(See instructions)


No. 5447-3 Hydrologic Unit 10170202
Basin Big Sioux River
Newspaper Hamlin Co. Herald Enterprise Box 207

Hayti 57241

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application:

- ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____



Name of Applicant

Barry Little

Phone No.

605-793-2474

Post Office Address

RR1 Box 40

Castletown

State

SD 57223

(Street, RR or Box)

(City)

Zip Code

2. Amount of water claimed (c.f.s) 2.4 Total acres irrigated 150

3. Source of Water supply 2 wells

4. Location of point of diversion Well #1 3100' East & 4000' North of Well #2 3800' East and 2800' North of SW Corner Sec 22 115N-52W

County

Hamlin

5. Counties where water will be used Hamlin

6. Annual period during which water is to be used April - October 31

7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

NE 1/4 & SE 1/4 Sec 22 115N-52W

Land Description	No. Acres Irr.
NW 1/4 of NE 1/4	30
NE 1/4 of NE 1/4	7
SW 1/4 of NE 1/4	38
SE 1/4 of NE 1/4	8

Land Description	No. Acres Irr.
NW 1/4 of SE 1/4	16
NE 1/4 of SE 1/4	18
SW 1/4 of SE 1/4	16
SE 1/4 of SE 1/4	15

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: (Specify) _____

9. Crops to be Irrigated: Corn Beans Wheat Hay Oats

10. Give a description of proposed project. (Attach sheet if more space is needed)

Towable Center Pivot Fed By 2 Wells

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Hamlin, ss

I, Barry Little, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed

Barry Little

Subscribed and sworn to before me this

16th

day of

February

1990

Beth Kessler

Notary Public

(See instructions)

No. _____ Hydrologic Unit _____
Basin _____
Newspaper _____



Application For Soil/Water Compatibility Permit and Permit To appropriate Water

- Application: ☐ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☒ Add Acreage ☐ Increase diversion rate ☐ Other 5441-3
- Name of Applicant Barry Little Phone No. 793-2474
 Post Office Address RR 1 Box 40 Castlewood State SD 5728
(Street, RR or Box) (City) Zip Code
 - Amount of water claimed (c.f.s) 1.55 Total acres irrigated 145
 - Source of Water supply well
 - Location of point of diversion Center of the W $\frac{1}{2}$ NE $\frac{1}{4}$ Section 22-T115N-R52W
Hamlin County Hamlin
 - Counties where water will be used Hamlin
 - Annual period during which water is to be used April 1 - Oct. 31
 - List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 27 acres	
NE $\frac{1}{4}$ NE $\frac{1}{4}$ 9 acres	2 add'l
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 27 acres	
SE $\frac{1}{4}$ NE $\frac{1}{4}$ 11 acres	3 add'l

Land Description	No. Acres Irr.
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 28 acres	12 add'l
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 15 acres	
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 17 acres	1 add'l
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 11 acres	

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: _____
 (Specify)
- Crops to be Irrigated: Corn, wheat, alfalfa, beans, other grains, pasture
- Give a description of proposed project. (Attach sheet if more space is needed)

This permit is to add the additional acreage to the soil/water compatibility permit that were not covered under the original permit.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Hamlin)^{ss}

I, Barry Little, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Barry Little

Subscribed and sworn to before me this 3rd day of Sept. 1991

Arnell L. Strait
Notary Public
Commission expires 3/23/92

SOUTH DAKOTA
WATER PERMIT No. 5441-3 FOR IRRIGATION

Date of first receipt of application February 20, 1990.

Date Soil/Water Compatibility Permit received April 30, 1990.

Date of return to applicant for corrections, amendments or changes March 21, 1990.

Date of receipt of corrected application April 6, 1990.

The Water Management Board approved Water Permit Application No. 5441-3 on July 25, 1990 for Barry Little, RR #1, Box 40, Castlewood, SD 57223 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5441-3 appropriates 2.11 cubic feet of water per second from two wells (Big Sioux North Aquifer) 40 feet deep to irrigate 148 acres. Both wells are to be located in the SW1/4 NE1/4 of Section 22 T115N-R52W. The land to be irrigated is located in the NE1/4, SE1/4 Section 22 T115N-R52W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The date from which applicant may claim right is February 20, 1990.
4. One-fifth of the construction is to be completed on or before January 25, 1993.
5. All construction is to be completed on or before July 25, 1995.
6. Water is to be put to beneficial use on or before July 25, 1999.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The wells authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

(continued)

Water Permit No. 5441-3

Page 2

3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.
4. Permit No. 5441-3 is approved for a diversion rate of 2.11 cfs.

WATER MANAGEMENT BOARD

By: _____

John Hatch
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

SEP 17 1990

(date)

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter 12" Depth 40'
- b) Casing Type PVC Diameter 8" Thickness 1/2
- c) Screen Type Stainless Diameter 8" Thickness 3/8
- d) Gravel Pack Thickness 4" Length of Gravel Pack 1'
- e) Depth to Top of Water Bearing Material 10'
- f) Depth to Water (ground surface to water level) 10'
- g) Distance to nearest existing domestic well:
On applicants property 1300' On property owned by others _____

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
If Pipe, diameter _____

f) Secondary Spillway Capacity _____
Spillway width _____


g) X & Y Slope
Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Barry Little
Signature of Applicant





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 21, 1990

Barry Little
RR. 1 Box 40
Castlewood, SD 57223

Dear Mr. Little:

This letter is in response to your water permit application received on February 20, 1990. The following information still needs to be submitted in order to process your application.

- 1) The map must be signed by one of the following: SD Registered Land Surveyor, SD Registered Professional Engineer or by any other government employee who normally prepares maps as part of his assigned duties (SCS, ASCS, etc.). I have attached your map.
- 2) The total acres listed under item 2 of your application states 150 acres, however, the total acres described under the land description (item 7) totals 148 acres. Please clarify this issue.
- 3) Are both wells going to be identical? If not a Form 2A will need to be filled out for each well. The well log you submitted was the same for both wells.

The water permit application can not be considered by the Water Management Board until the application is complete and the soil and water compatibility permit is obtained. Please submit the above mentioned items referencing your water permit application and your application will be processed.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Eric Gronlund".

Eric Gronlund
Natural Resources Engineer
(605) 773-3352

enc.



Ron Duvall
Water Rights Div.
Joe Foss Building
Pierre SD 57501

Dear Sirs:

In reference to my application for an Irrigation Water Permit, I need to make a decision as to whether I should go ahead with my well and Irrigation system prior to receiving my official permit.

If I could get an indication as to what you may recommend to the board, I may elect to give the go ahead to the equipment dealer to order and begin installation of the well and system.

I also realize that you do not have the final say as to the issuance of the water permit. Thank you for your response at this busy time.

Gary Little

RECEIPT

412095

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, February 21, 1990RECEIVED OF Barry Little, RR #1, Box 40, Castlewood, SD 57223

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5441-3</u> to Appropriate Water, to construct works and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)		
Total	250	00

By John Hatch (mrs)
Chief Engineer

5441-3

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4649

WR#

OWNERS NAME: LITTLE, BARRY OWNERS ADDRESS: RR 1 BOX 40
CASTLEWOOD, SD 57223-9735

COUNTY LAND LOCATED IN: HAMLIN PHONE: 793-2478

LEGAL DESCRIPTION: (2) ☒ Well ☐ Surface

1. LOCATION SW $\frac{1}{4}$ NE $\frac{1}{4}$ 22-T115N-R52W
Depth _____


Legal Description	Acres	Legal Description	Acres
<u>NE$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>2</u>		
<u>SE$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>3</u>		
<u>NW$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>12</u>		
<u>SW$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>1</u>		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XXX GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: CORN, BEANS, WHEAT, HAY, OATS

WATER QUALITY:

4. WATER SAMPLE NUMBER: 90-0014 7. ADJUSTED (SAR): 0.34
5. SALINITY (EC X 10⁶): 570 8. PERCENT SODIUM: 4.29
6. SODIUM (SAR): 0.13



Requirements:

The area mapped (14), Lamoure-Rauville fine silty shall not be irrigated and shall remain in vegetation in order to create a permanent buffer zone along the river.

Those soils mapped (51), Divide, (13), Maryland fine loamy, and (20A), Fordville are subject to fluctuating high water tables. Under irrigation, these water tables may become perched and inhibit the leaching of salts. Adequate internal drainage shall be provided, as deemed necessary, through an artificial drainage system; i.e., tile drains. Another alternative would be to leave problem areas in permanent vegetation.

Please be advised that we do not consider the Swampbuster provision in the development of our recommendations. Before undertaking any drainage project, contact your local Conservation District.

[Signature]

Director, Division of Conservation

OCTOBER 21, 1991

Date

XXX APPROVED XXX REQUIREMENTS
____ DISAPPROVED
____ WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4486

WR#

OWNERS NAME: LITTLE, BARRY OWNERS ADDRESS: Rural Route 1 - Box 40
Castlewood, SD 57223

COUNTY LAND LOCATED IN: Hamlin PHONE: 793-2474

LEGAL DESCRIPTION:

1. LOCATION: SW $\frac{1}{4}$ NE $\frac{1}{4}$ 22-T115N-R52W

Depth: _____

(2) ☒ Well

☐ Surface



Legal Description	Acres	Legal Description	Acres
<u>NW$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>30</u>	<u>NW$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>16</u>
<u>NE$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>7</u>	<u>NE$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>18</u>
<u>SW$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>38</u>	<u>SW$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>16</u>
<u>SE$\frac{1}{4}$ NE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>8</u>	<u>SE$\frac{1}{4}$ SE$\frac{1}{4}$ 22-T115N-R52W</u>	<u>15</u>

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XX GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: Corn, Beans, Wheat, Hay, Oats

WATER QUALITY:

4. WATER SAMPLE NUMBER: 90-0014 7. ADJUSTED (SAR): 0.34
5. SALINITY (EC X 10⁶): 570 8. PERCENT SODIUM: 4.29
6. SODIUM (SAR): 0.15

Requirements:

The area mapped (14), Lamoure-Eauville fine silty shall not be irrigated and shall remain in vegetation in order to create a permanent buffer zone along the river.

Those soils mapped (51), Divide, (13), Marysland fine loamy, and (20A), Fordville are subject to fluctuating high water tables. Under irrigation, these water tables may become perched and inhibit the leaching of salts. Adequate internal drainage shall be provided, as deemed necessary, through an artificial drainage system; ie, tile drains. Another alternative would be to leave problem areas in permanent vegetation.

Please be advised that we do not consider the Swampbuster provision in the development of our recommendations, so before undertaking any drainage project, contact your local conservation district.

John P. Bink
Director, Division of Conservation

April 18, 1990

Date

XXI APPROVED XXI REQUIREMENTS
____ DISAPPROVED
____ WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

Barry L. 471-

received 4/6/90

1990

NOT TO SCALE



Appl. No. 5441-3

W. D. B. (CD)
Hemlin County ASCS

Eric Gronlund
Dept. of Natural Resources
523 E. Capital
Pierre, SD 57501



Dear Mr. Gronlund

This letter is in response to your letter dated March 21, 1990 concerning my water permit application.

I had the map signed by an ASCS employee and enclosed with this correspondence.

Concerning the total number of acres to be irrigated, the ~~total~~ number entered in item two should be changed to 148 acres to match the number listed under the land description.


The answer to your third question is, yes, both wells will be identical.

Sincerely,
Larry Little

PULLMAN DRILLING — DRILLERS LOG

Phone: 1-800-451-4884

Barry Little	115-52-SE 22	1-4-1990		Raynie A.
JOB NAME	LOCATION	DATE	RIG NO./1	FOREMAN

Jt No.	DEPTH	TIME	REMARKS
1	20		0-2 Topsoil 2-20 Med. to Coarse sand
2	40		20-25 Coarse sand 25-40 Yellow Clay
3	60		40-60 Yellow Clay
4			
5			
6			Both wells have the same Depth
7			and sand
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			T. D. 20'
18			10' Screen 3"
19			10' Blank 3"
20			Water head 4'
21			G.P.M. 45
22			
23			
24			
25			
26			
27			
28			Raynie Pullman
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			

REMARKS:


5441-3

PULLMAN DRILLING — DRILLERS LOG

Phone: 1-800-451-4884

Barry Little		Castlewold S.D.	4/11/90		
JOB NAME		LOCATION	DATE	RIG NO.	FOREMAN

Jt No.	DEPTH	TIME	REMARKS
			Sec 22-115N R52W NW 1/4 NE 1/4 SW 1/4 NE 1/4
1	20		0-5 yellow clay
2			5-20 Gravel
3			20-27 Gravel
4			
5			
6			
7			
8			
9			total depth 26 ft.
10			
11			
12			19 ft. 16 in P.V.C.
13			7 ft. 16 in stainless screen
14			
15			
16			
17			water head 8' 9"
18			
19			Drawdown 19' 6" @ 744 G.P.M.
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			



REMARKS:

REPORT ON APPLICATION NO. 5441-3
FOR BARRY LITTLE
June 6, 1990

This application proposes to appropriate 2.4 cfs from two wells approximately 40 feet deep to irrigate 148 acres. The wells are to be located in the SW 1/4 NE 1/4 of section 22, T115N R52W and the land to be irrigated is located in the NE 1/4 and SE 1/4 of section 22, T115N R52W in Hamlin County.

AQUIFER - BIG SIOUX NORTH (BS-N)

The Big Sioux North (BS-N) is a Pliestocene alluvium mantled outwash (sand and gravel) under water table conditions in this area. The BS-N aquifer underlies 6,200 acres and contains 13,950 acre feet of recoverable water in Hamlin County (Hedges, 1982). The BS-N aquifer is hydraulically connected to the BS-N aquifer to the north in Codington County, the Big Sioux Brookings aquifer to the south and the Big Sioux River.

The Division of Water Rights monitors an observation well HN-57A which is located approximately one mile south of this application. Water level records for this well show good correlation with climatic conditions, that is, rising during wet periods (recharge) and gradually declining during dry conditions. The historical water level record indicates that the BS-N aquifer is capable of sustaining additional withdrawals (Water Rights, 1990).


REVIEW OF EXISTING WATER RIGHTS/PERMITS

There is one existing Water Right No. 2036-3 with a diversion point approximately 3/4 southeast of the nearest diversion for this application. These wells are located on the opposite side of the Big Sioux River. Interference is not expected to be a problem. Drawdowns caused by pumping high capacity wells in aquifers such as the BS-N do not extend very far from the individual production well.

CONCLUSIONS

1. Water is available from the BS-N aquifer.
2. The BS-N aquifer is under water table conditions in this area and interference is not expected to be a problem.
3. Land use practices over shallow water table aquifers like the BS-N have been shown to affect the water quality in the aquifer.

4. Any well authorized by this application must be constructed in accordance with SD Well Construction Standards.
5. Water use data must be submitted annually.
6. The statutory limit for diversion on 148 acres is 2.11 cfs. This application should be limited to that rate.


James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

- Hedges, L.S., 1982, EVALUATION OF GROUNDWATER RESOURCES EASTERN SD AND UPPER BIG SIOUX RIVER, SD AND IOWA, for US Army Corps of Engineers, SD DWR, SDGS, Vermillion, SD, 57069.
- Water Rights, 1990, OBSERVATION WELL RECORDS FOR THE BS-N AQUIFER IN HAMLIN COUNTY, SD DWR, Div. of Water Rights, Pierre, SD, 57501.


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5441-3, Barry Little

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5441-3, Barry Little, RR 1, Box 40, Castlewood SD.

The Chief Engineer is recommending APPROVAL of Application No. 5441-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The wells authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.
4. Permit No. 5441-3 is approved for a diversion rate of 2.11 cfs.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
June 15, 1990



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 19, 1990

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

Barry Little
RR #1 Box 40
Castlewood, SD 57223-9735

Dear Mr. Barry:

Water Permit Application No. 5441-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Hamlin Co. Herald Enterprise printed at Hayti SD. For your information, a copy of the notice is enclosed. Copies of the report and the Chief Engineer's recommendation are also enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

A handwritten signature in cursive script that reads "Eric Gronlund".

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 22, 1990

The Bryant Dakotan
101 Main
Box 127
Bryant, SD 57221

ATTENTION: Legal Department

Enclosed are Notice of Hearings on Application Nos. 5439-3, 5441-3, 5443-3, and 5450-3 to be published twice. Please publish the first notice on or before June 28, 1990 with the second publication 7 days later.

The APPLICANTS MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANTS for the cost of publication. The APPLICANTS are.

1. 5439-3 - Ross Ritchie, Box 31, Estelline, SD 57234
2. 5441-3 - Barry Little, RR 1, Box 40, Castlewood, SD 57223
3. 5443-3 - Jerald Peterson, RR 2, Box 140, Bruce, SD 57270
4. 5450-3 - Poinsett Hutterian Brethren, Inc., Box 146, Estelline, SD 57234

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the next page for each application. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form for each application. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

June 19, 1990

Hamlin Co. Herald Enterprise
Box 207
Hayti, SD 57241-0207

ATTN: Legal Publications:

Enclosed is a Notice of Hearing on Application No. 5441-3 to be published twice. Please publish the first notice on or before June 27, 1990 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Barry Little, RR #1 Box 40, Castlewood, SD 57223-9735.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----
FIRST TRANSMITTAL NOTICE

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

Name _____

Newspaper _____

Instruction to Newspaper - Publish first Notice on or before June 27, 1990 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5441-3 to Appropriate Water

Notice is given that Barry Little, RR #1 Box 40, Castlewood, SD 57223-9735 has filed an application for a water permit to appropriate 2.4 cubic feet of water from two wells (Big Sioux North Aquifer) 60 feet deep to irrigate 148 acres. Both wells are to be located in the SW1/4 NE1/4 of Section 22-T115N-R52W. The land to be irrigated is located in the NE1/4, SE1/4 of Section 22-T115-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5441-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in Room 216, Joe Foss Bldg., 523 E Capitol, Pierre SD on July 25, 1990 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by July 13, 1990. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by July 13, 1990.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County Hamlin) ss.

I, Paige Kruse
 certify that the attached printed Notice was taken
 from the Bryant Dakotan

A newspaper which during the whole time of publication of
 said notice herein after stated, has been and is printed and
 published in the town

of Bryant
 County of Hamlin and State of South Dakota;
 that the said notice was published in said newspaper on the
 following two dates:

6-27-90

7-4-90

Paige L. Kruse
 (Signature)

Mgs. editor
 (Title)

7-5-90

(Date Signed)

Cost of Printing: \$ 36.29

6-27-90 105 lines x 19-2 - 20.16

7-4-90 105 lines x 19-2 x 80% 16.13

Notice

NOTICE OF HEARING ON
APPLICATION NO. 5441-3 to
APPROPRIATE WATER

Notice is given that Barry Little, RR # 1 Box 40, Castlewood, SD 57223-9735 has filed an application for a water permit to appropriate 2.4 cubic feet of water from two wells (Big Sioux North Aquifer) 60 feet deep to irrigate 148 acres. Both wells are to be located in the SW1/4 NE1/4 of Section

22-T115N-R52W. The land to be irrigated is located in the NE1/4, SE1/4 of Section 22-T115-R52W.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 5441-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board in Room 216, Joe Foss Bldg., 523 E Capitol, Pierre SD on July 25, 1990 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence of cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by July 13, 1990. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre, SD 57501 (605-773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by July 13, 1990.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.





Hamlin Co.

NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USEDate 12-1-90TO: Water Rights Division, DWNR
Joe Foss Building
Pierre SD 57501-3181

FROM:

Barry Little
nameRR1 Box 40
addressCastlewood, SD
city

I have completed the construction of the water diversion system and I have put the water to beneficial use to the maximum extent it is going to be used. I have not exceeded the amounts specified in Water Permit No. 5441-3.

Water Permit No. 5441-3 states that the diversion system is to be constructed by 7/25/95, and that the water it put to beneficial use by 7/25/99.

The diversion system was completed on 7/20/90.
Applying the water to beneficial use was completed on 8/5/90.

You may schedule an inspection so that the Water License may be issued.

Barry Little
signature



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 17 1990

Barry Little
RR #1 Box 40
Castlewood SD 57223

Dear Mr. Little:

Enclosed is Water Permit No. 5441-3 as approved by the Water Management Board authorizing you to construct your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in cursive script, reading "John Hatch". The signature is written in dark ink and is positioned above the printed name and title.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

Permit No. 5441-3Big Sioux River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Barry Little
RR1 Box 40 of Castlewood, SD 57223 holder of
 Permit No. 5441-3, bearing the priority of February 20 19 90 authorizing
 the diversion of 2.11 cu. ft. per second of the waters of groundwater
 for irrigation purposes, in Hamlin County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

30 HP - 8" Western Land Roller pump SN-9006546 powered
by a U.S. Motors Model No. 286TPH capable of 700gpm

B. Works used to transport water to place of use:

8" aluminum 16' long
8" PVC 3560' long

C. Works used to apply water to beneficial use:

owns a Valley 6000 center pivot with 7 towers and an
endgun. 1340' long and under low pressure. capable of
700gpm

The system is in the following condition excellent

The point of diversion is located 1385' South and 1585' West of NE corner
Section 22 - T11SN-R52W

The works are capable of diverting and conveying to the place of use 1.55cu. ft. per second of water which is to be used for irrigationWater has been put to beneficial use to the maximum extent as follows: Sec 22 - T11SN-R52W

<u>NW 1/4 NE 1/4 -</u>	<u>27 Acres</u>	<u>NW 1/4 SE 1/4 -</u>	<u>28 Acres</u>
<u>NE 1/4 NE 1/4 -</u>	<u>9 Acres</u>	<u>NE 1/4 SE 1/4 -</u>	<u>15 Acres</u>
<u>SW 1/4 NE 1/4 -</u>	<u>27 Acres</u>	<u>SW 1/4 SE 1/4 -</u>	<u>17 Acres</u>
<u>SE 1/4 NE 1/4 -</u>	<u>11 Acres</u>	<u>SE 1/4 SE 1/4 -</u>	<u>11 Acres</u>

comprising a total of 145 acres of land and the license should be issued for 1.55 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ NoExceptions to compliance are: _____ Date 7/10/1991

Norma C. Job
 (signature)

LICENSE FOR PERMIT NUMBER 5441-3

1. Legal location of wells: Center of W 1/2 NE 1/4 Sec 22-T11SN-RS2W

dams & structures: _____

2. Well Information: Well Drilling Firm Pullman

Completion Report Yes X No _____ No. of Wells 1 Depth 27'

Casing a) diameter 16" Screen a) type _____

b) length _____ b) length _____

c) type PVC Static Water Level 4'

Pump a) make Western Land Roller Motor a) make U.S. Motors

b) model SN-9006546 b) model No. Z86TPH

c) size 8" Head No. 8M WL c) horsepower rating 30

d) capacity 700 gpm 1760RPM

e) turbine pump - no. of stages 3

f) operating PSI 35

3. Distribution lines or canals

a) size 8" 8"

b) type alum PVC

c) length 16' 3560'

4. Dam Information:

a) height to crest _____ m) Outlet tubes:

b) height to primary spillway _____ 1) diameter _____

c) height to secondary spillway _____ 2) type _____

d) crest width _____ 3) valved (Y/N) _____

e) crest length _____ 4) valve type _____

f) spillway length _____ 5) location on structure _____

g) spillway width _____

h) approx. storage _____ n) Category of Dam _____

i) approx. storage to crest _____

j) date constructed _____

k) inspection sheet completed (Y/N) _____

l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make Valley 6000 - tows pivot
- 2) number of towers 7
- 3) distance between towers _____
- 4) overall length 1340'
- 5) end gun (Y/N) Y 100'
- 6) high or low pressure 27-low
- 7) make & size of nozzles _____
- 8) capacity (GPM) 700

g) siphons

- 1) size _____
- 2) number _____


NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
☒	☐	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
☒	☐	2. Special qualifications to permit being abided by?
☒	☐	3. All structures, wells and lands on map?
☒	☐	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
☐	☒	5. Is chemigation used? <u>Set up for it except for the drain</u> ^{missing}
☐	☐	6. If yes, does equipment comply with chemigation rules?

REMARKS:

NOT TO SCALE



prepared by
Norma C. Galt
Natural Resources Eng. I
Division of Water Rights
7/31/1991



GREAT FACES. GREAT PLACES.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

July 31, 1991

Pullman's Drilling
Box 188
Hayes Street
Wolsey, SD 57384

Dear Sirs:

Currently, I am in the process of licensing some water permits. The final step is to obtain some well logs that your company may have drilled for these permits. The well for this permit is located:

On the center line of NW 1/4 NE 1/4 and SW 1/4 NE 1/4 Section 22-T115N-R52W. One well for Barry Little.

If you have drilled this well, please send the well log as soon as possible so that I can continue the process of licensing the water permits.

If you have any questions, feel free to contact me at (605) 773-3352.

Sincerely,

Norma C. Job
Natural Resources Engineer
Division of Water Rights

Permit #
5441-3



GREAT FACES. GREAT PLACES.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

August 2, 1991

Barry Little
RR 1 Box 40
Castlewood, SD 57223

Dear Mr. Little:

On July 10, 1991, I inspected your Water Permit No. 5441-3. In the process of licensing the permit, I found some discrepancies in the acreage covered by the permit and what you have actually developed. There is no problem with the Permit to Appropriate Water; but, before we can continue the licensing process, we need to correct the Soil/Water Compatibility Permit.


Enclosed is a partially completed application. Complete and have signed in the presence of a notary public. There is no fee required for this permit. Then, return the permit application to this office, and we can issue your water license.

If you have any questions, feel free to contact me at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script that reads "Norma C. Job".

Norma C. Job
Natural Resources Engineer
Division of Water Rights



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 17, 1992

5441-3

Barry Little
RR #1 Box 40
Castlewood, SD 57223-9735

Dear Mr. Little:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 5441-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

413160

Pierre, March 31, 1992

RECEIVED OF Barry or Carolee Little, RR 1, Box 40, Castlewood, SD 57223

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5441-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By

John Hatch (Signature)

Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5441-3


(1) Barry Little of RR 1, Box 40, Castlewood, SD 57223 made Application No. 5441-3, February 20, 1990 for a water permit to appropriate 2.11 cubic feet of water per second from groundwater (two wells), Hamlin County, South Dakota for irrigation purposes. Permit No. 5441-3 with a priority date of February 20, 1990 was approved July 25, 1990 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before July 25, 1995 and for the application to beneficial use of said water on or before July 25, 1999. On December 17, 1990, the permit holder submitted a "Notice of Completion of Works and Application of Water to Beneficial Use" which stated the diversion system was completed on July 20, 1990 and water applied to beneficial use on August 5, 1990.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.55 cubic feet of water per second for beneficial use. The location of the diversion point is: 1385'S and 1585'W of the NE corner of Section 22, T115N, R52W (SW 1/4 NE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T115N, R52W Section 22	NW 1/4 NE 1/4	27 Acres
	NE 1/4 NE 1/4	9 Acres
	SW 1/4 NE 1/4	27 Acres
	SE 1/4 NE 1/4	11 Acres
	NW 1/4 SE 1/4	28 Acres
	NE 1/4 SE 1/4	15 Acres
	SW 1/4 SE 1/4	17 Acres
	SE 1/4 SE 1/4	11 Acres
	Total-----	145 Acres

(4) Pursuant to Section 46-5-30.1 Barry Little of RR 1, Box 40, Castlewood, SD 57223 the holder(s) and/or owner(s) of Water Permit No. 5441-3 is issued a license to appropriate water, the right to use 1.55 cubic feet of water per second from groundwater (one well) with a priority date of February 20, 1990 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5441-3 and subject to South Dakota State Law.

 AUG 12 1992
JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

AUG 12 1992

5441-3

Barry Little
RR 1, Box 40
Castlewood, SD 57223

Dear Mr. Little:

Enclosed is Water License No. 5441-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413160 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5441-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures



5441-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: BARRY LITTLE, RR 1 BOX 40, CASTLEWOOD, SD 57223
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

BARRY LITTLE
RR 1 BOX 40
CASTLEWOOD SD 57223

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery
1-15-2000

C. Signature
x *Barry Little* ☐ Agent ☒ Addressee

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☒ No

3. Service Type

☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number (Copy from service label)

Z 227 620 475

PS Form 3811, July 1999

Domestic Return Receipt

102595-99-M-1789



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 21, 2000

5441-3

Barry Little
RR 1 Box 40
Castlewood, SD 57223

Dear Mr. Little:

I am writing to acknowledge receipt of your 1999 irrigation questionnaire. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit No. 5441-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5441-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: BARRY LITTLE, 45788 182ND ST, CASTLEWOOD, SD 57223

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 2, 2006 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 24, 2006**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



Track & Confirm

Current Status

You entered 2303 2160 0000 0799 5180

Your item was delivered at 12:26 pm on January 25, 2006 in CASTLEWOOD, SD 57223. The item was signed for by C LITTLE.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 5180		BARRY LITTLE 45788 182ND ST CASTLEWOOD SD 57223	
waiver of Signature ☐ YES ☐ NO		POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com or call 1-800-222-1811	
Postmark Here		☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 1, 2006

5441-3

Barry Little
45788 182nd St
Castlewood SD 57223

Dear Mr. Little:

I am writing to acknowledge receipt of your 2005 irrigation questionnaire. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Right No. 5441-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 28, 2008

5441-3

6408-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223-5220

Dear Mr. Little:

Enclosed is a "Notice" dated October 24, 2008 concerning the 2008 irrigation questionnaire. The notice was originally mailed to 45788 182nd St, Castlewood, SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: BARRY LITTLE, RENTER, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3 & 6408-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3 & 6408-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3 & 6408-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

c: GORDON BLEEKER, 13085 N 91ST WAY, SCOTTSDALE, AZ 85260-4287

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 3, 2009

5441-3
6408-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223

Dear Mr. Little:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 5441-3 and Water Permit No. 6408-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

In reference to our phone conversation about the changes needed for Water Permit No. 6408-3, I am enclosing an application and instruction sheet for adding or changing acres. My understanding is that you have added a tower to the quarter of land you own and moved the pivot slightly south.

Please complete the enclosed application and return it to our office with the information I have highlighted on the instruction sheet. If you have any questions with the application, please contact Eric Gronlund with our program at 773-3352.

The transfer forms and filing fees to change ownership on the permit to you and to Gordon Little should be submitted as soon as possible. If I can help you with those, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 22, 2010

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223

Dear Mr. Little:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right No. 5441-3 and Water Permit Nos. 6408A-3 and 7118-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2014

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2013 Irrigation Questionnaire(s)

Our records indicate that the 2013 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 18, 2013. The Water Management Board has directed that owners of water permits who have not submitted the 2013 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **9:00 am, March 6, 2014** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 3, 2014**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5441-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 12, 2014

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223 5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2013 irrigation questionnaires.

You may disregard the January 24, 2014, "Notice" concerning reporting requirements for Water Right No. 5441-3 and Water Permit Nos. 6408A-3 and 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



3441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaire(s)

Our records indicate your 2014 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 4, 2015** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5441-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182

February 25, 2015

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223 5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2014 irrigation questionnaires.

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for Water Permit or Right Nos. 5441-3, 6408A-3 & 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 9, 2016

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223-5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2015 irrigation questionnaires.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Permit Nos. 6408A-3, 7118-3 and Water Right No. 5441-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 27, 2017

Barry Little
45696 SD Hwy 22
Castlewood SD 57223 5220

RE: Water Permit/Right Nos. 5441-3, 6408A-3 & 7118-3

Dear Mr. Little:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 5441-3 and Water Permit Nos. 6408A-3 and 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

USPS Tracking®

FAQs > (<http://faq.usps.com/?articleId=220900>)

Track Another Package +

Tracking Number: 70171000000032518937

Remove X

Your item was delivered to an individual at the address at 12:13 pm on January 27, 2018 in CASTLEWOOD, SD 57223.

 Delivered

January 27, 2018 at 12:13 pm
Delivered, Left with Individual
CASTLEWOOD, SD 57223

Get Updates ▼

Text & Email Updates

Tracking History


Product Information

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$	1-27-18 Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy) \$	
☐ Return Receipt (electronic) \$	
☐ Certified Mail Restricted Delivery \$	
☐ Adult Signature Required \$	
☐ Adult Signature Restricted Delivery \$	
Postage \$	
Total \$	BARRY LITTLE
Sent to	45696 SD HWY 22
Street	CASTLEWOOD SD 57223 5220
City, State, ZIP+4®	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

See Less ^

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions. **How can I help you?**




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 8, 2018

NOTICE OF ENTRY OF ORDER
FOR ONE YEAR SUSPENSION OF WATER RIGHT AND WATER PERMITS

TO: Barry Little, 45696 SD Hwy 22, Castlewood SD 57223-5220

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: One Year Suspension of Water Right No. 5441-3 and Water Permit Nos. 6408A-3 & 7118-3

On March 7, 2018, the Water Management Board ordered:

Effective April 7, 2018, Water Right No. 5441-3 and Water Permit Nos. 6408A-3 & 7118-3 be suspended for the 2018 irrigation season for failure to submit the 2017 irrigation questionnaires.

If the 2017 irrigation questionnaires are received prior to April 7, 2018, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2018 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2018 unless the 2017 irrigation questionnaires are submitted by April 7th.

After April 7th, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2017 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 2-3, 2018, in Pierre, SD. The letter should include your reasons for not completing the 2017 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

5441-3

I hereby certify that on March 8, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated March 8, 2018 regarding Water Management Board action taken March 7, 2018 for Irrigation Questionnaire violations addressed as stated below:

Amendments:

Water Right No. 410-2: John Anthony DeRungs, 11684 Indian Canyon Rd, Edgemont SD 57735

Water Right No. 4309B-3: Ronald J Gorder, PO Box 185, Estelline SD 57234-0185

Water Right No. 394-1: Larry B Reinhold, Lonetree Ranch, 14666 Lonetree, Sturgis SD 57785

Water Right No. 2350-3: Bill Boyer, River Valley Farms, PO Box 486, Alcester SD 57001

One Year Suspensions:

Water Right No. 4472-3, Darrell Biddle, 37461 287th St, Geddes SD 57342

Water Right No. 635-2: Tom Lauing, Dakota Hills Inc., 14129 Ringneck Rd, Oral SD 57766

Water Permit No. 8019-3: Mark Hohn 40455 266th St, Ethan SD 57334

Water Right No. 1213B-1: Charles & Cathy Kimbril, 19027 137th Ave, Vale SD 57788

Water Right No. 1233-1: Ed & Kathy Kling, 12345 Vallery Rd, Nisland SD 57762-9717

Water Permit Nos. 6961-3, 6962-3, 6963-3 & 7233-3, Norman Kramer, 31105 436th Ave., Yankton SD 57078

Water Permit Nos. 7265-3 & 7265A-3: Leigh Leesman, Leesman Ranch, 30729 206th St, Pierre SD 57501

Water Right No. 5441-3, Water Permit Nos. 6408A-3 & 7118-3: Barry Little, 45696 SD Hwy 22, Castlewood SD 57223-5220

Water Right No. 5735-3: Mark McCloud, 33670 183rd St, Highmore SD 57345

Water Permit No. 1923-1: Jim Montieth, PO Box 1238, Spearfish SD 57783 8502

Water Right No. 962B-1: Steve Olinger, 12241 Vallery Rd, Nisland SD 57762-7600

Water Right No. 2074-2: Tamara Rogers, Prairie Gardens Inc., 13979 Cobb Rd, Hermosa SD 57744-5415

Water Right Nos. 1612-3 & 1997-3: Brandon Vostad, Prairie Winds Golf Club, 555 S Lake Dr, Watertown SD 57201

Water Right No. 2106-2: Stuart Rice, 2300 Skyline Ranch Rd., Rapid City SD 57701

Water Right No. 2696-3A: Danny Schmidt, 18684 421st Ave., Willow Lake SD 57278

Helen M Schmidt, 19053 427th Ave., Willow Lake SD 57278

Water Right No. 4292-3: Stanley S Schulz, 41300 SD Hwy 20, Conde SD 57434

Water Right No. 1554A-1/Water Permit No. 1935-1: Donald J Stange, 2807 Gamble Ct, Mitchell SD 57301-6411

Water Permit Nos. 8164-3, 8165-3 & 8166-3: Todd Swenson, 38770 235th St., Wessington Springs SD 57382

Water Right No. 2954-3: Lane Tekrony, 47840 180th St, Clear Lake SD 57226-5405


Second violation - Three year suspensions:

Water Right No. 495-2: Harlan Eisenbraun, 21362 Creighton Rd, Wall SD 57790

Water Right No. 1530-2, Viola Keszler, 30317 289th St, Clearfield SD 57580

Third violation - Cancellation:

Water Right No. 3937-3: Wendell Schubloom, 20608 Hwy 25, DeSmet SD 57231




Vickie Maberry

Secretary

Water Rights Program

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)


Sworn to, before me, this 8th day of March, 2018.



Karen Schlaak

Notary Public

My Commission expires April 1, 2019



5441-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

April 6, 2018

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223 5220

Dear Mr. Little:

On March 7th the Water Management Board ordered Water Right No. 5441-3 and Water Permit Nos. 6408A-3 & 7118-3 suspended if the 2017 irrigation questionnaires were not received prior to April 7, 2018. The questionnaire information was received April 5th.

Since the irrigation questionnaires are on file, no violations have occurred and no suspensions will take place. You may irrigate during the 2018 irrigation season.

If you have any questions, please contact Genny McMath at (605) 773-3352.

Sincerely,

A handwritten signature in black ink that reads "Ron Duvall".

Ron Duvall, Water Rights Permitting Administrator
for Jeanne Goodman, Chief Engineer
Water Rights Program



5441-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaire(s)

Our records indicate your 2018 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5441-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 12, 2019

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223-5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2018 irrigation questionnaires.

You may disregard the January 25, 2019, "Notice" concerning reporting requirements for Water Permit or Right Nos. 5441-3, 6408A-3 and 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink, which appears to read "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5441-3

DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3, 6408A-3 & 7118-3. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3, 6408A-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3, 6408A-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: PRHKSP**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 9, 2022

5441-3
6408A-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223-5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2021 irrigation questionnaires.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Permit or Right Nos. 5441-3, 6408A-3 & 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3 & 7118-3. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: YAJCIV**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 17, 2023

5441-3
7118-3

Barry Little
45696 SD Hwy 22
Castlewood SD 57223 5220

Dear Mr. Little:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right Nos. 5441-3 & 7118-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: BARRY LITTLE, 45696 SD HWY 22, CASTLEWOOD, SD 57223 5220

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5441-3 & 7118-3. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5441-3 & 7118-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5441-3 & 7118-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: CNFGMG**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 2, 2024

5441-3
7118-3

Barry Little
45696 SD HWY 22
Castlewood SD 57223

Dear Mr. Little:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 5441-3 & 7118-3. The information was received prior to the March 6, 2024, Water Management Board meeting and these permit numbers have been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us