

Considered: _____

WATER PERMIT NO. 5525-3

Phone: 612-568-2419

Name of Applicant: Don Mielitz

Post Office Address: Rt 1, Box 67, Bellingham MN 56212

Amount of Water Claimed: 2.0 Total Acres: 140

Source of Water Supply: groundwater

Water to be used for: irrigation County: Grant

About 3 miles SW of Milbank

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 3-7-91 Fee: \$250.00 Remarks _____


Corrected Application Received _____ Period of Annual Use _____

WATER QUALITY APPROVAL RECEIVED 3-19-91 APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point: center of SW 1/4 29-120-47

Land to be Irrigated: SW 1/4 29-120-47



Well Log: Driller: Jacobs, Jacob & Larson Licensed YES X NO _____

Depth of Well: 93' REMARKS _____

Type of Map: aerial PREPARED BY: Dale E Johnson, SCS Reviewed and the Number

Assigned on 3-20-91 By Karen Schlaak


5525-3

07020001

Mail to: Water Rights Div.
523 E. Capitol
Pierre, SD 57501
(605) 778-3852

(See instructions)

No. ~~0000000000~~ Hydrologic Unit ~~South Dakota~~
Basin Minnesota-Wheatstone
Newspaper Grant Co. Review, Box 390,
Milbank, SD (Wed)



Application For Soil/Water Compatibility Permit and Permit To Appropriately Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

- Name of Applicant Don Mielitz Phone No. 612-568-2419
- Post Office Address Rt. 1, Box 67, Bellingham State MINN Zip Code 56212
(Street, RR or Box) (City)
- Amount of water claimed (c.f.s.) 2 CFS Total acres irrigated 140
- Source of Water supply Ground water (well)
- Location of point of diversion 80 rods north, 80 rods east, of southwest corner of
Sec 29-120-47 (center of SW $\frac{1}{4}$ Sec 29-T120N-R47W)
- County Grant
- Counties where water will be used Grant
- Annual period during which water is to be used April 1 thru Sept. 30
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
SW $\frac{1}{4}$ Sec 29-T120N-R47W	140

Land Description	No. Acres Irr.

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: _____ (Specify) _____
- Crops to be Irrigated: Corn, Soybeans, Alf. & Wht.
- Give a description of proposed project. (Attach sheet if more space is needed)

We intend to build a 1280 ft center pivot on the location mentioned. Plan to rotate corn & beans mainly on a possible 140 @ maximum.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Grant)^{ss}

I, _____, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Wale E. Johnson

Signed

Ronald J. Mielitz

Subscribed and sworn to before me this

1st day of March 19 91

Seal Expires 6/22/94

Cornie A. Hall

Notary Public

**SOUTH DAKOTA
WATER PERMIT No. 5525-3 FOR IRRIGATION**

Date of first receipt of application March 7, 1991.

Date Soil/Water Compatibility Permit received March 19, 1991.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5525-3 to Don Mielitz, Rt 1, Box 67, Bellingham MN 56212 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5525-3 appropriates 2.0 cubic feet of water per second from one well (Veblen Aquifer) 93 feet deep located in the center of the SW 1/4 Section 29-T120N-R47W to irrigate 140 acres located in the SW 1/4 Section 29-T120N-R47W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - September 30.
3. The date from which applicant may claim right is March 7, 1991.
4. The date of approval of Permit No. 5525-3 is July 3, 1991.
5. One-fifth of the construction is to be completed on or before January 3, 1994.
6. All construction is to be completed on or before July 3, 1996.
7. Water is to be put to beneficial use on or before July 3, 2000.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS


1. The well authorized by Permit No. 5525-3 shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted with cement (bottom to top) from the producing formation to the surface pursuant to Section 74:02:04:29.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

(continued)

Water Permit No. 5525-3
Page 2

3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

JUL 29 1991

date

10-85

Date 5-1-77

NOT TO SCALE





RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412572

Pierre, March 7, 19 91

RECEIVED OF Marilyn Mielitz, RR 1 Box 57, Bellingham, MN 56212

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5525-3</u> to Appropriate Water, to construct works and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for _____		
(Any Other Work Provided by Law)	Total	250 00

By

Chief Engineer

John Hatch



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 7, 1991

Don Mielitz
Rt 1, Box 67
Bellingham MN 56212

Dear Mr. Mielitz:

In regard to your water permit application received on March 7, 1991, please submit a well log or driller's test log signed by a South Dakota licensed well driller.

The water permit application can not be considered until the application is complete and a soil/water permit is obtained from the Department of Agriculture. Upon receipt of the well log, further processing of your application will continue.

If you have any questions, please contact this office.

Sincerely,

Karen Schlaak

Karen Schlaak
Natural Resources Analyst
605 773-3352

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4572

WR#

OWNERS NAME: DON MIELITZ OWNERS ADDRESS: RT. 1 BOX 67
BELLINGHAM, MN 56212

COUNTY LAND LOCATED IN: GRANT PHONE: (612)568-2419

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION: 80 rods N, 80 rods E of SW corner of 29-T120N-R47W

Depth: _____

Legal Description	Acres	Legal Description	Acres
<u>SW 1/4 29-T120N-R47W</u>	<u>140</u>		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XXX GUN: _____ OTHER: (Specify) _____

3. CROPS TO BE IRRIGATED: CORN, SOYBEANS, ALFALFA & WHEAT

WATER QUALITY:

4. WATER SAMPLE NUMBER: 91-0101 7. ADJUSTED (SAR): 0.59
5. SALINITY (EC X 10⁶): 550 8. PERCENT SODIUM: 6.92
6. SODIUM (SAR): 0.26

Requirements:

A buffer strip along the North Fork of the Yellow Bank River shall be maintained in permanent vegetation and restricted from irrigation.

The area mapped as Renshaw-Sioux Complex, 6-15 (Rcd) is subject to an erosional hazard. This area shall remain in permanent vegetation.



XXX APPROVED

DISAPPROVED

WAIVER

XXX REQUIREMENTS

Director, Division of Conservation

MARCH 11, 1991

Date

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

REPORT ON APPLICATION NO. 5525-3
for Don Mielitz
May 3, 1991

This application proposes to appropriate 2.0 cfs from one well approximately 93 feet deep located in the center of the SW 1/4 of section 29, T120N R47W in Grant County. The water will be used to irrigate 140 acres located in the SW 1/4 of section 29, T120N R47W.

AQUIFER - VEBLEN (VEB)

The Veblen aquifer is predominantly a buried glacial outwash (sand and gravel) under artesian conditions. The Veblen underlies 330 square miles and contains an estimated 700,000 acre feet of water in storage in Grant County (Hansen, 1990). The general direction of water movement is from west to east and recharge occurs by direct infiltration of rainfall and snowmelt into the aquifer where the aquifer is at land surface. The Division of Water Rights does monitor observation wells completed into the Veblen aquifer in Grant County. GT-77Q (located about 2 miles northwest), GT-79G (located about 3 1/2 miles southwest) and GT-79F (located about 1/2 mile south) are all completed into the Veblen aquifer. Water levels for these wells show good response to climatic conditions, that is, rising during wet years and gradually declining during dry years (Water Rights, 1991). The observation well GT-79F is completed into a shallow outwash which appears to lie above the aquifer as described on the well completion report filed with the application. The water levels are similar, however, it is not possible to determine at this time if the observation well water levels are representative of the aquifer at the test site. If the shallow and the deeper aquifer are connected hydraulically then the North Fork of the Yellow Bank River would also be connected to the aquifer.

The test well information supplied with this application indicates that sand and gravel was encountered from 48 feet to 93 feet below land surface and that the well produced 60 gpm and had a static water level of 20 feet below land surface.

REVIEW OF EXISTING WATER PERMITS/RIGHTS

There are no other water permits/rights in this area. The nearest permit/right is about 3 miles north of this site. Interference is not expected to be a problem.

CONCLUSIONS

1. Water is available from the Veblen aquifer.
2. The aquifer is under artesian conditions and drawdown will be created by pumping a high capacity well. Interference is not expected to be a problem. This permit should have the domestic well clause added as a condition.

3. Any well authorized by this application must be completed in accordance with SD Well Construction Standards.


James A Goodman

Natural Resources Engineer

BIBLIOGRAPHY

Hansen, D.S., 1990, Water Resources of Codington and Grant Counties, South Dakota, USGS WRI 89-4147, USGS, Huron, SD, 57350.

Water Rights, 1991, Observation Well Records for the Veblen Aquifer in Grant County, SD DENR, Div. of Water Rights, Pierre, SD, 57501.

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5525-3, Don Mielitz

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5525-3, Don Mielitz, Rt 1, Box 67, Bellingham, MN 56212.

The Chief Engineer is recommending APPROVAL of Application No. 5525-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well authorized by Permit No. 5525-3 shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted with cement (bottom to top) from the producing formation to the surface pursuant to Section 74:02:04:29.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
May 13, 1991



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

GREAT FACES. GREAT PLACES.

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 30, 1991

Don Mielitz
Rt 1 Box 67
Bellingham, MN 56212

Dear Mr. Mielitz:

Water Permit Application No. 5525-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Grant County Review printed at Milbank, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Karen Schlaak

for Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

South Dakota

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

GREAT FACES. GREAT PLACES.

May 30, 1991

Grant County Review
Box 390
Milbank, SD 57252

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5525-3 to be published twice. Please publish the first notice on June 5, 1991, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Don Mielitz, Rt 1, Box 67, Bellingham, MN 56212.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Karen Schlaack

for Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----
FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on or before June 5, 1991, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5525-3 to Appropriate Water

Notice is given that Don Mielitz, Rt 1, Box 67, Bellingham, MN 56212 has filed an application for a water permit to appropriate 2.0 cubic feet of water per second from one well (Veblen Aquifer) 93 feet deep located in the center of the SW 1/4 Section 29-T120N-R47W to irrigate 140 acres located in the SW 1/4 Section 29-T120N-R47W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5525-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 24, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5525-3 and 2) the chief engineer's recommendation, a special Board meeting is scheduled for July 3, 1991, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the July 3, 1991, hearing date may be rescheduled for another Board meeting. If the hearing is rescheduled, notice of the time and place will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The July 3, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 24, 1991.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County Grant) ss.

I, Nina Beilke

certify that the attached printed Notice was taken
 from the Grant County Review

A newspaper which during the whole time of publication of
 said notice herein after stated, has been and is printed and
 published in the _____

City Milbank of _____

County of Grant and State of South Dakota;
 that the said notice was published in said newspaper on the
 following two dates:

June 5, 1991

June 12, 1991

Nina Beilke
 (Signature)

Bookkeeper

(Title)

June 12, 1991

(Date Signed)

Cost of Printing: _____

1st Publication - 108 li. @

.2765

\$ 29.86

2nd Publication - 80% of

above

23.89

\$ 53.75

NOTICE OF HEARING
 On Application No. 5525-3
 To Appropriate Water

Notice is given that Don Mielitz, Rt. 1, Box 67, Bellingham, MN 56212 has filed an application for a water permit to appropriate 2.0 cubic feet of water per second from one well (Veblen Aquifer) 93 feet deep located in the center of the SW ¼ Section 29-T120N-R47W to irrigate 140 acres located in the SW ¼ Section 29-T120N-R47W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5525-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3; it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 24, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5525-3 and 2) the chief engineer's recommendation, a special Board meeting is scheduled for July 3, 1991, at 9:00 a.m. in Room 413, Joe Foss Building, 523 E Capital, Pierre SD. If this application is opposed or the recommendation is contested, the July 3, 1991, hearing date may be rescheduled for another Board meeting. If the hearing is rescheduled, notice of the time and place will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The July 3, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from

the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 24, 1991.


If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

June 5

June 12

South Dakota



GREAT FACES. GREAT PLACES.

JUL 29 1991

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE SOUTH DAKOTA 57501-3181

Don Mielitz
Rt 1 Box 67
Bellingham, MN 56212

Dear Mr. Mielitz:

Enclosed is Water Permit No. 5525-3 authorizing construction of your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

5525-3

Don Mielitz
Mielitz Farms
RR 1 Box 67
Bellingham, MN 56212

Dear Mr. Mielitz:

Thank you for the prompt return of your 1999 irrigation questionnaire.

On the questionnaire, I noticed that you made a change to your address label. If you would like all correspondence sent to "Mielitz Farms" in-care-of you, I can make that change for you right away. If you wanted the name on your permit actually changed to "Mielitz Farms", a "Notice of Transfer of Ownership" will need to be filed in order to make the change permanent.

Enclosed is a partially completed "Notice of Transfer of Ownership" form for use in filing the ownership change. Please review and complete as needed. The form needs to be signed in the presence of a notary public and returned to our office with a required filing fee of \$2.50. The check or money order for the fee should be made out to the "Water Rights Program".

As I stated above, if you merely wanted correspondence to be directed differently, no transfer is required. If this is the case, you may throw the transfer form away.

If I can answer any questions for you, please get in touch with me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 3, 2002

5525-3

Jay Mielitz
15273 487th Ave
Big Stone City SD 57216

Dear Mr. Mielitz:

Thank you for calling about the ownership change for Water Permit No. 5525-3. I have included a copy for your records.

Enclosed is a partially completed Notice of Transfer of Ownership form for use in filing an ownership change. Please review and complete as needed. Upon completion, please sign the form and return it to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please get in touch with me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 19, 2003

No. 5525-3

Jay Mielitz
15273 487th Ave
Big Stone City SD 57216

Dear Mr. Mielitz:

I am writing as a reminder that we have not received the *Notice of Transfer of Ownership* form for use in filing an ownership change on Water Permit No. 5525-3. The water permit is currently listed in the name of Don Mielitz.

In the event you no longer have the original form, enclosed is another partially completed *Notice of Transfer of Ownership* form. Please review and complete the form, making any necessary corrections or additions. The form should be signed by the new owner and returned to our office with a required filing fee of \$2.50. The check or money order can be made payable to the "Water Rights Program".

If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352

enclosure



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

June 10, 2003

5525-3

Jay Mielitz
15273 487th Ave
Big Stone City SD 57216

RE: Water Permit No. 5525-3, Don Mielitz

Dear Mr. Mielitz:

In December, 2002, you contacted our office and requested a copy of Water Right No. 5525-3 and a "Notice of Transfer of Ownership" form for changing ownership of the permit. An additional form and reminder letter were mailed to you on March 19, 2003. To date, we have not heard from you regarding the ownership change.

It is very important to keep ownership records current. Failure to keep records current can mean a delay in receiving a notice or even no receipt of a notice that pertains to the water permit. In some cases, a notice from our office includes an order which could result in up to one year suspension of a permit or other penalty if not complied with.

In the event you do not have the original transfer form, I am enclosing an additional one. Please review and complete as needed. Upon completion, please sign the form and return it to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the Water Rights Program.

Unless we receive the transfer of ownership form and filing fee from you, all correspondence concerning the water permit will continue to be sent to Don Mielitz. If you have decided to leave the water permit in Don's name, please let us know.

If you have any questions, please get in touch with me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352 email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5525-3

Date: 7-6-03

I/We request that Water Permit No. 5525-3

formerly owned by: Don Mielitz

be transferred to: (name & address) Mielitz Bros.

RR1 Box 67

Bellingham MN 56212

Telephone No. 320-568-2419

Title to the following described land(s)/property has been transferred as described above:

140 acres - SW 1/4 Section 29, T120N, R47W

I/We understand that the validity of Water Permit No. 5525-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Mielitz Bros, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED
JUL - 8 2003
WATER RIGHTS
PROGRAM



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 8, 2003

5525-3

Jay Mielitz
Mielitz Bros
RR 1 Box 67
Bellingham MN 56212

Dear Mr. Mielitz:

Thank you for following up on the ownership change for Water Permit No. 5525-3. The transfer has been completed. The water permit formerly listed in the name of Don Mielitz is now listed in the name of Mielitz Bros.

Enclosed is your Receipt No. 000823 in the amount of \$2.50. If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date July 8, 2003

RECEIVED OF Mielitz Brothers Trucking, RR 1 Box 74, Big Stone City SD 57216-9735

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2.50	
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>5525-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	2.50

No.

000823

By

Donald Eiche
Chief Engineer

Permit No. 5525-3
Minnesota-Whetstone - Water District

Report of Examination of Works and/or Application of Water to Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, 07/18/05, made a thorough examination of the water use system constructed by Mielitz Brothers of Rt. 1, Box 67, Bellingham, MN holder of Permit No. 5525-3, bearing the priority of 03/07/91 authorizing the diversion of 2.0 cu. ft. per second of the waters of Veblen Aquifer for Irrigation purposes, in Grant County.

Inspection contact & relationship **Jay Mielitz (son)**
to permit holder, if applicable:

A. Works used to divert the water:

Well Information:

- 1) Well Drilling Firm: **Steffl Well Drillers Inc.**
- 2) No. of Wells **1**
- 3) Depth(s) 93 feet
- 4) Well log is available Y
- 5) Comment:

Casing:

- 1) Diameter 12 inches
- 2) Length 67 feet
- 3) Type **Plastic PVC**

Screen:

- 1) Type Stainless Steel
- 2) Length 26 feet
- 3) Static water level 15 feet

Pump:

- 1) Make **Well Guard**
- 2) Model Class 8940 Type WE 352
- 3) Size
- 4) Capacity 800 GPM

Motor:

- 1) Make **Roto-Phase**

- 2) Model No. **G89192E**
- 3) Horsepower rating **50** hp

B. Works used to apply water to beneficial use:

Center pivot:

- 1) Make Valley
- 2) Overall length **1170** feet
- 3) End gun Y
- 3) High or low pressure **Low**

Chemigation Equipment:

- 1) Does chemigate N

C. Compliance with Permit Requirements:

- 1) Permit qualifications being abided by Y
- 2) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y
- 3) Exceptions to compliance are: **NONE**

The system is in **good** condition with the point(s) of diversion located as follows: **1410 ft North and 1275 ft East of the SW1/4 corner of SEC. 29-T120N-R47W (N 45.16935, W 96.4924)**. The works are capable of diverting and conveying to the place of use **1.78** cu. ft. per second of water which is to be used for **Irrigation**. Water has been put to beneficial use to the maximum extent as follows:

SEC. 29

NW1/4 SW1/4-40 acres


SW1/4 SW1/4-40 acres

SE1/4 SW1/4-26 acres

NE1/4 SW1/4-34 acres

Comprising a total of **140** acres of land and the license should be issued for **1.78** cfs.

All structures, wells and lands on map Y




Mike DeFea
Natural Resources Engineer
DENR, Water Rights Program

Date report completed: **07/25/05**

SOUTH DAKOTA WATER WELL COMPLETION REPORT

10-85

Location SW 1/4 Sec 29 Twp 120 Rg 47WCounty
GRANTPlease mark well
location with
an "X"Well Completion Date 4/29/92

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Rotary Mud

CASING DATA:

☐ Steel ☒ Plastic ☐ Other

If other describe _____

PIPEWEIGHT DIAMETER FROM TO HOLE DIAMETER

X 14.62 LB/FT 12 IN 0 FT 67 FT 18 IN

sch200 LB/FT _____ IN _____ FT _____ FT _____ IN

_____ LB/FT _____ IN _____ FT _____ FT _____ IN

_____ LB/FT _____ IN _____ FT _____ FT _____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NOTo what depth? 52 FEETWhat is grouting material? neat cementIf cement, number of sacks? 21Describe grouting procedure From PipeWhat was grout weight? 14 LB/GALSCREEN: ☐ Perforated pipe ☒ ManufacturedDiameter 12" PIPE SIZE Length 26 FEETMaterial 304 stainless steelSlot Size 40 Set From 67 Feet To 76 FeetSlot Size 60 Set From 76 Feet To 85 FeetSlot Size 30 Set From 85 Feet To 93 Feet

Other information _____

Well Owner:

Name X Don MielitzAddress RT 1 Box 67 Bellingham Minn.Well Log: Depth 560

Formation	From	To
black dirt	0	1
yellow clay	1	3
red gravel	3	8
yellow clay	8	20
blue clay soft	20	52
fine to med sand	52	64
med to coarse sand	64	71
med gravel	71	76
med to coarse gravel	76	84
med to coarse sand	84	93

STATIC WATER LEVEL 15 below Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other, specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped☐ Bailed☒ OtherDescribe: air pumped jetted & developed with test pump

Pumping Level Below Land Surface

24 ft. After 4 Hrs. pumped 197 GPM51 ft. After 4 Hrs. pumped 788 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS:

7 hrs air developingThis well was drilled under license # 612

And this report is true and accurate.

Drilling firm Stiff Well Drillers, Inc.

Signature of License Representative

Sylvester J. Stiff

Signature of Well Owner:

X Don MielitzDate 4-29-92Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____


Describe packer(s) and location? screen was screenedto casingWas well disinfected upon completion? ☒ YES ☐ NOExplain shock chlorinationBacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____


Don Mielitz
Rt. 1 Box 67
Bellingham, MN-Grant County
Water Permit No.5525-3

1.5 mi to Hwy 77

3 mi to Milbank



Mike DeFea
Natural Resources Engineer
DENR Water Rights Program
07/26/05



0.0 0.070.140.210.280.35 Miles



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 26, 2005

5525-3

Jay Mielitz
Mielitz Brothers
15273 487th Ave
Bellingham MN 56212

Dear Mr. Mielitz:

On July 18, 2005 the investigation of your water use system, including the extent of application of water to beneficial use, as developed under Water Permit No. 5525-3, was completed by Mike DeFea, a staff engineer with our program. Your final water right document, the water license, can now be issued.

State law requires that we charge a \$50.00 fee for the investigation and issuance of the water license. Upon receipt of the \$50.00 fee from you, we will complete processing your water license. The check or money order for the fee should be made payable to the "Water Rights Program".

Your licensed water right will be similar to a property right that can not be lost as long as the water use continues and you abide by the permit requirements.

If you have any questions regarding the water permit, investigation of your water use system or payment of the fee, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date August 2, 20 05

RECEIVED OF Jay Mielitz, Mielitz Brothers, 15273 487th Ave., Bellingham MN 56212

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5525-3</u>		
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____	50.00	
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	

No.

01911

By

Darland Elvehjem

Chief Engineer

gm

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5525-3

(1) Don Mielitz made Application No. 5525-3, March 7, 1991 for a water permit to divert 2.00 cubic feet of water per second from ground water (one well – Veblen Aquifer), Grant County, South Dakota for irrigation purposes. Permit No. 5525-3, with a priority date of March 7, 1991 was approved July 3, 1991 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before July 3, 1996 and for the application to beneficial use of water on or before July 3, 2000.

On July 8, 2003, Water Permit No. 5525-3 was transferred to Mielitz Brothers, 15273 487th Ave, Bellingham MN 56212.

(2) The water supply system has been completed and water applied to beneficial use in accordance with South Dakota State Law. Pursuant to South Dakota Codified Law 46-5-30.1, Mielitz Brothers the holders and/or owners of Water Right No. 5525-3 are issued a license, bearing a priority date of March 7, 1991 to appropriate 1.78 cubic feet of water per second from ground water (one well – Veblen Aquifer) to irrigate 140 acres.


The diversion point is located 1,410 feet north and 1,275 feet east of the SW corner of Section 29, T120N, R47W (NW ¼ SW ¼).

The acres authorized for irrigation are as follows:

Section 29, T120N, R47W	
NW ¼ SW ¼	40 acres
SW ¼ SW ¼	40 acres
SE ¼ SW ¼	26 acres
NE ¼ SW ¼	34 acres
Total	140 acres

(3) This license is subject to South Dakota Water Law, any limitations or conditions listed in Water Permit No. 5525-3 including the following now applicable qualifications:


- The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
- This Permit is approved subject to the irrigation water use questionnaire being submitted each year.



Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

AUG 08 2005

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

AUG 08 2005

5525-3

Jay Mielitz
Mielitz Brothers
15273 487th Ave
Bellingham MN 56212.

Dear Mr. Mielitz:

Enclosed is Water License No. 5525-3. This is the final water right document completing your process of obtaining a Water Right. Also enclosed is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5525-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

NOTICE OF CONDITIONAL ASSIGNMENT OF OWNERSHIP

**To: PMB 2020
Chief Engineer
DENR - Water Rights Program
523 East Capitol Avenue
Pierre, South Dakota 57501-3182**

Date: August 29, 2017

Please take notice that Meitz Bros., a South Dakota general partnership, have granted to AXA Equitable Life Insurance Company, c/o AXA Equitable AgriFinance, 4333 Edgewood Road NE, Cedar Rapids, IA 52499-5223 (the "Lender") a security interest in certain easements, water rights, water permits, and water licenses, evidencing water rights appurtenant to certain real property more fully described in Exhibit "A" attached to this Notice and incorporated herein by this reference, including without limitation the following water permits and licenses:

Water Permits Nos. 7439-3 and 7216-3 and Water License No. 5525-3

The security interest granted by Meitz Bros., a South Dakota general partnership, to the Lender secures the principal sum of Seven Million Three Hundred Fifty Thousand and No/100 Dollars (\$7,350,000.00), with interest thereon at the initial rate of Four and Twenty-Five Hundredths percent (4.25%) per annum according to the terms of a certain Adjustable Interest Rate Promissory Note, as well as other obligations as provided in the Mortgage and other loan documents securing said Promissory Note.

You are requested to file this Notice of Conditional Assignment in the appropriate file at the Division of Water Rights as evidence of the security interest granted to the Lender in all such water permits and water rights.

Mielitz Bros.,
a South Dakota general partnership

By: Douglas Mielitz
Name: Douglas Mielitz
Title: Partner

By: Richard R Mielitz
Name: Richard Mielitz
Title: Partner

By: Jonathan Mielitz
Name: Jonathan Mielitz
Title: Partner

STATE OF SOUTH DAKOTA)
) SS.
COUNTY OF Grant)

On this 29 day of August, 2017, before me, the undersigned notary public in and for said county and state, personally appeared DOUGLAS MIELITZ, to me personally known, who, being by me duly sworn, did say that he is a Partner of the general partnership that executed the within instrument; that he signed said instrument on behalf of said general partnership by authority of its limited partners; and that he acknowledged the execution of said instrument to be the voluntary act and deed of said general partnership.

(SEAL)


Lisa Wienk
Notary Public

My Commission Expires: 7/26/18



COUNTY OF Grant

~~General partnership.~~



Notary Public

COUNTY OF Grant

general partnership.

My Commission Expires: 7/26/18

Notary Public



Exhibit "A"

Legal Description

Parcel 1: S1/2SW1/4 of Section 29, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 2: N1/2SW1/4 and W1/2SE1/4 and SW1/4NE1/4, all in Section 29, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 3: SE1/4SE1/4 of Section 29, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 4: SE1/4, except Lot 1, Jonathan Mielitz Subdivision, in Section 28, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 5: SW1/4 of Section 28, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 6: W1/2NE1/4 of Section 33, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 7: S1/2NE1/4 and N1/2SE1/4 of Section 21, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 8: Government Lots 1 and 2 of Section 27, and Government Lots 2 and 3, and the SW1/4NE1/4, except Lot 1, Richard Mielitz Subdivision located in Government Lot 3, of Section 28, all in Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 9: N1/2NE1/4 and SE1/4NE1/4 and NE1/4SE1/4 of Section 29, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota.

Parcel 10: The NE1/4 of Section 30, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota

Parcel 11: The NW1/4, except Lots 1 and 2, Long Tom Subdivision, and except Lot 3, Big Tom Subdivision, in Section 29, Township 120 North, Range 47 West of the 5th P.M., Grant County, South Dakota

Parcel 12: N1/2 of Section 15, Township 119 North, Range 49 West of the 5th P.M., Grant County, South Dakota

Parcel 13: SW1/4 of Section 19, Township 118 North, Range 47 West of the 5th P.M., Grant County, South Dakota

APN: 02.47.29.3000, 02.47.29.4000, 02.47.29.4001, 02.47.28.4001, 02.47.28.3000, 02.47.33.1000, 02.47.21.1001, 02.47.27.3000, 02.47.28.1000, 02.47.29.1000, 02.47.30.1000, 02.47.29.2000, 10.49.15.1000, 10.49.15.2000 and 01.47.19.3000