

Considered: _____

WATER PERMIT NO. 5536-3

Phone: 957-4223

Name of Applicant: Don Lerseth

Post Office Address: Rt 1, Box 164, Beresford SD 57004

Amount of Water Claimed: 2.03 Total Acres: 142

Source of Water Supply: groundwater

Water to be used for: irrigation County: Union

About 5 miles SE of Beresford

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F.& C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 2-21-91 Fee: \$250.00 Remarks _____

Corrected Application Received _____ Period of Annual Use April 1 - Sept 30


WATER QUALITY APPROVAL RECEIVED _____ APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point: approximate center NW 1/4

35-95-50

Land to be Irrigated: NW 1/4 35-95-50



Well Log: Driller: Wetmore Drilling Licensed YES X NO _____

Depth of Well: 50' REMARKS _____

Type of Map: aerial PREPARED BY: Howard P Wagner, SCS Reviewed and the Number

Assigned on 4-9-91 By Karen Schlaak

(See instructions)

No. 5536-3 Hydrologic Unit 10170203
Basin Big Sioux
Newspaper Beresford Republic Box 111 (thurs)

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

- Name of Applicant Don Lerseeth Phone No. 957-4223
Post Office Address Rt 1 Box 164 Beresford State SD Zip Code 57004
(Street, RR or Box) (City)
- Amount of water claimed (c.f.s.) 2.03 Total acres irrigated 142
- Source of Water supply Well (ground water)
- Location of point of diversion The Northwest Quarter (NW 1/4) of Section
Thirty-five (S 35), Township Ninety-five North (T 95 N), Range
Fifty (R 50), West of the 5th P.M. (Approx center NW 1/4) County Union
- Counties where water will be used Union
- Annual period during which water is to be used Apr. 1 - September 30
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW 1/4 of NW 1/4 of S35 of T95N R50	35.5
SW 1/4 of NW 1/4 of S35 of T95N R50	35.5
NE 1/4 of NW 1/4 of S35 of T95N R50	35.5
SE 1/4 of NW 1/4 of S35 of T95N R50	35.5

Land Description	No. Acres Irr.

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Gun: _____ Other: _____ (Specify) _____
- Crops to be Irrigated: Corn, Soybeans, alfalfa
- Give a description of proposed project. (Attach sheet if more-space is needed)

A center pivot using a groundwater source
will be used to irrigate approximately 142 acres
of crop land at the above described location

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Union)^{ss}

I, Don Lerseeth, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Don Lerseeth

Subscribed and sworn to before me this 20th day of February 19 91

Shirley Jacobson

SHIRLEY JACOBSON, Notary Public
My Commission Expires May 10, 1992

SOUTH DAKOTA
WATER PERMIT No. 5536-3 FOR IRRIGATION

Date of first receipt of application February 21, 1991.
Date Soil/Water Compatibility Permit received April 22, 1991.
Date of return to applicant for corrections, amendments or changes
February 25, 1991.
Date of receipt of corrected application February 28, 1991.

The Water Management Board approved Water Permit Application No. 5536-3 on July 24, 1991 for Don Lerseth, Rt 1, Box 164, Beresford SD 57004 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5536-3 appropriates 2.03 cubic feet of water per second from one well (Brule Creek Aquifer) 50 feet deep to be located in the approximate center of the NW 1/4 to irrigate 142 acres located in the NW 1/4; all in Section 35-T95N-R50W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - September 30.
3. The date from which applicant may claim right is February 21, 1991.
4. One-fifth of the construction is to be completed on or before January 24, 1994.
5. All construction is to be completed on or before July 24, 1996.
6. Water is to be put to beneficial use on or before July 24, 2000.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

(continued)

Water Permit No. 5536-3
Page 2

3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

AUG 28 1991

(date)

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter 24" Depth 50'
- b) Casing Type PVC Diameter 16" Thickness 1/2"
- c) Screen Type slotted Diameter 16" Thickness 1/2"
- d) Gravel Pack Thickness 4" Length of Gravel Pack 48'
- e) Depth to Top of Water Bearing Material 0' 6'
- f) Depth to Water (ground surface to water level) 12'
- g) Distance to nearest existing domestic well:
On applicants property 1/2 mile On property owned by others 1/2 mile

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
If Pipe, diameter _____

f) Secondary Spillway Capacity _____
Spillway width _____


g) X & Y Slope
Upstream _____

Downstream _____


Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Signature of Applicant



WETMORE DRILLING

P.O. BOX 577 · ELK POINT, SOUTH DAKOTA 57025 · (605) 356-3272

December 21, 1990

Don Lerseth
Rt. 1 Box 164
Beresford, SD 57004

TEST HOLE:

NW 1/4 Sec 35 T 95 N - R 50 W Union County

0 - 2'	Topsoil
2 - 48'	sand & gravel
48 - 52'	clay

James Wetmore
James Wetmore
Wetmore Drilling
P.O. Box 577
Elk Point SD 57025

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

02-13-1991

Union

Name: Lerseth, Don
Address: RFD 1, Box 164
Beresford, SD 57004

Date Rec'd FEB 11, 1991
Sample No. 91-0053
Source WELL
Legal ID 095N50W35

WATER ANALYSIS

Calcium (Ca)	92	ppm*	4.59	me/l**
Magnesium (Mg)	26	ppm	2.14	me/l
Sodium (Na)	17	ppm	0.74	me/l
Potassium (K)	9	ppm	0.23	me/l
Sulfate (SO4)	62	ppm	1.29	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	3	ppm	0.08	me/l
Bicarbonate (HCO3)	398	ppm	6.52	me/l
Carbonate (CO3)	0	ppm	0.00	me/l
Iron (Fe)		ppm		me/l
Flouride (F)		ppm		me/l
Manganese (Mn)		ppm		
Boron (B)	0.05	ppm		
Hardness (EDTA as CaCO3)		ppm		g.p.g.***
Total solids		ppm		
Total Cations			7.70	me/l
Total Anions			7.90	me/l
Alkalinity (Methyl Orange)	326	ppm(as CaCO3)		
Alkalinity (Phenolphthalein)	0	ppm(as CaCO3)		
Electrical Conductivity	700	micromhos per cm at 25 C		
Sodium Adsorption Ratio	0.40	Adjusted SAR	0.99	
Sodium	9.60	% of Cations		
Residual Sodium Carbonate	0.00	me/l		
pH	7.40			

Others:

*ppm=parts per million

***g.p.g.=grains per gallon

**me/l=millequivalents per liter

COMMENTS:

shallow well

Analysis By: Shirley Mittan

Service Performed:

Total Cost: \$ 35.00

Irrigation Analysis

Amount Received: 0.00

Balance Due: 35.00

Make checks payable to: SDSU Water Quality Lab

Please write lab number on your check!


Lab No. 91-0053

35-95-50



Tab = Thurman = rapid intake rate; low to moderate available water; available water capacity; severe hazard of soil blowing

NOT TO SCALE



RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412550

Pierre, February 22, 1991

RECEIVED OF Don Lerseth, RR 1 Box 164, Beresford, SD 57004

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5536-3</u> to Appropriate Water, to construct works and to put water to beneficial use	250	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	250 00

By John Hatch
Chief Engineer

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 25, 1991

Don Lerseth
Rt 1, Box 164
Beresford SD 57004

Dear Mr. Lerseth:

Enclosed is the map submitted with your water permit application received February 21, 1991. On the map, please indicate with an "X" the location of the well.

Upon receipt of the map, further processing of your application will continue. If you have any questions, please contact this office.

Sincerely,

Karen Schlaak

Karen Schlaak
Natural Resources Analyst
605 773-3352

enclosure

REPORT ON APPLICATION NO. 5536-3
DON LERSETH
APRIL 26, 1991

Water permit application No. 5536-3 proposes to appropriate 2.03 cubic feet of water per second from one well 50 feet deep to be completed into the Brule Creek aquifer (BRC). The well will be located in the approximate center of the NW 1/4 of Section 35 T95N R50W. The water will be used to irrigate 142 acres of land in the NW 1/4 Section 35 T95N R50W.

AQUIFER Brule Creek Aquifer (BRC)

AQUIFER INFORMATION AND CHARACTERISTICS

The applicant will be using water from the Brule Creek aquifer. This aquifer is a sand and gravel outwash formation overlain by glacial till. The sand and gravel at the proposed well site starts at the surface and is approximately 50 feet thick. The static water level in the well is 20 feet from ground surface. The aquifer is under both artesian and water table conditions depending on location.

The BRC management unit underlies 78,400 acres in portions of Union, Clay and Lincoln counties and contains an estimated 298,950 acre-feet of recoverable water. In 1989 there were 7 permits issued from the BRC in Union county. These permits pumped a reported 1,029 acre-feet of water while there was 2,164 acre-feet appropriated. The amount appropriated and the amount actually pumped is less than one percent of the amount of recoverable water.

The Division of Water Rights monitors 8 observation wells in the BRC management unit. These wells fluctuate from less than 10 feet in response to irrigation pumping and seasonal fluctuations. Water levels vary from 2 to 10 feet below land surface at the proposed well. (hydrographs attached)

The well constructed under this permit must meet the South Dakota Well Construction Standards.

CONCLUSIONS

1. Water right application No. 5536-3 will withdraw water from the Brule Creek aquifer.
2. Unappropriated water is available from the Brule Creek aquifer.
3. Observation wells exist and are monitored in the Brule Creek aquifer.

4. The construction of the well under this permit must meet South Dakota Well Construction Standards.

Gale N. Selken

Gale N. Selken, P.E.
Natural Resources Engineer IV

REFERENCES

Division of Water Rights, 1990, Observation Well Files, DENR, Division of Water Rights, Joe Foss Building, Pierre, SD


Division of Water Rights, 1989, Irrigation Report by Aquifer, DENR, Division of Water Rights, Joe Foss Building, Pierre, SD

Hedges, L.S., Burch, S.L., Iles, D.L., Barari, R.A., 1982

Evaluation of Groundwater Resources in Eastern South Dakota and Upper Big Sioux River, South Dakota and Iowa, U.S. Army Corps of Engineers contract No. DACW 45-80-C0185, DENR, Office of Geological Survey, Vermillion, SD


UNION COUNTY WELLS

UN77A




UNION COUNTY WELLS

UN-77C



UNION COUNTY WELLS

UN-77B



RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5536-3, Don Lerseth

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 5536-3, Don Lerseth, Rt. 1, Box 164, Beresford, SD 57004.

The Chief Engineer is recommending APPROVAL of Application No. 5536-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) in the public interest with the following qualifications:

1. The well authorized pursuant to this permit shall be constructed by a licensed well driller and construction shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04.
2. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
3. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
April 26, 1991



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 6, 1991

Don Lerseth
Rt 1 Box 164
Beresford, SD 57004

Dear Mr. Lerseth:

Water Permit Application No. 5536-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Beresford Republic printed at Beresford, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 6, 1991

Beresford Republic
Box 111
Beresford, SD 57004

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5536-3 to be published twice. Please publish the first notice on May 16, 1991, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Don Lerseth, Rt 1 Box 164, Beresford, SD 57004.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----
FIRST TRANSMITTAL NOTICE TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on May 16, 1991, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5536-3 to Appropriate Water

Notice is given that Don Lerseth, Rt 1, Box 164, Beresford, SD 57004 has filed an application for a water permit to appropriate 2.03 cubic feet of water per second from one well (Brule Creek Aquifer) 50 feet deep to be located in the approximate center of the NW 1/4 to irrigate 142 acres located in the NW 1/4; all in Section 35-T95N-R50W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends **APPROVAL** of Application No. 5536-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will **NOT CONDUCT** a **HEARING** to consider the application. If the chief engineer will issue the permit as recommended. Petitions filed in support of the application will **NOT** require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 3, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5536-3 and 2) the chief engineer's recommendation, a special Board meeting is scheduled for June 12, 1991, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre, SD. If this application is opposed or the recommendation is contested, the June 12, 1991, hearing date may be rescheduled for another Board meeting. If the hearing is rescheduled, notice of the time and place will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The June 12, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 3, 1991.


If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County Union) ss.

I, Marv D. Peterson



certify that the attached printed Notice was taken
 from the Beresford Republic

A newspaper which during the whole time of publication of
 said notice herein after stated, has been and is printed and
 published in the _____

City of Beresford,

County of Union and State of South Dakota;
 that the said notice was published in said newspaper on the
 following two dates:

May 16, 1991

May 23, 1991

Marv D. Peterson
 (Signature)

Business Manager
 (Title)

May 23, 1991
 (Date Signed)

Cost of Printing: \$ 45.45

NOTICE OF HEARING on Application No. 5536-3 to Appropriate Water

Notice is given that Don Lerseith, Rt. 1, Box 164, Beresford, SD 57004 has filed an application for a water permit to appropriate 2.03 cubic feet of water per second from one well (Brule Creek Aquifer) 50 feet deep to be located in the approximate center of the NW 1/4 to irrigate 142 acres located in the NW 1/4; all in Section 35-T9S-N-R50W.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5536-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 3, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5536-3 and 2) the chief engineer's recommendation, a special Board meeting is scheduled for June 12, 1991, at 9:00 am in Room 413, Joe Foss Building, 523 E. Capitol, Pierre, SD. If this application is opposed or the recommendation is contested, the June 12, 1991, hearing date may be rescheduled for another Board meeting. If the hearing is rescheduled, notice of the time and place will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The June 12, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 3, 1991.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon

the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15. Publish May 16 and May 23, 1991

Water Rights Division
Foss Building
523 E. Capitol
Pierre, S. D. 57501



Chief Engineer:

We are opposed to No. 5536-3 application to appropriate water to be located in the NW $\frac{1}{4}$ all in section 35-T95N-R50W by Don Lerseth, Rt. 1, Box 164, Beresford, S. D. 57004.

We are in opposition to this application because there are several wells used for irrigation purposes in the same area and every year when irrigation is started the amount of water available in our well is drastically reduced and the quality is also affected. Our well is used for domestic and livestock purposes only. We feel it is neither fair nor right that we cannot have enough water from our well for our use because someone else is using water for irrigation of crops. One more well will only further reduce the available water and affect the quality of our well.

Our farm (well) is located in the NE $\frac{1}{4}$ of Section 14-T94N-R50W.

Sincerely yours,

Virginia J. Solberg
Raymond Solberg

Virginia J. Solberg
Raymond Solberg
Rt. 1, Box 186

Alcester, S. D. 57001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 7, 1991

NOTICE

TO: Don Lerseth
Rt 1, Box 164
Beresford, SD 57004
and Parties of Record (see attached list)

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

SUBJECT: Rescheduling of Hearing for Water Permit Application No.
5536-3

A petition of opposition on Water Permit Application No. 5536-3 has been filed by Raymond and Virginia Solberg. The hearing before the Water Management Board will no longer be held on June 12, 1991. Future notice will be sent to all parties rescheduling the time and place of a hearing before the Water Management Board.

If you have any questions regarding the rescheduling of this hearing, please contact Eric Gronlund at 605 773-3352.

cc: Diane Best, Assistant Attorney General

attachment

CERTIFICATION

I hereby certify that on June 7, 1991 I have personally deposited with the U.S. Mail postage prepaid envelopes containing a Notice of Rescheduling of Hearing for Water Permit Application No. 5536-3 addressed as follows:

Don Lerseth, Rt 1, Box 164, Beresford, SD 57001.

Parties of Record:

Virginia and Raymond Solberg, Rt 1, Box 186, Alcester, SD 57001. Also sent to the Solbergs was a copy of the Report and Recommendation.

Inter-officed to:

Diane Best, Assistant Attorney General, Capitol Building.

Cheryl F. Frost

Cheryl F. Frost
Secretary

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 10th day of June, 1991.

John H. Fats

Notary Public



Water Rights Division
Foss Building
523 E. Capitol
Pierre, S.D. 57501



Dear Chairman of the Water Management Board,

I would like to request a special meeting by the Board to consider the opposition to the water permit Application No. 5563-3. The urgency for this meeting is because the crops planted on the NW1/4 of Section 35-T95N-50W are planted at a population and fertility that requires irrigation. They were planted that way because 1) I didn't expect any opposition (there are already 4 wells in the immediate area) 2) I mistakenly believed that any opposition could be heard at the special meeting scheduled for June 12, 1991. Upon receiving the letter of opposition I discovered that the next regular Board meeting was July 24, 1991.

Because this soil is sandy, there will almost certainly be substantial crop loss should I have to wait until August to install the irrigator. Your prompt action on this matter will be greatly appreciated.


Sincerely

Don Lerseth
Rt 1, Box 164
Beresford, S.D.
57004
605-957-4223

Don Lerseth's Water Permit Application No. 5536-3

- Jan. 23, 1991** - Sent application forms
 - Discussed concerns of pivot crossing creek with Joan Bortnem of DER. No permit necessary from DER
- Jan. 30, 1991** - Questions on filling out application. Why is a map necessary? What amount of water should be claimed?
- Feb. 21, 1991** - Application received.
- Feb. 25, 1991** - Application returned, needed well located on map
- Feb. 28, 1991** - Corrected application received
- March 4, 1991** - Sent application for Soil/Water Compatibility Permit
- Apr 10, 1991** - Called wanted to know status of application - I'd just received verbal okay of S/W Permit and said I'd be sending for a report.
- Apr 11, 1991** - Sent for a report on application
- Apr 22, 1991** - Received a formal SW Permit
- Apr 24, 1991** - Called wanted to know status of permit. Was told it was on the top of Gale Selken's report stack.
- Apr 26, 1991** - Report received.
- May 16, 1991** - First publication date
- May 23, 1991** - Second publication date
- June 12, 1991** - Date to intervene

Note: Phone calls listed do not include those calls which were made to Gale or Ron. I would also estimate that I received two additional calls from Mr. Lerseth regarding status of the application in the permitting process which I did not put in my phone log.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 14, 1991

TO: Water Management Board

SUBJECT: Request for Special Water Management Board Meeting

Enclosed is a request from Don Lerseth received on June 10, 1991, requesting the Board to conduct a special Board meeting. Mr. Lerseth's water permit application has been contested and will need to be considered by the Board. The next regular Board meeting is on July 24 and 25, 1991.

I do not recommend holding a special Board meeting. Mr. Lerseth made several contacts with staff members concerning when action would be taken on Application No. 5536-3. During one or more of these conversations, Mr. Lerseth was informed that if the application was contested, no hearing would be held on June 12 and that the hearing would be rescheduled for the July 24 and 25 Board meeting. Mr. Lerseth wrongly assumed the application would not be contested and planted his crop for irrigation.

If a special meeting is held and the application is approved, findings of fact, conclusions of law and a final decision will still need to be adopted at the July meeting unless the protester waives findings or does not attend the hearing. The adoption of findings, plus the 30 day appeal period, will likely delay issuance of the permit, if approved, until after the 1991 irrigation season.

Please let us know by June 20 if you believe a special meeting should be scheduled. I have enclosed a copy of the publication notice for your information.

Very truly yours,

John Hatch, Chief Engineer
Water Rights Division
605 773-3352

cc: Diane Best, Assistant Attorney General
John Guhin, Deputy Attorney General

John Hatch. Chief Engineer. June 17-91
John. -

I agree with your position that a special Board meeting to consider application 5536-3 should not be held.

The evidence indicates that it is very likely the applicant would not be able to irrigate this crop season in spite of a special meeting.

Yours truly
Joel Pickenbach



CHURCHILL, MANOLIS, FREEMAN, KLUDT & KAUFMAN
ATTORNEYS AT LAW
FARMERS AND MERCHANTS BANK BUILDING
P.O. BOX 176
HURON, SOUTH DAKOTA 57350

IRWIN A. CHURCHILL 1882-1961
JOHN P. SAUER 1901-1965
WILLIAM S. CHURCHILL
GEORGE N. MANOLIS
RODNEY FREEMAN, JR.
DOUGLAS E. KLUDT
GERALD L. KAUFMAN, JR.

June 18, 1991



TELEPHONE
605-352-8624

FAX
605-352-2205

Mr. John Hatch, Chief Engineer
Department of Environment & Natural Resources
Water Rights Division
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3181

Re: Request for Special Water Management Board Meeting

Dear John:

I think we need to be extremely careful in granting special hearings since practically everyone will have a good reason for holding one. We already seem to be meeting five or six times a year and quite honestly, I believe that is sufficient.


I would concur with your recommendation not to hold a special meeting.

Thank you.

Very truly yours,

Rodney Freeman, Jr.
of Churchill, Manolis, Freeman, Kludt & Kaufman

RF/ps



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 28, 1991

Don Lerseth
Rt. 1, Box 164
Beresford, SD 57004

Dear Mr. Lerseth:


I am writing in response to your request for a special Water Management Board meeting. The Board did not agree to have a special board meeting to hear Water Permit Application No. 5536-3. The hearing on this application will be scheduled for the July 24, 1991 board meeting.

The Water Management Board, a citizen board, would like to be able to accommodate all requests for special meetings. Unfortunately, with so many important issues coming before the Board for their consideration, and the Board member's personal time constraints, the Board is unable to schedule a special meeting for each issue. The Board schedules five or six regular meetings plus one or two special meetings a year to consider contested water permit applications and other water issues.


If a special meeting was held in the Beresford area and the petitioner in opposition to your application was present to provide testimony, then formal Findings of Fact, Conclusions of Law and Final Decision would still need to be adopted to confirm the Board's decision at the July meeting. The adoption of findings, plus the 30 day appeal period would delay issuance of the permit, if approved, until the end of the 1991 irrigation season. The permit, if approved, at the July meeting may be issued immediately if the petitioner in opposition does not attend the meeting to provide testimony.

If you have any questions regarding your water permit application or the upcoming July 24, 1991 Board meeting, please contact Eric Gronlund at 605 773-3352.

Very truly yours,


John Hatch, Chief Engineer
Water Rights Division
605 773-3352

cc: John Guhin, Deputy Attorney General
Diane Best, Assistant Attorney General



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 28, 1991

NOTICE

TO: Don Lerseth
Rt 1, Box 164
Beresford, SD 57004
and Parties of Record (see attached sheet)

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352 *John Hatch*

SUBJECT: Rescheduling of Hearing for Water Permit Application No.
5536-3

A petition of opposition to Water Permit Application No. 5534-3 has been filed by Raymond and Virginia Solberg. A notice sent on June 7, 1991 to parties cancelled the June 12, 1991 hearing and stated a future notice would be sent rescheduling the time and place of the hearing before the Water Management Board.

The Water Management Board will now consider Water Permit Application No. 5536-3 on July 24, 1991 at 10:00 am in the Kneip Room, Governor's Inn, 700 West Sioux Ave., Pierre, SD 57501. The agenda time is an estimate. The actual time of hearing may be later than 10:00 am due to prior agenda items. Applicable provisions of the Notice of Hearing published May 16 and 23 in the Beresford Republic will still apply at this hearing.

This hearing is an adversary proceeding. Any party has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

cc: Diane Best, Assistant Attorney General

CERTIFICATION

I hereby certify that on June 28, 1991 I have personally deposited with the U.S. Mail postage prepaid envelopes containing a Notice of Rescheduling of Hearing for Water Permit Application No. 5536-3 addressed as stated below:

Don Lerseth, Rt 1, Box 164, Beresford, SD 57004.

Parties of Record:

Virginia and Raymond Solberg, Rt 1, Box 186, Alcester, SD 57001.

Inter-office sent to:


Diane Best, Assistant Attorney General, Capitol Building.

Cheryl F. Frost

Cheryl F. Frost
Secretary

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 1st day of July, 1991.



John H. H. H.
Notary Public



GREAT FACES. GREAT PLACES.

AUG 28 1991

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

Don Lerseth
Rt 1 Box 164
Beresford, SD 57004

Dear Mr. Lerseth:

Enclosed is Water Permit No. 5536-3 authorizing construction of your water diversion system and put the water to beneficial use, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date, provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

Permit No. 5536-3
Big Sioux - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, July 16, 1996, made a thorough examination of the water use system constructed by Don Lerseth of RR1 Box 164, Beresford, SD 57004 holder of Permit No. 5536-3, bearing the priority of February 21, 1991 authorizing the diversion of 2.03 cu. ft. of water per second from ground water for irrigation purposes, in Union County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

800 GPM Western Land Roller pump.

B. Works used to transport water to place of use:

N/A

C. Works used to apply water to beneficial use:

A 7 tower Zimmatic center pivot rated at 800 GPM.

The system is in the following condition good. The point of diversion is located 1320 feet S and 1320 feet E from the NW corner of Section 35; T095N R50W (approximate center of the NW1/4). The works are capable of diverting and conveying to the place of use 1.77 cu. ft. of water per second which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

T095N R50W	SECTION 35	NW1/4 NW1/4	34 acres
		SW1/4 NW1/4	34 acres
		NE1/4 NW1/4	34 acres
		SE1/4 NW1/4	34 acres

comprising a total of 136 acres of land and the license should be issued for 1.77 cfs

Applicable permit qualifications have been complied with: Yes ☒ No

Exceptions to compliance are: None Date Report Completed: February 4, 1997



Barry A. McLaury
 Natural Resources Scientist
 DENR, Water Rights Program

REPORT ON INSPECTION OF PERMIT NO. 5536-3

Other permit(s) associated with the project: None

DATE OF INSPECTION: July 16, 1997

NAME OF INSPECTION CONTACT: Don Lerseth

NAME & ADDRESS OF PERMIT HOLDER: Don Lerseth, RR1 Box 164, Beresford, SD 57004

DIVERSION POINT LEGAL LOCATION: 1320 feet S and 1320 feet E from the NW corner of Section 35; T095N R50W (approximate center of the NW1/4).

WELL INFORMATION:

1) Well Drilling Firm: Wetmore Drilling

3) Depth(s) _____ feet

2) No. of Wells 1

4) Well log is available N

Casing:

1) Diameter _____ inches

2) Length _____ feet

3) Type _____

Screen:

1) Type _____

2) Length _____ feet

3) Static water level _____ feet

Motor:

1) Make ?US Electrical?

2) Model No. _____

3) Horsepower rating 40 HP

Pump:

1) Make Western Land Roller

2) Model No. _____

3) Capacity 800 GPM

SYSTEM TYPE:

Center pivot:

1) Make Zimmatic

2) Overall length 1320 feet

3) Number of towers 7

4) End gun Y

5) High or low pressure low

6) Capacity 800 GPM

CHEMIGATION EQUIPMENT:

1) Does chemigate N


PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Special qualifications to permit being abided by Y
- 2) All structures, wells and lands on map Y
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

COMMENTS:

Well log not available.

NOT TO SCALE



STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5536-3

(1) Don Lerseth, RR 1, Box 164, Beresford SD 57004 made Application No. 5536-3, February 21, 1991 for a water permit to divert 2.03 cubic feet of water per second from groundwater (one well), Union County, South Dakota for irrigation purposes. Permit No. 5536-3, with a priority date of February 21, 1991 was approved July 24, 1991 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before July 24, 1996 and for the application to beneficial use of said water on or before July 24, 2000.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.77 cubic feet of water per second for beneficial use. The location of the diversion point is 1,320 feet south and 1,320 feet east from the northwest corner of Section 35-T95N-R50W (approximate center of the NW 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 35-T95N-R50W	NW 1/4 NW 1/4	34 acres
	SW 1/4 NW 1/4	34 acres
	NE 1/4 NW 1/4	34 acres
	SE 1/4 NW 1/4	34 acres
Total		136 acres


(4) Pursuant to South Dakota Water Law 46-5-30.1 Don Lerseth, RR 1, Box 164, Beresford SD 57004 the holder and/or owner of Water Permit No. 5536-3 is issued a license to appropriate water, the right to use 1.77 cubic feet of water per second from groundwater (one well) with a priority date of February 21, 1991 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5536-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 7 1997

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1997

5536-3

Don Lerseth
RR 1, Box 164
Beresford, SD 57004

Dear Mr. Lerseth:

The investigation of your water use system, including the extent of application of water to beneficial use, as developed under Water Permit No. 5536-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the investigation and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

**Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181**

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

415258

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____, 19__

RECEIVED OF Don Harnett, JR., Box 164, Laramie, WY 82006-0164

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5536-2</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By

Chief Engineer

John Hatcher



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

APR 7 1997

5536-3

Don Lerseth
RR 1, Box 164
Beresford, SD 57004

Dear Mr. Lerseth:

Enclosed is Water License No. 5536-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 415258 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5536-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

A handwritten signature in black ink, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

ks
enclosures

(date)

page _____

Parties of Record before Water Management Board _____

Water Permit Application No. 5536-3, Don Lerseth

Don Lerseth

--- Bt 1, Box 164 ---

-----Beresford, SD 57004-----

Virginia Solberg

Raymond Solberg

Rt. 1, Box 186

Alcester, SD 57001

WETMORE DRILLING

Mike Wetmore
Geologist



Office: 1-800-399-7713
(605) 356-3757
P. O. Box 880
Elk Point, SD 57025

Cellular: (712) 251-7599

Shop: (605) 356-2248
I-29 Exit 15
Elk Point, SD 57025

Water Rights Division
Joe Foss Building
523 East Capitol
Pierre, SD 57501-9935

UN



Re: Don Lerseth completion report

Gentlemen:

Per your telephone request, we have searched our files for well completion information for the above named well owner. Unfortunately, we have been unable to discover any completion information in our records.

We realize the value of complete and accurate well information. In that regard, if your office should uncover any information regarding this well, we would appreciate a copy of that information so that we can update our own files.

If you have any questions, please feel free to give us a call. Thank you.

Sincerely,

WETMORE DRILLING

Mike Wetmore

~~SEC~~ ~~FILE~~ ~~FILE~~
~~FILE~~ ~~FILE~~ ~~FILE~~



5536-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: DON LERSETH, 47372 302ND ST, BERESFORD, SD 57004

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5536-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5536-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5536-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5536-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7064
Status: **Delivered**

Your item was delivered at 1:17 PM on January 24, 2009 in
BERESFORD, SD 57004. The item was signed for by D LERSETH.

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 7064

DON LERSETH
47372 302ND ST
BERESFORD SD 57004

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

- ☐ Priority Mail[®] Service
☐ First-Class Mail[®] parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2009

5536-3

Don Lerseth
47372 302nd St
Beresford SD 57004

Dear Mr. Lerseth:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 5536-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us