

Considered: _____

WATER PERMIT NO. 5566-3

Phone: 889-2392

Name of Applicant: Howard Reiersen

Post Office Address: RR 1, Box 10, Pollock SD 57648

Amount of Water Claimed: no add'l Total Acres: 29 add'l

Source of Water Supply: groundwater

Water to be used for: irrigation County: Campbell

About 4 miles east of Pollock

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F.& C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 8-16-89 Fee: \$150 Remarks 29 add'l acres

on Water Permit No. 3023-3

Corrected Application Received _____ Period of Annual Use May 1 - Nov 1


WATER QUALITY APPROVAL RECEIVED 7-24-91 APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point: NW 1/4 NW 1/4 Sec 29-T128N-R77W

Land to be Irrigated: NW 1/4 NE 1/4, SE 1/4 NE 1/4,

NW 1/4 SE 1/4 Sec 20-T128N-R77W



Well Log: Driller: Oahe Drilling Licensed YES X NO _____

Depth of Well: 195' REMARKS _____

Type of Map: aerial PREPARED BY: Tim Tollefsrud Reviewed and the Number

Assigned on 7-29-91 By Karen Schlaak

(See instructions)

No. <u>5566-3</u>	Hydrologic Unit <u>10130102</u>
Basin <u>Missouri River</u>	
Newspaper <u>PRAIRIE PIONEER, Box 218</u>	

Pollock (Thurs)

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☒ Add Acreage ☐ Increase diversion rate ☐ Other see 3883-3/3023-3

1. Name of Applicant Howard Reiersen Phone No. 889-2392

Post Office Address RR #1 Box 10, Pollock State SD 57648
(Street, RR or Box) (City) Zip Code

2. Amount of water claimed (c.f.s) no additional Total acres irrigated 29

3. Source of Water supply groundwater (one well)

4. Location of point of diversion NW 1/4 NW 1/4 Section 29, T128N, R77W

_____ County Campbell

5. Counties where water will be used Campbell

6. Annual period during which water is to be used May 1 - November 1

7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

	Land Description	No. Acres Irr.		Land Description	No. Acres Irr.
	NW 1/4 NE 1/4 Sec 20, T128N, R77W	3			
SW	SE 1/4 NE 1/4 " " " "	19			
NW	NE 1/4 SE 1/4 " " " "	7			

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: xxx Gun: _____ Other: _____
(Specify)

9. Crops to be Irrigated: ALFALFA - CORN - BARLEY

10. Give a description of proposed project. (Attach sheet if more space is needed)



Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Campbell)^{ss}

I, Howard Reiersen, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Howard Reiersen

Subscribed and sworn to before me this 15th day of August 1989

JOHN POLLOCK, Notary Public
My Commission Expires March 8, 1990

Notary Public

SOUTH DAKOTA

WATER PERMIT No. 5566-3 FOR IRRIGATION

Date of first receipt of application August 16, 1989.

Date Soil/Water Compatibility Permit received July 24, 1991.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5566-3 to Howard Reiersen, RR 1, Box 10, Pollock SD 57648 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5566-3 appropriates water to irrigate 29 additional acres. Water Permit No. 3023-3 appropriates 3.5 cubic feet of water per second from one well 195 feet deep (Grand Aquifer) located in the NW 1/4 NW 1/4 Section 29 to irrigate 280 acres located in the NW 1/4, N 1/2 SW 1/4, N 1/2 S 1/2 SW 1/4 Section 20-T128N-R77W. This permit authorizes irrigation of 29 additional acres located in the NW 1/4 NE 1/4, SW 1/4 NE 1/4, NW 1/4 SE 1/4 Section 20-T128N-R77W from the existing well. This permit does not authorize any increase in the developed diversion rate.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 - November 1.
3. The date from which applicant may claim right is July 24, 1991.
4. The date of approval of Permit No. 5566-3 is October 2, 1991.
5. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: [Signature]
Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

FEB 21 1992

date

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter _____ Depth 195
- b) Casing Type plastic Diameter 16" Thickness _____
- c) Screen Type stainless steel Diameter 8" Thickness _____
- d) Gravel Pack Thickness _____ Length of Gravel Pack 195
- e) Depth to Top of Water Bearing Material 165
- f) Depth to Water (ground surface to water level) 36
- g) Distance to nearest existing domestic well:
 On applicants property 1 mile On property owned by others 1 mile

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____
 If Pipe, diameter _____

f) Secondary Spillway Capacity _____
 Spillway width _____


g) X & Y Slope
 Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet

Drainage area above dam _____



Howard R Ruerson
 Signature of Applicant



SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM

Division of Conservation

Office Use Only OF

Pierre, SD

WRHUS62821292

OWNERS NAME: Howard Reiersen OWNERS ADDRESS: RR #1 Box 10

Pollock, SD 57648

COUNTY LAND LOCATED IN: Campbell PHONE: 889-2392

TENANT'S NAME AND ADDRESS: _____

LEGAL DESCRIPTION: (Show Legal Descriptions to Nearest 10 Acres)

1. WELL LOCATION 1050'S and 50'E of NW corner Sec 29, T128N, R77W (NW $\frac{1}{4}$ NW $\frac{1}{4}$)

Depth 195 feet

2. SURFACE WATER SOURCE AND DIVERSION LOCATION: _____

Diversion Location _____

Legal Description	Acres	Legal Description	Acres
NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, T128N, R77W	21	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 20, T128N, R77W	37
NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, T128N, R77W	31	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 20, T128N, R77W	40
NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 20, T128N, R77W	13	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 29, T128N, R77W	32
NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 20, T128N, R77W	23	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 29, T128N, R77W	40

3. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED _____

LEGAL DESCRIPTION: ALL OF ABOVE - PERMIT #3023-3+3883-3 - 1976

IN WHAT NAME: HOWARD R. REIERSON & SONS

4. LOCATION OF AREA TO BE IRRIGATED NOTE: **SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)**

OTHER:

5. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: ☒ GUN: ☒ (Specify) _____

6. CROPS TO BE IRRIGATED: ALFALFA - CORN - BARNLEY

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER:1 _____ 10. ADJUSTED (SAR): _____
 8. SALINITY (EC X 10⁶): _____ 11. PERCENT SODIUM _____
 9. SODIUM (SAR): _____

I hereby certify that I personally obtained or that I personally observed that taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at _____ a.m./p.m., on _____, 19_____, at the following location: _____

by (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

Signature, of Water Sampler.

I understand that the Division of Conservation or agents thereof may obtain water samples from wells and surface bodies to be used for irrigation purposes to validate water samples taken at the time of application. The Department of Agriculture may also gather technical information necessary to protect the land. (46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

15th DAY OF August, 1989
John Pollock
 (NOTARY PUBLIC)

JOHN POLLOCK, Notary Public
 My Commission Expires March 8, 1990

Howard Reiersen
 APPLICANT'S SIGNATURE

Director, Division of Conservation

Date

 APPROVED _____ REQUIREMENTS
 _____ DISAPPROVED
 _____ WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

CAMPBELL

Location of well: _____ 1/4 _____ 1/4 _____ Section 29 Township 12S-N Range 77-W
 Well owner: Howard Rogers (Name) 19110th St (Address)
 Date well drilling completed 1/27/77 Purpose of well Domestic
(domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer _____ ft.
<u>0-1</u>	<u>top soil</u>	Depth to static water level <u>36</u> ft.
<u>1-12</u>	<u>Sand & Gravel</u>	Name of producing aquifer (if known) _____
<u>12-103</u>	<u>clay & silt</u>	Total depth of drill hole <u>195</u> ft.
<u>103-165</u>	<u>clay</u>	Depth from casing _____ ft.
<u>165-175</u>	<u>Fine Sand</u>	Casing information: In the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used. <u>16" 6' section</u>
<u>175-195</u>	<u>coarse sand</u>	
<u>195</u>	<u>Shale</u>	
		Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations. <u>10' 30' 2" S.S.</u> <u>20' 20' S.S.</u>
		If a flowing well, flow of completed well _____ S.P.M.

Attach sheet if more space is needed

James Martin Owner
Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump _____ HP _____
 Type of pump _____ Capacity of installed pump _____ G.P.M.
 Depth of pump placement _____ ft., Date of pump installation _____

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____

Name of Pump Installation Contractor


124.1 T538

Water Permit
3883-3
3023-3



45.7
Howard Pierson
T538

182R

7.5
T5
C
D
Field Center BR
Sec 20 128-77
←



1050'
50'



Scale 1 in = 750 ft

1 in 100 ft
Natural Resources Engineer

AUG 1989
DIVISION OF
WATER RIGHTS
Pierre, SD

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

August 1, 1989

Howard Reiersen
RR #1 Box 10
Pollock, SD 57648

Dear Mr. Reiersen:

I am contacting you in regard to your Water Permit Nos. 3023-3 and 3883-3. An inspection of your water use system, as developed under, these permits was conducted May 25, 1988. The inspection found you were irrigating acreage not covered under your permits.

In order to correct this, you will need to make an application for the additional acreage. Enclosed is a set of partially completed application forms and an instruction sheet. Please complete the forms and make any necessary changes. Once they are complete, please sign in the presence of a notary. The fee for this type of application is \$150.00 and should be returned with the completed applications to our office. Also enclosed is a copy of the map prepared after the inspection. The area marked in red shows the acreage for which a new permit is needed.

A review of Water Permit Nos. 3023-3 and 3883-3 found you also need to acquire soil/water compatibility approval for the acreage you developed under these permits. The existing soil/water compatibility approval does not cover any of the irrigated acreage. Enclosed is a partially completed "soil/water compatibility application". Please complete the form where needed and return it along with your water permit application forms. You will need to contact the Dept. of Agriculture, Division of Conservation to find out whether a water sample will be needed.

If you have any questions concerning the water permit application, please contact either myself, Susan Bowar or Ron Duvall at 773-3352. If you have questions concerning the soil/water compatibility permit, contact Jim Stukel with the Division of Conservation, at 773-3259.

Sincerely,



GENNY MCMATH
Natural Resources Analyst

enclosures



RECEIPT

411881

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, August 16, 19 89RECEIVED OF Howard Reiersen, RR #1 Box 10, Pollock, SD 57648

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5566-3</u> to Appropriate Water, to construct works and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for _____		
(Any Other Work Provided by Law)	Total	150 00

By Shutbatch/mca
Chief Engineer

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4552

WR#

OWNERS NAME: HOWARD REIERSON

OWNERS ADDRESS: RR #1 BOX 10
POLLOCK, SD 57648

COUNTY LAND LOCATED IN: CAMPBELL PHONE: 889-2392

LEGAL DESCRIPTION:

☒ Well

☐ Surface

1. LOCATION NW $\frac{1}{4}$ NW $\frac{1}{4}$ 29-T128N-R77W

Depth _____

LEGAL DESCRIPTION:

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 20-T128N-R77W = 3 A; SE $\frac{1}{4}$ NE $\frac{1}{4}$ 20-T128N-R77W = 19 A
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 20-T128N-R77W = 7 A; NW $\frac{1}{4}$ SW $\frac{1}{4}$ 20-T128N-R77W = 21 A
NE $\frac{1}{4}$ SW $\frac{1}{4}$ 20-T128N-R77W = 31 A; NW $\frac{1}{4}$ NW $\frac{1}{4}$ 20-T128N-R77W = 13 A
NE $\frac{1}{4}$ NW $\frac{1}{4}$ 20-T128N-R77W = 23 A; SW $\frac{1}{4}$ NW $\frac{1}{4}$ 20-T128N-R77W = 37 A
SE $\frac{1}{4}$ NW $\frac{1}{4}$ 20-T128N-R77W = 40 A; NW $\frac{1}{4}$ NW $\frac{1}{4}$ 29-T128N-R77W = 32 A
SW $\frac{1}{4}$ NW $\frac{1}{4}$ 29-T128N-R77W = 40 A

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XXX GUN: X OTHER: _____ (Specify) _____

3. CROPS TO BE IRRIGATED: ALFALFA-CORN-BARLEY

WATER QUALITY:

4. WATER SAMPLE NUMBER: 85-0379 (Validated) 7. ADJUSTED (SAR): 19.55

5. SALINITY (EC X 10⁶): 1900 8. PERCENT SODIUM: 62.08

6. SODIUM (SAR): 6.91

Requirements:

(SEE ATTACHED MANAGEMENT PLAN-MAY 20, 1991)

Also, if rotation is followed, then the corn stalks can be removed.




[Signature]
Director, Division of Conservation

XXX APPROVED
____ DISAPPROVED
____ WAIVER

XXX REQUIREMENTS

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

JULY 24, 1991
Date



Reierson Irrigation Management Plan 20 May, 1991

In 1975 I initiated an application to irrigate parts of the W 1/2 of section 20, T128, range 77. At that time I was made aware of the possibilities for sodium and salinity problems by Dr. Larry Fine. Because the irrigation water that I use is of marginal quality, I understand the importance of the use of good management for the maintenance of productivity.

The irrigation water that I am using has an SAR of between about 7 and 20 depending upon the leaching fraction that is assumed. Recent Soil tests have shown ESP's within the surface soil of, from as low as 5 to as much as about 17.

The following are specific management practices, some of which I have used in the past and some are planned for the future. I am hopeful that these practices will assure the maintenance of productivity on the land in question.

1). Water management

Because of the excessive length of my system, I have been applying .75 inches of water per revolution. To assure adequate leaching (and to keep the SAR's of the soil water low) I realize that I need to apply at least 1.5 inches (if possible, without getting stuck or having excess runoff) of water each revolution. To insure that I will be able to do this, I plan on removing two towers (156 feet each) from my 189 acre system (1618 ft radius - 312 ft = 1306 ft ~ 123 acre system) bringing the system back to about 123 acres. This will assure adequate water and low enough application rates to facilitate relatively deep percolation and greatly reduce the rate of application at the end tower.

2). Tillage

The maintenance of high concentrations of organic matter at the soil surface is an important part of maintaining surface soil structure and reducing the sodium impact. There is evidence to suggest that tillage can break the transmitting macropore structure at the bottom of the plow layer, keeping soil water close to the surface and reducing the leaching fraction. Minimum-till farming should reduce the potential for water to be held within the plow layer. To forgo some of these problems, I have begun minimum-till farming practices. I no longer use a moldboard plow. I am planning a wheat - corn - alfalfa rotation and will not remove the stubble from the wheat ~~nor remove the corn stalks~~ thus increasing the surface organic matter content. Cattle traffic can act like tillage and exaggerate the sodium problem. I will try to avoid pasturing livestock on this land when the soil is too moist for tillage operations.

3). Manure


Manure is also an important part of my organic matter management plan. I have a 250 bu. manure spreader (~ 6 ton/load) that I use to spread manure with. It is

my plan to begin putting about 100 loads onto about 30 acres each year. This will amount to about 20 ton/acre. I will try to cover the entire field every 4 years.

4). Future work

It is my intention to work with SDSU, and the Department of Agriculture to continue to monitor the problems that we have and to look at alternative solutions. I would like to first try the practices mentioned above but it may be necessary to use amendments in the future. I have discussed the use of Gypsum with Gregg Carlson and I am looking into using some on a limited acreage. I plan to stay abreast of and to take advantage of any new breakthroughs in Sodium management that are developed in the future.

Howard Reiersen



R#1, Box 10
Pollock, South Dakota
57648
605-889-2392



Department of Agriculture

DIVISION OF CONSERVATION

Anderson Building, 445 East Capitol
Pierre, South Dakota 57501-3188
Phone 605/773-3258



August 22, 1989

Mr. Howard Reiersen
RR 1, Box 10
Pollock, SD 57648

Dear Mr. Reiersen:

Per our discussion relative to your application, I have reviewed your file and found several water sample analyses on file. Based on a review of these water analyses, we do feel additional water sampling is necessary.

We have scheduled you for soil sampling this fall after the crop has been removed. Then, based on those samples and previous sampling, develop a recommendation for the Commission.

Please advise this office when it is suitable to conduct the sampling.

Sincerely,

James L. Stukel
Natural Resource Program Scientist

JLS/cj

cc: Ginny, Division of Water Rights

Water Rights Division - DWNR
Conversation File Documentation

NAME OF PERSON OR FILE: Howard Reiersen

ADDRESS:

COUNTY: CA

DATE: 8/22/91

TELEPHONE:

RE: Soil/Water Compatibility Permit

COMMENTS:

I called Jim Stukel regarding Howard Reiersen's application. In reviewing the application, I found that the S/W Permit had the wrong legal description for the SW1/4 NE1/4 (19 acres), NW1/4 SE1/4 (7 acres) Section 20, T128N, R77W. The legals for these two quarter-quarters are stated as the SE1/4 NE1/4 and the NE1/4 SE1/4 on the S/W Permit. Jim stated that this was not a problem because the management plan Mr. Reiersen is implementing will remove two tower section from his pivot and this acreage will not be irrigated.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Eric Stukel

REPORT ON APPLICATION NO. 5566-3
for Howard Reiersen
August 19, 1991

Application No. 5566-3 proposes to irrigate 29 additional acres. Water Permit No. 3023-3 appropriates 3.5 cfs from one well 195 feet deep located in the NW 1/4 NW 1/4 of section 29 to irrigate 280 acres located in the NW 1/4, N 1/2 SW 1/4, N 1/2 S 1/2 SW 1/4 of section 20 T128N R77W. This application is to irrigate 29 acres located in the NW 1/4 NE 1/4, SW 1/4 NE 1/4, NW 1/4 SE 1/4 of section 20, T128N R77W from the existing well. This application, if approved, does not authorize any increase in the developed diversion rate.

AQUIFER - GRAND (G)

The Grand is a buried glacial outwash under confined (artesian) conditions. The Grand underlies 97,900 acres and contains an estimated 1.469 million acre feet of recoverable water in Campbell County (Hedges, 1982). The driller's log submitted with the application indicates aquifer from 165 to 195 feet below land surface with a static water level of 36 feet below land surface. This application is a result of an inspection conducted in May of 1988 and will combine two permits nos. 3023-3 and 3883-3 into this permit application for license purposes. The system was developed to produce 2.05 cfs from one 195 feet deep well to irrigate 266 acres of land.

The Division of Water Rights monitors one observation well CA-78A completed into the Grand aquifer and located about 1 mile south of this application. Water levels for this well show good response to pumping. Pumping for irrigation in this area can cause drawdown in the artesian head of 10 or more feet in this observation well. The general trend for the period of record has been slightly downward since 1987, however, the aquifer is capable of sustaining additional withdrawals (Water Rights, 1991). Recharge to the Grand aquifer has not been quantified.


REVIEW OF EXISTING WATER PERMITS/RIGHTS

There is one existing Water Right No. 2012-3 located about 1/2 mile south of this application. Interference is not expected to be a concern. These diversions have been in use for many years with no apparent problem.

CONCLUSIONS

1. Water is available from the Grand aquifer.
2. The Grand aquifer is under artesian conditions and drawdown due to pumping can be expected. The measured drawdown in observation well CA-78A does not indicate that interference will be a problem.
3. This is an existing well and has been in use for many years. This application is for additional acres only. During the

licensing inspection it was discovered that 29 acres were not covered by either Water Permit No. 3023-3 or 3883-3. These permits can be combined with this application and licensed for 2.05 cfs and 266 acres as per the inspection report.



James A Goodman
Natural Resources Engineer

BIBLIOGRAPHY

Hedges, L.S., 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.

Water Rights, 1991, Observation Well Records for the Grand Aquifer in Campbell County, SD DENR, Division of Water Rights, Pierre, SD, 57501.


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5566-3, Howard Reiersen


Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 5566-3, Howard Reiersen, RR 1 Box 10, Pollock, SD 57648.

The Chief Engineer is recommending APPROVAL of Application No. 5566-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) existing rights will not be unlawfully impaired, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
August 28, 1991



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

August 30, 1991

Howard Reiersen
RR 1 Box 10
Pollock, SD 57648

Dear Mr. Reiersen:

Water Permit Application No. 5566-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Prairie Pioneer printed at Pollock, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

August 30, 1991

Prairie Pioneer
Box 218
Pollock, SD 57648

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5566-3 to be published twice. Please publish the first notice on September 5, 1991, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Howard Reiferson, RR 1 Box 10, Pollock, SD 57648.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on September 5, 1991, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5566-3 to Appropriate Water
and to Amend Water Permit No. 3023-3

Notice is given that Howard Reiersen, RR 1 Box 10, Pollock, SD 57648 has filed an application for a water permit to appropriate the water to irrigate 29 additional acres. Water Permit No. 3023-3 appropriates 3.5 cubic feet of water per second from one well 195 feet deep (Grand Aquifer) located in the NW 1/4 NW 1/4 Section 29 to irrigate 280 acres located in the NW 1/4, N 1/2 SW 1/4, N 1/2 S 1/2 SW 1/4 Section 20-T128N-R77W. This application is to irrigate 29 additional acres located in the NW 1/4 NE 1/4, SW 1/4 NE 1/4, NW 1/4 SE 1/4 Section 20-T128N-R77W from the existing well. This application, if approved, does not authorize any increase in the developed diversion rate.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5566-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by September 23, 1991. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5566-3 and 2) the chief engineer's recommendation, a meeting at the Division of Water Rights office to hear this application is scheduled for October 2, 1991, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the October 2, 1991, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The October 2, 1991, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by September 23, 1991.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County CampbellI, Brenda Larson

certify that the attached printed Notice was
from the Prairie Pioneer

A newspaper which during the whole time of publi-
said notice herein after stated, has been and is pr-
published in the Town

_____ of _____ Pollock

County of Campbell and State of Sou
that the said notice was published in said newspa
following two dates:

September, 5, 1991

September 12, 1991

Brenda Larson
(Signature)

Production Manager
(Title)

9-13-91

(Date Signed)

Cost of Printing: \$59.30

Notice of Hearing on Application No. 5566-3 to Appropriate Water and to Amend Water Permit No. 3023-3

Notice is given that Howard Reier-
son, RR 1 Box 10, Pollock, SD 57648
has filed an application for a water
permit to appropriate the water to
irrigate 29 additional acres. Water
Permit No. 3023-3 appropriates 3.5
cubic feet of water per second from
one well 195 feet deep (Grand
Aquifer) located in the NW1/4NW1/
4 Section 29 to irrigate 280 acres
located in the NW1/4, N1/2SW1/4,
N1/2S1/2SW1/4 Section 20-T128N-
R77W. This application is to irrigate
29 additional acres located in the
NW1/4 NE1/4, SW1/4NE1/4, NW1/
4SE1/4 Section 20-T128N-R77W
from the existing well. This applica-
tion, if approved, does not authorize
any increase in the developed di-
version rate.


Pursuant to SDCL 46-2A-2, the
Chief Engineer recommends AP-
PROVAL of Application No. 5566-3
because 1) unappropriated water is
available, 2) existing rights will not
be unlawfully impaired, 3) it is a
beneficial use of water, and 4) it is in
the public interest. Unless a petition
is filed opposing the application or
the applicant files a petition contest-
ing the chief engineer's recommenda-
tion, the Water Management
Board will NOT CONDUCT a HEAR-
ING to consider this application and
the chief engineer will issue the
permit as recommended. Petitions
filed in support of the application will
NOT require the Board to hear the
application.

Any person interested in oppos-
ing or supporting this application
must file a written petition with BOTH
the applicant and Chief Engineer.
The applicant must also file a peti-
tion if opposed to the Chief Engi-
neer's recommendation. The Chief
Engineer's address is "Water Rights
Division, Foss Building, 523 E.


Capitol, Pierre, SD 57501 (605-773-
3352)" and the applicant's mailing
address is given above. A petition
filed by either an interested person
or the applicant must be filed by
September 23, 1991. The petition
may be informal, but must include a
statement describing the petitioner's
interest in the application, the peti-
tioner's reasons for opposing or
supporting the application, and the
signature and mailing address of
the petitioner or the petitioner's legal
counsel, if legal counsel is obtained.

For purposes of publishing 1) the
notice of hearing on Application No.
5566-3 and 2) the chief engineer's
recommendation, a meeting at the
Division of Water Rights office to
hear this application is scheduled
for October 2, 1991, at 9:00 a.m. in
Room 413, Joe Foss Building, 523
E. Capitol, Pierre, SD. If this appli-
cation is opposed or the recommen-
dation is contested, the October 2,
1991, hearing date will be resched-
uled for a regularly scheduled Board
meeting. Notice of the time and place
of the rescheduled hearing before
the Board will be given by First Class
Mail to the applicant and persons
filing petitions. Anyone not filing a
petition, but interested in attending
the hearing, may contact the Divi-
sion of Water Rights to confirm a
hearing date and location. The Oc-
tober 2, 1991, hearing date will be
automatically delayed for at least 20
days upon written request to the
Chief Engineer from the applicant
or any interested person opposing
the application. The request for an
automatic delay must be filed by
September 23, 1991.

If a hearing is held, the Chief
Engineer's recommendation is not
final or binding upon the Board. The
Board is authorized to 1) approve,
2) approve with qualifications, 3)
defer, or 4) deny this application
based on the facts presented at the
public hearing. Any hearing will be
an adversary proceeding. Any per-
son filing a petition and/or the appli-
cant have the right to be represented
by a lawyer and may present evi-



South Dakota



GREAT FACES. GREAT PLACES.

September 23, 1991

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE SOUTH DAKOTA 57501-3181

Howard Reiersen
RR 1, Box 10
Pollock SD 57648-9505

Dear Mr. Reiersen:

Enclosed is your check in the amount of \$150.00. The \$150.00 fee for Water Permit Application No. 5566-3 was received on August 16, 1991. The white sheet is your Receipt for payment of that amount.

If you have questions, please contact this office.

Sincerely,

Karen Schlaak

Karen Schlaak
Natural Resource Analyst
605 773-3352

enclosures



FEB 21 1992

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

Howard Reiersen
RR 1 Box 10
Pollock, SD 57648

Dear Mr. Reiersen:

Enclosed is Water Permit No. 5566-3 authorizing your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

The final inspection has been completed on this Permit, and we are ready to issue the Water License. Statutes require we charge \$50 for the inspection and issuance of the final papers. Upon receipt of this amount the Water License will be sent to you.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

5566-3
Permit No. 3883-3
3023-3

Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by HowardRice of RR1 Box 10 Pollack, SD holder ofPermit No. 3883-3, bearing the priority of February 25 1977the diversion of 2.5 cu. ft. per second of the waters of groundwaterfor irrigation purposes, in Campbell County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Amarillo Pump
model 38013823B
80 HP 925 GPM

Rockford diesel powered motor
model PTA 31185

B. Works used to transport water to place of use:

1300 feet of 6" Al pipe
4600 feet of 8" Al pipe

C. Works used to apply water to beneficial use:

Electrogrator Center Pivot
10 towers - 1624 feet long
end gun - low pressure 925 gpm
55 psi

Water winch WW45 big gun
500 gpm 85 psi 4 1/2" hose 660' long

The system is in the following condition good

The point of diversion is located 1050 feet south and 50' East of NW
corner of Section 29 - T128N - R77W,

The works are capable of diverting and conveying to the place of use 2.05cu. ft. per second of water which is to be used for irrigation purposesWater has been put to beneficial use to the maximum extent as follows: All in T128N - R77W *

13 acres - NW 1/4 NW 1/4 Sec 20	3 acres - NW 1/4 NE 1/4 Sec 20	7 acres - NW 1/4 SE 1/4 Sec 20
23 " - NE 1/4 NW 1/4 "	19 " - SW 1/4 NE 1/4 Sec 20	32 " - NW 1/4 NW 1/4 Sec 29
37 " - SW 1/4 NW 1/4 "	21 " - NW 1/4 SW 1/4 "	40 " - SW 1/4 NW 1/4 Sec 29
40 " - SE 1/4 NW 1/4 "	31 " - NE 1/4 SW 1/4 "	

comprising a total of 266 acres of land and the license should be issued for 2.05 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ NoExceptions to compliance are: _____ Date May 25, 1988

* Land in Sec. 20 has Oct. 4, 1976 priority
Land in Sec. 29 has Feb. 25, 1977 priority

(signature)

LICENSE FOR PERMIT NUMBER 3883-3
3023-3

1. Legal location of wells: 1050 feet south and 50' feet East of
NW corner of Sec 29 - T128N - R77W, Campbell County
dams & structures: _____
2. Well Information: Well Drilling Firm Oake Drilling
No. of wells one Depth 195
Casing a) diameter 16" Screen a) type S.S.
b) length 195' b) length 30 feet
c) type plastic Static Water Level _____
Pump a) make Amarillo Motor a) make Rockford/Diesel
b) model 580 138238 b) model no. PTA 31185
c) size 80 HP c) horsepower rating _____
d) capacity 925 GPM d) motor efficiency rating _____
e) turbine pump
no. of stages _____
3. Distribution lines:
a) size of lines 6" / 8"
b) type A1
c) length 1300' / 4600'
4. Dam information:
a) height to crest _____
b) height to spillway _____
c) crest width _____
d) crest length _____
e) spillway length _____
f) spillway width _____
g) approx. storage _____
h) Distribution lines or canals:
1) size _____
2) type _____
3) length _____
i) Outlet tubes:
1) diameter _____
2) type _____
3) valued (Y/N) _____
4) valve type _____
5) location on structure _____
5. System Type: a) sideroll:
1) length _____ feet
2) diameter of pipe _____
3) make, model & number of sprinklers _____
4) spacing of sprinklers _____
5) nozzle size _____
b) towline:
1) length _____ feet
2) make, model & number of sprinklers _____
3) spacing of sprinklers _____
4) nozzle size _____

5. System Type: c) center pivot

- 1) make Electro-gator
- 2) number of towers 10
- 3) distance between towers

- 4) overall length 1624
- 5) End gun (N)
- 6) high or low pressure _____
- 7) make & size of nozzles

- 8) PSI reading while system is
running 55
- 9) GPM 925

g) Gun

- 1) make Water Winch WW45
- 2) serial number 009306
- 3) nozzle size -
- 4) capacity (GPM) 500
- 5) PSI 85
- 6) hose size 4 1/2
- 7) hose length 660'

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items

☒

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.

☒

2. Special Qualifications to permit being abided by.

☒

3. All Structures, wells and lands on map.

REMARKS:

124.1 1538

Water Permit
3883-3
3023-3

45.7
Howard Rierson

1538

13 acres

23 acres

3 acres

37 acres

40 acres

19 acres

109.5

2 acres

31 acres

7 acres

51.4

Field Cont on
Sec. 20-128-77

1050'

32 acres

Well Location

50'

40 acres

1446 T540

20.6

51.9

64.5

29

66.3

T444

Scale 1 in = 750 ft

1 mi 1 mile 1390

Natural Resources Engineer

5566-3

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 5566-3

(1) Howard Reiersen of RR 1, Box 10, Pollock, SD 57648 made Application No. 5566-3, August 16, 1989 for a water permit to appropriate no additional cubic feet of water per second from groundwater (one existing well), Campbell County, South Dakota for irrigation purposes. Permit No. 5566-3 with a priority date of July 24, 1991 was approved October 2, 1991 and issued to applicant(s) for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

Water Permit No. 5566-3 authorizes irrigation of an additional 29 acres from a well permitted under Water Permit No. 3023-3. Permit No. 5566-3 did not allow for an increase in the developed diversion rate.

Land authorized for irrigation under Water Permit No. 3883-3 are also irrigated from the well described in Water Permit No. 3023-3.

The applicable portions of Water Permit Nos. 3023-3 and 3883-3 are incorporated into this Water License No. 5566-3. Priority dates as they pertain to the acres irrigated are described in (3) of this License.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.05 cubic feet of water per second for beneficial use. The location of the diversion point is: 1,050'S and 50'E of the NW corner of Section 29, T128N, R77W (NW 1/4 NW 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T128N, R77W Section 20

NW 1/4 NW 1/4	13 Acres	(October 4, 1976 priority)
NE 1/4 NW 1/4	23 Acres	(October 4, 1976 priority)
SW 1/4 NW 1/4	37 Acres	(October 4, 1976 priority)
SE 1/4 NW 1/4	40 Acres	(October 4, 1976 priority)
NW 1/4 NE 1/4	3 Acres	(July 24, 1991 priority)
SW 1/4 NE 1/4	19 Acres	(July 24, 1991 priority)
NW 1/4 SW 1/4	21 Acres	(October 4, 1976 priority)
NE 1/4 SW 1/4	31 Acres	(October 4, 1976 priority)
NW 1/4 SE 1/4	7 Acres	(July 24, 1991 priority)

T128N, R77W Section 29

NW 1/4 NW 1/4	32 Acres	(February 25, 1977 priority)
SW 1/4 NW 1/4	40 Acres	(February 25, 1977 priority)
Total-----266 Acres		

The October 4, 1976, priority was established under Water Permit No. 3023-3, the February 25, 1977, priority was established under Water Permit No. 3883-3, and the July 24, 1991, priority date was established under Water Permit No. 5566-3.

(4) Pursuant to Section 46-5-30.1 Howard Reiersen of RR 1, Box 10, Pollock, SD 57648 the holder(s) and/or owner(s) of Incorporated Water Permit No. 5566-3 is issued a license to appropriate water, the right to use 2.05 cubic feet of water per second from groundwater (one well) with priority dates of October 4, 1976, February 25, 1977 and July 24, 1991 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Incorporated Water Permit No. 5566-3 and subject to South Dakota State Law.

 AUG 18 1992

JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources

Pollack, L. D.
Feb. 26, 1991

Dear Sirs:

Enclosed is a check for \$50.00
which is for my Water License.

It is for permit no. 5566-3

Thank you.



Sincerely,

Howard Peterson

RR1 Box 10

Pollack, L. D. 57648

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

413100

Pierre, February 28, 1992

RECEIVED OF Howard or Esther Reiersen, Rt 1, Box 10, Pollock, SD 57648

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5566-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

AUG 18 1992

5566-3

Howard Reiersen
RR 1, Box 10
Pollock, SD 57648

Dear Mr. Reiersen:

Enclosed is Water License No. 5566-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413100 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5566-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Permit Nos. 3023-3 and 3883-3 are incorporated into this Water License No. 5566-3.



5566-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: HOWARD REIERSON, 30058 REIERSON PL, POLLOCK, SD 57648 5201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 2, 2006 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 24, 2006**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5566-3

Track & Confirm

Shipment Details

You entered 2303 2160 0000 0799 5340

Your item was delivered at 9:28 am on February 02, 2006 in EARP, CA 92242. The item was signed for by D MVM.

Here is what happened earlier:

- FORWARDED, January 25, 2006, 2:10 pm, POLLOCK, SD
- ACCEPTANCE, January 24, 2006, 12:19 pm, PIERRE, SD 57501

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

► [Track & Confirm by email](#) [What is this?](#) [Go >](#)

► [Request Proof of Delivery](#) [What is this?](#) [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service™ Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0799 5340

HOWARD REIERSON
30058 REIERSON PL
POLLOCK SD 57648 5201

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

PS Form 153, May 2002

(See Reverse)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 7, 2006

5566-3

Howard Reiersen
30058 Reiersen Pl
Pollock SD 57648-5201

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2005 irrigation questionnaire. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Right No. 5566-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: HOWARD REIERSON, 30058 REIERSON PL, POLLOCK, SD 57648 5201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/efrms/secure/efrms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5526-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0799 6187

Detailed Results:

- Delivered, February 08, 2007, 11:17 am, EARP, CA 92242
- Forwarded, January 27, 2007, 8:35 am, POLLOCK, SD
- Acceptance, January 26, 2007, 11:06 am, PIERRE, SD 57501

[< Back](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)POSTAL INSPECTORS
Preserving the Trust[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

United States Postal Service™ Signature Confirmation™ Receipt	
SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 6187	HOWARD REIERSON 30058 REIERSON PL POLLOCK SD 57648 5201
	Waiver of Signature ☐ YES ☐ NO
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811

☐ PRIORITY MAIL™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

PS Form 3838, May 2002 (SEE REVERSE)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 16, 2007

5566-3

Howard Reiersen
30058 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2006 irrigation questionnaire. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right No. 5566-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: HOWARD REIERSON, 30058 REIERSON PL, POLLOCK, SD 57648 5201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5566-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 3479
Status: **Delivered**

Your item was delivered at 11:19 AM on January 28, 2008 in EARP, CA 92242. The item was signed for by D REIERSON.

[Additional Details >](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

[Webmaster](#)
Feedback[Internet](#)
Help

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 3479		HOWARD REIERSON 30058 REIERSON PL POLLOCK SD 57648 5201	
Waiver of Signature ☐ YES ☐ NO		POSTAL CUSTOMER: Keep this receipt. For inquiries: Access internet web site at www.usps.com or call 1-800-222-1811	
Postmark Here		☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 1, 2008

5566-3

Howard Reiersen
30058 Reiersen Pl
Pollock SD 57648-5201

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2007 irrigation questionnaire. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right No. 5566-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: HOWARD REIERSON, 30058 REIERSON PL, POLLOCK, SD 57648 5201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5766-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7279
Status: **Delivered**

Your item was delivered at 11:06 AM on January 30, 2009 in EARP, CA 92242. The item was signed for by R REIERSON.

Track & Confirm

Enter Label/Receipt Number.

[Additional Details >](#) [Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

ing.

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 7279

HOWARD REIERSON
30058 REIERSON PL
POLLOCK SD 57648 5201

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail[®] Service
☐ First-Class Mail[®] parcel
☐ Package Services parcel

PS



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2009

5566-3

Howard Reiersen
30058 Reiersen Pl
Pollock SD 57648 5201

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 5566-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: HOWARD REIERSON, 30058 REIERSON PL, POLLOCK, SD 57648 5201

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

March 1, 2016

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge receipt of the 2015 irrigation questionnaires for your two water permits and the water right listed in Howard's name. You may disregard the January 15, 2016, "Notice" concerning reporting requirements. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

With regard to Water Right No. 5566-3, it is our understanding the water right needs to be transferred. I have partially completed the transfer form for you. You can put down your mom's name in-care-of you so that all correspondence will go directly to you; or if you now own the land, you can transfer it directly to you.

Please review and complete the enclosed transfer form and return it to our office with a required \$50 filing fee. The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: WAYNE REIERSON, RENTER, 30048 REIERSON PL, POLLOCK, SD 57648
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 27, 2017

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Place
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2016 irrigation questionnaires.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 5566-3 and Water Permit Nos. 7615-3 & 7616-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Water Right No. 5566-3 is still listed in the name of Howard Reiersen. Our records indicate a transfer of ownership form was sent to you March 1, 2016. To date, we have not received anything back from you. In the event you no longer have the form, I am including another one for your use in transferring ownership. Please review the form and make any necessary corrections. Upon completion, please sign the form and return it to our office with a required filing fee of \$50.00. The check or money order for the fee can be made payable to the Water Rights Program.

If you do not own the land and we need to be contacting someone else, please let me know. Thank you in advance for updating the water right and also for returning the irrigation questionnaires.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 8, 2018

NOTICE OF ENTRY OF ORDER
FOR ONE YEAR SUSPENSION OF WATER RIGHT & WATER PERMITS

TO: Wayne Reiersen, 30048 Reiersen Pl, Pollock SD 57648

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: One Year Suspension of Water Right No. 5566-3 & Water Permit Nos. 7615-3 and 7616-3

On March 7, 2018, the Water Management Board ordered:

Effective April 7, 2018, Water Right No. 5566-3 and Water Permit Nos. 7615-3 and 7616-3 be suspended for the 2018 irrigation season for failure to submit the 2017 irrigation questionnaires.

If the 2017 irrigation questionnaires are received prior to April 7, 2018, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2018 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2018 unless the 2017 irrigation questionnaires are submitted by April 7th.

After April 7th, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2017 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 2-3, 2018, in Pierre, SD. The letter should include your reasons for not completing the 2017 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

5566-3

I hereby certify that on March 8, 2018, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated March 8, 2018 regarding Water Management Board action taken March 7, 2018 for Irrigation Questionnaire violations addressed as stated below:

Amendments:

Water Right No. 410-2: John Anthony DeRungs, 11684 Indian Canyon Rd, Edgemont SD 57735
Water Right No. 4309B-3: Ronald J Gorder, PO Box 185, Estelline SD 57234-0185
Water Right No. 394-1: Larry B Reinhold, Lonetree Ranch, 14666 Lonetree, Sturgis SD 57785
Water Right No. 2350-3: Bill Boyer, River Valley Farms, PO Box 486, Alcester SD 57001

One Year Suspensions:


Water Right No. 4472-3, Darrell Biddle, 37461 287th St, Geddes SD 57342
Water Right No. 635-2: Tom Lauing, Dakota Hills Inc., 14129 Ringneck Rd, Oral SD 57766
Water Permit No. 8019-3: Mark Hohn 40455 266th St, Ethan SD 57334
Water Right No. 1213B-1: Charles & Cathy Kimbril, 19027 137th Ave, Vale SD 57788
Water Right No. 1233-1: Ed & Kathy Kling, 12345 Vallery Rd, Nisland SD 57762-9717
Water Permit Nos. 6961-3, 6962-3, 6963-3 & 7233-3, Norman Kramer, 31105 436th Ave., Yankton SD 57078
Water Permit Nos. 7265-3 & 7265A-3: Leigh Leesman, Leesman Ranch, 30729 206th St, Pierre SD 57501
Water Right No. 5441-3, Water Permit Nos. 6408A-3 & 7118-3: Barry Little, 45696 SD Hwy 22, Castlewood SD 57223-5220
Water Right No. 5735-3: Mark McCloud, 33670 183rd St, Highmore SD 57345
Water Permit No. 1923-1: Jim Montieth, PO Box 1238, Spearfish SD 57783 8502
Water Right No. 962B-1: Steve Olinger, 12241 Vallery Rd, Nisland SD 57762-7600
Water Right No. 2074-2: Tamara Rogers, Prairie Gardens Inc., 13979 Cobb Rd, Hermosa SD 57744-5415
Water Right Nos. 1612-3 & 1997-3: Brandon Vostad, Prairie Winds Golf Club, 555 S Lake Dr, Watertown SD 57201
Water Right No. 2106-2: Stuart Rice, 2300 Skyline Ranch Rd., Rapid City SD 57701
Water Right No. 2696-3A: Danny Schmidt, 18684 421st Ave., Willow Lake SD 57278
Helen M Schmidt, 19053 427th Ave., Willow Lake SD 57278
Water Right No. 4292-3: Stanley S Schulz, 41300 SD Hwy 20, Conde SD 57434
Water Right No. 1554A-1/Water Permit No. 1935-1: Donald J Stange, 2807 Gamble Ct, Mitchell SD 57301-6411
Water Permit Nos. 8164-3, 8165-3 & 8166-3: Todd Swenson, 38770 235th St., Wessington Springs SD 57382
Water Right No. 2954-3: Lane Tekrony, 47840 180th St, Clear Lake SD 57226-5405

Second violation - Three year suspensions:

Water Right No. 495-2: Harlan Eisenbraun, 21362 Creighton Rd, Wall SD 57790
Water Right No. 1530-2, Viola Keszler, 30317 289th St, Clearfield SD 57580

Third violation - Cancellation:

Water Right No. 3937-3: Wendell Schubloom, 20608 Hwy 25, DeSmet SD 57231




Vickie Maberry
Secretary
Water Rights Program

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 8th day of March, 2018.



Karen Schlaak
Notary Public
My Commission expires April 1, 2019



5566-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

April 6, 2018

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

On March 7th the Water Management Board ordered Water Right No. 5566-3 and Water Permit Nos. 7615-3 & 7616-3 suspended if the 2017 irrigation questionnaires were not received prior to April 7, 2018. The questionnaire information for Nos. 5566-3, 7615-3 & 7616-3 was received April 3rd.

Since the irrigation questionnaires are on file, no violations have occurred and no suspensions will take place. You may irrigate during the 2018 irrigation season.

If you have any questions, please contact Genny McMath at (605) 773-3352.

Sincerely,

Ron Duvall, Water Rights Permitting Administrator
for Jeanne Goodman, Chief Engineer
Water Rights Program



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaire(s)

Our records indicate your 2018 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

ALERT: PAYMENT TRANSACTIONS ON SOME APPLICATIONS WILL BE TEMPORARILY...

USPS Tracking® FAQs > (<https://www.usps.com/faqs/uspstracking-faqs.htm>)**Track Another Package +****Tracking Number:** 70173380000059186239

Remove X

Your item was picked up at a postal facility at 11:08 am on January 31, 2019 in
POLLOCK, SD 57648.

✓ Delivered

January 31, 2019 at 11:08 am
Delivered, Individual Picked Up at Postal Facility
POLLOCK, SD 57648

Get Updates ✓**Text & Email Updates****Tracking History****Product Information** ✓**See Less** ^

U.S. Postal Service™	
CERTIFIED MAIL® RECEIPT	
Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$	1-31-19
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy)	\$
☐ Return Receipt (electronic)	\$
☐ Certified Mail Restricted Delivery	\$
☐ Adult Signature Required	\$
☐ Adult Signature Restricted Delivery	\$
Postmark Here	
WAYNE REIERSON 30048 REIERSON PL POLLOCK SD 57648	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

Can't find what you're looking for?




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 7, 2019

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF
WATER RIGHT/PERMIT

TO: Wayne Reiersen, 30048 Reiersen Pl, Pollock SD 57648

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: One Year Suspension of Water Right Nos. 5566-3, 7615-3 & Water Permit No. 7616-3

On March 6, 2019, the Water Management Board ordered:

Effective April 6, 2019, Water Right Nos. 5566-3, 7615-3 and Water Permit No. 7616-3 be suspended for the 2019 irrigation season for failure to submit the 2018 irrigation questionnaires.

If the 2018 irrigation questionnaires are received prior to April 6, 2019, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2019 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2019 unless the 2018 irrigation questionnaires are submitted by April 6th.

After April 6th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2018 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 8-9, 2019, in Pierre, SD. The letter should include your reasons for not completing the 2018 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

5566-3

USPS Tracking® FAQs > (<https://www.usps.com/faqs/uspstracking-faqs.htm>)

Track Another Package +

Tracking Number: 70180040000038017687

Remove X

Your item was picked up at a postal facility at 9:19 am on March 13, 2019 in POLLOCK, SD 57648.

 **Delivered**

March 13, 2019 at 9:19 am
Delivered, Individual Picked Up at Postal Facility
POLLOCK, SD 57648

Get Updates ✓

Text & Email Updates

Tracking History

Product Information

See Less ^

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$ _____	Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy) \$ _____	
☐ Return Receipt (electronic) \$ _____	
☐ Certified Mail Restricted Delivery \$ _____	
☐ Adult Signature Required \$ _____	
WAYNE REIERSON 30048 REIERSON PL POLLOCK SD 57648	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.



5566-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

April 5, 2019

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Place
Pollock SD 57648

Dear Mr. Reiersen:

On March 6th the Water Management Board ordered Water Right Nos. 5566-3, 7615-3 and Water Permit No. 7616-3 suspended if the 2018 irrigation questionnaires were not received prior to April 6, 2019. The questionnaire information has been received.

Since the irrigation questionnaires are on file, no violations have occurred and no suspensions will take place. You may irrigate during the 2019 irrigation season.

Water Right No. 5566-3, listed under Howard Reiersen, still needs to be transferred. Transfer forms were sent to you on two previous occasions and to date we haven't received anything back from you. Is there a reason you are not following up on the ownership change? I am enclosing another form for your use. If you need assistance with it, let me know.

If you have any questions, please contact us.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352

enclosure



5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaire(s)

Our records indicate your 2019 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: TEVZOK**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 27, 2020

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION
OF WATER RIGHTS & WATER PERMIT

TO: Wayne Reiersen, 30048 Reiersen Pl., Pollock SD 57648

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: One Year Suspension of Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3

On February 26, 2020, the Water Management Board ordered:

Effective March 26, 2020, Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3 be suspended for the 2020 irrigation season for failure to submit the 2019 irrigation questionnaires.

If the 2019 irrigation questionnaires are received prior to March 26, 2020, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2020 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2020 unless the 2019 irrigation questionnaires are submitted by March 26, 2020.

After March 26th, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2019 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 6-7, 2020 in Pierre, SD. The letter should include your reasons for not completing the 2019 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place. Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

I hereby certify that on February 27, 2020, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 27, 2020 regarding Water Management Board action taken February 26, 2020 for Irrigation Questionnaire violations addressed as stated below:

One Year Suspensions:

Water Right No. 6947-3

Joel Adler, 48353 149th St, Milbank SD 57252

Water Permit No. 7655-3

Thomas Brady, 265 Antler Dr., Yankton SD 57078

Water Right Nos. 2698-2 & 2721-2

Neil & Lupita Fanning, 220 Rangely Ct., Simi Valley CA 93065

Water Right No. 5947-3

Sean Davis, Fish Lake Country Club, 24385 393rd Ave., Letcher SD 57359

Water Permit Nos. 7008A-3 and 7009A-3

Roger D Hanson, 615 E 72nd St., Kansas City MO 64131

Water Right No. 7043-3

Corey Johannsen, 502 Main St., Tolstoy SD 57475

Donald & Dianna Stotz, 14850 328th Ave, Tolstoy SD 57475

Water Right No. 876-1

Gene E Johnson, 19610 US Hwy 85, Belle Fourche SD 57717

Water Right No. 1213B-1

Charles & Cathy Kimbril, 19027 137th Ave, Vale SD 57788

Water Right No. 410B-2

Kathi Koester, PO Box 206, Custer SD 57730-0206

Water Permit No. 8253-3

James Makens, Makens Oak Tree LLP, 42563 168th St, Clark SD 57225

Water Permit Nos. 5849-3 and 6194-3

Josh Oakley, Meadow Creek Golf Course, PO Box 511, Volga SD 57071-0511

Water Right Nos. 2521-3 and 2934-3

Henry Decker, Pembroke Hutterian Inc., 35955 139th St, Ipswich, SD 57451 7103

Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3

Wayne Reiersen, 30048 Reiersen Pl., Pollock SD 57648

Water Permit No. 2350-3

Bill Boyer, President, River Valley Farms, PO Box 486, Alcester SD 57001 0486

Water Right No. 4737-3

RUS Farms Real Estate LLC, 3283 Dogwood Ave., Rock Valley IA 51247

Water Right No. 2954-3

Lane Tekrony, 47840 180th St, Clear Lake SD 57226-5405

Water Right Nos. 6131-3 and 6132-3

Daniel Ulmer, PO Box 433, Menno SD 57045 0433

Water Right Nos. 2631A-3 and 5451-3
Merritt Ulmer, PO Box 433, Menno SD 57045-0433
Merritt & Marie Ulmer, 1402 S Cage #217, Pharr TX 78577

Water Right No. 553-1
Richard W Kieffer, 14555 Hamlet Pl, Sturgis SD 57785

Three Year Suspensions:

Water Right No. 6168-3
Robert Hattum, 21744 W Bend Rd, Harrold SD 57536

Water Right No. 2106-2
Stuart Rice, 2300 Skyline Ranch Rd, Rapid City SD 57701

Amendments:

Water Right Nos. 804-2 & 995-2
Robert Berry, 23331 Hwy 14, Midland SD 57552

Water Right No. 766-2
Gene Fortune, PO Box 60, Interior SD 57750 0060

Water Right Nos. 516-1 and 715-1
Lawrence Woodward, PO Box 220, Dupree SD 57623 0220


Both Suspend and Amendments

Water Right No. 960-3 and Water Permit No. 472A-3
Chad Binger, 18309 383rd Ave, Tulare SD 57476

Water Right Nos. 2579-3, 4353-3, 5774-3, 6424-3, 6606-3, 6870-3, 7193-3, 7490-3 & 7491-3
Jonathan Wollman, Claremont Colony, 46271 184th St, Castlewood SD 57223

Water Right Nos. 3012-3 and 7323B-3
Mark Morlock, 33820 112th St., Eureka SD 57437-6005
Marvin Morlock, 11072 339th Ave, Eureka SD 57437-6003


Water Right No. 399-2 and Water Permit No. 2668-2
Steve L Simunek, 27851 S Buffalo Gap Rd, Oral SD 57766


Eric Gronlund
Water Rights Program

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 27th day of February, 2020.


Karen Schlaak
Notary Public
My Commission expires April 1, 2025





5566-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 26, 2020

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

On February 26th the Water Management Board ordered Water Right Nos. 5566-3, 7615-3, 7616-3 suspended if the 2019 irrigation questionnaire was not received prior to March 26, 2020. The questionnaire information for your water rights have been received.

Since the irrigation questionnaire are on file, no violations have occurred, and no suspensions will take place. You may irrigate during the 2020 irrigation season.

Enclosed is the transfer of ownership form we discussed on the phone. Please complete and return it to our office with a \$50 filing fee. The check or money order can be made payable to the Water Rights Program.

If you have any questions, please contact us.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DENR
SOUTH DAKOTA

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

July 8, 2020

5566-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am touching base with you again concerning the ownership change needed for Water Right No. 5566-3. The water right, copy enclosed, is still listed in the name of Howard Reiersen. We have written to you numerous times since 2016 but have not received anything back from you.

Enclosed is a partially completed "Notice of Transfer of Ownership" form for use in filing an ownership change. Please review and complete as needed. Upon completion, please sign and return the form to our office with a required filing fee of \$50. The check or money order for the fee can be made payable to the Water Rights Program.

If you no longer own the land or no longer wish to maintain the water right, please let us know. I have enclosed a postage paid envelope for your use in returning the fee and transfer form. Thank you in advance for updating the water right.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures

RECEIVED

SEP 28 2020

WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 5566-3

Date: 9-19-20

I/We request that Water Right No. 5566-3

formerly owned by: Howard Reiersen

be transferred to: (name & address)

Wayne H. Reiersen
30048 Reiersen Pl
Pollock SD 57648 Cell 605-848-1121 Telephone No. 605-889-2455

Title to the following described land(s)/property has been transferred as described above:

266 acres - NW ¼, W ½ NE ¼, N ½ SW ¼ and NW ¼ SE ¼ Section 20, T128N, R77W

W ½ NW ¼ Section 29, T128N, R77W

I/We understand that the validity of Water Right No. 5566-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Wayne H. Reiersen, the new owner, certify that the above information is true and correct.

Wayne H. Reiersen
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

October 1, 2020

5566-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

We have received the completed transfer of ownership form from you for Water Right No. 5566-3.

A \$50 fee is required by statute before the ownership change can be processed. The check or money order for the fee can be made payable to the Water Rights Program.

I have enclosed a postage paid envelope for your use in returning the fee. Thank you in advance.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosure



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

RECEIVED

OCT 13 2020

WATER RIGHTS
PROGRAM

PAID
OCT 13 2020
Ck# 11952

5566-3

October 1, 2020

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

We have received the completed transfer of ownership form from you for Water Right No. 5566-3.

A \$50 fee is required by statute before the ownership change can be processed. The check or money order for the fee can be made payable to the Water Rights Program.

I have enclosed a postage paid envelope for your use in returning the fee. Thank you in advance.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosure

*Genny
Thanks so very much!!
Lara*

RECEIVED

OCT 13 2020

Division of Financial
& Technical Assistance

5566-3

RECEIPT**WATER RIGHTS PROGRAM**

South Dakota Department of Environment and Natural Resources

Date October 13, 2020RECEIVED OF Wayne Reiersen 30048 Reiersen Pl Pollock SD 57648

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$
Fee to retain Future Use Permit No. _____ after period of seven years.	\$
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$
Fee for Filing Transfer Form <u>5566-3</u>	\$50.00
Fee for _____	\$
Fee for Issuing New Well Driller's License No. _____	\$
Fee for Renewal of Well Driller's License No. _____	\$
Fee for Issuing Well Pump Installer's License No. _____	\$
Fee for Renewal of Well Pump Installer's License No. _____	\$
(Any Other Work Provided by Law) TOTAL	\$50.00

By Eric Gronlund
Chief Engineer

vme



DENR
SOUTH DAKOTA

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

October 14, 2020

5566-3

Wayne H Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Right No. 5566-3.

The ownership change has been completed. The water right originally held by Howard Reiersen is now listed in your name.

Enclosed for your records is a receipt for the filing fee that was paid. If you have any questions, please let me know.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaire(s)

Our records indicate your 2020 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: LQQTau

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5566-3

USPS Tracking®

FAQs >

Track Another Package +

Tracking Number: 70191120000129103917

Remove X

Your item was delivered to an individual at the address at 10:31 am on January 27, 2021 in HERREID, SD 57632.

 **Delivered**

January 27, 2021 at 10:31 am
Delivered, Left with Individual
HERREID, SD 57632

Get Updates ▾

Feedback

Go 7019 1120 0001 2910 3917

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT <i>Domestic Mail Only</i>	
For delivery information, visit our website at www.usps.com ®.	
OFFICIAL USE	
Certified Mail Fee \$ _____ Extra Services & Fees (check box, add fee as appropriate) ☐ Return Receipt (hardcopy) \$ _____ ☐ Return Receipt (electronic) \$ _____ ☐ Certified Mail Restricted Delivery \$ _____ ☐ Adult Signature Required \$ _____ ☐ Adult Signature Restricted Delivery \$ _____	Delivered 1-27-2021 Postmark Here
WAYNE REIERSON 30048 REIERSON PL POLLOCK SD 57648	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

g for?
king questions.

5566-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

March 4, 2021

**NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION
OF WATER RIGHTS AND WATER PERMIT**

TO: Wayne Reiersen, 30048 Reiersen Pl, Pollock SD 57648

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: One Year Suspension of Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3

On March 3, 2021, the Water Management Board ordered:

Effective April 3, 2021, Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3 be suspended for the 2021 irrigation season for failure to submit the 2020 irrigation questionnaires.

If the 2020 irrigation questionnaires are received prior to April 3, 2021, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2021 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2021 unless the 2020 irrigation questionnaires are submitted by April 3, 2021.

After April 3rd, you may petition the Water Management Board to rescind the suspensions. You will need to submit the 2020 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 5-6, 2021 in Pierre, SD. The letter should include your reasons for not completing the 2020 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

5566-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

March 31, 2021

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

On March 3, 2021, the Water Management Board ordered Water Right Nos. 5566-3 & 7615-3 and Water Permit No. 7616-3 suspended if the 2020 irrigation questionnaires were not received prior to April 3, 2021. The questionnaire information has been received.

Since the irrigation questionnaires are on file, no violations have occurred, and no suspensions will take place. You may irrigate during the 2021 irrigation season.

If you have any questions, please contact us.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

Certification

I hereby certify that on March 4, 2021, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated March 4, 2021 regarding Water Management Board action taken March 3, 2021 for Irrigation Questionnaire violations addressed as stated below:

Amendments:

No. 1994-3: Albert Hattum, 21862 W Bend Rd, Harrold SD 57536
 No. 4332-3: Kash Van Dyke, 22071 486th Ave, Elkton SD 57026

One Year Suspensions:

No. 515-3: Bruce D Peterson, 3600 S Slaten Park Dr, Sioux Falls SD 57103
 Daniel Benson, 45586 US Hwy 18, Hurley SD 57036
 No. 577-1: Max & Brenda Bowen, 17600 Kentucky Pl, Mud Butte SD 57758
 No. 5524-3: Wade & Todd Druin, 30911 457th Ave, Volin SD 57072-6322
 No. 1554A-1: Franklin Dyck, 313 Pierre St, Vale SD 57788
 No. 1935-1: Brian Dyck, 313 Pierre St, Vale SD 57788
 No. 2675-3: Beau Gregg, 22289 Mint Rd, Harrold SD 57536
 Nos. 6822-3, 8070-3 & 8071-3: Roger Hansen, Hansen Properties, PO Box B, Centerville SD 57014
 No. 1150-2: O M Iwan & Sons, 24912 Rocky Ford Rd, Midland SD 57552
 Nos. 4678-3 & 6960-3: Craig Jepsen, Jepsen Farms, 505 Larson St SW, Hutchinson MN 55350-2108
 Nos. 5566-3, 7615-3 & 7616-3: Wayne Reiersen, 30048 Reiersen Pl, Pollock SD 57648
 No. 2350-3: Bill Boyer, River View Farms, PO Box 486, Alcester SD 57001-0486
 No. 2497-2: Marty Vanderploeg, 22958 293rd St., Martin SD 57551

Three Year Suspensions:

No. 4472-3: Darrel Biddle, 37461 287th St, Geddes SD 57342
 No. 7970-3: David Hoops, PO Box 462, Huron SD 57350-0462

Suspend/Amend

Nos. 6565-3, 6566-3, 6817-3, 6818-3, 6819-3, 7003-3, 7383-3, 7693-3, 7994-3, 974-3 & 1813-3:
 • Roger Hansen, Hansen Ventures LLC, 700 W Broadway, Centerville SD 57014

Nos. 4705-3, 7924-3, 3803-3 & 4448-3A


- Brandon Ritter, 30489 115th St, Mound City SD 57646
- Iverson Farms, A Ltd Partnership, 30856 119th St, Mound City SD 57646

Vickie Maberry
 Vickie Maberry
 Water Rights Program

STATE OF SOUTH DAKOTA)
) SS
 COUNTY OF HUGHES)

Sworn to, before me, this 4th day of March, 2021.

Karen Schlaak
 Karen Schlaak
 Notary Public
 My Commission expires April 1, 2025



5566-3



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: AFGKAJ**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5566-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 1, 2022

5566-3
7615-3
7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge receipt of your 2021 irrigation questionnaires.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Permit Nos. 5566-3, 7615-3 and 7616-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3 & 7616-3. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 & 7616-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 & 7616-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: NTQKZS**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 16, 2024

5566-3

7615-3

7616-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 5566-3, 7615-3 & 7616-3. The information was received prior to the March 6, 2024, Water Management Board meeting and these permit numbers have been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: MMQVJW**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 3, 2025

5566-3
7615-3

Wayne Reiersen
30048 Reiersen Pl
Pollock SD 57648

Dear Mr. Reiersen:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 5566-3 & 7615-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



5566-3
7615-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: WAYNE REIERSON, 30048 REIERSON PL, POLLOCK, SD 57648

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 5566-3, 7615-3. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 5566-3, 7615-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5566-3, 7615-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: HASPIJ**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 6, 2026

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF WATER RIGHT

TO: Wayne Reiersen, 30048 Reiersen Pl, Pollock SD 57648

FROM: Adam Mathiowetz, PE, Acting Chief Engineer
DANR - Water Rights Program

SUBJECT: One Year Suspension of Water Right Nos. 5566-3 & 7615-3

On March 4, 2026, the South Dakota Water Management Board ordered:

- Effective April 3, 2026, Water Right Nos. 5566-3 & 7615-3 suspended for the 2026 irrigation season.

This action was taken by the Board for failure to return the 2025 irrigation questionnaires. If the 2025 irrigation questionnaires are received prior to April 3, 2026, the suspensions will not take effect.

A one-year suspension of Water Right Nos. 5566-3 & 7615-3 means water may not be pumped during the 2026 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2026 unless the 2025 irrigation questionnaires are submitted prior to April 3, 2026.

After April 3, 2026, you may petition the Board to rescind the suspension. You will need to submit, to the Water Rights Program, the 2025 irrigation questionnaires and a letter including your reason for not completing the 2025 irrigation questionnaires within the allotted time and requesting time on the agenda for the next Water Management Board meeting. The next Water Management Board meeting is scheduled for May 6, 2026, in Pierre SD.

Decisions made by the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Please contact Amanda Dewell, Water Rights Permitting Administrator (605) 773-3352 with any questions.

NOTE: Water Rights staff will conduct unscheduled compliance checks of suspended water rights to ensure irrigation is not taking place.

7019 1120 0001 2910 4136

U.S. Postal ServiceTM
CERTIFIED MAIL[®] RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com[®].

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
☐ Return Receipt (hardcopy)	\$
☐ Return Receipt (electronic)	\$
☐ Certified Mail Restricted Delivery	\$
☐ Adult Signature Required	\$
☐ Adult Signature Restricted Delivery	\$

Postmark
Here

Postage
\$
Total
\$
Sent
\$
Street
City

Wayne Reiersen
30048 Reiersen Pl
Pollock, SD 57648

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally mailed a true and correct NOTICE OF ONE- AND THREE-YEAR SUSPENSION OF WATER RIGHT dated March 6, 2026, via certified mail to the following parties.

Chance & Michelle Wientjes
PO Box 96
Mobridge, SD 57601

Vernon & Marlys Walkling
29832 267th Ave
Crookston, NE 69212

Vasgaard Properties
28746 462nd Ave
Centerville, SD 57014

Doug & Darla Van Gerpen
40930 305th St
Avon, SD 57315

John & Bryan Uecker
PO Box 573
Wagner, SD 57380

Twisted Land & Cattle Co.
C/O Brad Peterson
19030 391st Ave
Hitchcock, SD 57348

Tilton Ranch Inc.
C/O Janet Burback
2199 Skinner Rd
Belgrade, MT 59714

Dale Sprague
16221 Twilight Rd
Mud Butte, SD 57758

Greg & Evette Rihanek
814 E State St
Plankinton, SD 57368

Wayne Reiersen
30048 Reiersen Pl
Pollock, SD 57648

Charlotte or Phillip Nichols
7497 Rolling Meadow Dr
West Chester, OH 45069

Wilma Heien (Walter Heien)
PO Box 145
Blunt, SD 57522

David & Jerry Wieber
PO Box 238
Lidgerwood, ND 58053

Vintage Square Estates
PO Box 594
Ft Pierre, SD 57532

Valley View Farms Inc.
17716 458th Ave
Watertown, SD 57201

Kash & Trish Van Dyke
48549 219th St
Elkton, SD 57026

Oscar Inc.
C/O Floyd Peterson
209 27th St NW
Huron, SD 57350

Dan & David Trudeau
33927 478th Ave
Jefferson, SD 57038

Terrill Farms Inc.
C/O Tony Terrill
42099 176th St
Clark, SD 57225

Swan Creek Land Co. Inc
PO Box 435
Akaska, SD 57420

Six Mile Creek Golf Course
20307 483rd Ave
White, SD 57276

Robert Phelps Jr
16220 Spring Valley Rd
Piedmont, SD 57769

GW Evridge
20151 Saddle Ct
Whitewood, SD 57793

Mark & Melvin Morlock
33820 112th St
Eureka, SD 57437

Laverne Neuharth
33567 109th St
Eureka, SD 57437

Central Valley Golf Club
700 E Hwy 38
Hartford, SD 57033


Dale & Mary Helen Bisson
PO Box 844
Ft Pierre, SD 57532


Ryan Edwards
25331 Yellow Eagle Rd
White River, SD 57579


Alyce McGhee
Senior Secretary-Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 6 day of March, 2026.


Rachel Rodriguez Notary Public
My Commission expires May 16, 2029



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

Wayne Reiersen
30048 Reiersen Pl
Pollock, SD 57648



9590 9402 6392 0303 3259 76

2. Article Number (Transfer from service label)

7019 1120 0001 2910 4136

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☒ Agent

☐ Addressee

B. Received by (Printed Name)

Claudia Laurent

C. Date of Delivery

3/16/26

D. Is delivery address different from item 1? ☐ Yes

If YES, enter delivery address below: ☐ No

3. Service Type

☐ Adult Signature

☐ Adult Signature Restricted Delivery

☒ Certified Mail®

☐ Certified Mail Restricted Delivery

☐ Collect on Delivery

☐ Collect on Delivery Restricted Delivery

☐ Insured Mail

☐ Insured Mail Restricted Delivery
(over \$500)

☐ Priority Mail Express®

☐ Registered Mail™

☐ Registered Mail Restricted
Delivery

☐ Signature Confirmation™

☐ Signature Confirmation
Restricted Delivery

USPS TRACKING #

BISMARCK ND 585



17 MAR 2026 AM 1 L



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 6392 0303 3259 76

United States
Postal Service


RECEIVED

MAR 19 2026

OFFICE OF
WATER

• Sender: Please print your name, address, and ZIP+4® in this box•

DANR WATER RIGHTS PROGRAM
523 E CAPITOL AVE
PIERRE SD 57501





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 20, 2025

5566-3, 7615-3

Wayne Reiersen
30048 Reiersen Pl
Pollock, SD 57648

Dear Mr. Reiersen:

This letter acknowledges receipt of your 2025 irrigation questionnaires that you submitted on March 18, 2026, for Water Right Nos. 5566-3 & 7615-3.

The Water Management Board moved to suspend the water rights listed above for one year if the required questionnaires were not submitted by April 4, 2026. Since we have now received your information, the prior "Notice of Entry of Order for One Year Suspension" no longer applies and may be disregarded.

Sincerely,

Shannon Konst

Shannon Konst
Water Rights Program
605 773-3352
Shannon.konst@state.sd.us