

Considered: _____

WATER PERMIT NO. 5603-3

Phone: 778-6714

Name of Applicant: Dihl J. Grohs

Post Office Address: RR 1, Box 94, Kimball SD 57355

Amount of Water Claimed: no add'l Total Acres: 456 add'l

Source of Water Supply: groundwater

Water to be used for: irrigation County: Jerauld

About 18 miles SW of Wessington Springs

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 12-5-91 Fee: \$375 Remarks Correct 35

acres on Permit No. 4660-3

Corrected Application Received _____ Period of Annual Use March 1 - Nov 30

WATER QUALITY APPROVAL RECEIVED 12-18-91 APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point: SW 1/4 SW 1/4 17-106-67

Land to be Irrigated: N 1/2 SE 1/4 Sec 17; S 1/2

NE 1/4 Sec 20; NW 1/4, SW 1/4 Sec 16; NW 1/4,

N 1/2 SW 1/4 Sec 21; all in T106N-R67W



Well Log: Driller: Huron Drilling Licensed YES X NO _____

Depth of Well: 200' REMARKS _____

Type of Map: aerial PREPARED BY: Norma Job Reviewed and the Number

Assigned on 12-19-91 By Karen Schlaak

(See instructions)

No. 5603-3 Hydrologic Unit 10140105
Basin Missouri River
Newspaper True Dakotan, Box T, Wessington

(Tues)

Springs 57382



Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

- Application on: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☒ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☒ Add Acreage ☐ Increase diversion rate ☒ Other see permit no. 4660-3
 1. Name of Applicant Dihl J. Grohs Phone No. 778-6714

Post Office Address RR 1 Box 94 Kimball State SD 57355
(Street, RR or Box) (City) Zip Code

2. Amount of water claimed (c.f.s) no add'l Total acres irrigated 456 add'l
 3. Source of Water supply well
 4. Location of point of diversion SW 1/4 SW 1/4 Section 17-T106N-R67W

- _____ County Jerauld
 5. Counties where water will be used Jerauld
 6. Annual period during which water is to be used March 1 - November 30
 7. List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
see attachment	

Land Description	No. Acres Irr.

Attach sheet if more space is needed

8. Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: X Traveling Gun: X Other: _____
 9. Crops to be Irrigated: Wheat corn soybeans milo
 10. Give a description of proposed project. (Attach sheet if more space is needed)

This permit is for the correction of 35 acres developed under Permit No. 4660-3 and to add an additional 456 acres not covered under a permit.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of DeWitt)^{ss}

I, _____, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Dihl J. Grohs

Subscribed and sworn to before me this 4th day of December 19 91

Ron Kesterson
Notary Public
My commission expires 10-29-99



**SOUTH DAKOTA
WATER PERMIT No. 5603-3 FOR IRRIGATION**

Date of first receipt of application December 5, 1991.

Date Soil/Water Compatibility Permit received December 18, 1991.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5603-3 to Dihl J. Grohs, RR 1, Box 94, Kimball SD 57355 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5603-3 authorizes irrigation of 456 additional acres and specifies the correct location of 35 acres authorized by Water Permit No. 4660-3. Water Permit No. 4660-3 appropriates 4 cubic feet of water per second (cfs) from one well located in the SW 1/4 SW 1/4 Section 17 to irrigate 280 acres located in the SW 1/4, S 1/2 SE 1/4 Section 17 and the N 1/2 NE 1/4 Section 20; all in T106N-R67W. An inspection of the permit found 1 well capable of diverting 2.88 cfs irrigating 736 acres. The correct location of 35 acres authorized by Permit No. 4660-3 is the N 1/2 SE 1/4 Section 17, SW 1/4 NE 1/4 Section 20; all in T106N-R67W. The 456 additional acres not authorized by Water Permit No. 4660-3 are located in the S 1/2 NE 1/4 Section 20, NW 1/4, SW 1/4 Section 16, NW 1/4, N 1/2 SW 1/4 Section 21; all in T106N-R67W. This permit does not authorize any increase in the developed diversion rate.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: March 1 - November 30.
3. The date from which applicant may claim right is December 5, 1991.
4. The date of approval of Permit No. 5603-3 is February 24, 1992.
5. One-fifth of the construction is to be completed on or before August 24, 1994.
6. All construction is to be completed on or before February 24, 1997.
7. Water is to be put to beneficial use on or before February 24, 2001.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

(continued)

Water Permit No. 5603-3
Page 2

2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

AUG 7 1992
date

ATTACHMENT

ALL LANDS ARE LOCATED IN T106N-R67W

S/W APPROVAL

SECTION 17

NW 1/4 SW 1/4	-	33 ACRES ***	40
NE 1/4 SW 1/4	-	33 ACRES ***	40
SW 1/4 SW 1/4	-	33 ACRES ***	40
SE 1/4 SW 1/4	-	33 ACRES ***	40
NW 1/4 SE 1/4	-	12 ACRES *	13
NE 1/4 SE 1/4	-	18 ACRES *	15
SE 1/4 SE 1/4	-	24 ACRES ***	30
SW 1/4 SE 1/4	-	36 ACRES ***	30

SUB-TOTAL 222 ACRES

SECTION 20

NW 1/4 NE 1/4	-	34 ACRES ***	30
NE 1/4 NE 1/4	-	19 ACRES ***	30
SW 1/4 NE 1/4	-	5 ACRES *	15
SE 1/4 NE 1/4	-	11 ACRES **	9

SUB-TOTAL 88 ACRES

SECTION 16

NW 1/4 NW 1/4	-	40 ACRES **	
NE 1/4 NW 1/4	-	40 ACRES **	
SW 1/4 NW 1/4	-	40 ACRES **	
SE 1/4 NW 1/4	-	40 ACRES **	
NW 1/4 SW 1/4	-	40 ACRES **	
NE 1/4 SW 1/4	-	40 ACRES **	
SW 1/4 SW 1/4	-	40 ACRES **	40
SE 1/4 SW 1/4	-	40 ACRES **	

SUB-TOTAL 320 ACRES

SECTION 21

NW 1/4 NW 1/4	-	7 ACRES **	40
NE 1/4 NW 1/4	-	6 ACRES **	15
SW 1/4 NW 1/4	-	36 ACRES **	40
SE 1/4 NW 1/4	-	38 ACRES **	40
NW 1/4 SW 1/4	-	9 ACRES **	
NE 1/4 SW 1/4	-	10 ACRES **	

SUB-TOTAL 106 ACRES

TOTAL 736 ACRES IRRIGATED

* THESE 35 ACRES ARE CORRECTION ACRES FROM PERMIT NO. 4660-3

** THESE 456 ACRES ARE ADDITIONAL ACRES NOT COVERED BY A PERMIT

*** THESE 245 ACRES ARE COVERED BY PERMIT NO. 4660-3

NOT TO SCALE

24.5
12.D
①
CRP
CN 135
90-99

12.4
④

T 1137

106-67

84R
B2

NW 1/4 NW 1/4
7 Acres

NE 1/4 NW 1/4
6 Acres

105.9
②

SW 1/4 NW 1/4
36 Acres

SE 1/4 NW 1/4
38 Acres

NW 1/4 SW 1/4
9 Acres

NE 1/4 SW 1/4
10 Acres

21

prepared by
Norma C. Tob
Natural Resources Eng. I
Division of Water Rights
9/11/1991

transferred to
Burt

113.7
③

CRP
CN 135
90-99

106-67

NOT TO SCALE

3.5
⑤

4.0
⑥

106-67

1.0
⑦

3.9 CRP
①
②
88.0

84R
81-982

13.5
CRP
③
1990-1999

Nw¹/₄ NE¹/₄
34 Acres

NE¹/₄ NE¹/₄
19 Acres

Sw¹/₄ NE¹/₄
24 Acres

SE¹/₄ NE¹/₄
11 Acres

57.1
⑤

20 T1138



9.0
④
CRP
⑥
1990-99

17.0
⑧

9.0
⑨
CRP
⑦
1990-99

18.0
⑩
CRP
⑧
1990-99

106-67

Transferred to
Paul Co.

prepared by
Norma C. Dob
Natural Resources Eng.
Division of Water Rights
9/4/91

NOT TO SCALE

56.8
①

T1141

93.5

②

NW¹/₄ NW¹/₄
40 Acres

W

NE¹/₄ NW¹/₄
40 Acres

SW¹/₄ NW¹/₄
40 Acres

SE¹/₄ NW¹/₄
40 Acres

84R
B2

142.4
①

T1146

CRP

CN116

① 1990-1999



16

38.4
③

56.8

④

NW¹/₄ SW¹/₄
40 Acres

NE¹/₄ SW¹/₄
40 Acres

14.7
⑤

35.8

SW¹/₄ SW¹/₄
40 Acres

SE¹/₄ SW¹/₄
40 Acres

T1189

prepared by
Norma C. Job
Natural Resources Eng. I
Division of Water Rights
9/11/1991

106-67

24.5
①

T1137

84R
B2

NOT TO SCALE

1991

51.7

①

T1140

84R

B2

1466

30.1

①

CRP

CN135

1990-1999

P

prepared by
Norma C. Sob
Natural Resources Eng.
Division of Water Rights
9/4/91

17

3.9

CRP
CN135
1990-1999

19.6

⑧

118.2

③

NW 1/4 SW 1/4
33 Acres

NE 1/4 SW 1/4
33 Acres

SW 1/4 SW 1/4
P 33 Acres

SE 1/4 SW 1/4
33 Acres

15.0

⑥

90.1

①

NW 1/4 SE 1/4
12 Acres

NE 1/4 SE 1/4
18 Acres

SW 1/4 SE 1/4
24 Acres

SE 1/4 SE 1/4
36 Acres

3.5

CRP
CN135
1990-1999

4.0

①

106-67

well is located 20' East and 20' North
of the SW corner Sec 17-T106N-R67W

84R

B2

88.0

13.5

③

JERAULD COUNTY, SOUTH DAKOTA

TABLE 1 - SOIL INTERPRETIVE GROUPS^{3/}

Map Symbol	Mapping Unit Name	Slope %	Capability Unit		Range Site	Pasture Group	Windbrk Suitby Group	Wind Erodby Soil Group	Soil Loss Values			Hydro Group
			Dryland	Irrigation					K	Tons	T/K	
Ad	Alwilda loam	0-2	IIIe9		Sy	D1	6G	6(48)	.28	5	17	B
Af	Arlo loam	0-1	Vw1		WL	B1	10	4L(86)	.28	4	14	B
Ar	Artesian silty clay	0-2	IIw2		Sb	A	1	4(86)	.37	5	13	C
At	Artesian-Bullcreek complex Artesian part	0-2	IIw2		Sb	A	1	4(86)	.37	5	13	C
			VIe5		DC	NS	10	4(86)	.37	5	13	D
Av	Artesian-Durrstein Variant complex Artesian part	0-2	IIw2		Sb	A	1	4(86)	.37	5	13	C
			VIe1		Cp	J	10	6(48)	.37	3	8	D
Ba	Baltic silty clay loam	0-1	Vw1		WL	B	10	7(38)	.37	5	13	D
BdA	Beadle loam	0-2	IIe1		Cy	E	4L	6(48)	.28	5	17	C
BdB	Beadle loam	2-6	IIIe3		Cy	E	4L	6(48)	.28	5	17	C
BgB	Beadle-Jerauld-Dudley complex Beadle part	1-5	IIIe3		Cy	E	4L	6(48)	.28	5	17	C
			VIe1		TCp	NS	10	6(48)	.37	3	8	D
			IVe3		Cp	C	9	6(48)	.37	3	8	D
BlB	Beadle-Lane complex Beadle part	1-5	IIIe3		Cy	E	4L	6(48)	.28	5	17	C
			IIe1		Cy	E	3	7(38)	.28	5	17	C
BmD	Betts-Ethan loams, stony Betts part	6-40	VIIe6		TU	NS	10	8(-)	.20	5	25	B
					SI	NS	10	8(-)	.20	5	25	B
BoE	Betts-Ethan loams Betts part	15-40	VIIe3		TU	G	10	4L(86)	.28	5	17	B
					SI	G	10	4L(86)	.28	5	17	B
Br	Bon loam	0-2	IIc3		Ov	K	1	6(48)	.24	5	20	B
Bv	Bon loam, charneled	0-2	VIw1		Ov	K	1	6(48)	.24	5	20	B
CdB	Canning-Delmont loams Canning part	2-6	IIIe6		SI	D1	6G	6(48)	.28	4	14	B
			IVe6		SwG	D2	6G	6(48)	.28	3	10	B
Cm	Clarno silty clay loam	0-2	IIIw3		Ov	A	2	7(38)	.28	5	17	C/D
CpB	Clarno-Ethan-Prosper loams Clarno part	1-5	IIe2		SI	F	3	6(48)	.28	5	17	B
			IIIe12		SI	G	8	4L(86)	.28	5	17	B
			IIc3		Ov	K	1	6(48)	.28	5	17	B
CpC	Clarno-Ethan-Prosper loams Clarno part	2-9	IIIe2		SI	F	3	6(48)	.28	5	17	B
			IVe3		SI	G	8	4L(86)	.28	5	17	B
			IIc3		Ov	K	1	6(48)	.28	5	17	B
CrA	Clarno-Prosper loams Clarno part	0-2	IIc2		SI	F	3	6(48)	.28	5	17	B
			IIc3		Ov	K	1	6(48)	.28	5	17	B
DaA	Davis loam	0-2	IIc3		SI	K	3	6(48)	.24	5	20	B
DaB	Davis loam	2-9	IIe3		SI	F	3	6(48)	.24	5	20	B

TABLE 1 - SOIL INTERPRETIVE GROUPS

Map Symbol	Mapping Unit Name	Slope %	Capability Unit		Range Site	Pasture Group	Windbrk Suitby Group	Wind Erodbyty Soil Group	Soil Loss Values			Hydro Group
			Dryland	Irrigation					K	Tons	T/K	
Dc	Davison loam	0-2	Ile4		LSb	F	3	4L(86)	.28	5	17	B
DeC	Delmont loam	6-9	VIe5		SwG	D2	6G	6(48)	.28	3	10	B
DgA	Delmont-Enet loams Delmont part Enet part	0-2	IVs1		SwG	D2	6G	6(48)	.28	3	10	B
			IIIs2		S1	D1	6G	6(48)	.28	4	14	B
DkD	Delmont-Ethan loams Delmont part Ethan part	9-20	VIe5		SwG	D2	10	6(48)	.28	3	10	B
			VIe3		S1	G	10	4L(86)	.28	5	17	B
DmD	Delmont-Talmo loams Delmont part Talmo part	9-20	VIe5		SwG	D2	10	6(48)	.28	3	10	B
			VIe4		VS	NS	10	6(48)	.20	2	10	A
DpA	Dudley-Jerauld silt loams Dudley part Jerauld part	0-3	IVs2		Cp	C	9	6(48)	.37	3	8	D
			VIe1		TCp	NS	10	6(48)	.37	3	8	D
Du	Durrstein silt loam	0-1	VIw4		SL	J	10	6(48)	.37	3	8	D
Dx	Durrstein-Egas complex Durrstein part Egas part	0-1	VIw4		SL	J	10	6(48)	.37	3	8	D
			VIw5		SL	J	10	4(86)	.28	5	17	D
Dz	Durrstein Variant-Artesian complex Durrstein Variant part Artesian part	0-2	VIe1		Cp	J	10	6(48)	.37	3	8	D
			IIw2		Sb	A	1	4(86)	.37	5	13	C
EaB	Eakin-Ethan-Onita complex Eakin part Ethan part Onita part	2-6	Ile2		S1	F	3	6(48)	.32	5	15	B
			IIle12		S1	G	8	4L(86)	.28	5	17	B
			Ile3		Ov	K	1	6(48)	.28	5	19	C
EnA	Enet loam	0-2	IIIs2		S1	D1	6G	6(48)	.28	4	14	B
EpB	Enet-Delmont loams Enet part Delmont part	2-6	IIle6		S1	D1	6G	6(48)	.28	4	14	B
			IVe6		SwG	D2	6G	6(48)	.28	3	10	B
EtD	Ethan-Betts loams Ethan part Betts part	9-20	VIe3		S1	G	10	4L(86)	.28	5	17	B
			VIe3		TU	G	10	4L(86)	.28	5	17	B
Fa	Farnsworth-Artesian complex Farnsworth part Artesian part	0-2	IVs2		Cp	C	9	6(48)	.37	3	8	D
			IIw2		Sb	A	1	4(86)	.37	5	13	D
Fd	Farnsworth-Lane complex Farnsworth part Lane part	0-2	IVs2		Cp	C	9	6(48)	.37	3	8	D
			IIe1		Cy	E	3	7(38)	.28	5	17	C
Fe	Fedora loam	0-2	IIlw5		Sb	A	2	4L(86)	.20	5	25	B/D
GpD	Gettys-Peno loams Gettys part Peno part	9-20	VIe3		TU	G	10	4L(86)	.28	5	17	C
			VIe3		Cy	F	10	6(48)	.28	5	17	C
HaB	Hand-Ethan-Prosper loams Hand part Ethan part Prosper part	1-5	Ile2		S1	F	3	6(48)	.28	5	17	B
			IIle12		S1	G	8	4L(86)	.28	5	17	B
			Ile3		Ov	K	1	6(48)	.28	5	17	B
HaC	Hand-Ethan-Prosper loams Hand part Ethan part Prosper part	1-9	IIle2		S1	F	3	6(48)	.28	5	17	B
			IVe3		S1	G	8	4L(86)	.28	5	17	B
			Ile3		Ov	K	1	6(48)	.28	5	17	B

TABLE 1 - SOIL INTERPRETIVE GROUPS

Map Symbol	Mapping Unit Name	Slope %	Capability Unit		Range Site	Pasture Group	Windbrk Suitby Group	Wind Erodby Soil Group	Soil loss Values			Hydro Group
			Dryland	Irrigation					K	Tons	T/K	
HcA	Hand-Prosper loams	0-3										
	Hand part		IIC2		Sl	F	3	6(48)	.28	5	17	B
	Prosper part		IIC3		Ov	K	1	6(48)	.28	5	17	B
HeB	Henkin loam	1-5	IIIE8		Sy	H	5	5(56)	.20	5	25	B
HFD	Henkin Variant sandy loam	6-40	VIe3		Sy	H	10	3(86)	.20	3	15	A
HhA	Higmore-Onita silt loams	0-3										
	Higmore part		IIC2		Sl	F	3	6(48)	.32	5	15	B
	Onita part		IIC3		Ov	K	1	6(48)	.28	5	19	C
HIA	Homme-Onita-Beadle complex	0-2										
	Homme part		IIC2		Sl	F	3	6(48)	.32	5	15	B
	Onita part		IIC3		Ov	K	1	6(48)	.28	5	17	C
	Beadle part		IIS2		Cy	E	4	6(48)	.28	5	17	C
HpB	Homme-Peno complex	2-6										
	Homme part		IIE2		Sl	F	3	6(48)	.32	5	15	B
	Peno part		IIIE12		Cy	F	4L	6(48)	.28	5	17	C
HpC	Homme-Peno complex	6-9										
	Homme part		IIIE1		Sl	F	3	6(48)	.32	5	15	B
	Peno part		IIE3		Cy	F	4L	6(48)	.28	5	17	C
HrA	Houdek-Dudley complex	0-3										
	Houdek part		IIC2		Sl	F	3	6(48)	.28	5	17	B
	Dudley part		IIVs2		Cp	C	9	6(48)	.37	3	8	D
HtB	Houdek-Dudley-Jerauld complex	2-6										
	Houdek part		IIE2		Sl	F	3	6(48)	.28	5	17	B
	Dudley part		IIVs3		Cp	C	9	6(48)	.37	3	8	D
	Jerauld part		VIe1		TCp	NS	10	6(48)	.37	3	8	D
HwB	Houdek-Ethan-Prosper loams	1-5										
	Houdek part		IIE2		Sl	F	3	6(48)	.28	5	17	B
	Ethan part		IIIE12		Sl	G	8	4L(86)	.28	5	17	B
	Prosper part		IIC3		Ov	K	1	6(48)	.28	5	17	B
HwC	Houdek-Ethan-Prosper loams	1-9										
	Houdek part		IIIE2		Sl	F	3	6(48)	.28	5	17	B
	Ethan part		IIVe3		Sl	G	8	4L(86)	.28	5	17	B
	Prosper part		IIC3		Ov	K	1	6(48)	.28	5	17	B
HyA	Houdek-Prosper complex	0-3										
	Houdek part		IIC2		Sl	F	3	6(48)	.28	5	17	B
	Prosper part		IIC3		Ov	K	1	6(48)	.28	5	17	B
Ln	Lane silty clay loam	0-2	IIe1		Cy	E	3	7(38)	.28	5	17	C
Lw	Lawet loam	0-1	IW1		Sb	A	2	4L(86)	.28	5	17	C
On	Onita silt loam	0-3	IIC3		Ov	K	1	6(48)	.28	5	17	C
Op	Onita-Plankinton silt loams	0-2										
	Onita part		IIC3		Ov	K	1	6(48)	.28	5	17	C
	Plankinton part		IW1		CD	B2	10	6(48)	.24	3	12	D
PgC	Peno-Gettys loams	6-9										
	Peno part		IIVe3		Cy	F	4L	6(48)	.28	5	17	C
	Gettys part		IIVe3		TU	G	8	4L(86)	.28	5	17	C
Ph	Pits, gravel	0-40	VIIIe2		-	-	-	-	-	-	-	-


Sec. II-A

JERAULD COUNTY, SOUTH DAKOTA

USDA-SCS

TABLE 1 - SOIL INTERPRETIVE GROUPS

Map Symbol	Mapping Unit Name	Slope %	Capability Unit		Range Site	Pasture Group	Windbrk Suitby Group	Wind Erodby Soil Group	Soil Loss Values			Hydro Group
			Dryland	Irrigation					K	Tons	T/K	
Pk	Plankinton silt loam, undrained	0-1	IW1		CD	B2	10	6(48)	.28	5	12	D
Pr	Plankinton-Crossplain complex Plankinton part Crossplain part	0-2	IW1		CD	B2	10	6(48)	.28	5	12	D
			IW1		Ov	A	2	6(48)	.24	5	20	C/D
ReA	Ree loam	0-2	IIC2		Sl	F	3	6(48)	.28	5	17	B
ReB	Ree loam	2-7	IIE1		Sl	F	3	6(48)	.28	5	17	B
RnA	Ree-Canning loams Ree part Canning part	0-3	IIC2		Sl	F	3	6(48)	.28	5	17	B
			IIIs2		Sl	D1	6G	6(48)	.28	4	14	B
RnB	Ree-Canning loams Ree part Canning part	2-6	IIE1		Sl	F	3	6(48)	.28	5	17	B
			IIIE6		Sl	D1	6G	6(48)	.28	4	14	B
Te	Tetonka silt loam	0-1	IW1		WM	B2	10	6(48)	.28	5	8	C/D
Wo	Worthing silty clay loam	0-1	VW4		SM	B2	10	7(38)	.37	5	13	D
Wp	Worthing silty clay loam, ponded	0-1	VIIIW1		-	NS	10	8(-)	.37	5	13	D



(Join sheet 22)

(Join sheet 30)

HURON DRILLING INC. DRILLERS LOG

PAGE NO.

Dihl Grohs

JOB NAME

SW $\frac{1}{4}$ -SW $\frac{1}{4}$ * 17-106-67-
Jerauld County
LOCATION

3/18/81

DATE

18

RIG NO.

Bernard Schleder

FOREMAN

Jt No.	DEPTH	TIME	REMARKS
1	0-10		Top soil and yellow clay
2	10-20		Yellow clay
3	20-30		Brown clay
4	30-40		Brown clay, blue clay streaks
5	40-50		Brown clay, blue clay streaks
6	50-60		Brown clay, blue clay streaks
7	60-70		Blue clay
8	70-80		Hard blue clay
9	80-90		Blue clay and rocks
10	90-100		Blue clay
11	100-110		Blue clay
12	110-120		Blue clay and rocks
13	120-130		Blue clay
14	130-140		Blue clay and rocks
15	140-150		Sticky blue clay
16	150-160		160-168 Hard and rocky blue clay-good traces
17	160-170		168 Medium coarse sand and gravel, coal traces-water loss
18	170-180		Medium coarse sand and gravel-water loss
19	180-190		Sand and gravel -good
20	190-200	TD	Sand and gaavel-water loss

Kimball, South Dakota

WELL REPORT

HURON
DRILLING CO.
Huron, S. D.

293

Jerauld County

SW $\frac{1}{4}$ -SW $\frac{1}{4}$ -17-106-67

March 23, 1981

Dihl Grohs

OWNER

DESCRIPTION

DATE

CASING LOG

Depth	200	ft.	170	ft.	16" Plastic	pipe to	170	ft.
Flows		gpm						
Pumps		gpm	30	ft.	16" Johnson	Stainless	200	ft.
Head		ft.			Steel Screen 70 slot	pipe to		ft.
30 Ft. 16" Johnson					Stainless Steel Screen 70 slot	pipe to		ft.
Perforations								

Pressure

170-200 Ft.

REMARKS

Drilling Time

1 - 20 Ft. length of 16" Johnson S.S. Screen-70 Slot

Rig No. 18

1 - 10 Ft. length of 16" Johnson S.S. Screen 70 slot

Bernard Schleder
Foreman

DM

RECEIPT

Division of Water Rights

No 4 9552

South Dakota Department of Water and Natural Resources

Pierre, February 16, 1984

RECEIVED OF Dahl Grohs, RR#1, Box 94, Kimball, SD 57355

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5603-3</u> to Appropriate Water, to construct works and to put water to beneficial use	125	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	125 00

By

Chief Engineer

John Hatch
JOHN HATCH/ms

RECEIPT

Division of Water Rights

No 4 9405

South Dakota Department of Water and Natural Resources

Pierre, November 17, 1983

RECEIVED OF Dihl Grohs, RR#1, Box 94, Kimball, SD 57355

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>5603-3</u> to Appropriate Water, to construct works and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for		
(Any Other Work Provided by Law)		
Total	150	00

By

John Hatch

Chief Engineer

JOHN HATCH ms

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412947

Pierre, December 5, 19 91

RECEIVED OF Horshoe K Ranch, RR 1, Box 94, Kimball, SD 57355

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. 5603-3 to Appropriate Water, to construct works and to put water to beneficial use	100	00
Fee for Application for Permit No. to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No.		
Fee for Filing Transfer Form		
Fee for Filing Extension Request		
Fee for Certified Copy of		
Fee for Print Copy of Map		
Fee for Certifying		
Fee for		
(Any Other Work Provided by Law)		
Total	100	00

By John Hatch (CF)
Chief Engineer

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation



Office Use Only

4664

WR#

OWNERS NAME: DIHL J. GROHS OWNERS ADDRESS: RR 1 BOX 94
KIMBALL, SD 57355-9510

COUNTY LAND LOCATED IN: JERAULD PHONE: 778-6714

LEGAL DESCRIPTION:

1. LOCATION SW $\frac{1}{4}$ SW $\frac{1}{4}$ 17-T106N-R67W

☒ Well

☐ Surface

Depth: _____

Legal Description	Acres	Legal Description	Acres
(SEE ATTACHMENT)			

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XXX TRAVELING GUN: XXX OTHER: _____ (Specify) _____

3. CROPS TO BE IRRIGATED: WHEAT, CORN, SOYBEANS, MILO

WATER QUALITY:

4. WATER SAMPLE NUMBER: 83-1022

7. ADJUSTED (SAR): 5.80

5. SALINITY (EC X 10⁶): 800

8. PERCENT SODIUM: 40.51

6. SODIUM (SAR): 2.51

Requirements:

The larger areas of Tetonka silt loam (Te), Plankinton silt loam, undrained (Pk) and Plankinton-Crossplain Complex (Pr) shall remain in permanent vegetation unless drained.

Please be advised that we do not consider the Wetlands Provisions when developing our recommendation. Before undertaking any drainage project, contact your local ASCS, or SCS offices.

Director, Division of Conservation

DECEMBER 16, 1991

Date

XXX APPROVED

DISAPPROVED

WAIVER

XXX REQUIREMENTS

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

ATTACHMENT

ALL LANDS ARE LOCATED IN T106N-R67W

S/W APPROVAL

SECTION 17

NW 1/4 SW 1/4	-	33 ACRES ***	40
NE 1/4 SW 1/4	-	33 ACRES ***	40
SW 1/4 SW 1/4	-	33 ACRES ***	40
SE 1/4 SW 1/4	-	33 ACRES ***	40
NW 1/4 SE 1/4	-	12 ACRES *	13
NE 1/4 SE 1/4	-	18 ACRES *	15
SE 1/4 SE 1/4	-	24 ACRES ***	30
SW 1/4 SE 1/4	-	36 ACRES ***	30

SUB-TOTAL 222 ACRES

SECTION 20

NW 1/4 NE 1/4	-	34 ACRES ***	30
NE 1/4 NE 1/4	-	19 ACRES ***	30
SW 1/4 NE 1/4	-	5 ACRES *	15
SE 1/4 NE 1/4	-	11 ACRES **	9

SUB-TOTAL 88 ACRES

SECTION 16

NW 1/4 NW 1/4	-	40 ACRES **	
NE 1/4 NW 1/4	-	40 ACRES **	
SW 1/4 NW 1/4	-	40 ACRES **	
SE 1/4 NW 1/4	-	40 ACRES **	
NW 1/4 SW 1/4	-	40 ACRES **	
NE 1/4 SW 1/4	-	40 ACRES **	
SW 1/4 SW 1/4	-	40 ACRES **	40
SE 1/4 SW 1/4	-	40 ACRES **	

SUB-TOTAL 320 ACRES

SECTION 21

NW 1/4 NW 1/4	-	7 ACRES **	40
NE 1/4 NW 1/4	-	6 ACRES **	15
SW 1/4 NW 1/4	-	36 ACRES **	40
SE 1/4 NW 1/4	-	38 ACRES **	40
NW 1/4 SW 1/4	-	9 ACRES **	
NE 1/4 SW 1/4	-	10 ACRES **	

SUB-TOTAL 106 ACRES

TOTAL 736 ACRES IRRIGATED

* THESE 35 ACRES ARE CORRECTION ACRES FROM PERMIT NO. 4660-3

** THESE 456 ACRES ARE ADDITIONAL ACRES NOT COVERED BY A PERMIT

*** THESE 245 ACRES ARE COVERED BY PERMIT NO. 4660-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181



September 4, 1991

Dihl Grohs
RR 1 Box 94
Kimball SD 57355

Dear Mr. Grohs:

This is in regards to my permit inspection on August 28, 1991. I have enclosed partially completed applications forms for the lands not covered under Water Permit No. 4660-3. You were correct in the fact that there was another application made in 1983. The soils map missing was the only problem; but it was enough to stop the application process. You have paid \$275.00 for that application; but, an additional \$100.00 will be required for the increased acreage. This application will include the previous application and will take care of everything that you told me you were irrigating. Please look this application over for any errors. Make any corrections and then sign this application in the presence of a notary public. Return the application, a current soils map and the \$100.00 application fee to this office.

If you have any questions, feel free to contact me.

Sincerely,

Norma C. Job

Norma C. Job
Natural Resources Engineer I
Division of Water Rights
(605) 773-3352

enclosures

REPORT ON WATER PERMIT APPLICATION NO. 5603-3
DIHL GROHS
DECEMBER 31, 1991

Application No. 5603-3, Dihl Grohs, proposes to irrigate 456 additional acres and to specify the correct location of 35 acres authorized by Water Permit No. 4660-3. Water Permit No. 4660-3 appropriates 4 cubic feet of water per second (cfs) from one well located in the SW 1/4 SW 1/4 Section 17 to irrigate 280 acres located in the SW 1/4, S 1/2 SE 1/4 Section 17 and the N 1/2 NE 1/4 Section 20; all in T106N-R67W. An inspection of this permit found one well capable of diverting 2.88 cfs irrigating 736 acres. The correct location of 35 acres authorized by Water Permit No. 4660-3 is the N 1/2 SE 1/4 Section 17, SW 1/4 NE 1/4 Section 20; all in T106N-R67W. The 456 additional acres not authorized by Water Permit No. 4660-3 are located in the S 1/2 NE 1/4 Section 20, NW 1/4, SW 1/4 Section 16, NW 1/4, N 1/2 SW 1/4 Section 21; all in T106N-R67W. This application is located in Jerauld County and does not authorize any increase in the developed diversion rate.

Aquifer - Pleistocene Series - Unknown (PSU)

According to the applicant's well log and the well log for the Division of Water Rights' observation well JE-79J, the aquifer is composed of approximately 30 to 40 feet of medium to very coarse sand and gravel overlain by till.

Review of Existing Water Rights/Permits

There are no other permits in the area of this applicant's well located in the Pleistocene Series - Unknown aquifer.


The Division of Water Rights monitors two observation wells into the Pleistocene Series - Unknown aquifer near this application. Well JE-79J is located approximately 10 feet from the well permitted under Water Permit No. 4660-3 and Well JE-78L is located approximately 1 1/2 mile northwest of the permitted well. Well JE-79J fluctuates approximately 40 to 60 feet during the irrigation season due to pumping; but it recovers within a few months after irrigation season has ended. Well JE-78L fluctuates approximately 10 feet with the climatic seasons and some pumping, recharging in wet years and declining in dry years.

Conclusions

1. There is available water from the PSU aquifer for this application.
2. There are no other permits in the PSU aquifer that would be effected by this application.
3. This application is asking for an increase in acres not an increase in diversion rate appropriated under Water Permit No. 4660-3.


4. If this application is approved, it should contain the following qualification:

Subject to the irrigation questionnaire being submitted each year.



NORMA C. JOB
Natural Resources Engineer I

APPROVED BY:



JAMES A. GOODMAN, P.E.
Natural Resources Engineer IV

References

Water Rights, 1991, Observation Well Records for Pleistocene Series - Unknown aquifer in Jerauld County, South Dakota, SD DENR, Division of Water Rights, Joe Foss Building, Pierre, SD 57501.

Water Rights, 1986-1991, Irrigation Summary Report by Aquifer, SD DENR, Division of Water Rights, Joe Foss Building, Pierre, SD 57501.


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5603-3, Dihl Grohs

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 5603-3, Dihl Grohs, RR 1 Box 94, Kimball, SD 57355.

The Chief Engineer is recommending APPROVAL of Application No. 5603-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. The well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.



JOHN HATCH, Chief Engineer
January 14, 1992



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

January 17, 1992

Dihl J. Grohs
RR 1 Box 94
Kimball, SD 57355

Dear Mr. Grohs:

Water Permit Application No. 5603-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the True Dakotan printed at Wessington Springs, SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 17, 1992

True Dakotan
Box T
Wessington Springs, SD 57382

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5603-3 to be published twice. Please publish the first notice on January 28, 1992, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Dihl J. Grohs, RR 1 Box 94, Kimball, SD 57355.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on January 28, 1992, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5603-3 to Appropriate Water
and to Amend Water Permit No. 4660-3

Notice is given that Dihl J. Grohs, RR 1 Box 94, Kimball, SD 57355 has filed an application for a water permit to irrigate 456 additional acres and to specify the correct location of 35 acres authorized by Water Permit No. 4660-3. Water Permit No. 4660-3 appropriates 4 cubic feet of water per second (cfs) from one well located in the SW 1/4 SW 1/4 Section 17 to irrigate 280 acres located in the SW 1/4, S 1/2 SE 1/4 Section 17 and the N 1/2 NE 1/4 Section 20; all in T106N-R67W. An inspection of this permit found 1 well capable of diverting 2.88 cfs irrigating 736 acres. The correct location of 35 acres authorized by Permit No. 4660-3 is the N 1/2 SE 1/4 Section 17, SW 1/4 NE 1/4 Section 20; all in T106N-R67W. The 456 additional acres not authorized by Water Permit No. 4660-3 are located in the S 1/2 NE 1/4 Section 20, NW 1/4, SW 1/4 Section 16, NW 1/4, N 1/2 SW 1/4 Section 21; all in T106N-R67W. This application does not authorize any increase in the developed diversion rate.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5603-3 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by February 14, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5603-3 and 2) the chief engineer's recommendation, a meeting at the Division of Water Rights office to hear this application is scheduled for February 24, 1992, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the February 24, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The February 24, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by February 14, 1992.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16;
46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14,
46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2,
46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26;
and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County Gerrald) ss.I, Penny Wenzel

certify that the attached printed Notice was taken
from the True Dakotan

A newspaper which during the whole time of publication of
said notice herein after stated, has been and is printed and
published in the 113 E. Main

of Wessington Springs

County of Gerrald and State of South Dakota;
that the said notice was published in said newspaper on the
following two dates:

January 28, 1992

February 4, 1992

Penny Wenzel
(Signature)

Bookkeeper
(Title)

2/4/92
(Date Signed)

Cost of Printing: \$89.31

On Application No. 5603-3 to Ap-
propriate Water and to Amend Water
Permit No. 4660-3

Notice is given that Dohl J. Grohs, RR 1
Box 94, Kimball, SD 57355 has filed an
application for a water permit to irrigate
456 additional acres and to specify the
correct location of 35 acres authorized by
Water Permit No. 4660-3. Water Permit
No. 4660-3 appropriates 4 cubic feet of
water per second (cfs) from one well lo-
cated in the SW 1/4 SW 1/4 Section 17 to
irrigate 280 acres located in the SW 1/4, S
1/2 SE 1/4 Section 17 and the N 1/2 NE
1/4 Section 20; all in T106N-R67W. An
inspection of this permit is found 1 well
capable of diverting 2.88 cfs irrigating 736
acres. The correct location of 35 acres
authorized by Permit No. 4660-3 is the N
1/2 SE 1/4 Section 17, SW 1/4 NE 1/4
Section 20; all in T106N-R67W. The 456
additional acres not authorized by Water
Permit No. 4660-3 are located in the S 1/2
NE 1/4 Section 20, NW 1/4 SW 1/4 Section
16, NW 1/4, N 1/2 SW 1/4 Section 21; all
in T106N-R67W. This application does not
authorize any increase in the developed
diversion rate.

Pursuant to SDCL 46-2A-2, the Chief
Engineer recommends APPROVAL of Ap-
plication No. 5603-3 because 1) unap-
propriated water is available, 2) existing
rights will not be unlawfully impaired, 3) it
is a beneficial use of water, and 4) it is in
the public interest. Unless a petition is
filed opposing the application or the ap-
plicant files a petition contesting the chief
engineer's recommendation, the Water
Management Board will NOT CONDUCT
a HEARING to consider this application
and the chief engineer will issue the per-
mit as recommended. Petitions filed in
support of the application will NOT re-
quire the Board to hear the application.

Any person interested in opposing or
supporting this application must file a
written petition with BOTH the applicant
and Chief Engineer. The applicant must
also file a petition if opposed to the Chief
Engineer's recommendation. The Chief
Engineer's address is "Water Rights
Division, Foss Building, 523 E. Capitol,
Pierre, SD 57504 (605-773-3352)" and the
applicant's mailing address is given
above. A petition filed by either an inter-
ested person or the applicant must be
filed by February 14, 1992. The petition
may be informal, but must include a state-
ment describing the petitioner's interest
in the application, the petitioner's reasons
for opposing or supporting the applica-
tion, and the signature and mailing ad-
dress of the petitioner or the petitioner's
legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice
of hearing on Application No. 5603-3 and
2) the chief engineer's recommendation,
a meeting at the Division of Water Rights
office to hear this application is scheduled
for February 24, 1992 at 9:00 a.m. in
Room 413, Joe Foss Building, 523 E.
Capitol, Pierre, SD. If this application is
opposed or the recommendation is con-
tested, the February 24, 1992 hearing
date will be rescheduled for a regularly
scheduled Board meeting. Notice of the
time and place of the scheduled hear-
ing before the Board will be given by First
Class Mail to the applicant and persons
filing petitions. Anyone not filing a peti-
tion, but interested in attending the hear-
ing, may contact the Division of Water
Rights to confirm a hearing date and loca-
tion. The February 24, 1992, hearing date
will be automatically delayed for at least
20 days upon written request to the Chief
Engineer from the applicant or any inter-
ested person opposing the application.
The request for an automatic delay must
be filed by February 14, 1992.

If a hearing is held, the Chief Engineer's

F HEARING

recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, 46-6-26; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.
c-14,15



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

AUG 7 1992

Dihl J Grohs
RR 1 Box 94
Kimball, SD 57355

Dear Mr. Grohs:

Enclosed is Water Permit No. 5603-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that the Water License may be issued, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period - i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: DIHL J GROHS
RR #1 BOX 94
KIMBALL SD 57355

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Water Permit No(s) 4660-3 & 5603-3

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 4660-3 & 5603-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 4660-3 & 5603-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3 & 5603-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 4, 1993

4660-3
5603-3

Dihl Grohs
RR #1 Box 94
Kimball, SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt your 1992 irrigation questionnaires for Water Permit 4660-3 and 5603-3. You may disregard the January 29, 1993, **Notice of Violation of Water Permit.**

The questionnaires were received prior to the Water Management Board meeting, and your name was deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



5603-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 9, 1998

NOTICE

TO: DIHL J GROHS, 23539 365TH AVE, KIMBALL, SD 57355

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaire(s)

Our records indicate that the 1997 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4660-3 & 5603-3. The request for the Questionnaire was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4660-3 & 5603-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3 & 5603-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 13, 1998

4660-3
5603-3

Dihl J Grohs
23539 365th Ave
Kimball SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit Nos. 4660-3 and 5603-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5603-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: DIHL J GROHS, 23539 365TH AVE, KIMBALL, SD 57355
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4660-3 & 5603-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4660-3 & 5603-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3 & 5603-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 27, 2004**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5603-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-0182
www.state.sd.us/denr

January 22, 2004

4660-3
5603-3

Dihl J Grohs
23539 365th Ave
Kimball SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Permit Nos. 4660-3 and 5603-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5603-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: DIHL J GROHS, 23539 365TH AVE, KIMBALL, SD 57355

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4660-3 & 5603-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4660-3 & 5603-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3 & 5603-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



5603-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 9, 2007

4660-3
5603-3

Dihl J Grohs
23539 365th Ave
Kimball SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Permit Nos. 4660-3 and 5603-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5603-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: DIHL J GROHS, 23539 365TH AVE, KIMBALL, SD 57355

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4660-3, 5603-3 & 6845-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4660-3, 5603-3 & 6845-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3, 5603-3 & 6845-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2008

4660-3
5603-3
6845-3

Dihl J Grohs
23539 365th Ave
Kimball SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt of your 2007 irrigation questionnaires. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Permit Nos. 4660-3, 5603-3 and 6845-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5603 3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: DIHL J GROHS, 23539 365TH AVE, KIMBALL, SD 57355

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 4660-3, 5603-3 & 6845-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 4660-3, 5603-3 & 6845-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4660-3, 5603-3 & 6845-3 in accordance with applicable provisions of SDCL 46-1-12; **Due to a past violation on Water Right No. 4660-3, Water Rights Staff will be recommending to the Board that the water right be suspended for three years;**
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2009

4660-3
5603-3
6845-3

Dihl J Grohs
23539 365th Ave
Kimball SD 57355

Dear Mr. Grohs:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Permit Nos. 4660-3, 5603-3 and 6845-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

5603-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 23, 2013

Dihl J Grohs
6005 N Western Ave
Sioux Falls SD 57107 0850

RE: Water Permit or Right Nos. 4660-3, 5603-3, 6845-3, 7309-3 & 7310-3

Dear Mr. Grohs:

Enclosed is a "Notice" dated October 18, 2013 concerning the 2013 irrigation questionnaire.

The notice was originally mailed to PO Box 190, Kimball SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

Mail to: PMB 2020
DENR - Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 5603-3Date: 3-3-14I/We request that Water Right/Permit No. 5603-3 formerly owned by:Dihl Grohs

be transferred to:

New Owner Name: Todd GrohsAddress: 509 Slocum Ave SCity, State, Zip Washington Springs SD 57382 Telephone No. 680-9900

Title to the following described land(s)/property has been transferred as described above:

RECEIVED

MAR 05 2014

WATER RIGHTS
PROGRAM

☒ I understand that the validity of Water Right/Permit No. 5603-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Todd Grohs, the new owner, certify that the above information is true and correct.



(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/5, 20 14


RECEIVED OF Todd Grohs 509 Slocum Ave S Wess Springs SD 57382

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>5603-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	
	50	00

No. **06775**

By Jeanne Roseman
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

March 10, 2014

Todd Grohs
509 Slocum Ave S
Wessington Springs SD 57382

RE: Water Permit Nos. 7310-3, 7309-3, 6845-3, 5603-3 and 4660-3

Dear Mr. Grohs:

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for filing an ownership change on Water Permit Nos. 7310-3, 7309-3, 6845-3, 5603-3 and 4660-3.

The ownership changes have been completed. The above listed permits formerly held by Dihl Grohs are now listed in your name.

Enclosed for your records are Receipt Nos. 06774, 06775, 06776, 06777 and 06778 in the amount of \$50 each. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCESJOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

OCT 19 2015

4660-3
5603-3
6845-3
7309-3Todd Grohs
1007 Main St E
Wessington Springs SD 57382

Dear Mr. Grohs:

Enclosed is Water License No. 7309-3. This is the final water right document completing your process of obtaining a Water Right. Included with your license is a map prepared by the staff engineer who conducted the field investigation.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the wells authorized by Water Right No. 7309-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Sincerely,

Jeanne Goodman, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures

Note: Upon licensing, the applicable portions of Water Permit Nos. 4660-3, 5603-3 and 6845-3 were incorporated into Water License No. 7309-3.