

Considered: _____

WATER PERMIT NO. 5651-3

Phone: _____

Name of Applicant: Huron Colony

Post Office Address: RR 2, Box 185, Huron SD 57350

Amount of Water Claimed: no add'l Total Acres: 12.3 (no add'l)

Source of Water Supply: James River

Water to be used for: irrigation County: Beadle

About 12 miles North of Huron

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C/.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY Date Received: 3-19-92 Fee: \$50 Remarks transfer

acreage authorized by Water Right No. 343-3

Corrected Application Received _____ Period of Annual Use April 1 - October 31

WATER QUALITY APPROVAL RECEIVED 4-6-92 APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point: points between SW 1/4 SE 1/4

Sec 30 & NW 1/4 NE 1/4 Sec 31; all in T113N-R61W

Land to be Irrigated: S 1/2 SE 1/4 Sec 30

N 1/2 NE 1/4 Sec 31; all in T113N-R61W




Well Log: Driller: _____ Licensed YES _____ NO _____

Depth of Well: _____ REMARKS _____

Type of Map: aerial PREPARED BY: Ron Duvall Reviewed and the Number

Assigned on 4-7-92 By Karen Schlaak



No. 5651-3 Hydrologic Unit 10160006
Basin _____
Newspaper Daily Plainsman, Box 1278, Huron

Application for Soil/Water Compatibility Permit and Permit To Appropriate Water

- Type of Application: ☐ New ☐ Vested Right ☒ Amend Permit No. 343-3
☒ Change Acreage ☐ Change diversion point(s) ☒ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

- Name of Applicant Huron Colony Phone No. _____
Post Office Address RR 2, Box 185 Huron State SD 57350
(Street, RR or Box) (City) Zip Code
- Amount of water claimed (c.f.s) No Add'l Total acres irrigated 12.3
- Source of Water supply James River
- Location of point of diversion James R: Points between and including the SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec 30 and NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec 31; all in T113N-R61W
County Beadle
- Counties where water will be used Beadle
- Annual period during which water is to be used April 1 - October 31
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
S $\frac{1}{2}$ SE $\frac{1}{4}$ sec 30-113N-61W	6.1
N $\frac{1}{2}$ NE $\frac{1}{4}$ sec 31-113N-61W	6.2

Land Description	No. Acres Irr.
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 30-113N-61W	17 *
SE $\frac{1}{4}$ SE $\frac{1}{4}$ "	10 *
NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 31-113N-61W	3 *
NE $\frac{1}{4}$ NE $\frac{1}{4}$ "	24 *

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: _____ Gun: _____ Other: handmove
(Specify) Sprinkler
- Crops to be Irrigated: Veg. Potatoes
- Give a description of proposed project. (Attach sheet if more space is needed)

This application is to transfer the location of 6.2 irrigated acres covered by No. 343-3 from the S $\frac{1}{2}$ SE $\frac{1}{4}$ sec 30 to the N $\frac{1}{2}$ NE $\frac{1}{4}$ sec 31; all in T113N-R61W. Approval of the transfer will allow irrigation of the areas described in item No. 7. The James River diversion area is being expanded to include the N $\frac{1}{2}$ NE $\frac{1}{4}$ section 31. No increase in acreage or water appropriation is authorized by this application.

* This acreage is listed for purposes of soil/water compatibility. Total irrigated acreage may not exceed 12.3 acres within this area.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Beadle) ss

I, Huron Colony, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed John J. Wollmann Pres

Subscribed and sworn to before me this 16th day of March 19 92

LEELAN K. LANCEN - Notary Public

My Commission Expires Dec. 9, 1993

Notary Public

SOUTH DAKOTA
WATER PERMIT No. 5651-3 FOR IRRIGATION

Date of first receipt of application March 19, 1992.

Date Soil/Water Compatibility Permit received April 6, 1992.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 5651-3 to Huron Colony, RR 2, Box 185, Huron SD 57350 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 5651-3 to transfer the location of 6.2 irrigated acres covered by Water Right No. 343-3. Water Right No. 343-3 appropriates 1.38 cubic feet of water per second (cfs) from the James River between a point in the NW 1/4 SE 1/4 Section 25-T113N-R62W and a point in the SE 1/4 SE 1/4 Section 30-T113N-R61W to irrigate 132 acres located in the SE 1/4 Section 30-T113N-R61W. An inspection of No. 343-3 found 12.3 acres being irrigated in the S 1/2 SE 1/4 Section 30-T113N-R61W. This permit transfers the location of 6.2 of the 12.3 acres from the S 1/2 SE 1/4 Section 30 to the N 1/2 NE 1/4 Section 31; and to allow James River diversion from the N 1/2 NE 1/4 Section 31; all in T113N-R61W. This permit will allow irrigation of up to 6.1 acres within a 27 acre area in the S 1/2 SE 1/4 Section 30 and irrigation of up to 6.2 acres within a 27 acre area in the N 1/2 NE 1/4 Section 31; all in T113N-R61W. No increase in the diversion rate of 0.18 cfs, which is the statutory limit for irrigation of 12.3 acres, is authorized by this permit.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 - October 31.
3. The date from which applicant may claim right is April 1, 1947.
4. The date of approval of Permit No. 5651-3 is June 17, 1992.
5. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. This permit does not authorize diversion of water from the James River after August 10 of each calendar year, nor at any time when the river flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.

(continued)


Water Permit No. 5651-3

Page 2

2. This Permit does not authorize diversions from the James River when water is not by-passing the James River Dam north of Huron or when less than 20 cfs of water is by-passing the Third Street Dam in Huron.
3. Approval of Permit No. 5651-3 incorporates the applicable portions of Water Right No. 343-3 into No. 5651-3 and the abandoned portions of No. 343-3 are cancelled.
4. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By:



John Hatch, Chief Engineer, Water Rights Division
Department of Environment and Natural Resources

NOV 17 1992

date

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, March 19, 1980

RECEIVED OF Huron Colony, c/o Sam J. Waldner, RR 2, Box 185, Huron, SD 57350

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>5651-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer

JOHN HATCH

Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4694

WR#

OWNERS NAME: HURON COLONY

OWNERS ADDRESS: RR 2 BOX 185

HURON, SD 57350-9526

COUNTY LAND LOCATED IN: BEADLE

PHONE: _____

(JAMES RIVER)

LEGAL DESCRIPTION:

☐ Well

☒ Surface

1. LOCATION James River: Points between and including the SW $\frac{1}{4}$ SE $\frac{1}{4}$ 30-T113N-R61W and

Depth NW $\frac{1}{4}$ NE $\frac{1}{4}$ 31-T113N-R61W

Legal Description	Acres	Legal Description	Acres
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 30-T113N-R61W	17		
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 30-T113N-R61W	10		
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 31-T113N-R61W	3		
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 31-T113N-R61W	24		

2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: _____ GUN: _____ OTHER: Hand Moved
(Specify) Sprinkler

3. CROPS TO BE IRRIGATED: VEGETABLES - POTATOES

WATER QUALITY:

4. WATER SAMPLE NUMBER: JAMES RIVER

7. ADJUSTED (SAR): _____

5. SALINITY (EC X 10⁶): _____

8. PERCENT SODIUM: _____

6. SODIUM (SAR): _____

Requirements:

That a buffer strip of permanent vegetation along the James River and Foster Creek be restricted from irrigation.

The area outside 12.3 acres being irrigated shall be adequately protected through alternative cropping or residue management.



Russell J. Stone
Director, Division of Conservation

Director, Division of Conservation

MARCH 30, 1992

Date

XXX APPROVED

DISAPPROVED

WAIVER

XXX REQUIREMENTS

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 12, 1992

Jake Wollmann
Huron Colony
RR 2, Box 185
Huron SD 57350

Dear Mr. Wollmann:

This letter is in response to my conversation with you on February 5, 1992, regarding Water Right Nos. 343A-3 and 343-3.

You indicated the acreage in section 24-T113N-R62W (outlined in red on the enclosed map) has not been irrigated for approximately 10 years. The towlines used to irrigate the acreage were sold. Since the towlines have been sold, please inform me whether or not the acreage located in the SE1/4 section 25-T113N-R62W (outlined blue on the enclosed map) is being irrigated.

I have also enclosed a partially-completed permit application concerning your garden sites. As we discussed, some of the garden sites are not covered by your water rights. Water Right No. 343-3 (copy enclosed) currently allows you to irrigate 12.3 acres in the S1/2 SE1/4 section 30. This application, if approved, will allow you to continue irrigating garden areas (up to 6.2 acres) in the N1/2 NE1/4 section 31.

The enclosed application needs to have item No. 9 completed, be signed in the presence of a notary public, and then returned to the Water Rights Division. Unless you object, I will use the \$50.00 license fee you submitted for Permit No. 343A-3 as the fee for the enclosed application. Permit No. 343A-3 is to be scheduled for cancellation since the acreage has not been irrigated for approximately 10 years and the irrigation system has been sold. If you have any questions, please contact me.

As stated earlier, please inform me of the status of the acreage in the SE1/4 section 25-T113N-R62W. Is this acreage still irrigated?

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enc.

REPORT ON WATER PERMIT APPLICATION NO. 5651-3
HURON COLONY
APRIL 21, 1992

Application No. 5651-3, Huron Colony, proposes to transfer the location of 6.2 irrigated acres covered by Water Right No. 343-3. Water Right No. 343-3 authorizes 1.38 cubic feet of water per second (cfs) from the James River between a point in the NW 1/4 SE 1/4 Section 25-T113N-R62W and a point in the SE 1/4 SE 1/4 Section 30-T113N-R61W to irrigate 132 acres located in the SE 1/4 Section 30-T113N-R61W. An inspection of No. 343-3 found 12.3 acres being irrigated in the S 1/2 SE 1/4 Section 30-T113N-R61W. This application is to transfer the location of 6.2 acres of the 12.3 acres from the S 1/2 SE 1/4 Section 30 to the N 1/2 NE 1/4 Section 31; and to allow James River diversions from the N 1/2 NE 1/4 Section 31; all in T113N-R61W in Beadle County. If approved, this application will allow irrigation of up to 6.1 acres within a 27 acre area in the S 1/2 SE 1/4 Section 30 and irrigation of up to 6.2 acres within a 27 acre area in the N 1/2 NE 1/4 Section 31; all in T113N-R61W. No increase in diversion rate or acreage irrigated is authorized by this application.

This application, if approved, will incorporate the applicable portions of Water Right No. 343-3 into Application No. 5651-3 with the remaining portions of No. 343-3 to be declared abandoned and cancelled.

Water Source

The source of water is the James River. No additional water is requested for this application. Existing water right/permits should not be effected by this transfer of acreage and to expand the area of diversion.

Conclusions

If this application is approved, it should contain the following qualifications:

1. Approval of this Permit is subject to the Irrigation Water Use Questionnaire being submitted each year.
2. This permit does not authorize diversion of water from the James River after August 10th of each calendar year, nor at any time when the river flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

3. This Permit does not authorize diversions from the James River when water is not by-passing the James River Dam north of Huron or when less than 20 cfs of water is by-passing the Third Street Dam in Huron.

Norma C. Job 

NORMA C. JOB
Natural Resources Engineer II

Approved by:

Delvin D. Brosz

DELVIN D. BROSZ, PE
Natural Resources Engineer IV

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 5651-3, Huron Colony

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 5651-3, Huron Colony, c/o Jake Wollman, RR 2 Box 185, Huron, SD 57350.

The Chief Engineer is recommending APPROVAL of Application No. 5651-3 because 1) the proposed diversion can be developed without unlawful impairment of existing rights, 2) the proposed use is a beneficial use and 3) it is in the public interest with the following qualifications:

1. This permit does not authorize diversion of water from the James River after August 10 of each calendar year, nor at any time when the river flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this Permit shall be in accordance with any written orders issued by the Chief Engineer.
2. This Permit does not authorize diversions from the James River when water is not by-passing the James River Dam north of Huron or when less than 20 cfs of water is by-passing the Third Street Dam in Huron.
3. Approval of Permit No. 5651-3 incorporates the applicable portions of Water Right No. 343-3 into No. 5651-3 and the abandoned portions of No. 343-3 are cancelled.
4. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
May 12, 1992



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

May 13, 1992

Jake Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

Dear Mr. Wollman:

Water Permit Application No. 5651-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Daily Plainsman printed at Huron, SD (Ph # 352-6401). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

May 13, 1992

Daily Plainsman
Box 1278
Huron, SD 57350

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 5651-3 to be published twice. Please publish the first notice on May 21, 1992, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Huron Colony, RR 2 Box 185, Huron, SD 57350.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper

Instruction to Newspaper - Publish first Notice on May 21, 1992, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 5651-3 to Transfer Irrigation Rights
Authorized by Water Right No. 343-3

Notice is given that Huron Colony, RR 2 Box 185, Huron, SD 57350 has filed an application for a water permit to transfer the location of 6.2 irrigated acres covered by Water Right No. 343-3. Water Right No. 343-3 appropriates 1.38 cubic feet of water per second from the James River between a point in the NW 1/4 SE 1/4 Section 25-T113N-R62W and a point in the SE 1/4 SE 1/4 Section 30-T113N-R61W to irrigate 132 acres located in the SE 1/4 Section 30-T113N-R61W. An inspection of No. 343-3 found 12.3 acres being irrigated in the S 1/2 SE 1/4 Section 30-T113N-R61W. This application is to transfer the location of 6.2 acres of the 12.3 acres from the S 1/2 SE 1/4 Section 30 to the N 1/2 NE 1/4 Section 31; and to allow James River diversions from the N 1/2 NE 1/4 Section 31; all in T113N-R61W. If approved, this application will allow irrigation of up to 6.1 acres within a 27 acre area in the S 1/2 SE 1/4 Section 30 and irrigation of up to 6.2 acres within a 27 acre area in the N 1/2 NE 1/4 Section 31. No increase in diversion rate or acreage irrigated is authorized by this application.

This application, if approved, will incorporate the applicable portions of Water Right No. 343-3 into No. 5651-3 and the abandoned portions of No. 343-3 will be cancelled.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5651-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water, and 3) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the chief engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 8, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

For purposes of publishing 1) the notice of hearing on Application No. 5651-3 and 2) the chief engineer's recommendation, a meeting at the Division of Water Rights office to hear this application is scheduled for June 17, 1992, at 9:00 am in Room 413, Joe Foss Building, 523 E Capitol, Pierre SD. If this application is opposed or the recommendation is contested, the June 17, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The June 17, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 8, 1992.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the

applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-5-33 thru 46-5-35; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

NOTICE OF HEARING
on Application No.
5651-3 to Transfer
Irrigation Rights
Authorized by Water
Right No. 343-3

Notice is given that Huron Colony, RR 2 Box 185, Huron, SD 57350, has filed an application for a water permit to transfer the location of 6.2 irrigated acres covered by Water Right No. 343-3. Water Right No. 343-3 appropriates 1.38 cubic feet of water per second from the James River between a point in the NW 1/4 SE 1/4 Section 25-T113N-R62W and a point in the SE 1/4 SE 1/4 Section 30-T113N-R61W to irrigate 132 acres located in the SE 1/4 Section 30-T113N-R61W. An inspection of No. 343-3 found 12.3 acres being irrigated in the S 1/2 SE 1/4 Section 30-T113N-R61W. This application is to transfer the location of 6.2 acres of the 12.3 acres from the S 1/2 SE 1/4 Section 30 to the N 1/2 NE 1/4 Section 31; and to allow James River diversions from the N 1/2 NE 1/4 Section 31; all in T113N-R61W. If approved, this application will allow irrigation of up to 6.1 acres within a 27-acre area in the S 1/2 SE 1/4 Section 30 and irrigation of up to 6.2 acres within a 27-acre area in the N 1/2 NE 1/4 Section 31. No increase in diversion rate or acreage irrigated is authorized by this application.

This application, if approved, will incorporate the applicable portions of Water Right No. 343-3 into No. 5651-3 and the abandoned portions of No. 343-3 will be cancelled.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 5651-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water, and 3) it is in the public interest. Unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation, the Water Management Board will NOT CONDUCT a HEARING to consider this application and the Chief Engineer will issue the permit as recommended. Petitions filed in support of the application will NOT require the Board to hear the application.

Any person interested in opposing or supporting this application must file a written petition with BOTH the applicant and Chief Engineer. The applicant must also file a petition if opposed to the Chief Engineer's recommendation. The Chief Engineer's address is: Water Rights Division, Foss Building, 523 E. Capitol, Pierre, SD 57501, (605)-773-3352, and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by June 8, 1992. The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Mary Walz

certify that the attached printed Notice was taken
from the Huron Plainsman

A newspaper which during the whole time of publication
said notice herein after stated, has been and is printed
published in the

City Huron of Beadle

County of Beadle and State of South Dakota
that the said notice was published in said newspaper on
following two dates:

May 21, 1992

May 28, 1992


Mary B. Walz
(Signature)

Business Manager
(Title)

May 28, 1992

(Date Signed)

Cost of Printing: \$151.30



For purposes of publishing 1) the notice of hearing on Application No. 5651-3 and 2) the Chief Engineer's recommendation, a meeting at the Division of Water Rights Office to hear this application is scheduled for June 17, 1992, at 9:00 A.M. in Room 413, Joe Foss Building, 523 E. Capitol, Pierre, SD. If this application is opposed or the recommendation is contested, the June 17, 1992, hearing date will be rescheduled for a regularly scheduled Board meeting. Notice of the time and place of the rescheduled hearing before the Board will be given by First Class Mail to the applicant and persons filing petitions. Anyone not filing a petition, but interested in attending the hearing, may contact the Division of Water Rights to confirm a hearing date and location. The June 17, 1992, hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from the applicant or any interested person opposing the application. The request for an automatic delay must be filed by June 8, 1992.

If a hearing is held, the Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application based on the facts presented at the public hearing. Any hearing will be an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact the Water Rights Division to request copies of information pertaining to this application or to assure access to the hearing by the handicapped.

This application is made pursuant to SDCL 46-1-1 through 46-1-9, 46-1-12 through 46-1-16; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 through 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 through 46-5-11, 46-5-13 through 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-5-33 through 46-5-35; and Board Rules ARSD 74:02:01:01 through 74:02:01:15.

17, 19, 44, 45, 151, 30 No. 283 (adv.)



NOV 17 1992

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

Jake Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

Dear Mr. Wollman:


Enclosed is Water Permit No. 5651-3 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

We will schedule an inspection so that the Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures



January 30, 1996

5651-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: HURON COLONY, JAKE WOLLMAN, RR #2 BOX 185, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1996

Ron Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

RE: Water Permit Nos. 2390-3, 3268-3, 4400A-3 and 5651-3

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, **Notice of Violation of Water Permits and Violation of the Requirements to Submit the 1995 Irrigation Questionnaire.**

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Permit No. 5651-3
James River - Water District

Report of Examination of Works and/or Application of Water to Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, **June 10, 1996**, made a thorough examination of the water use system constructed by **Huron Colony of RR 2, Box 185, Huron SD 57350** holder of Permit No. **5651-3**, bearing the priority of **April 1, 1947** authorizing the diversion of **0.18** cu. ft. per second of the waters of **James River** for **irrigation** purposes, in **Beadle** County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Pump:

- 1) Make **Cornell**
- 2) Model **2½H6B4-3**
- 3) Serial No. **E2197 14**
- 4) Capacity **400** GPM

Motor:

- 1) Make **Deutz**
- 2) Model No. **5 cyl, diesel**

B. Works used to transport water to place of use:

- | | | |
|--------------------------------|--------------------------------|--------------------------------------|
| 1) Type <u>Aluminum</u> | 2) Size <u>5</u> inches | 3) Length <u>≈ 1,200</u> feet |
| 1) Type <u>Aluminum</u> | 2) Size <u>6</u> inches | 3) Length <u>≈ 600</u> feet |

C. Works used to apply water to beneficial use:

Handmove Sprinkler Pipes:

- 1) Length **1,200** feet, **30** lengths
- 2) Sprinklers **Rainbird #40**

The system is in the following condition **good**. The point of diversion is located **James River: Any point within the S½SE¼ section 30 and N½NE¼ section 31; all in T113N-R61W**. The works are capable of diverting and conveying to the place of use **0.89** cu. ft. per second of water which is to be used for **irrigating a garden area**. Water has been put to beneficial use to the maximum extent as follows:

Section 30-T113N-R61W	Acreage	Section 31-T113N-R61W	Acreage
S½ SE¼	6.1	N½NE¼	6.2

Total Acreage: 12.3 acres

comprising a total of **12.3** acres of land and the license should be issued for **0.18** cfs.

Applicable permit qualifications have been complied with: Yes **X** No

Exceptions to compliance are: **none** Date report completed: **July 3, 1996**



Ron Duvall
 Natural Resources Engineer
 DENR, Water Rights Program

FIELD INVESTIGATION REPORT FOR PERMIT NO. 5651-3

DATE OF INVESTIGATION:	June 10, 1996
NAME & ADDRESS OF INVESTIGATION CONTACT/ RELATIONSHIP TO PERMIT HOLDER, IF APPLICABLE	Jake Wollman, member of colony
NAME & ADDRESS OF PERMIT HOLDER	Huron Colony RR 2, Box 185 Huron SD 57350
DIVERSION POINT LEGAL LOCATION	James River: Any point within the S½SE¼ section 30 and N½NE¼ section 31; all in T113N-R61W

Other permit(s) associated with the project: none

Pump:

- 1) Make Cornell
- 2) Model 2½H6B4-3
- 3) Serial No. E2197 14
- 4) Capacity 400 GPM

Motor:

- 1) Make Deutz
- 2) Model No. 5 cyl, diesel

DISTRIBUTION LINES OR CANALS:

- | | | |
|-------------------------|-------------------------|-------------------------------|
| 1) Type <u>Aluminum</u> | 2) Size <u>5</u> inches | 3) Length <u>≈ 1,200</u> feet |
| 1) Type <u>Aluminum</u> | 2) Size <u>6</u> inches | 3) Length <u>≈ 600</u> feet |

SYSTEM TYPE:

Handmove Sprinkler Pipes:

- 1) Length 1,200 feet, 30 lengths
- 2) Sprinklers Rainbird #40

CHEMIGATION EQUIPMENT:

- 1) Does chemigate N

PERMIT QUALIFICATIONS:

- 1) Special qualifications to permit being abided by Y
- 2) All structures, wells and lands on map Y
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 5651-3


(1) Huron Colony of RR 2 Box 185, Huron, SD 57350 made Application No. 5651-3, March 19, 1992 for a water permit to appropriate 0.18 cubic feet of water per second from the James River, Beadle County, South Dakota for irrigation purposes. Permit No. 5651-3, with a priority date of April 1, 1947 was approved June 17, 1992 and issued to the applicant for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.18 cubic feet of water per second for beneficial use. The location of the diversion point is any point on the James River within the S½ SE¼ Section 30 and the N½ NE¼ Section 31, T113N, R61W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following 12.3 acres -

T113N, R61W	Section 30	S½ SE¼	6.1 acres
T113N, R61W	Section 31	N½ NE¼	6.2 acres


(4) Pursuant to South Dakota Water Law 46-5-30.1 Huron Colony of RR 2 Box 185, Huron, SD 57350 the holder and/or owner of Water Permit No. 5651-3 is issued a license to appropriate water, the right to use 0.18 cubic feet of water per second from the James River with a priority date of April 1, 1947 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 5651-3 and subject to South Dakota State Law.



John Hatch, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUL 17 1996

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

JUL 17 1996

5651-3

Jake Wollman
Huron Colony
RR 2, Box 185
Huron, SD 57350

Dear Mr. Wollman:

Enclosed is Water License No. 5651-3 and Receipt No. 410369 for \$50.00 which was assessed for an investigation and issuance of the license. Water License No. 5651-3 is the final document which completes the process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures



February 4, 1997

NOTICE**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181**TO:** HURON COLONY, JAKE WOLLMAN, RR 2 BOX 185, HURON, SD 57350**FROM:** Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3 and 1996 Irrigation Questionnaire Requirements

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 18, 1997

2390-3
3268-3
4400A-3
5651-3

Jake Wollman
Huron Colony
RR 2 Box 185
Huron, SD 57350

Dear Mr. Wollman:

I am writing to acknowledge receipt of your 1996 irrigation questionnaires. You may disregard the February 4, 1997, **Notice of Violation**.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

5651-3



January 9, 1998

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: HURON COLONY, JAKE WOLLMAN, RR 2 BOX 185, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1998

2390-3
3268-3
4404A-3
5651-3

Huron Colony
Jim J Waldner
RR 2 Box 185
Huron SD 57350

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 2390-3, 3268-3, 4404A-3 and 5651-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 16, 2002

NOTICE

5651-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

TO: HURON COLONY, JIM J WALDNER, 40068 HURON COLONY LANE, HURON, SD 57350
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaires

Our records indicate that the 2001 Irrigation Questionnaires have not been submitted for Permit Nos. 4400A-3 & 5651-3, 2390-3 & 3268-3. The request for the Questionnaires was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2390-3 & 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2390-3 & 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5651-3

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

HURON COLONY
JIM J WALDNER
40068 HURON COLONY LANE
HURON SD 57350

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

B. Date of Delivery

1-17-02

C. Signature

x Mike Waldner

☐ Agent☐ AddresseeD. Is delivery address different from item 1? ☒ YesIf YES, enter delivery address below: ☐ No

3. Service Type

☒ Certified Mail☐ Registered☐ Insured Mail☐ Express Mail☒ Return Receipt for Merchandise

4. Restricted Delivery? (Extra Fee)

☐ Yes

7001 2510 0004 4797 5705

PS Form 3811, July 1999

Domestic Return Receipt

102595-99-M-1789



57651-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 5, 2002

Jim J Waldner
Huron Colony
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

Enclosed is a set of irrigation questionnaires for 2001. It is my understanding that you do not have the original forms mailed out in October.

The legal descriptions for each water permit or right are now shown on the irrigation questionnaires. Please review them and complete the forms with any irrigation information you may have from last crop season.

The forms need to be returned to our office prior to March 13th. On March 13th the Water Management Board will meet to discuss what type of action should be taken for questionnaires not received in a timely manner.

If you have any questions and need assistance in completing the forms, please give me a call.

Thank you,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5651-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 11, 2002

2390-3
3268-3
4400A-3
5651-3

Jim Waldner
Huron Colony
40068 Huron Colony lane
Huron, SD 57350


Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2001 irrigation questionnaires. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right Nos. 2390-3, 3268-3, 4400A-3 and 5651-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



5651-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL

PIERRE, SOUTH DAKOTA 57501-3182

www.state.sd.us/denr

January 14, 2004

NOTICE

TO: HURON COLONY, JIM J WALDNER, 40068 HURON COLONY LANE, HURON, SD 57350

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaires

Our records indicate that the 2003 Irrigation Questionnaires have not been submitted for Permit Nos. 2390A-3, 4400A-3 & 5651-3, 3268-3. The request for the Questionnaires was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3268-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2390A-3, 4400A-3 & 5651-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2390A-3, 4400A-3 & 5651-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3268-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

I'm very sorry for the delay in sending the report. Jim Waldner retired for health reason. So I'm ~~take~~ taking over & I'm new at it. So please forgive me we'll try to do better in the future

Sam Waldner

home	605 352 5647
cell	605 350 9501

If you got any questions call

RECEIVED

JAN 26 2004

WATER RIGHTS
PROGRAM



5651-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2004

2390A-3
4400A-3
3268-3
5651-3

Sam Waldner
Huron Colony
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Permit or Right Nos. 2390A-3, 4400A-3, 3268-3 and 5651-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

As you requested, future correspondence will be directed to your attention. Thank you for sending in the questionnaires and the update information for the water right files. If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Ben Durrall
Natural Resources Engineer
7/3/96

NC

N

1"=660'

30

94

NC

SWSE

SESE

26.7

17 ac

10 ac

25.5

24 ac

11.6

This application is to allow irrigation of up to
6.1 acres within a 27 acre area in the S $\frac{1}{2}$ SE $\frac{1}{4}$
sec 30 and irrigation of up to 6.2 acres
within a 27 acre area in the N $\frac{1}{2}$ NE $\frac{1}{4}$
sec 31; all in T113N-R61W


42.0

center of
section 31

31

Permit No. 5651-3

NOT TO SCALE



This application is to allow irrigation of up to 6.1 acres within a 27 acre area in the S $\frac{1}{2}$ SE $\frac{1}{4}$ sec 30 and irrigation of up to 6.2 acres within a 27 acre area in the N $\frac{1}{2}$ NE $\frac{1}{4}$ sec 31; all in T113N-R61W

99.7



Acreage originally covered by W. Right Ab 343-3



Acreage to be included within rotation area

1" = 660'

Ron Duvall
Natural Resources Engineer
2/5/92

④



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

August 1, 2006

NOTICE OF SHUTOFF ORDER

TO: HURON COLONY attn SAM WALDNER
40068 HURON COLONY LANE
HURON SD 57350

FROM: GARLAND ERBELE, Chief Engineer
Water Rights Program

SUBJECT: James River Shutoff Order

Shutoff Order for Water Right No(s). 5651-3

To protect domestic use on the James River, the department is issuing shutoff orders to water right holders on the James River from the Yankton-Hutchinson county line north to the North Dakota border. Effective immediately, no diversions of water from the James River will be allowed. Previous to this Order, shutoff orders were issued for water right junior to January 1, 1975 located upstream of Huron.

Flow in the James River continues to decline to the point where domestic use of water, which includes livestock watering from the river, has become a concern. USGS gaging stations over this entire river reach are measuring flow levels at or below 20 cubic feet per second, the required bypass for downstream domestic use. This order will remain in effect until the end of the calendar year.

The USGS maintains a website where you can view real-time stream flow measurements at several sites along the river, the web address is:

<http://waterdata.usgs.gov/sd/nwis/rt>

I am asking for your cooperation in complying with this shutoff order. The ongoing drought is creating hardship for all the water right holders along the river.

If you have any questions, please contact Lynn Beck or Mark Rath with the Water Rights Program at (605) 773-3352. Thank you.



5651-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 11, 2007

TO: All James River Water Right Holders

FROM: Garland Erbele, Chief Engineer
Water Rights Program, DENR *Garland Erbele*

SUBJECT: Proposed Amendment to Conditions on James River Water Rights

As Chief Engineer of the Water Rights Program, I am proposing amending conditions placed on many James River water rights in order to provide consistency for the period when pumping is authorized from the river. Please find enclosed the Chief Engineer's recommendation and a notice being published in newspapers along the James River in South Dakota. The notice schedules a May 9th hearing before the Water Management Board regarding the amendment.

Water Rights on the James River contain a variety of shutoff dates and by-pass flow qualifications. To facilitate the administration of James River water rights, the Chief Engineer is recommending that the Water Management Board amend water rights to provide a standard August 10th shut-off date and bypass conditions relative to USGS gaging stations. Real time flows can easily be accessed via USGS's website at <http://waterdata.usgs.gov/sd/nwis/>. The proposed amendments will not impose any condition more restrictive than currently in place and all water rights will remain subject to senior water rights and any written orders issued by the Chief Engineer.

Please review the enclosed recommendation and public notice. If your water right is among those that will be amended the section in the recommendation dealing with your water right is highlighted. If there is no highlighted section in your enclosure, then there is no proposed change to your water right. If you have any questions about the proposed changes, I encourage you to contact Lynn Beck or Mark Rath at (605) 773-3352.

enclosure

Instruction to Newspaper - Publish first Notice on April 12, 2007 with the second publication 7 days later. The Water Rights Program is responsible for payment.

NOTICE OF CHIEF ENGINEER'S RECOMMENDATION FOR JAMES RIVER WATER RIGHTS

Notice is given that the Water Rights Program, Department of Environment and Natural Resources, 523 E Capitol Avenue, Pierre SD proposes to amend conditions placed on many James River water rights in South Dakota. The objective is to bring consistency among water rights for the period when pumping is authorized from the river. This requires the modification to the conditions placed on a number of existing water rights. The amendments will not increase the authorized diversion rate or number of irrigated acres authorized under existing James River water rights. Water rights held by cities for municipal use will not be amended by this proposed action.

Currently, water rights differ in the date that pumping must cease and the amount of water that must bypass a United States Geological Survey's gaging station to pump. The Water Rights Program has reviewed all James River water rights and determined that they can be modified to a standard shut-off date of August 10th of each calendar year. In addition, it is proposed that the bypass condition along the river is best managed in three segments identified by USGS gaging stations as follows.

North Dakota Border to the Ashton gage (northern segment)
Ashton gage to Huron gage (central segment)
Huron gage to gage near Scotland (southern segment)

Water rights that currently have a bypass condition within each segment will be conditioned with a 20 cfs bypass.

The proposed amendment will not impose any conditions more restrictive than the conditions currently in place on any water right. James River water rights holders will be provided personal notice of the proposed amendment to their water right.

The Chief Engineer recommends that the Water Management Board approve deletion of the existing shut-off and bypass conditions on applicable water rights and add the following qualifications to those James River water rights as set forth above.

1. This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
2. This permit does not authorize diversions from the James River when there is less than 20 cfs bypassing the USGS gaging station at Ashton SD (or Huron and Scotland).

Any person interested in opposing or supporting this proposed amendment change shall file a written petition with the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". A petition filed by either an interested person or water right holder must be filed by April 30, 2007. The petition may be informal, but must include a statement describing the petitioner's interest, the petitioner's reasons for opposing or supporting the proposed change, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

The Water Management Board hearing to consider the amendment to delete and add the above qualifications will be held at 11:00 AM, May 9, 2007 in the Floyd Matthew Training Center, 523 E Capitol Avenue, Pierre SD. The hearing will be held pursuant to the provisions of SDCL 46-1-14 and 46-2-17.

The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) defer, or 3) deny the amendment changes based on the facts presented at the public hearing. The Board has legal authority and jurisdiction to consider this matter pursuant to SDCL 46-2-9 and 46-2-11.

The May 9, 2007 hearing date will be automatically delayed for at least 20 days upon written request to the Chief Engineer from any interested person opposing the amendments. The request for an automatic delay must be filed by April 30, 2007.

Any hearing will be an adversary proceeding. Any person filing a petition has the right to be represented by a lawyer and may present evidence or cross-examine witnesses according to SDCL 1-26. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. Contact Eric Gronlund by April 30, 2007, at the above Water Rights Program address to request copies of information pertaining to this action. Notice is further given to individuals with disabilities that this hearing is being held in a physically accessible place. Please notify the Water Rights Program if you have special needs for which special arrangements can be made.

Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

REPORT ON AMENDMENT OF JAMES RIVER WATER PERMITS/RIGHTS

April 24, 2007

Purpose of this Study

The James River historical appropriations show a variety of shut-off and by-pass qualifications adopted at different times. It is the purpose of this study to bring the shut-off and by-pass qualifications of active permits in line with the intentions of the Water Management Board as adopted at the April 1980 and May 1987 Board Meetings. In addition, the study shows that future appropriations of water from the James River can also be administered as stated above.

Historical Summary of James River Water Permits/Rights

During the 1960's the Water Resources Commission (predecessor to the Water Management Board) set a 300 cubic feet per second (cfs) limit and an August 10th cutoff date for appropriations from the James River. It was also determined that 20 cfs of water should by-pass Huron, SD to provide for downstream domestic use. The diversion limit was further defined as a combined 200 cfs of water above Huron and in addition permits having a combined 300 cfs of water could be approved above the SD Hutchinson-Yankton county line.

The Commission set limit was reached in 1968 and applications were deferred until 1975 when cancellations and underdeveloped appropriations allowed for deferred applications to be approved until the 300 cfs limit was reached. Applications were once again deferred until 1979 when a similar situation allowed James River diversions to be approved. In 1980 appropriations on the James River were once again opened and based on studies of actual irrigation development and use, it was projected that a maximum of 50-percent of permitted acres were irrigated at any one time. In 1987 a recommendation was made to the Water Management Board to change the qualifications on those active water permits upstream of Huron, SD requiring alignment with the August 10th cut-off date and the 20-cfs by-pass at the Third Street Dam, and for those water permits downstream of Huron, SD to the August 10th cut-off date.

Most recently, in 2003 Water Rights Program Staff completed on-site surveys of James River water rights that had reported non-use for periods greater than three (3) years. These surveys resulted in forfeiture for non-use of twenty-four (24) James River water rights. To date the Water Rights Program periodically reviews James River water rights for non-use status and possible cancellation. Currently there is unappropriated water in the James River.

See Attachment 1 for a detailed historical review of James River shut-off and by-pass qualifications.

Review of James River Water Permits/Rights

Past inspections of James River water permits/rights have resulted in updates to the number of permits and amounts of water appropriated from the river. See Attachment 2 for a map of the James River permits/rights and Attachment 3 for a list of James River Water Rights including their use and qualifications.

Presently there are eighty-six (86) water rights on the James River reach from the North Dakota (ND) border to the SD Hutchinson-Yankton county line with 231.81-cfs total diversions. These

water rights are for direct diversion of water from the James River during the normal irrigation season. The James River reach from Huron, SD to the ND border presently has fifty-one (51) water rights with 144.83-cfs total diversions. The majority of these water rights are in Spink (25) and Beadle (16) Counties with 124.94-cfs total diversions. At this time there are no water rights in effect for direct diversion of water from the James River upstream of the James River Columbia, SD U.S Geological Survey (USGS) gaging station. Currently 68.19-cfs is available for appropriation on the James River from the ND border to the Hutchinson/Yankton County line, of which, not more than 55.17-cfs is available for appropriation above the USGS gage at Huron due to the 200-cfs limit.

This leaves thirty-five water rights with 86.98-cfs direct diversion from the James River during the normal irrigation season on the stretch below Huron to the Hutchinson/Yankton County line. The majority of these water rights are in Davison (10) and Hutchinson (13) counties with 64.66-cfs total diversions. Currently up to 68.19-cfs is available for diversion below Huron.

Water Availability at Current Appropriation

Currently 231.81-cfs is appropriated on the James River from the ND border to the Hutchinson/Yankton County line, of which, **144.83-cfs** is appropriated above the USGS gage at Huron and **86.98-cfs** is appropriated below Huron to the Hutchinson/Yankton County line. A study was conducted, by water rights staff, to determine the probability that water would be available during the irrigation season until August 10 of each calendar year if existing water permits/rights are brought in line with a common August 10 shut-off date.

The James River was divided into three river reaches between USGS gaging stations, ND border to the USGS gage at Ashton, SD; USGS gage at Ashton, SD to the USGS gage at Huron, SD; and USGS gage at Huron, SD to USGS gage near Scotland, SD. The water appropriated for irrigation and other uses for each of the three river reaches was calculated, see table below.

RIVER REACH	IRR	OTH	TOTALS
ND border to Ashton	16.85	6.5	23.35
Ashton to Huron	95.2	26.28	121.48
TOTAL	112.05	32.78	144.83
Huron to HT/YA Co. ln.	54.2	32.78	86.98
TOTAL	54.2	32.78	86.98

Once these values were obtained, a formula for actual water use at current appropriation was developed.

Stated under, **Historical Summary of Shut-Off and By-Pass Qualifications, 1980 – 1984**, in Attachment 1, the actual irrigation development and use on the James River were found to be a maximum of 50-percent. This conclusion was reached after Water Rights Staff conducted detailed hydrographic surveys of the availability of water in the river and studies of the anticipated effects of approving water permits based on projected development and use by appropriators. A similar study was conducted with current irrigation diversions on the James River. Irrigation questionnaires from 1996 – 2006 were reviewed to estimate maximum

pumping at any one time during the irrigation season. The maximum found in each river reach is as follows:

ND border to the gage at Ashton, SD	52%
Gage at Ashton to gage at Huron, SD	42%
Gage at Huron, SD to HT/YA Co. line	29%

Therefore, the 50-percent value is still applicable today.

Since reporting for other uses is limited, 100-percent pumping is assumed. In addition 20-cfs for domestic use was added. The resulting formula for maximum use is as follows:

0.5(IRR cfs) + 1.0(OTH cfs) + 20 cfs IRR – irrigation use OTH – other uses

RIVER REACH	IRR	50%IRR	OTH	DOM	NEEDED	% CHANCE AVAIL. AUG 10
ND border to Ashton	16.85	8.42	6.5	20	34.92	65
Ashton to Huron	95.2	47.6	26.28	20	93.88	56
Huron to HT/YA Co. ln.	54.2	27.1	32.78	20	79.88	57

In order to bring existing water permits/rights in line with a common August 10 shut-off date the percent chance that water will still be available August 10 must be calculated. This was done using James River flows based on 50 or more years of USGS stream flow data for each of the three river reaches. There is a 65% chance, or better, of flow being available in the reach from the ND border to the Ashton gage; 56% chance, or better, in the reach from the Ashton gage to the gage at Huron; 57% chance, or better, in the reach from the gage at Huron to the Scotland gage. A bar graph representing the above percent chance of water being available August 10th can be found in Attachment 4.

There are factors of safety built into the computations. All of the percent probabilities that water will be available at current appropriations were calculated using flow data collected from the James River during years pumping occurred. Also, while using a 50% figure for simultaneous irrigation pumping it is assumed that 100% of all other uses will be pumping at the same time.

Water Availability at Full Appropriation

In addition, the study shows that future appropriations of water from the James River can also be administered as stated above. Using estimates for future appropriations calculations showed that there is a 63% chance, or better, of flow being available in the reach from the ND border to the Ashton gage; 50% chance, or better, in the reach from the Ashton gage to the gage at Huron; 56% chance, or better, in the reach from the gage at Huron to the Scotland gage. A bar graph representing the above percent chance of water being available August 10th can be found in Attachment 5.

The same factors of safety apply to the calculations at full appropriation as those for calculations at current appropriations.

Proposed Amendment of James River Water Rights

The present appropriations from the ND-SD border to the Hutchinson-Yankton County line total 231.81-cfs. The present total appropriations are less than the 300-cfs limit set by the Water Resources Commission in 1965 and below the June 1985 appropriation total of 254.07-cfs that brought about the Water Management Board's adoption of qualification changes during the May 1987 meeting.

To facilitate the judicious administration of the use of James River water, the protection of the in-stream beneficial uses of the river for recreational use and as a fishery, to maintain good quality water as well as sufficient quantity and velocity of water, and bring the shut-off and by-pass qualifications of active permits in line with the intentions of the Water Management Board as adopted at the April 1980 and May 1987 Board Meetings; it is proposed that appropriations of water from the James River be administered by similar qualifications adopted at the May 1987 meeting without the prior right qualification for Future Use Permit No. 1067-3. Diversions will still be subject to senior water rights and any written orders by the Chief Engineer.

Although the James River is involved in Future Use Permit No. 1067-3, Oahe Conservancy Sub-District, this permit is predicated or conditioned upon Missouri River water being delivered to the James River through the Oahe Project. Presently Future Use Permit No. 1067-3 is allotted 6500-cfs of such water from the James River, but the status of the permit is questionable since the Oahe Project has been terminated.

The Chief Engineer, Water Rights Program, proposes that the Water Management Board take action as stated in the Chief Engineer's Recommendation.



Lynn Beck
Natural Resources Engineer Specialist



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**CHIEF ENGINEER'S RECOMMENDATIONS FOR WATER RIGHTS
ON THE JAMES RIVER IN SOUTH DAKOTA**

Chief Engineer's Recommendation for Water Rights Above Huron:

The Chief Engineer is recommending that the Water Management Board amend the following permits/rights located above Huron as described:

ND Border to the gage at Ashton, SD

Water Permit No. 6427-3:

Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.
- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit.
- From July 1 - October 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

The Chief Engineer is also recommending that the Water Management Board approve the following Qualifications as standard for existing James River permits issued from the ND border to the gage at Ashton, SD.

Add:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
 - This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Ashton, SD after pumping.
-

Gage at Ashton, SD to the gage at Huron, SD

Water Right No. 5027-3:

Delete: Qualification No. 1 "Low flows as needed for downstream domestic use and prior water rights must be bypassed. The minimum bypass at Huron for domestic use is 20 cfs. During the period of April 1 through June 30 of each calendar year, diversions are authorized only when 60 cfs or more are by-passed after diversion for domestic use or prior water rights, unless a lower flow by-pass based upon the need for water in Lake Byron verses the need for water downstream, is authorized by the Chief Engineer. This permit does not authorize diversion of water from the James River after June 30th of each calendar year unless written orders have been so issued by the Chief Engineer. In the management of the James River under this permit, flows will be monitored at all gaging stations, and cutoffs will be timed to insure water supplies for domestic use and prior water rights."

Water Permit No. 5737-3:

Delete: Qualification No. 1 "When pumping from the James River into the storage pond, low flows as needed for downstream domestic use, including livestock water, and prior water rights/permits must be by-passed. From March 1 – March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit. From April 1 – June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam exceeds 63 cfs while pumping under this Permit. From June 30 until November 30, diversions from the James River are not authorized unless allowed by written orders issued by the Chief Engineer. Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer."

Water Right Nos. 6182-3 & 6183-3; Water Permit Nos. 6398-3, 6400-3, & 6505-3:

Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.

- From March 1 to March 31, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 29 cfs while pumping under this Permit.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit
- From July 1 - October 1, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

Water Permit Nos. 6375-3, 6588-3, 6589A-3, 6589B-3, 6590-3, 6613-3, 6614-3, 6614A-3, & 6738-3:
Delete: Qualification No. 1

1. Diversion of water from the James River shall be in accordance with the following criteria:

- When pumping from the James River, low flows as needed for down stream domestic use, including livestock water and prior water rights must be by-passed.
- From April 1 to June 30, diversions from the James River are authorized only when the flow at the Huron Third Street Dam is at least 63 cfs while pumping under this Permit
- From July 1 - October 31, diversions from the James River are not authorized unless by written orders issued by the Chief Engineer.
- Diversion under this Permit shall be in accordance with any written orders issued by the Chief Engineer.

The Chief Engineer is also recommending that the Water Management Board approve the following Qualifications as standard for existing James River permits issued below the gage at Ashton, SD to the gage at Huron, SD.

Add:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Huron, SD after pumping.

Water Right Nos. 1734-3, 1735-3, 1943-3, 1979-3, 2129-3, 2386-3, 2629-3, 4066A-3, 4066B-3, 4071-3, 5651-3, 5925-3, & Water Permit No. 6081-3.

Delete: "flowing over James River Dam" from Qualification No. 2.

Chief Engineer's Recommendation for Water Rights Below Huron:

Gage at Huron, SD to the gage near Scotland, SD

The Chief Engineer is recommending that the Water Management Board amend the following permits/rights located below the gage at Huron, SD as described:

Water Right Nos. 607-3 & 608-3:

Delete: "This permit is granted allowing withdrawal of water whenever 25 cfs or more is flowing past your diversion point."

Add: "This permit does not authorize diversions from the James River when less than 20 cfs is by-passing the gage near Scotland, SD after pumping."

Water Right Nos. 690-3 & 699B-3:

Delete: "Use of water under this water right is subject to flows in the James River of 15 cfs or more past your diversion point."

Add: "This permit does not authorize diversions from the James River when less than 20 cfs is by-passing the gage near Scotland, SD after pumping."

Water Permit No. 6534-3:

Delete: "July 15th" from Qualification No. 1.

Add: "August 10th" to Qualification No. 1.

Contact Lynn Beck, Water Rights Program staff engineer at (605) 773-3352 if you have questions regarding this recommendation.



Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources
April 25, 2007

Attachment 1

HISTORY OF JAMES RIVER WATER PERMITS/RIGHTS QUALIFICATIONS

April 9, 2007

Historical Summary of Shut-Off and By-Pass Qualifications:

1965 - 1979

In 1965 the South Dakota (SD) Water Resources Commission, a predecessor to the SD Water Management Board, placed a 300 cubic feet per second (cfs) total diversion limit on the James River with a maximum combined total diversion limit of 200-cfs from Huron, SD to the North Dakota border. Due to Missouri River backwater into the James River, the 300-cfs restriction has been applied from the North Dakota border to the SD Yankton-Hutchinson County Line. The Water Resources Commission also set an automatic August 10th diversion shutoff date unless a written order from them or their legal representative was issued to the holder of a James River water right.

In May of 1968 the 300-cfs limit was reached and the SD Water Rights Commission, also a predecessor to the SD Water Management Board, adopted the policy of automatically deferring without advertising further water permit applications until it was determined that non-appropriated water was available in the James River.

It was determined at the November 1975 Water Rights Commission Meeting that water permits could again be issued for James River water within the 300-cfs limit because of prior permit cancellations. Permits were issued at that time to bring the total appropriations back to the 300-cfs limit.

Applications for James River water received after November 1975 were advertised and officially deferred at the January and March 1979 Water Rights Commission Meetings. The James River was withdrawn from further appropriations for one year at the March 1979 Water Rights Commission Meeting until further studies could be made to determine if there was non-appropriated James River water available.

1980- 1984

The James River was again opened for appropriation of water at the January 1980 Water Rights Commission Meeting. The following items pertaining to James River water use were noted in the July 1980 Findings of Fact, Conclusions of Law, and Final Decision resulting from this meeting:

- The Water Rights Staff had conducted detailed hydrographic surveys of the availability of water in the river and studies of the anticipated effects of approving water permits based on projected development and use by appropriators,
- Based on such studies of actual irrigation development and use, it is projected that a maximum of 50-percent of permitted acres will be irrigated at any one time,
- Based on such surveys and studies, there is non-appropriated water available during the spring and through July 15th of normal years,
- The determination of non-appropriated water availability was based strictly on naturally occurring flows and not on anticipated flows diverted into the river from the proposed Garrison Project,
- The Water Quality Staff conducted a detailed study of the river as a fishery,

- Citizens of South Dakota, as well as other states, make substantial use of the river for recreational fishing as well as other in stream beneficial uses,
- Those portions of the river below Huron, SD support a variety of fish and aquatic life as well as acting as a spawning ground for fish in the Missouri River,
- Protection of the in stream beneficial uses of the river requires good quality of water as well as sufficient quantity and velocity of water, and
- Protection of the in stream beneficial uses of the river could be accomplished while still approving additional permits for appropriation by imposing certain by-pass requirements on those issued for use downstream of Huron, SD.

1985 - 1987

In the spring of 1985 examinations were completed by Water Rights Program personnel to update the status of appropriations from the James River. As a result of the examinations, twenty-five (25) water permits were cancelled for non-development or forfeited for non-use. The actual appropriation amount of several other water permits were also reduced to the actual amount of water being used by the appropriator. As of June 1985 there were total appropriations of 254.07-cfs from the James River.

A recommendation was made to the Water Management Board at the May 1987 meeting to change the qualifications on those active water permits upstream of Huron, SD requiring alignment with the August 10th cut-off date and the 20-cfs by-pass at the Third Street Dam, and for those water permits downstream of Huron, SD to the August 10th cut-off date.

At the May 1987 Water Management Board Meeting it was proposed that for those James River permits downstream of Huron, SD the following qualifications be deleted:

- No diversions after July 15th of each year, or in periods of obvious low flow without a written order of the Water Management Board or its legally appointed representative. Diversions shall be in accordance with written orders, if any, of the board or its representative.
- To maintain instream flows for instream and domestic purposes, the permit does not authorize diversions when there is less than the following cubic-feet-per-second bypassing the Scotland Gaging Station:
 - (a) less than 80-cfs during any month of April,
 - (b) less than 70-cfs during any month of May,
 - (c) less than 50-cfs during any month of June, and
 - (d) less than 20-cfs during the remainder of the year.

and replaced with the following:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, nor at any time when the river's flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.

For those permits upstream of Huron, SD it was also proposed that the following qualifications be deleted:

- No diversions after July 15th of each year, nor in periods of obvious low flow without a written order of the Water Management Board or its legally appointed representative. Diversions shall be in accordance with written orders, if any, of the Board or its representative.
- Prior water rights on the James River contain an August 10th cut-off date, and the additional requirement that diversions cannot be made when 20-cfs are not by-passing the Third Street Dam in Huron, to provide for downstream domestic use. In the management of the James River under these permits, flows will be monitored at all gauging stations, and cut-offs will be timed to insure water supplies to fulfill the prior water rights and domestic qualification.
- The Oahe Subdistrict has priority rights to portions of this water to the limited extent they may exist under Future Use Withdrawal Permit No. 1067-3. This application is approved subject to these prior rights if or when the Oahe Subdistrict develops the reserve supply.

and replaced with the following:

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, nor at any time when the river flow is obviously low, unless written orders have been so issued by the Chief Engineer. Diversions under this permit shall be in accordance with any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when water is not by-passing the James River Dam north of Huron or when less than 20-cfs of water is by-passing the Third Street Dam in Huron.
- Prior rights may exist for portions of this water to a limited extent under Future Use Withdrawal Permit No. 1067-3. This permit is subject to these prior water rights if or when the reserved water supply is developed.

These proposals were adopted by the Water Management Board at the May 1987 meeting.

2003 - Present


In 2003 Water Rights Program Staff completed on-site surveys of James River water rights that had reported non-use for periods greater than three (3) years. These surveys resulted in forfeiture for non-use of twenty-four (24) James River water rights. To date the Water Rights Program periodically reviews James River water rights for non use status and possible cancellation.

Presently there are eighty-six (86) water rights on the James River reach from the North Dakota (ND) border to the SD Hutchinson-Yankton county line with 231.81-cfs total diversions. These water rights are for direct diversion of water from the James River during the normal irrigation season. The James River reach from Huron, SD to the ND border presently has fifty-one (51) water rights with 144.83-cfs total diversions. The majority of these water rights are in Spink (25) and Beadle (16) Counties with 124.94-cfs total diversions. At this time there are no water rights in effect for direct diversion of water from the James River upstream of the James River Columbia, SD U.S Geological Survey (USGS) gaging station.

This leaves thirty-five water rights with 86.98-cfs direct diversion from the James River during the normal irrigation season on the stretch below Huron to the Hutchinson/Yankton County line. The majority of these water rights are in Davison (10) and Hutchinson (13) counties with 64.66-cfs total diversions.

Attachment 2 JAMES RIVER BASIN, SOUTH DAKOTA

Map showing James River Basin and water rights located between streamflow-gaging stations in South Dakota.
April 24, 2007



Legend

- ▲ USGS JR WTRSHD Stream Gages selection
- James River Water Rights
- ▲ USGS James River Stream Gages
- James River Watershed in SD

JAMES RIVER WATER RIGHTS BY GAGING STATION

WRTN ORD – Can't pump after the date without a "Written Order" from the Chief Engineer.

ABOVE HURON:

WR's above Columbia Gage: 2

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2	USE 3
US1-3	BN	1	10/16/1934	LC	0.000			FWP	DOM	REC
5516-3	BN	1	03/08/1991	LC	0.000	110 CFS AT DIV		FWP		
total					0.000					

WR's above Stratford Gage: 13

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
27-3	BN	2	03/31/1941	LC	0.500			FWP	REC
1817-3	BN	2	01/01/1935	LC	0.000	VR		REC	
5924-3	BN	2	04/03/1996	PE	0.000	FLOOD FLOWS		FWP	
1125-3	BN	2	08/19/1964	LC	1.980	20 CFS		IRR	
1491-3	BN	2	01/15/1968	LC	1.940	20 CFS		IRR	
6427-3	BN	2	06/26/2003	PE	6.000	63 CFS	WRTN ORD 7/1	FWP	
4066A-3	BN	2	09/03/1976	LC	0.680	20 CFS	WRTN ORD 8/10	IRR	
4066B-3	BN	2	09/03/1976	LC	0.650	20 CFS	WRTN ORD 8/10	IRR	
5925-3	BN	2	04/09/1996	LC	2.000	20 CFS	WRTN ORD 8/10	IRR	
5277-3	BN	2	01/25/1989	LC	2.300	20 CFS	WRTN ORD 8/10	IRR	
6081-3	BN	2	05/27/1998	PE	2.220	20 CFS	WRTN ORD 8/10	IRR	
2629-3	BN	2	11/17/1975	LC	1.440	20 CFS	WRTN ORD 8/10	IRR	
1841-3	BN	2	01/01/1935	LC	0.000	VR		IRR	
total					19.710			REC	

WR's above Ashton Gage: 1

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1
4071-3	SP	3	01/20/1977	LC	3.640	20 CFS	WRTN ORD 8/10	IRR
total					3.640			

ND to Ashton appropriated cfs = 23.35, 50% irrigation pumping plus 100% other use pumping and 20 cfs for domestic use, current needed cfs = 34.92.

WR's above Huron Gage: 46

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
1172-3	SP	4	03/08/1965	LC	1.500	20 CFS	WRTN ORD 8/10	IRR	
1421-3	SP	4	06/15/1967	LC	0.670	20 CFS	WRTN ORD 8/10	IRR	
2129-3	SP	4	10/10/1974	LC	1.690	20 CFS	WRTN ORD 8/10	IRR	
1943-3	SP	4	05/30/1972	LC	1.890	20 CFS	WRTN ORD 8/10	IRR	

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
1735-3	SP	4	02/16/1970	LC	1.940	20 CFS	WRTN ORD 8/10	IRR	
6589A-3	SP	4	02/04/2005	PE	2.290	63 CFS	WRTN ORD 7/1	IRR	
6587-3	SP	4	11/04/1968	PE	1.910	20 CFS	WRTN ORD 8/10	IRR	
1733-3	SP	4	10/12/1967	LC	3.770	20 CFS	WRTN ORD 8/10	IRR	
6400-3	SP	4	02/10/2003	PE	6.860	63 CFS	WRTN ORD 7/1	IRR	
6590-3	SP	4	02/04/2005	PE	1.560	63 CFS	WRTN ORD 7/1	IRR	
1734-3	SP	4	11/04/1968	LC	3.750	20 CFS	WRTN ORD 8/10	IRR	
6589B-3	SP	4	02/04/2005	PE	2.290	63 CFS	WRTN ORD 7/1	IRR	
1450-3	SP	4	10/12/1967	LC	4.440	20 CFS	WRTN ORD 8/10	IRR	
6588-3	SP	4	02/04/2005	PE	0.000	63 CFS	WRTN ORD 7/1	IRR	
1538-3	SP	4	03/19/1968	LC	4.000	20 CFS	WRTN ORD 8/10	IRR	
2396-3	SP	4	10/10/1975	LC	1.880	20 CFS	WRTN ORD 8/10	IRR	
5737-3	SP	4	12/17/1992	PE	1.880	63 CFS	WRTN ORD 6/30	IRR	
6375-3	SP	4	01/02/2003	PE	5.350	63 CFS	WRTN ORD 7/1	IRR	
6738-3	SP	4	07/05/2006	PE	2.890	63 CFS	WRTN ORD 7/1	IRR	
2386-3	SP	4	09/24/1975	LC	1.280	20 CFS	WRTN ORD 8/10	IRR	
6398-3	SP	4	02/24/2003	PE	0.610	63 CFS	WRTN ORD 7/1	IRR	
1979-3	SP	4	03/27/1973	LC	3.760	20 CFS	WRTN ORD 8/10	IRR	
6182-3	SP	4	02/22/2000	LC	7.030	63 CFS	WRTN ORD 6/30	IRR	
6183-3	SP	4	02/22/2000	LC	7.830	63 CFS	WRTN ORD 6/30	IRR	
616-3	SP	4	06/06/1959	LC	1.140			IRR	
1027-3	BD	4	01/01/1936	LC	0.000	20 CFS		MUN	
6505-3	BD	4	04/26/2004	PE	1.560	63 CFS	WRTN ORD 7/1	IRR	
6613-3	BD	4	03/31/2005	PE	6.680	63 CFS	WRTN ORD 7/1	IRR	
6614-3	BD	4	03/31/2005	PE	1.890	63 CFS	WRTN ORD 7/1	IRR	
6614A-3	BD	4	03/31/2005	PE	0.000	63 CFS	WRTN ORD 7/1	IRR	
5651-3	BD	4	04/01/1947	LC	0.180	20 CFS	WRTN ORD 8/10	IRR	
2387-3	BD	4	12/12/1966	LC	3.500	20 CFS	WRTN ORD 8/10	IRR	
2390A-3	BD	4	09/26/1975	PE	1.890	20 CFS	WRTN ORD 8/10	IRR	
2390-3	BD	4	09/26/1975	LC	1.890	20 CFS	WRTN ORD 8/10	IRR	
5027-3	BD	4	06/14/1984	LC	12.000	60 CFS	WRTN ORD 6/30	REC	MUN
1276-3	BD	4	01/01/1949	LC	2.220	VR		IRR	
4866-3	BD	4	01/01/1949	LC	1.560	20 CFS	WRTN ORD 8/10	IRR	
2643-3	BD	4	02/06/1976	LC	1.620	20 CFS	WRTN ORD 8/10	IRR	
5321-3	BD	4	04/27/1989	LC	0.030	20 CFS	WRTN ORD 8/10	COM	
2049-3	BD	4	02/13/1974	LC	2.000	20 CFS	APRIL MAY JUNE	MUN	REC
9-3A	BD	4	03/31/1950	LC	5.000			MUN	
9-3	BD	4	04/22/1914	LC	5.000			MUN	

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1	USE 2
37A-3	BD	4	11/04/1942	PE	0.000	20 CFS		MUN	
37-3	BD	4	11/04/1942	LC	2.250			IND	
755-3	BD	4	12/23/1960	LC	0.000	2-15 CFS		MUN	
1022-3	BD	4	01/01/1936	LC	0.000	VR		MUN	
total					121.480				

Ashton to Huron appropriated cfs = 121.48. 50 % irrigation pumping plus 100 % other use pumping and 20 cfs for domestic use, current needed cfs = 93.88.

BELOW HURON:

WR's above Forestburg Gage: 5

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL WRTN ORD	USE 1
550-3	BD	5	09/10/1958	LC	0.600	20 CFS		IRR
559-3A	BD	5	12/03/1958	LC	2.010	15 CFS		IRR
US552-3	BD	5	04/25/1946	LC	0.000			IRR
5385-3	BD	5	01/01/1955	LC	1.360		WRTN ORD 8/10	IRR
5357-3	SA	5	01/01/1936	LC	0.000			REC
total					3.97			

WR's above Scotland Gage: 33

PERMIT NO	CO	GAGE NO	PRIORDATE	STATUS	CUR CFS	FL QUAL1	FL QUAL2	FL QUAL WRTN ORD	USE 1
5500-3	SA	6	03/06/1991	LC	0.250			WRTN ORD 8/10	IRR
1422-3	DN	6	01/02/1968	LC	2.000			WRTN ORD 8/10	IRR
305-3	DN	6	09/22/1956	LC	0.890				IRR
1917-3	DN	6	12/22/1971	LC	1.740			WRTN ORD 8/10	IRR
5207-3	DN	6	04/20/1957	LC	5.580				IRR
5022-3	DN	6	06/19/1984	LC	2.900	20 CFS PST DIV			IRR
4354-3	DN	6	04/06/1978	LC	29.000	20 CFS PST DIV	110 CFS PST DIV		RWS
690-3	DN	6	03/02/1960	LC	0.860	15 CFS PST DIV			MUN
699B-3	DN	6	03/02/1960	LC	1.630	15 CFS PST DIV			IRR
280-3	DN	6	01/01/1955	LC	0.890				IRR
1693A-3	DN	7	08/04/1969	PE	1.330				IRR
5121-3	HS	7	01/28/1987	LC	0.880			WRTN ORD 8/10	IRR
1900-3	HS	7	09/16/1971	LC	1.550			WRTN ORD 8/10	IND
436-3	HS	7	04/05/1945	LC	1.050			WRTN ORD 8/10	IRR
4656-3	HS	7	09/16/1971	LC	5.820			WRTN ORD 8/10	IRR
608-3	HS	7	05/05/1959	LC	0.380	25 CFS PST DIV			IRR
1902-3	HS	7	09/16/1971	LC	4.750			WRTN ORD 8/10	IRR
4717A-3	HS	7	09/16/1971	LC	1.670			WRTN ORD 8/10	IRR
2411-3	HS	7	10/20/1975	LC	2.000			WRTN ORD 8/10	IRR
607-3	HT	7	05/05/1959	LC	0.660	25 CFS PST DIV			IRR
6534-3	HT	7	08/17/2004	PE	2.780			WRTN ORD 7/15	IRR
6125-3	HT	7	02/01/1999	PE	1.560			WRTN ORD 8/10	IRR

PERMIT NO	CO	GAGE NO	PRIOR DATE	STATUS	CUR CFS	FL QUAL1	FL QUAL2	FL QUAL WRTN ORD	USE 1
5970-3	HT	7	12/13/1996	LC	1.440			WRTN ORD 8/10	IRR
4072-3	HT	7	01/24/1977	LC	0.480			WRTN ORD 8/10	IRR
2385-3	HT	7	09/23/1975	LC	1.300			WRTN ORD 8/10	IRR
6131-3	HT	7	03/22/1999	LC	0.770			WRTN ORD 8/10	IRR
5392A-3	HT	7	03/01/1990	LC	1.340			WRTN ORD 8/10	IRR
6506-3	HT	7	04/26/2004	PE	0.000			WRTN ORD 8/10	IRR
5391-3	HT	7	03/01/1990	LC	2.610			WRTN ORD 8/10	IRR
6132-3	HT	7	03/22/1999	LC	0.850			WRTN ORD 8/10	IRR
6082-3	HT	7	06/02/1998	PE	0.570			WRTN ORD 8/10	IRR
2631A-3	HT	7	11/25/1975	LC	1.700			WRTN ORD 8/10	IRR
6083-3	HT	7	06/02/1998	PE	1.780			WRTN ORD 8/10	IRR
total					83.01				


Huron to Scotland appropriated cfs = 86.98, 50 % irrigation pumping plus 100 % other use pumping and 20 cfs for domestic use, current needed cfs = 79.88.

% CHANCE OF FLOW BEING AVAILABLE FOR DIVERSION THRU AUGUST 10TH

Cfs values are at 50% irrigation pumping and 100% other use diversion at current appropriation plus 20 cfs domestic.

■ % chance to satisfy above gage

□ % chance to satisfy below gage




% CHANCE OF FLOW BEING AVAILABLE FOR DIVERSION THRU AUGUST 10TH

Cfs values are at 50% irrigation pumping and 100% other use diversion when fully appropriated plus 20 cfs domestic.

■ % chance to satisfy above gage

□ % chance to satisfy below gage





5651-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 21, 2007

NOTICE

TO: SAM WALDNER
HURON COLONY
40068 HURON COLONY LN
HURON SD 57350

FROM: Garland Erbele, Chief Engineer
Water Rights Program, DENR

SUBJECT: Amendment to Qualifications on Water Right No. 5651-3 and Water Permit Nos. 6613-3, 6614-3, 6614A-3 and 6505-3

On May 9th, the Water Management Board amended qualifications to Water Right No. 5651-3 and Water Permit Nos. 6613-3, 6614-3, 6614A-3 and 6505-3. This action was taken as set forth in notice sent to you on April 11, 2007 and published in James River basin newspapers and the staff report mailed to you on April 25, 2007.

Attached is a listing of the qualifications as amended and the deleted qualification which reflects the Board's action to your water permits. Please file these attachments with the Colony's water permit records. All other qualifications listed on the Colony's your water permits were not changed by the Board's action and remain in effect. For example, submittal of the annual irrigation questionnaire continues to be a qualification of your water permits.

If you have any questions about the Board's action or the amendment, please contact Lynn Beck at 605 773-3352.

Enclosure

Attachment to Water Right No. 5651-3

Amended Qualifications set by the Water Management Board on May 9, 2007

Qualifications as amended to Water Right No. 5651-3

- This permit does not authorize diversion of water from the James River after August 10th of each calendar year, or at any time the river's flow is obviously low, unless written orders have been issued by the Chief Engineer. Diversions under this permit are subject to senior water rights and any written orders issued by the Chief Engineer.
- This permit does not authorize diversions from the James River when there is less than 20-cfs by-passing the gage at Huron, SD after pumping.

Delete portion of qualification on Water Right No. 5651-3

Deleted reference to by-passing water at James River Dam


CERTIFICATION

I hereby certify that on May 21, 2007, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated May 21, 2007 regarding Amendment to James River Qualifications addressed as stated below:

Marke Grasse, 38313 131st St, Aberdeen SD 57401
Ron Wheeler, Lake Byron Watershed, PO Box 1363, Huron SD 57350
Floyd Peterson, 18892 390th Ave Hitchcock SD 57348
Reed Bixler, Bixler Farms, 39477 184th St, Hitchcock SD 57348
Ruben Endander, 18239 398th Ave, Frankfort SD 57440
Lyle Arden Bendenagel, 39586 176th St, Frankfort SD 57440
Arne Svarstad, 13797 392nd Ave, Aberdeen SD 57401
Alfred Locken, 39643 137th St, Bath SD 57427
Jon & Loren Locken, 13755 396th Ave, Bath SD 57427
Keith Kettering, 39064 156th St, Mellette, SD 57461
Roger Locken, Locken Ag, 39643 137th St, bath SD 57427
Orrin Roth, 26752 421st Ave, Parkston SD 57366
Loren Roth, 42051 262nd St, Alexandria SD 57311
Don Barber, 41321 Hwy 38, Mitchel SD 57301
Mary K Puetz, 910 Firesteel Dr, Mitchell SD 57301
Russ Werning, 1543 Parkview Dr, Watertown SD 57201
Harvey Wollman, 40004 184th St, Frankfort SD 57440
John Wipf, Spink Colony, 18206 Spink Ln, Frankfort SD 57440
Jerry Kleinsasser, Glendale Colony, 17866 Glendale Dr, Frankfort SD 57440
Sam Waldner, Huron Colony, 40068 Huron Colony Ln, Huron SD 57350

A copy of the above described Notice was sent Inter-office to:

Diane Best, Assistant Attorney General, Capitol Building


Gail Jacobson
Secretary
Water Rights

STATE OF SOUTH DAKOTA)

) SS

COUNTY OF HUGHES)

Sworn to, before me, this 21st day of May, 2007.


Karen Schlaak
Notary Public
My Commission expires April 1, 2013



5651-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

August 6, 2012

JAMES RIVER WATER RIGHT QUALIFICATION REMINDER
WATER RIGHT NO(s). 2390A-3, 5651-3, 6505-3, 6613-3, 6614-3, 6614A-3,

To: HURON COLONY
40068 HURON COLONY LANE
HURON SD 57350

From: Garland Erbele, Chief Engineer
Water Rights Program, DENR
(605) 773-3352

Subject: James River Qualification Reminder for Permit No(s). 2390A-3, 5651-3, 6505-3,
6613-3, 6614-3, 6614A-3,

Qualifications on you water right indicate that you are not authorized to divert James River water after August 10th. Please, consider this a reminder and cease diversion if you have not already done so. No diversion can take place after August 10th unless under written orders by the Chief Engineer. You may resume diversion on the date stated in the qualifications on your water right.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

August 15, 2017

2390A-3, 5651-3, 7395-3
7905-3, 7906-3, 8123-3


Huron Hutterian Bretheren
Attn: Joey Waldner
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

This letter is in reference to your August 15, 2017 telephone call regarding water availability to continue irrigation from the James River for this summer. Flows in the James River continue to be strong. Because there is sufficient flow in the James River, I am granting your request to extend the shutoff date for your water permit out of the James River through September 10, 2017.

If you have any questions, please contact Mark Rath or Aaron Tieman of the Water Rights Program at phone (605) 773-3352.

Sincerely,


Jeanne Goodman, Chief Engineer
Water Rights Program



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: HURON COLONY, JOEY WALDNER, 40068 HURON COLONY LANE, HURON, SD 57350 8001

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaire(s)

Our records indicate your 2020 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3. The request for the Questionnaire was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: LHSJWM**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

5651-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 4, 2021

Joey Waldner
Huron Colony
40068 Huron Colony Lane
Huron SD 57350 8001

RE: Water Permit or Right Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2020 irrigation questionnaires.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for the above listed water rights or water permits. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

May 27, 2021

Dear James River Water Right Holder:

I am writing to water right holders and operators who use water from the James River that river flow is much lower this year and to let them know that shutoff orders are possible this summer.

South Dakota law gives the highest priority to domestic use, including livestock watering. There is generally adequate water available to meet both domestic use and other needs. However, once water availability reaches critical low levels, other uses will begin to interfere with domestic use. If river levels become critically low, the department may be forced to issue shutoff orders to protect domestic use, including livestock watering and those water rights that are most senior.

We are only cautioning that shutoff orders may become necessary. **This not a shutoff order.** This letter is only intended to give you advanced warning that your ability to divert water may be cut short this year. If shutoff orders are issued, you will receive another letter from the department. In the meantime, water right holders can help by closely monitoring water usage and avoid wasting water.

If you are interested, the US Geological Survey has an Internet site showing river flows at 164 stream gauging stations across the state. To view the latest realtime stream flow, go to:

<https://waterdata.usgs.gov/sd/nwis/current/?type=flow>

Thank you for your cooperation. If you have any questions, please contact Mark Rath, Blaise Hansen, or Nakaila Steen at (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

August 16, 2021

Dear James River Water Right Holder:

I am writing to water right holders and operators who either use water from the James River or tributaries under permits with the August 10 shutoff date qualification.

Water rights containing this qualification requires a mandatory compliance and pumping under your permit must cease after August 10th unless you contact the Water Rights Program and receive permission to continue to divert water.

Water Rights staff drove along the James River last week after the August 10 shutoff date to spot-check whether water right holders were complying with this qualification. This spot-check found multiple water right holders diverting water in violation of this qualification.

Again, I remind you, compliance with this shutoff qualification is required unless you request and receive permission from the Water Rights Program to continue pumping. Permission may be granted based upon water availability.

Thank you for your cooperation. If you have any questions, please contact Mark Rath, Blaise Hansen, or Nakaila Steen at (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: HURON COLONY, JOEY WALDNER, 40068 HURON COLONY LANE, HURON, SD 57350

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: RDXOUP**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Also try: [usps service tracking](#) · [my usps tracking](#)

27,597,233 Results

[Open links in new tab](#)

Track USPS package

7019 1120 0001 2910 9063

Track



USPS package #70191120000129109063

www.usps.com[See more](#)

Delivered: Fri, Jan 21, 11:07 AM

Processed In transit Delivered

DATE	TIME	LOCATION	STATUS
Jan 21	11:07 AM	Huron, SD, United States	Delivered, left with individual
Jan 20	9:24 PM	Huron Sd Distribution Center	Arrived at USPS regional facility

Data from usps.com

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com**OFFICIAL USE**

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy) \$
☐ Return Receipt (electronic) \$
☐ Certified Mail Restricted Delivery \$
☐ Adult Signature Required \$
☐ Adult Signature Restricted Delivery \$

Delivered
 1-21-2022
 Postmark
 Here

ity Mail ® 9205

On Delivery

000 000 00

deliverytrack.netols.usps.comols.usps.comi.usps.comosttrack.com

HURON COLONY
 JOEY WALDNER
 40068 HURON COLONY LANE
 HURON SD 57350 8001

shipping and
 ZIP Code, and

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

[Tracking](#) · [ZIP Code Lookup](#) · [Hold Mail](#) · [Sign In](#) · [Calculate a Price](#) · [Careers](#)

USPS.com® - USPS Tracking®

<https://tools.usps.com/go/TrackConfirmAction?tLabels=>

USPS.com® - USPS Tracking®

News about USPS Tracking

bing.com/news

Tax Refund Checks Are
 Coming: Track Them
 Straight to Your Mailbox



Track Your Tax Refund
 with Free Tools From the
 IRS and USPS

Still Waiting? Here Are
 Two Ways to Track Your
 Tax Refund

Instead of just blindly
 waiting for this year's tax
 refund to come through,
 know that there are a
 couple of handy ways to





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 3, 2022

**NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION
OF WATER RIGHTS AND WATER PERMITS**

TO: Joey Waldner, Huron Colony, 40068 Huron Colony Ln, Huron SD 57350-8001

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: One Year Suspension of Water Permit/Right Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3

On March 2, 2022, the Water Management Board ordered:

Effective April 4, 2022, Water Permit/Right Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 be suspended for the 2022 irrigation season for failure to submit the 2021 irrigation questionnaires.

If the 2021 irrigation questionnaires are received prior to April 4, 2022, the suspensions will not take effect.

Suspension of a water permit or right means water may not be pumped during the 2022 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2022 unless the 2021 irrigation questionnaires are submitted by April 4, 2022.

After April 4th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2021 irrigation questionnaires and a letter to our office requesting time on the agenda for the next Water Management Board meeting scheduled for May 4-5, 2022, in Pierre, SD. The letter should include your reasons for not completing the 2021 irrigation questionnaires. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

I hereby certify that on March 3, 2022, I have personally deposited with the United States mail at Pierre, South Dakota, a first class postage prepaid envelopes containing a "Notice" dated March 3, 2022, concerning Board action to amend and/or suspend water rights to the following:

Amendments:

No. 3487-3: Dave Hanson, 31489 455th Ave., Meckling SD 57069
No. 2460-3: Ryan Patterson, 10946 425th Ave., Britton SD 57430
Patterson Farm Inc, 42474 SD Hwy 10, Britton SD 57430

Amend & Suspend:

Nos. 1397-2, 2647-2 & 2701-2: Cody Burull, 25299 Deer Valley Rd, Reliance SD 57569

Nos. 2072-3, 2126-3, 3204-3, 7236-3 & 7237-3:

- David Ulvestad, 46720 201st St., Bruce SD 57220
- Darwin Ulvestad, 46679 201st St, Bruce SD 57220

Three year suspensions:

No. 410B-2: Kathi Koester, PO Box 206, Custer SD 57730-0206
Nos. 1350-3 & 6042-3: Scott Jensen, 24348 478th Ave., Dell Rapids SD 57022

One year suspensions:

No. 6947-3: Joe Adler, 48353 149th St, Milbank SD 57252
Nos. 6263-3 & 8041-3: George G Hofer, Cedar Grove Colony, 36926 266th St, Platte SD 57369
No. 881-2: Ryan Edwards, 25331 Yellow Eagle Rd, White River SD 57579
No. 6316-3: Howard Athletic Club Inc., 508 E Farmer Ave., Howard SD 57349-9017
Nos. 2851-3 & 4955-3: David Huber, 16010 413th Ave., Conde SD 57434

Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3: Joey Waldner Colony, 40068 Huron Colony Lane, Huron SD 57350-8001

Nos. 7286-3 & 7543-3: Brian Kozak, 30620 417th Ave., Tyndall SD 57066
No. 5665-3: Pat Mentele, PO Box 41, Woonsocket SD 57385-0041
No. 8326-3: Jerry D Nelsen, 45125 291st St., Viborg SD 57070
No. 7005-3: Troy Randall, Randall Enterprise LLC, 24250 479th Ave., Dell Rapids SD 57022 6139
No. 2497-2: Marty Vanderploeg, 22958 293rd St, Martin SD 57551-5930
No. 8265-3: Carl Pulvermacher, Wiskota Farm, 14050 SD Hwy 25, Webster SD 57274
Nos. 516-1 & 715-1: Lawrence Woodward, PO Box 220, Dupree SD 57623-0220



Genny McMath
Program Assistant-Water Rights

STATE OF SOUTH DAKOTA)

) SS

COUNTY OF HUGHES)


Sworn to, before me, this 3rd day of March, 2022.



Karen Schlaak

Notary Public

My Commission expires April 1, 2025





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 16, 2022

Joey Waldner
Huron Colony
44068 Huron Colony Ln
Huron SD 57350 8001

RE: Water Permit/Right Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3

Dear Mr. Waldner:

On March 2, 2022, the Water Management Board ordered Water Permit/Right Nos. 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 be suspended if the 2021 irrigation questionnaires were not received prior to April 4, 2022. The questionnaire information has been received.

Since the irrigation questionnaires are on file, no violations have occurred, and no suspensions will take place. You may irrigate during the 2022 irrigation season.

If you have any questions, please contact us.

Sincerely,

Ron Duvall
Water Rights Permitting Administrator
Water Rights Program
(605) 773-3352



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

August 29, 2022

5651-3, 2390A-3, 7395-3,
7905-3, 7906-3, 7906A-3,
8123-3

Huron Hutterian Brethren
40068 Huron Colony Lane
Huron SD 57350

Dear Mr. Waldner:

This letter is in reference to your August 29, 2022, request for an extension to pump water from the James River beyond the August 10 shutoff date. Flows in the James River in the reach between the confluence with the North Dakota Border and the Huron are sufficient at this time to allow an extension. Because there is sufficient flow in the James River, I am granting your request to extend the shutoff date for your water permit out of the James River and allow you to divert through the end of the 2022 irrigation season.

In the event dry climatic conditions in the river basin causes river flow to significantly decrease and flow measured at the USGS stream gaging station James River at Huron drops to below 20 cfs, you will be contacted and provided orders to cease pumping. Realtime flows in the James River can be monitored by going to the following website:

<https://waterdata.usgs.gov/sd/nwis/current/?type=flow>

If you have any questions, please contact Mark Rath of the Water Rights Program at phone (605) 773-3352.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: HURON COLONY, JOEY WALDNER, 40068 HURON COLONY LN, HURON, SD 57350
8001

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaire(s)

Our records indicate your 2023 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3. The request for the Questionnaire was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: FTBPLU**



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 31, 2024

2390A-3, 3268A-3, 4400A-3,
5651-3, 6431-3, 7365-3, 7366-3,
7367-3, 7370-3, 7395-3, 7905-3,
7906-3, 7369A-3, 7369B-3,
7369C-3, 7906A-3 & 8678-3

Huron Httm Brth
c/o Joey Waldner
40068 Huron Colony Ln
Huron SD 57350

Dear Mr. Waldner:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 2390A-3, 3268A-3, 4400A-3, 5651-3, 6431-3, 7365-3, 7366-3, 7367-3, 7370-3, 7395-3, 7905-3, 7906-3, 7369A-3, 7369B-3, 7369C-3, 7906A-3 & 8678-3.

The information was received prior to the March 6, 2024, Water Management Board meeting and these permit numbers have been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us